

# Charlene Thornton Rm

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9315537/publications.pdf>

Version: 2024-02-01

64  
papers

2,323  
citations

218677

26  
h-index

223800

46  
g-index

65  
all docs

65  
docs citations

65  
times ranked

3036  
citing authors

#	ARTICLE	IF	CITATIONS
1	The effectiveness and safety of complementary health approaches to managing postpartum pain: A systematic review and meta-analysis. <i>Integrative Medicine Research</i> , 2022, 11, 100758.	1.8	4
2	Probiotics for preventing and treating infant regurgitation: A systematic review and meta-analysis. <i>Maternal and Child Nutrition</i> , 2022, 18, e13290.	3.0	6
3	Characteristics and co-admissions of mothers and babies admitted to residential parenting services in the year following birth in NSW: a linked population data study (2000–2012). <i>BMC Pregnancy and Childbirth</i> , 2022, 22, .	2.4	0
4	Single agent versus combination chemotherapy for metastatic breast cancer. <i>The Cochrane Library</i> , 2021, 2021, CD003372.	2.8	149
5	Associations Between Mode of Birth and Neuropsychological Development in Children Aged 4 Years: Results from a Birth Cohort Study. <i>Child Psychiatry and Human Development</i> , 2021, 52, 1094-1105.	1.9	6
6	Intrapartum interventions and outcomes for women and children following induction of labour at term in uncomplicated pregnancies: a 16-year population-based linked data study. <i>BMJ Open</i> , 2021, 11, e047040.	1.9	27
7	Modelling the cost of place of birth: a pathway analysis. <i>BMC Health Services Research</i> , 2021, 21, 816.	2.2	4
8	Barriers and enablers for midwives using endorsement for scheduled medicines: A literature review. <i>Women and Birth</i> , 2020, 33, 3-14.	2.0	7
9	The safety and effectiveness of mind body interventions for women with pregnancy induced hypertension and or preeclampsia: A systematic review and meta-analysis. <i>Complementary Therapies in Medicine</i> , 2020, 52, 102469.	2.7	8
10	What's wrong with using the F word? A systematic integrative review of how the fetus is talked about in situations of fetal demise or high risk of fetal loss. <i>Midwifery</i> , 2019, 79, 102537.	2.3	1
11	Warm perineal compresses during the second stage of labor for reducing perineal trauma: A meta-analysis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 240, 93-98.	1.1	38
12	Creating the first national linked dataset on perinatal and maternal outcomes in Australia: Methods and challenges. <i>Journal of Biomedical Informatics</i> , 2019, 93, 103152.	4.3	6
13	Characteristics and changes in characteristics of women and babies admitted to residential parenting services in New South Wales, Australia in the first year following birth: a population-based data linkage study 2000–2012. <i>BMJ Open</i> , 2019, 9, e030133.	1.9	6
14	Mapping the trajectories for women and their babies from births planned at home, in a birth centre or in a hospital in New South Wales, Australia, between 2000 and 2012. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 513.	2.4	6
15	Maternal and perinatal outcomes by planned place of birth in Australia 2000 – 2012: a linked population data study. <i>BMJ Open</i> , 2019, 9, e029192.	1.9	26
16	Influence of Gestational Age at Initiation of Antihypertensive Therapy. <i>Hypertension</i> , 2018, 71, 1170-1177.	2.7	25
17	Maternal and perinatal outcomes by planned place of birth among women with low-risk pregnancies in high-income countries: A systematic review and meta-analysis. <i>Midwifery</i> , 2018, 62, 240-255.	2.3	139
18	Adolescent Perinatal Outcomes in South West Sydney, Australia. <i>Mayo Clinic Proceedings Innovations, Quality &amp; Outcomes</i> , 2018, 2, 10-15.	2.4	2

#	ARTICLE	IF	CITATIONS
19	Gastro-oesophageal reflux: a mixed methods study of infants admitted to hospital in the first 12 months following birth in NSW (2000–2011). <i>BMC Pediatrics</i> , 2018, 18, 30.	1.7	21
20	The effect of medical and operative birth interventions on child health outcomes in the first 28 days and up to 5 years of age: A linked data population-based cohort study. <i>Birth</i> , 2018, 45, 347-357.	2.2	63
21	Characteristics and service needs of women and babies admitted to residential parenting units in New South Wales: A mixed-methods study. <i>Journal of Clinical Nursing</i> , 2018, 27, 2963-2973.	3.0	9
22	Mental Health and Diabetes During Pregnancy: Is It Chicken or Egg?. , 2018, , 39-46.		0
23	The relationship between intimate partner violence reported at the first antenatal booking visit and obstetric and perinatal outcomes in an ethnically diverse group of Australian pregnant women: a population-based study over 10 years. <i>BMJ Open</i> , 2018, 8, e019566.	1.9	20
24	All Hypertensive Disorders of Pregnancy Increase the Risk of Future Cardiovascular Disease. <i>Hypertension</i> , 2017, 70, 798-803.	2.7	137
25	A longitudinal analysis of angiotensin II type 1 receptor antibody and angiogenic markers in pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 170.e1-170.e8.	1.3	12
26	Benchmarking the Hypertensive Disorders of Pregnancy. <i>Pregnancy Hypertension</i> , 2016, 6, 279-284.	1.4	16
27	Hypertension in pregnancy and long-term cardiovascular mortality: a retrospective cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, 722.e1-722.e6.	1.3	29
28	Obstetric and psychosocial risk factors for Australian-born and non-Australian born women and associated pregnancy and birth outcomes: a population based cohort study. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 292.	2.4	23
29	Severe perineal trauma is rising, but let us not overreact. <i>Midwifery</i> , 2015, 31, 1-8.	2.3	34
30	Rates of obstetric intervention and associated perinatal mortality and morbidity among low-risk women giving birth in private and public hospitals in NSW (2000–2008): a linked data population-based cohort study. <i>BMJ Open</i> , 2014, 4, e004551.	1.9	47
31	Birthplace in New South Wales, Australia: an analysis of perinatal outcomes using routinely collected data. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 206.	2.4	54
32	Rates of obstetric intervention during birth and selected maternal and perinatal outcomes for low risk women born in Australia compared to those born overseas. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 100.	2.4	60
33	Risk of recurrence, subsequent mode of birth and morbidity for women who experienced severe perineal trauma in a first birth in New South Wales between 2000 –2008: a population based data linkage study. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 89.	2.4	34
34	The incidence of preeclampsia and eclampsia and associated maternal mortality in Australia from population-linked datasets: 2000-2008. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 208, 476.e1-476.e5.	1.3	107
35	Trends and risk factors for severe perineal trauma during childbirth in New South Wales between 2000 and 2008: a population-based data study. <i>BMJ Open</i> , 2013, 3, e002824.	1.9	25
36	High blood pressure during pregnancy is associated with future cardiovascular disease: an observational cohort study. <i>BMJ Open</i> , 2013, 3, e002964.	1.9	26

#	ARTICLE	IF	CITATIONS
37	Maternal Deaths in NSW (2000â€“2006) from Nonmedical Causes (Suicide and Trauma) in the First Year following Birth. <i>BioMed Research International</i> , 2013, 2013, 1-6.	1.9	32
38	The Effect of Acupuncture on Post-Cancer Fatigue and Well-Being for Women Recovering from Breast Cancer: A Pilot Randomised Controlled Trial. <i>Acupuncture in Medicine</i> , 2013, 31, 9-15.	1.0	66
39	Rates of obstetric intervention among low-risk women giving birth in private and public hospitals in NSW: a population-based descriptive study. <i>BMJ Open</i> , 2012, 2, e001723.	1.9	93
40	Menopausal Hormone Therapy Is Associated with Having High Blood Pressure in Postmenopausal Women: Observational Cohort Study. <i>PLoS ONE</i> , 2012, 7, e40260.	2.5	33
41	Urinary placental growth factor differentiates the hypertensive disorders of pregnancy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2011, 51, 523-526.	1.0	1
42	Benchmarking and patient safety in hypertensive disorders of pregnancy. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2011, 25, 509-521.	2.8	5
43	Acute Pulmonary Oedema as a Complication of Hypertension During Pregnancy. <i>Hypertension in Pregnancy</i> , 2011, 30, 169-179.	1.1	54
44	Physical Activity in Pregnancy: Women's Perceptions, Practices, and Influencing Factors. <i>Journal of Midwifery and Women's Health</i> , 2010, 55, 455-461.	1.3	77
45	Does the anti-hypertensive drug clonidine affect the short-term variation in CTG recordings?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2010, 50, 456-459.	1.0	5
46	Role of proteinuria in defining pre-eclampsia: Clinical outcomes for women and babies. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010, 37, 466-470.	1.9	48
47	Exogenous Soluble VEGF Receptor-1 (sFlt-1) Regulates Th1/Th2 Cytokine Production from Normal Placental Explants via Intracellular Calcium. <i>Hypertension in Pregnancy</i> , 2009, 28, 448-456.	1.1	8
48	EFFECTS OF ANTI-HYPERTENSIVE DRUGS ON PRODUCTION OF SOLUBLE FMS-LIKE TYROSINE KINASE 1 AND SOLUBLE ENDOGLIN FROM HUMAN NORMAL AND PRE-ECLAMPTIC PLACENTAS <i>IN VITRO</i> . <i>Clinical and Experimental Pharmacology and Physiology</i> , 2009, 36, 839-842.	1.9	11
49	Soluble Flt-1 as a diagnostic marker of pre-eclampsia. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2008, 48, 64-70.	1.0	40
50	Vascular Endothelial Growth Factor Receptor 1 (Flt1) and Apoptosis in the Preeclamptic Placenta and Effects of in vivo Anti-hypertensive Exposure. <i>Hypertension in Pregnancy</i> , 2008, 27, 361-373.	1.1	2
51	Uteroplacental ischemia results in proteinuric hypertension and elevated sFLT-1. <i>Kidney International</i> , 2007, 71, 977-984.	5.2	280
52	An International Benchmarking Collaboration: Measuring Outcomes for the Hypertensive Disorders of Pregnancy. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2007, 29, 794-800.	0.7	8
53	Anti-Hypertensive Drugs Alter Cytokine Production from Preeclamptic Placentas and Peripheral Blood Mononuclear Cells. <i>Hypertension in Pregnancy</i> , 2007, 26, 343-356.	1.1	16
54	A randomised comparison of hydralazine and mini-bolus diazoxide for hypertensive emergencies in pregnancy: The PIVOT trial. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2007, 47, 279-285.	1.0	44

#	ARTICLE	IF	CITATIONS
55	Antihypertensive drugs clonidine, diazoxide, hydralazine and furosemide regulate the production of cytokines by placentas and peripheral blood mononuclear cells in normal pregnancy. <i>Journal of Hypertension</i> , 2006, 24, 915-922.	0.5	45
56	Placental Deficiency of Interleukin-10 (IL-10) in Preeclampsia and its Relationship to an IL10 Promoter Polymorphism. <i>Placenta</i> , 2006, 27, 445-451.	1.5	90
57	Time Poor: Rushing Decreases the Accuracy and Reliability of Blood Pressure Measurement Technique in Pregnancy. <i>Hypertension in Pregnancy</i> , 2006, 25, 81-91.	1.1	13
58	Glucocorticoids inhibit placental cytokines from cultured normal and preeclamptic placental explants. <i>Placenta</i> , 2005, 26, 654-660.	1.5	26
59	Garlic increases IL-10 and inhibits TNF $\alpha$ and IL-6 production in endotoxin-stimulated human placental explants. <i>Placenta</i> , 2005, 26, 828-834.	1.5	35
60	Generic obstetric database systems are unreliable for reporting the hypertensive disorders of pregnancy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2004, 44, 505-509.	1.0	23
61	Postpartum hypertension and nonsteroidal analgesia. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 190, 577-578.	1.3	73
62	Low selenium is associated with the occurrence of preeclampsia in women from the United Kingdom. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 191, 676.	1.3	2
63	Protocol audit of dinoprostone gel induction of labour. <i>Women and Birth</i> , 2004, 17, 22-25.	0.1	1
64	Antitumour antibiotic containing regimens for metastatic breast cancer. <i>The Cochrane Library</i> , 2004, , CD003367.	2.8	15