

Richard A Flavell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9317382/publications.pdf>

Version: 2024-02-01

322
papers

58,809
citations

1371
108
h-index

1091
232
g-index

346
all docs

346
docs citations

346
times ranked

68157
citing authors

#	ARTICLE	IF	CITATIONS
1	CD4 T cell-intrinsic STING signaling controls the differentiation and effector functions of T _H 1 and T _H 9 cells. , 2022, 10, e003459.		21
2	CD116+ fetal precursors migrate to the perinatal lung and give rise to human alveolar macrophages. Journal of Experimental Medicine, 2022, 219, .	8.5	23
3	m6A modifications regulate intestinal immunity and rotavirus infection. ELife, 2022, 11, .	6.0	27
4	Zero-preserving imputation of single-cell RNA-seq data. Nature Communications, 2022, 13, 192.	12.8	93
5	Development of Humanized Mouse Models for Studying Human NK Cells in Health and Disease. Methods in Molecular Biology, 2022, 2463, 53-66.	0.9	8
6	An IL-9 ^{hi} pulmonary macrophage axis defines the allergic lung inflammatory environment. Science Immunology, 2022, 7, eabi9768.	11.9	29
7	Allergic airway recall responses require IL-9 from resident memory CD4 ⁺ T cells. Science Immunology, 2022, 7, eabg9296.	11.9	22
8	In vivo anti-tumor effect of PARP inhibition in IDH1/2 mutant MDS/AML resistant to targeted inhibitors of mutant IDH1/2. Leukemia, 2022, 36, 1313-1323.	7.2	11
9	m ⁶ A mRNA modification maintains colonic epithelial cell homeostasis via NF- κ B-mediated antiapoptotic pathway. Science Advances, 2022, 8, eabl5723.	10.3	31
10	CD4+ T-cell-derived IL-10 promotes CNS inflammation in mice by sustaining effector T _H 1 cell survival. Cell Reports, 2022, 38, 110565.	6.4	14
11	A humanized mouse model of chronic COVID-19. Nature Biotechnology, 2022, 40, 906-920.	17.5	71
12	Th17 cell plasticity towards a T-bet-dependent Th1 phenotype is required for bacterial control in Staphylococcus aureus infection. PLoS Pathogens, 2022, 18, e1010430.	4.7	12
13	Transcriptional profiling of macrophages in situ in metastatic melanoma reveals localization-dependent phenotypes and function. Cell Reports Medicine, 2022, 3, 100621.	6.5	15
14	GSK3 β mediates the spatiotemporal dynamics of NLRP3 inflammasome activation. Cell Death and Differentiation, 2022, 29, 2060-2069.	11.2	17
15	Inflammasome activation in infected macrophages drives COVID-19 pathology. Nature, 2022, 606, 585-593.	27.8	276
16	Inhibition of type 1 immunity with tofacitinib is associated with marked improvement in longstanding sarcoidosis. Nature Communications, 2022, 13, .	12.8	39
17	Mouse pulmonary interstitial macrophages mediate the pro-tumorigenic effects of IL-9. Nature Communications, 2022, 13, .	12.8	11
18	IL-4 ^{hi} BATF signaling directly modulates IL-9 producing mucosal mast cell (MMC9) function in experimental food allergy. Journal of Allergy and Clinical Immunology, 2021, 147, 280-295.	2.9	23

#	ARTICLE	IF	CITATIONS
19	Treatment of granuloma annulare and suppression of proinflammatory cytokine activity with tofacitinib. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 1795-1809.	2.9	39
20	The emerging role of Janus kinase inhibitors in the treatment of autoimmune and inflammatory diseases. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 814-826.	2.9	70
21	An in vivo screen of noncoding loci reveals that <i>Daedalus</i> is a gatekeeper of an Ikaros-dependent checkpoint during haematopoiesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	2
22	Role of MBD3-SOX2 axis in residual myeloma following pomalidomide. <i>Leukemia</i> , 2021, 35, 3319-3323.	7.2	4
23	Skin-resident innate lymphoid cells converge on a pathogenic effector state. <i>Nature</i> , 2021, 592, 128-132.	27.8	119
24	Potential intestinal infection and faecal-oral transmission of SARS-CoV-2. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2021, 18, 269-283.	17.8	223
25	MAP3K2-regulated intestinal stromal cells define a distinct stem cell niche. <i>Nature</i> , 2021, 592, 606-610.	27.8	53
26	Presynaptic Kv3 channels are required for fast and slow endocytosis of synaptic vesicles. <i>Neuron</i> , 2021, 109, 938-946.e5.	8.1	16
27	Cerebellar Kv3.3 potassium channels activate TANK-binding kinase 1 to regulate trafficking of the cell survival protein Hax-1. <i>Nature Communications</i> , 2021, 12, 1731.	12.8	12
28	Combined liver cytokine humanization comes to the rescue of circulating human red blood cells. <i>Science</i> , 2021, 371, 1019-1025.	12.6	20
29	Pooled CRISPR screening identifies <i>mTORC2</i> as a positive regulator of macrophage activation. <i>Science Advances</i> , 2021, 7, .	10.3	102
30	JUN Amino-Terminal Kinase 1 Signaling in the Proximal Tubule Causes Cell Death and Acute Renal Failure in Rat and Mouse Models of Renal Ischemia/Reperfusion Injury. <i>American Journal of Pathology</i> , 2021, 191, 817-828.	3.8	12
31	Detection of differentially abundant cell subpopulations in scRNA-seq data. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	81
32	Modulating HIV-1 envelope glycoprotein conformation to decrease the HIV-1 reservoir. <i>Cell Host and Microbe</i> , 2021, 29, 904-916.e6.	11.0	29
33	<i>mTORC2</i> A demethylase ALKBH5 controls CD4 ⁺ T cell pathogenicity and promotes autoimmunity. <i>Science Advances</i> , 2021, 7, .	10.3	92
34	Reply to: Rectally shed SARS-CoV-2 lacks infectivity: time to rethink faecal-oral transmission?. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2021, 18, 669-670.	17.8	6
35	Enoxacin Upregulates MicroRNA Biogenesis and Downregulates Cytotoxic CD8 T Cell Function in Autoimmune Cholangitis. <i>Hepatology</i> , 2021, 74, 835-846.	7.3	11
36	METTL3-mediated m6A RNA methylation promotes the anti-tumour immunity of natural killer cells. <i>Nature Communications</i> , 2021, 12, 5522.	12.8	96

#	ARTICLE	IF	CITATIONS
37	The RNA helicase Dhx15 mediates Wnt-induced antimicrobial protein expression in Paneth cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	17
38	Immunoglobulin A Targets a Unique Subset of the Microbiota in Inflammatory Bowel Disease. <i>Cell Host and Microbe</i> , 2021, 29, 83-93.e3.	11.0	53
39	Phase separation drives RNA virus-induced activation of the NLRP6 inflammasome. <i>Cell</i> , 2021, 184, 5759-5774.e20.	28.9	97
40	IL-17 Receptor C Signaling Controls CD4+ TH17 Immune Responses and Tissue Injury in Immune-Mediated Kidney Diseases. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 3081-3098.	6.1	14
41	Interleukin-10 improves stroke outcome by controlling the detrimental Interleukin-17A response. <i>Journal of Neuroinflammation</i> , 2021, 18, 265.	7.2	26
42	Compromised Host Stem Cell Competitiveness Affords Fanconi Stem Cell Engraftment in <i>C-Kit</i> Mutant Humanized Mice. <i>Blood</i> , 2021, 138, 1119-1119.	1.4	0
43	ALKBH5 Modulates Hematopoietic Stem and Progenitor Cell Energy Metabolism through m6a Modification-Mediated RNA Stability. <i>Blood</i> , 2021, 138, 298-298.	1.4	0
44	m6A mRNA methylation-directed myeloid cell activation controls progression of NAFLD and obesity. <i>Cell Reports</i> , 2021, 37, 109968.	6.4	53
45	IL-27 signalling promotes adipocyte thermogenesis and energy expenditure. <i>Nature</i> , 2021, 600, 314-318.	27.8	70
46	Enteric Nervous System-Derived IL-18 Orchestrates Mucosal Barrier Immunity. <i>Cell</i> , 2020, 180, 50-63.e12.	28.9	120
47	Vibrational Optical Coherence Tomography Detects Unique Skin Fibrotic States: Preliminary Results of Animal and Human Studies. <i>Journal of the American Academy of Dermatology</i> , 2020, 85, 780-782.	1.2	2
48	Macrophage scavenger receptor 1 controls Chikungunya virus infection through autophagy in mice. <i>Communications Biology</i> , 2020, 3, 556.	4.4	18
49	CFTR is a negative regulator of $\hat{I}^3\hat{T}$ cell IFN- \hat{I}^3 production and antitumor immunity. <i>Cellular and Molecular Immunology</i> , 2020, 18, 1934-1944.	10.5	5
50	Metabolic signaling in T cells. <i>Cell Research</i> , 2020, 30, 649-659.	12.0	186
51	Sulfamethoxazole drug stress upregulates antioxidant immunomodulatory metabolites in <i>Escherichia coli</i> . <i>Nature Microbiology</i> , 2020, 5, 1319-1329.	13.3	19
52	Tissue-resident memory T cell reactivation by diverse antigen-presenting cells imparts distinct functional responses. <i>Journal of Experimental Medicine</i> , 2020, 217, .	8.5	84
53	NK cell receptor NKG2D enforces proinflammatory features and pathogenicity of Th1 and Th17 cells. <i>Journal of Experimental Medicine</i> , 2020, 217, .	8.5	25
54	A special collection of reviews on frontiers in immunology. <i>Cell Research</i> , 2020, 30, 827-828.	12.0	0

#	ARTICLE	IF	CITATIONS
55	Deubiquitination of NLRP6 inflammasome by Cyld critically regulates intestinal inflammation. <i>Nature Immunology</i> , 2020, 21, 626-635.	14.5	61
56	m6A Modification Prevents Formation of Endogenous Double-Stranded RNAs and Deleterious Innate Immune Responses during Hematopoietic Development. <i>Immunity</i> , 2020, 52, 1007-1021.e8.	14.3	99
57	IL-18BP is a secreted immune checkpoint and barrier to IL-18 immunotherapy. <i>Nature</i> , 2020, 583, 609-614.	27.8	195
58	Enhanced engraftment of human myelofibrosis stem and progenitor cells in MISTRG mice. <i>Blood Advances</i> , 2020, 4, 2477-2488.	5.2	15
59	Toll-Like Receptors Induce Signal-Specific Reprogramming of the Macrophage Lipidome. <i>Cell Metabolism</i> , 2020, 32, 128-143.e5.	16.2	78
60	miR-181a Modulation of ERK-MAPK Signaling Sustains DC-SIGN Expression and Limits Activation of Monocyte-Derived Dendritic Cells. <i>Cell Reports</i> , 2020, 30, 3793-3805.e5.	6.4	14
61	mRNA destabilization by BTG1 and BTG2 maintains T cell quiescence. <i>Science</i> , 2020, 367, 1255-1260.	12.6	122
62	The induction and function of the anti-inflammatory fate of TH17 cells. <i>Nature Communications</i> , 2020, 11, 3334.	12.8	27
63	IL22BP Mediates the Antitumor Effects of Lymphotoxin Against Colorectal Tumors in Mice and Humans. <i>Gastroenterology</i> , 2020, 159, 1417-1430.e3.	1.3	31
64	Bacterial Autoimmune Drug Metabolism Transforms an Immunomodulator into Structurally and Functionally Divergent Antibiotics. <i>Angewandte Chemie</i> , 2020, 132, 7945-7954.	2.0	3
65	Bacterial Autoimmune Drug Metabolism Transforms an Immunomodulator into Structurally and Functionally Divergent Antibiotics. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 7871-7880.	13.8	12
66	Characterization of Autoinducer-3 Structure and Biosynthesis in <i>E. coli</i> . <i>ACS Central Science</i> , 2020, 6, 197-206.	11.3	85
67	Roles of mTORC1 and mTORC2 in controlling $\hat{\imath}^{\hat{\jmath}}$ T1 and $\hat{\imath}^{\hat{\jmath}}$ T17 differentiation and function. <i>Cell Death and Differentiation</i> , 2020, 27, 2248-2262.	11.2	27
68	Paracrine orchestration of intestinal tumorigenesis by a mesenchymal niche. <i>Nature</i> , 2020, 580, 524-529.	27.8	183
69	TGF- $\hat{\imath}^{\hat{\jmath}}$ signaling in Th17 cells promotes IL-22 production and colitis-associated colon cancer. <i>Nature Communications</i> , 2020, 11, 2608.	12.8	90
70	Expression Efficiency of Multiple <i>Il9</i> Reporter Alleles Is Determined by Cell Lineage. <i>ImmunoHorizons</i> , 2020, 4, 282-291.	1.8	3
71	Reconstruction of Sickle Cell Disease with Circulating Sickling Red Blood Cells in Novel Humanized Cytokines and Liver Mistrg Mice. <i>Blood</i> , 2020, 136, 29-30.	1.4	0
72	Transmissible inflammation-induced colorectal cancer in inflammasome-deficient mice. <i>Oncolmmunology</i> , 2019, 8, e981995.	4.6	1

#	ARTICLE	IF	CITATIONS
73	HER2 joins AKT to inhibit STING immunity. <i>Nature Cell Biology</i> , 2019, 21, 917-918.	10.3	5
74	Effector TH17 Cells Give Rise to Long-Lived TRM Cells that Are Essential for an Immediate Response against Bacterial Infection. <i>Cell</i> , 2019, 178, 1176-1188.e15.	28.9	111
75	The Firre locus produces a trans-acting RNA molecule that functions in hematopoiesis. <i>Nature Communications</i> , 2019, 10, 5137.	12.8	60
76	Mechanosensation of cyclical force by PIEZO1 is essential for innate immunity. <i>Nature</i> , 2019, 573, 69-74.	27.8	329
77	hnRNPA2B1: a nuclear DNA sensor in antiviral immunity. <i>Cell Research</i> , 2019, 29, 879-880.	12.0	11
78	A highly efficient and faithful MDS patient-derived xenotransplantation model for pre-clinical studies. <i>Nature Communications</i> , 2019, 10, 366.	12.8	60
79	Subsets of ILC3 ^{hi} ILC1-like cells generate a diversity spectrum of innate lymphoid cells in human mucosal tissues. <i>Nature Immunology</i> , 2019, 20, 980-991.	14.5	141
80	Distinct modes of mitochondrial metabolism uncouple T cell differentiation and function. <i>Nature</i> , 2019, 571, 403-407.	27.8	156
81	Epithelial endoplasmic reticulum stress orchestrates a protective IgA response. <i>Science</i> , 2019, 363, 993-998.	12.6	51
82	miR-181a/b downregulation exerts a protective action on mitochondrial disease models. <i>EMBO Molecular Medicine</i> , 2019, 11, .	6.9	58
83	Membrane-cytoskeletal crosstalk mediated by myosin-I regulates adhesion turnover during phagocytosis. <i>Nature Communications</i> , 2019, 10, 1249.	12.8	64
84	Immunity, microbiota and kidney disease. <i>Nature Reviews Nephrology</i> , 2019, 15, 263-274.	9.6	80
85	Antiviral immunity: a link to bile acids. <i>Cell Research</i> , 2019, 29, 177-178.	12.0	4
86	PARP Inhibitors Are Effective in IDH1/2 Mutant MDS and AML Resistant to Targeted IDH Inhibitors. <i>Blood</i> , 2019, 134, 4222-4222.	1.4	3
87	Loss of METTL3 Mediated m6A RNA Modification Results in Double-Stranded RNA Induced Innate Immune Response and Hematopoietic Failure. <i>Blood</i> , 2019, 134, 450-450.	1.4	0
88	In Vivo reconstruction of Human Erythropoiesis with Circulating Mature Human RBCs in Humanized Liver Mistrg Mice. <i>Blood</i> , 2019, 134, 338-338.	1.4	0
89	KLRG1+ Effector CD8+ T Cells Lose KLRG1, Differentiate into All Memory T Cell Lineages, and Convey Enhanced Protective Immunity. <i>Immunity</i> , 2018, 48, 716-729.e8.	14.3	300
90	Circuit Design Features of a Stable Two-Cell System. <i>Cell</i> , 2018, 172, 744-757.e17.	28.9	276

#	ARTICLE	IF	CITATIONS
91	Intestinal IFN- γ -producing type 1 regulatory T cells coexpress CCR5 and programmed cell death protein 1 and downregulate IL-10 in the inflamed guts of patients with inflammatory bowel disease. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 142, 1537-1547.e8.	2.9	79
92	ZEB1, ZEB2, and the miR-200 family form a counterregulatory network to regulate CD8+ T cell fates. <i>Journal of Experimental Medicine</i> , 2018, 215, 1153-1168.	8.5	106
93	Oxysterol Sensing through the Receptor GPR183 Promotes the Lymphoid-Tissue-Inducing Function of Innate Lymphoid Cells and Colonic Inflammation. <i>Immunity</i> , 2018, 48, 120-132.e8.	14.3	149
94	m6A mRNA methylation sustains Treg suppressive functions. <i>Cell Research</i> , 2018, 28, 253-256.	12.0	243
95	Role of IL-10 Receptor Signaling in the Function of CD4+ T-Regulatory Type 1 cells: T-Cell Therapy in Patients with Inflammatory Bowel Disease. <i>Critical Reviews in Immunology</i> , 2018, 38, 415-431.	0.5	10
96	Colitis Promotes a Pathological Condition of the Liver in the Absence of Foxp3+ Regulatory T Cells. <i>Journal of Immunology</i> , 2018, 201, 3558-3568.	0.8	16
97	Molecular and functional heterogeneity of IL-10-producing CD4+ T cells. <i>Nature Communications</i> , 2018, 9, 5457.	12.8	93
98	Microbiota-driven interleukin-17-producing cells and eosinophils synergize to accelerate multiple myeloma progression. <i>Nature Communications</i> , 2018, 9, 4832.	12.8	144
99	The translation of non-canonical open reading frames controls mucosal immunity. <i>Nature</i> , 2018, 564, 434-438.	27.8	159
100	cGAS activation in phased droplets. <i>Cell Research</i> , 2018, 28, 967-968.	12.0	4
101	NLRP1 restricts butyrate producing commensals to exacerbate inflammatory bowel disease. <i>Nature Communications</i> , 2018, 9, 3728.	12.8	81
102	Despite high levels of expression in thymic epithelial cells, miR-181a1 and miR-181b1 are not required for thymic development. <i>PLoS ONE</i> , 2018, 13, e0198871.	2.5	3
103	RNA m6A modification and its function in diseases. <i>Frontiers of Medicine</i> , 2018, 12, 481-489.	3.4	181
104	IL-10 Receptor Signaling Empowers Regulatory T Cells to Control Th17 Responses and Protect from GN. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 1825-1837.	6.1	41
105	Antigen-mediated regulation in monoclonal gammopathies and myeloma. <i>JCI Insight</i> , 2018, 3, .	5.0	43
106	Blocking immunoinhibitory receptor LILRB2 reprograms tumor-associated myeloid cells and promotes antitumor immunity. <i>Journal of Clinical Investigation</i> , 2018, 128, 5647-5662.	8.2	143
107	Rotavirus VP3 targets MAVS for degradation to inhibit type III interferon expression in intestinal epithelial cells. <i>ELife</i> , 2018, 7, .	6.0	58
108	The Stromal Intervention: Regulation of Immunity and Inflammation at the Epithelial-Mesenchymal Barrier. <i>Cell</i> , 2017, 168, 362-375.	28.9	168

#	ARTICLE	IF	CITATIONS
109	Divergent Effects of miR-181 Family Members on Myocardial Function Through Protective Cytosolic and Detrimental Mitochondrial microRNA Targets. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	74
110	A novel humanized mouse model with significant improvement of class-switched, antigen-specific antibody production. <i>Blood</i> , 2017, 129, 959-969.	1.4	105
111	Macrophage function in tissue repair and remodeling requires IL-4 or IL-13 with apoptotic cells. <i>Science</i> , 2017, 356, 1072-1076.	12.6	408
112	Microbiota Normalization Reveals that Canonical Caspase-1 Activation Exacerbates Chemically Induced Intestinal Inflammation. <i>Cell Reports</i> , 2017, 19, 2319-2330.	6.4	54
113	Long-term consumption of caffeine-free high sucrose cola beverages aggravates the pathogenesis of EAE in mice. <i>Cell Discovery</i> , 2017, 3, 17020.	6.7	21
114	Nlrp9b inflammasome restricts rotavirus infection in intestinal epithelial cells. <i>Nature</i> , 2017, 546, 667-670.	27.8	279
115	The fate and lifespan of human monocyte subsets in steady state and systemic inflammation. <i>Journal of Experimental Medicine</i> , 2017, 214, 1913-1923.	8.5	725
116	Enhancement of IFN γ Production by Distinct Commensals Ameliorates Salmonella-Induced Disease. <i>Cell Host and Microbe</i> , 2017, 21, 682-694.e5.	11.0	91
117	IL-10 Receptor Signaling Is Essential for TR1 Cell Function In Vivo. <i>Journal of Immunology</i> , 2017, 198, 1130-1141.	0.8	108
118	Distinct Microbial Communities Trigger Colitis Development upon Intestinal Barrier Damage via Innate or Adaptive Immune Cells. <i>Cell Reports</i> , 2017, 21, 994-1008.	6.4	105
119	Humanized mouse model supports development, function, and tissue residency of human natural killer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E9626-E9634.	7.1	138
120	Transcriptional Reprogramming during Effector-to-Memory Transition Renders CD4+ T Cells Permissive for Latent HIV-1 Infection. <i>Immunity</i> , 2017, 47, 766-775.e3.	14.3	160
121	Selective degradation of PU.1 during autophagy represses the differentiation and antitumour activity of TH9 cells. <i>Nature Communications</i> , 2017, 8, 559.	12.8	67
122	Group 1 Innate Lymphoid Cell Lineage Identity Is Determined by a cis-Regulatory Element Marked by a Long Non-coding RNA. <i>Immunity</i> , 2017, 47, 435-449.e8.	14.3	57
123	No Oxygen? No Glucose? No Problem: Fatty Acid Catabolism Enhances Effector CD8+ TILs. <i>Cancer Cell</i> , 2017, 32, 280-281.	16.8	13
124	Intestinal type 1 regulatory T cells migrate to periphery to suppress diabetogenic T cells and prevent diabetes development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 10443-10448.	7.1	77
125	A Protein Scaffold Coordinates SRC-Mediated JNK Activation in Response to Metabolic Stress. <i>Cell Reports</i> , 2017, 20, 2775-2783.	6.4	26
126	AIM2 Engages Active but Unprocessed Caspase-1 to Induce Noncanonical Activation of the NLRP3 Inflammasome. <i>Cell Reports</i> , 2017, 20, 794-805.	6.4	64

#	ARTICLE	IF	CITATIONS
127	m6A mRNA methylation controls T cell homeostasis by targeting the IL-7/STAT5/SOCS pathways. <i>Nature</i> , 2017, 548, 338-342.	27.8	668
128	The DNA Methylcytosine Dioxygenase Tet2 Sustains Immunosuppressive Function of Tumor-Infiltrating Myeloid Cells to Promote Melanoma Progression. <i>Immunity</i> , 2017, 47, 284-297.e5.	14.3	115
129	IRF8-dependent molecular complexes control the Th9 transcriptional program. <i>Nature Communications</i> , 2017, 8, 2085.	12.8	43
130	Anti-SIRP α antibody immunotherapy enhances neutrophil and macrophage antitumor activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E10578-E10585.	7.1	223
131	A Protective Function of IL-22BP in Ischemia Reperfusion and Acetaminophen-Induced Liver Injury. <i>Journal of Immunology</i> , 2017, 199, 4078-4090.	0.8	38
132	Interleukin-17A Promotes CD8 ⁺ T Cell Cytotoxicity To Facilitate West Nile Virus Clearance. <i>Journal of Virology</i> , 2017, 91, .	3.4	46
133	Shaping of Intestinal Microbiota in Nlrp6- and Rag2-Deficient Mice Depends on Community Structure. <i>Cell Reports</i> , 2017, 21, 3914-3926.	6.4	77
134	Legionella pneumophila Strain 130b Evades Macrophage Cell Death Independent of the Effector SidF in the Absence of Flagellin. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 35.	3.9	18
135	miR-181b regulates vascular stiffness age dependently in part by regulating TGF- β signaling. <i>PLoS ONE</i> , 2017, 12, e0174108.	2.5	60
136	T Cell Receptor Mediated Calcium Entry Requires Alternatively Spliced Cav1.1 Channels. <i>PLoS ONE</i> , 2016, 11, e0147379.	2.5	13
137	Hematopoietic Stem Cell Niches Produce Lineage-Instructive Signals to Control Multipotent Progenitor Differentiation. <i>Immunity</i> , 2016, 45, 1219-1231.	14.3	199
138	inv(16) and NPM1mut AMLs engraft human cytokine knock-in mice. <i>Blood</i> , 2016, 128, 2130-2134.	1.4	40
139	Peripheral blood CD34+ cells efficiently engraft human cytokine knock-in mice. <i>Blood</i> , 2016, 128, 1829-1833.	1.4	80
140	The TAM family receptor tyrosine kinase TYRO3 is a negative regulator of type 2 immunity. <i>Science</i> , 2016, 352, 99-103.	12.6	67
141	Recent advances in dynamic m ⁶ A RNA modification. <i>Open Biology</i> , 2016, 6, 160003.	3.6	265
142	Mx1 reveals innate pathways to antiviral resistance and lethal influenza disease. <i>Science</i> , 2016, 352, 463-466.	12.6	210
143	Fibroblasts and myofibroblasts of the intestinal lamina propria in physiology and disease. <i>Differentiation</i> , 2016, 92, 116-131.	1.9	164
144	Microenvironment-dependent growth of preneoplastic and malignant plasma cells in humanized mice. <i>Nature Medicine</i> , 2016, 22, 1351-1357.	30.7	132

#	ARTICLE	IF	CITATIONS
145	TFH cells progressively differentiate to regulate the germinal center response. <i>Nature Immunology</i> , 2016, 17, 1197-1205.	14.5	301
146	The long non-coding RNA <i>Morrbid</i> regulates Bim and short-lived myeloid cell lifespan. <i>Nature</i> , 2016, 537, 239-243.	27.8	234
147	Glioma-induced inhibition of caspase-3 in microglia promotes a tumor-supportive phenotype. <i>Nature Immunology</i> , 2016, 17, 1282-1290.	14.5	76
148	Apoptosis in response to microbial infection induces autoreactive TH17 cells. <i>Nature Immunology</i> , 2016, 17, 1084-1092.	14.5	79
149	PTPN22 inhibition resets defective human central B cell tolerance. <i>Science Immunology</i> , 2016, 1, .	11.9	64
150	The DNA-sensing AIM2 inflammasome controls radiation-induced cell death and tissue injury. <i>Science</i> , 2016, 354, 765-768.	12.6	271
151	A Molecular Chipper technology for CRISPR sgRNA library generation and functional mapping of noncoding regions. <i>Nature Communications</i> , 2016, 7, 11178.	12.8	19
152	TLR8 Couples SOCS-1 and Restrains TLR7-Mediated Antiviral Immunity, Exacerbating West Nile Virus Infection in Mice. <i>Journal of Immunology</i> , 2016, 197, 4425-4435.	0.8	28
153	Microbiome: Ecology of eczema. <i>Nature Microbiology</i> , 2016, 1, 16135.	13.3	7
154	A pathogenic role for T cell-derived IL-22BP in inflammatory bowel disease. <i>Science</i> , 2016, 354, 358-362.	12.6	128
155	Plasticity of Th17 Cells in Autoimmune Kidney Diseases. <i>Journal of Immunology</i> , 2016, 197, 449-457.	0.8	31
156	Gut microbiota translocation to the pancreatic lymph nodes triggers NOD2 activation and contributes to T1D onset. <i>Journal of Experimental Medicine</i> , 2016, 213, 1223-1239.	8.5	163
157	Role of OCT-1 and partner proteins in T cell differentiation. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2016, 1859, 825-831.	1.9	17
158	The light and the dark sides of Interleukin-10 in immune-mediated diseases and cancer.. <i>Cytokine and Growth Factor Reviews</i> , 2016, 30, 87-93.	7.2	95
159	YY1 inhibits differentiation and function of regulatory T cells by blocking Foxp3 expression and activity. <i>Nature Communications</i> , 2016, 7, 10789.	12.8	61
160	Generation of Genetically Modified Mice Using the CRISPR-Cas9 Genome-Editing System. <i>Cold Spring Harbor Protocols</i> , 2016, 2016, pdb.prot090704.	0.3	68
161	Editing the Mouse Genome Using the CRISPR-Cas9 System. <i>Cold Spring Harbor Protocols</i> , 2016, 2016, pdb.top087536.	0.3	16
162	Mex3B: a coreceptor to present dsRNA to TLR3. <i>Cell Research</i> , 2016, 26, 391-392.	12.0	8

#	ARTICLE	IF	CITATIONS
163	Humanized hemato-lymphoid system mice. <i>Haematologica</i> , 2016, 101, 5-19.	3.5	166
164	Configuration-dependent Presentation of Multivalent IL-15:IL-15R α Enhances the Antigen-specific T Cell Response and Anti-tumor Immunity. <i>Journal of Biological Chemistry</i> , 2016, 291, 8931-8950.	3.4	28
165	IL-10 α -producing forkhead box protein 3 α -negative regulatory T cells inhibit B-cell responses and are involved in systemic lupus erythematosus. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 318-321.e5.	2.9	37
166	Excitatory transmission onto AgRP neurons is regulated by cJun NH2-terminal kinase 3 in response to metabolic stress. <i>ELife</i> , 2016, 5, e10031.	6.0	28
167	Myosin VI regulates gene pairing and transcriptional pause release in T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E1587-93.	7.1	26
168	IRAK-M Promotes Alternative Macrophage Activation and Fibroproliferation in Bleomycin-Induced Lung Injury. <i>Journal of Immunology</i> , 2015, 194, 1894-1904.	0.8	47
169	AMCase is a crucial regulator of type 2 immune responses to inhaled house dust mites. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E2891-9.	7.1	51
170	Microbiota-Modulated Metabolites Shape the Intestinal Microenvironment by Regulating NLRP6 Inflammasome Signaling. <i>Cell</i> , 2015, 163, 1428-1443.	28.9	728
171	Epithelial IL-18 Equilibrium Controls Barrier Function in Colitis. <i>Cell</i> , 2015, 163, 1444-1456.	28.9	432
172	Broad CTL response is required to clear latent HIV-1 due to dominance of escape mutations. <i>Nature</i> , 2015, 517, 381-385.	27.8	469
173	Glucocorticoids suppress inflammation via the upregulation of negative regulator IRAK-M. <i>Nature Communications</i> , 2015, 6, 6062.	12.8	92
174	Immune α -microbiota interactions in health and disease. <i>Clinical Immunology</i> , 2015, 159, 122-127.	3.2	245
175	Production of IL-10 by CD4 α regulatory T cells during the resolution of infection promotes the maturation of memory CD8 α T cells. <i>Nature Immunology</i> , 2015, 16, 871-879.	14.5	159
176	Peripherally Induced Tolerance Depends on Peripheral Regulatory T Cells That Require Hopx To Inhibit Intrinsic IL-2 Expression. <i>Journal of Immunology</i> , 2015, 195, 1489-1497.	0.8	38
177	Th17 cells transdifferentiate into regulatory T cells during resolution of inflammation. <i>Nature</i> , 2015, 523, 221-225.	27.8	653
178	MAPK Phosphatase 5 Expression Induced by Influenza and Other RNA Virus Infection Negatively Regulates IRF3 Activation and Type I Interferon Response. <i>Cell Reports</i> , 2015, 10, 1722-1734.	6.4	38
179	Coincidental loss of DOCK8 function in NLRP10-deficient and C3H/HeJ mice results in defective dendritic cell migration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 3056-3061.	7.1	66
180	MiR-125a targets effector programs to stabilize Treg-mediated immune homeostasis. <i>Nature Communications</i> , 2015, 6, 7096.	12.8	133

#	ARTICLE	IF	CITATIONS
181	Regulation of Adipose Tissue Inflammation and Insulin Resistance by MAPK Phosphatase 5. <i>Journal of Biological Chemistry</i> , 2015, 290, 14875-14883.	3.4	18
182	Metabolite-sensing receptors GPR43 and GPR109A facilitate dietary fibre-induced gut homeostasis through regulation of the inflammasome. <i>Nature Communications</i> , 2015, 6, 6734.	12.8	983
183	Spatial proximity of homologous alleles and long noncoding RNAs regulate a switch in allelic gene expression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E1577-86.	7.1	23
184	Dynamin 2-dependent endocytosis sustains T-cell receptor signaling and drives metabolic reprogramming in T lymphocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 4423-4428.	7.1	46
185	Nlrp6 regulates intestinal antiviral innate immunity. <i>Science</i> , 2015, 350, 826-830.	12.6	199
186	Prenatal Acetaminophen Affects Maternal Immune and Endocrine Adaptation to Pregnancy, Induces Placental Damage, and Impairs Fetal Development in Mice. <i>American Journal of Pathology</i> , 2015, 185, 2805-2818.	3.8	43
187	Essential roles for Ca ^v 2 and Ca ^v 1 channels in thymocyte development and T cell homeostasis. <i>Science Signaling</i> , 2015, 8, ra103.	3.6	16
188	Guanylate Binding Proteins Enable Rapid Activation of Canonical and Noncanonical Inflammasomes in Chlamydia-Infected Macrophages. <i>Infection and Immunity</i> , 2015, 83, 4740-4749.	2.2	126
189	NLRP3 deficiency protects from type 1 diabetes through the regulation of chemotaxis into the pancreatic islets. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 11318-11323.	7.1	109
190	Niche-Dependent Growth of Malignant and Pre-Neoplastic Plasma Cells in Humanized Mice. <i>Blood</i> , 2015, 126, 120-120.	1.4	1
191	Executioner Caspase-3 and 7 Deficiency Reduces Myocyte Number in the Developing Mouse Heart. <i>PLoS ONE</i> , 2015, 10, e0131411.	2.5	38
192	Efficient Engraftment and Disease Replication of Myelodysplastic Syndromes Using a Novel Humanized Mice Model. <i>Blood</i> , 2015, 126, 4100-4100.	1.4	0
193	Developing a Model of Human Pluripotent to Hematopoietic Stem Cell Development in Mistrg Mice. <i>Blood</i> , 2015, 126, 4755-4755.	1.4	0
194	Humanized Mouse Model of Myeloma Reveals Clinically Occult Genomic Changes in Primary Tumor Cells. <i>Blood</i> , 2015, 126, 22-22.	1.4	3
195	Detecting "different" Pypin senses modified GTPases. <i>Cell Research</i> , 2014, 24, 1286-1287.	12.0	13
196	Resemble and Inhibit: When RLR Meets TGF- β 2. <i>Molecular Cell</i> , 2014, 56, 719-720.	9.7	5
197	Apoptotic Caspases Prevent the Induction of Type I Interferons by Mitochondrial DNA. <i>Cell</i> , 2014, 159, 1563-1577.	28.9	625
198	Antivirulence Properties of an Antifreeze Protein. <i>Cell Reports</i> , 2014, 9, 417-424.	6.4	40

#	ARTICLE	IF	CITATIONS
199	IL-9 Regulates Allergen-Specific Th1 Responses in Allergic Contact Dermatitis. <i>Journal of Investigative Dermatology</i> , 2014, 134, 1903-1911.	0.7	81
200	T-cell TGF- β 2 signaling abrogation restricts medulloblastoma progression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E3458-66.	7.1	43
201	IQGAPI Is Important for Activation of Caspase-1 in Macrophages and Is Targeted by <i>Yersinia pestis</i> Type III Effector YopM. <i>MBio</i> , 2014, 5, e01402-14.	4.1	62
202	Producing GM-CSF: a unique T helper subset?. <i>Cell Research</i> , 2014, 24, 1379-1380.	12.0	26
203	Inflammasomes and intestinal homeostasis: regulating and connecting infection, inflammation and the microbiota. <i>International Immunology</i> , 2014, 26, 495-499.	4.0	44
204	FLUshing in the bathroom. <i>Journal of Experimental Medicine</i> , 2014, 211, 2328-2329.	8.5	0
205	The lock-washer: a reconciliation of the RIG-I activation models. <i>Cell Research</i> , 2014, 24, 645-646.	12.0	4
206	Oct-1 Regulates IL-17 Expression by Directing Interchromosomal Associations in Conjunction with CTCF in T Cells. <i>Molecular Cell</i> , 2014, 54, 56-66.	9.7	44
207	Effect of Bavachinin and its derivatives on T cell differentiation. <i>International Immunopharmacology</i> , 2014, 19, 399-404.	3.8	19
208	Development and function of human innate immune cells in a humanized mouse model. <i>Nature Biotechnology</i> , 2014, 32, 364-372.	17.5	629
209	NLRP6 Inflammasome Orchestrates the Colonic Host-Microbial Interface by Regulating Goblet Cell Mucus Secretion. <i>Cell</i> , 2014, 156, 1045-1059.	28.9	549
210	The Fire Within: Microbes Inflamm Tumors. <i>Cell</i> , 2014, 157, 776-783.	28.9	133
211	Topological organization of multichromosomal regions by the long intergenic noncoding RNA Firre. <i>Nature Structural and Molecular Biology</i> , 2014, 21, 198-206.	8.2	565
212	ESCaping Rejection: A Step Forward for Embryonic-Stem-Cell-Based Regenerative Medicine. <i>Cell Stem Cell</i> , 2014, 14, 3-4.	11.1	1
213	Inflammasomes. <i>Cold Spring Harbor Perspectives in Biology</i> , 2014, 6, a016287-a016287.	5.5	286
214	Dynamic signaling by T follicular helper cells during germinal center B cell selection. <i>Science</i> , 2014, 345, 1058-1062.	12.6	333
215	Immunoglobulin A Coating Identifies Colitogenic Bacteria in Inflammatory Bowel Disease. <i>Cell</i> , 2014, 158, 1000-1010.	28.9	982
216	Inflammasome Activation by <i>Campylobacter jejuni</i> . <i>Journal of Immunology</i> , 2014, 193, 4548-4557.	0.8	27

#	ARTICLE	IF	CITATIONS
217	Inflammasome activation and metabolic disease progression. Cytokine and Growth Factor Reviews, 2014, 25, 699-706.	7.2	26
218	Murine autoimmune cholangitis requires two hits: Cytotoxic KLRG1+ CD8 effector cells and defective T regulatory cells. Journal of Autoimmunity, 2014, 50, 123-134.	6.5	56
219	Îœ™SÎRG Mice Support Good-Risk AML Engraftment. Blood, 2014, 124, 3808-3808.	1.4	1
220	Next Generation Humanized Mice Support Engraftment of Myelofibrosis CD34+ Cells. Blood, 2014, 124, 1880-1880.	1.4	4
221	Adult Donor-Derived Human CD34+ Cell Engraftment and Hemato-Lymphoid System Development in 3rd Generation Humanized Mice. Blood, 2014, 124, 4378-4378.	1.4	0
222	Th9 Cells Drive Host Immunity against Gastrointestinal Worm Infection. Immunity, 2013, 39, 744-757.	14.8	185
223	IL-22 Promotes Fibroblast-Mediated Wound Repair in the Skin. Journal of Investigative Dermatology, 2013, 133, 1321-1329.	0.7	140
224	Coexpression of CD49b and LAG-3 identifies human and mouse T regulatory type 1 cells. Nature Medicine, 2013, 19, 739-746.	30.7	700
225	Innate Immune Receptors: Key Regulators of Metabolic Disease Progression. Cell Metabolism, 2013, 17, 873-882.	16.2	155
226	TH2, allergy and group 2 innate lymphoid cells. Nature Immunology, 2013, 14, 536-542.	14.5	551
227	Human Hemato-Lymphoid System Mice: Current Use and Future Potential for Medicine. Annual Review of Immunology, 2013, 31, 635-674.	21.8	304
228	Innate immune recognition of flagellin limits systemic persistence of <i>Bacteriella</i> . Cellular Microbiology, 2013, 15, 942-960.	2.1	38
229	Interactions between Nod-Like Receptors and Intestinal Bacteria. Frontiers in Immunology, 2013, 4, 462.	4.8	30
230	NALP3-mediated inflammation is a principal cause of progressive renal failure in oxalate nephropathy. Kidney International, 2013, 84, 895-901.	5.2	182
231	NOD2 Signaling Contributes to Host Defense in the Lungs against Escherichia coli Infection. Infection and Immunity, 2013, 81, 4324-4324.	2.2	0
232	miR-181 and Metabolic Regulation in the Immune System. Cold Spring Harbor Symposia on Quantitative Biology, 2013, 78, 223-230.	1.1	42
233	Excessive Th1 responses due to the absence of TGF-Î² signaling cause autoimmune diabetes and dysregulated Treg cell homeostasis. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 6961-6966.	7.1	71
234	Engraftment Of Human Polycythemia Vera CD34+ Cells In hSIRPÎ±-Transgenic-Human-TPO-Expressing RAG2-/-, IL2RÎ³3-/- Immunodeficient Mice. Blood, 2013, 122, 2844-2844.	1.4	0

#	ARTICLE	IF	CITATIONS
235	Inflammasome-mediated dysbiosis regulates progression of NAFLD and obesity. <i>Nature</i> , 2012, 482, 179-185.	27.8	2,026
236	IL-22BP is regulated by the inflammasome and modulates tumorigenesis in the intestine. <i>Nature</i> , 2012, 491, 259-263.	27.8	641
237	IL-22 Signaling Contributes to West Nile Encephalitis Pathogenesis. <i>PLoS ONE</i> , 2012, 7, e44153.	2.5	65
238	Development of a Novel in Vivo Model for Human Myeloma Via Humanization of the Bone Marrow Niche. <i>Blood</i> , 2012, 120, 325-325.	1.4	0
239	Control of TH17 cells occurs in the small intestine. <i>Nature</i> , 2011, 475, 514-518.	27.8	567
240	The E3 ligase Itch and deubiquitinase Cyld act together to regulate Tak1 and inflammation. <i>Nature Immunology</i> , 2011, 12, 1176-1183.	14.5	141
241	Human IL-3/GM-CSF knock-in mice support human alveolar macrophage development and human immune responses in the lung. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 2390-2395.	7.1	202
242	Human thrombopoietin knockin mice efficiently support human hematopoiesis in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 2378-2383.	7.1	169
243	NLRP6 Inflammasome Regulates Colonic Microbial Ecology and Risk for Colitis. <i>Cell</i> , 2011, 145, 745-757.	28.9	1,716
244	Improving human hemato-lymphoid-system mice by cytokine knock-in gene replacement. <i>Trends in Immunology</i> , 2011, 32, 321-327.	6.8	117
245	Efficient differentiation and function of human macrophages in humanized CSF-1 mice. <i>Blood</i> , 2011, 118, 3119-3128.	1.4	134
246	Th17 Cells Express Interleukin-10 Receptor and Are Controlled by Foxp3 ^{hi} and Foxp3 ⁺ Regulatory CD4 ⁺ T Cells in an Interleukin-10-Dependent Manner. <i>Immunity</i> , 2011, 34, 554-565.	14.3	529
247	Memory/effector (CD45 ^{RBlo}) CD4 T cells are controlled directly by IL-10 and cause IL-22 ^{hi} dependent intestinal pathology. <i>Journal of Experimental Medicine</i> , 2011, 208, 1027-1040.	8.5	164
248	Transgenic expression of human signal regulatory protein alpha in Rag2 ^{hi} /c ^{hi} mice improves engraftment of human hematopoietic cells in humanized mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 13218-13223.	7.1	205
249	The polarization of immune cells in the tumour environment by TGF β ² . <i>Nature Reviews Immunology</i> , 2010, 10, 554-567.	22.7	795
250	TLR8 deficiency leads to autoimmunity in mice. <i>Journal of Clinical Investigation</i> , 2010, 120, 3651-62.	8.2	181
251	Naturally Activated V β ³⁴ T Cells Play a Protective Role in Tumor Immunity through Expression of Eomesodermin. <i>Journal of Immunology</i> , 2010, 185, 126-133.	0.8	84
252	Human Thrombopoietin Knockin Mice Efficiently Support Human Hematopoiesis In Vivo. <i>Blood</i> , 2010, 116, 403-403.	1.4	0

#	ARTICLE	IF	CITATIONS
253	Human Interleukin-3/Granulocyte Macrophage-Colony Stimulating Factor Knock-In Mice Support Human Myeloid Cell Reconstitution and Human Immune Responses In the Lung.. <i>Blood</i> , 2010, 116, 3789-3789.	1.4	0
254	Disruption of Myosin 1e Promotes Podocyte Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 86-94.	6.1	91
255	IL-10 Signaling Blockade Controls Murine West Nile Virus Infection. <i>PLoS Pathogens</i> , 2009, 5, e1000610.	4.7	79
256	Antigen presentation on artificial acellular substrates: modular systems for flexible, adaptable immunotherapy. <i>Expert Opinion on Biological Therapy</i> , 2009, 9, 451-464.	3.1	58
257	Toll-like Receptor 7 Mitigates Lethal West Nile Encephalitis via Interleukin 23-Dependent Immune Cell Infiltration and Homing. <i>Immunity</i> , 2009, 30, 242-253.	14.3	180
258	A protective function for interleukin 17A in T cell-mediated intestinal inflammation. <i>Nature Immunology</i> , 2009, 10, 603-609.	14.5	692
259	An Essential Role of the Forkhead-Box Transcription Factor Foxo1 in Control of T Cell Homeostasis and Tolerance. <i>Immunity</i> , 2009, 30, 358-371.	14.3	265
260	Inflammasome-activating nanoparticles as modular systems for optimizing vaccine efficacy. <i>Vaccine</i> , 2009, 27, 3013-3021.	3.8	261
261	Innate and Adaptive Interleukin-22 Protects Mice from Inflammatory Bowel Disease. <i>Immunity</i> , 2008, 29, 947-957.	14.3	725
262	TGF- β 2: A Master of All T Cell Trades. <i>Cell</i> , 2008, 134, 392-404.	28.9	783
263	Required Roles of Bax and JNKs in Central and Peripheral Nervous System Death of Retinoblastoma-deficient Mice. <i>Journal of Biological Chemistry</i> , 2008, 283, 405-415.	3.4	9
264	IL-13R α 2 and IL-10 coordinately suppress Th2-dependent Inflammation and Immunopathology.. <i>FASEB Journal</i> , 2008, 22, 663.2.	0.5	0
265	Essential role for the beta3 regulatory subunit of L-type calcium channel in the survival and functions of CD8 T cells. <i>FASEB Journal</i> , 2008, 22, 661.16.	0.5	0
266	Epigenetic and Transcriptional Programs Lead to Default IFN- β Production by β T Cells. <i>Journal of Immunology</i> , 2007, 178, 2730-2736.	0.8	66
267	Autocrine/paracrine TGF β 21 is required for the development of epidermal Langerhans cells. <i>Journal of Experimental Medicine</i> , 2007, 204, 2545-2552.	8.5	210
268	Requirement of JIP scaffold proteins for NMDA-mediated signal transduction. <i>Genes and Development</i> , 2007, 21, 2336-2346.	5.9	44
269	Interleukin-22 but Not Interleukin-17 Provides Protection to Hepatocytes during Acute Liver Inflammation. <i>Immunity</i> , 2007, 27, 647-659.	14.3	572
270	Mitogen-activated protein kinase phosphatase-1 (MKP-1): a critical regulator of innate immune responses. <i>Journal of Organ Dysfunction</i> , 2007, 3, 72-81.	0.3	3

#	ARTICLE	IF	CITATIONS
271	Modulation of Cell Adhesion and Motility in the Immune System by Myo1f. <i>Science</i> , 2006, 314, 136-139.	12.6	102
272	Expression of Interleukin-10 in Intestinal Lymphocytes Detected by an Interleukin-10 Reporter Knockin tiger Mouse. <i>Immunity</i> , 2006, 25, 941-952.	14.3	364
273	Identifying Foxp3-expressing suppressor T cells with a bicistronic reporter. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 5126-5131.	7.1	537
274	Toll-like receptor 3 mediates West Nile virus entry into the brain causing lethal encephalitis. <i>Nature Medicine</i> , 2004, 10, 1366-1373.	30.7	998
275	The Bax Subfamily of Bcl2-Related Proteins Is Essential for Apoptotic Signal Transduction by c-Jun NH ₂ -Terminal Kinase. <i>Molecular and Cellular Biology</i> , 2002, 22, 4929-4942.	2.3	453
276	Caspase-3 Is a Pivotal Mediator of Apoptosis during Regression of the Ovarian Corpus Luteum. <i>Endocrinology</i> , 2002, 143, 1495-1501.	2.8	31
277	Integrated src kinase and costimulatory activity enhances signal transduction through single-chain chimeric receptors in T lymphocytes. <i>Blood</i> , 2001, 98, 2364-2371.	1.4	80
278	JNK3 contributes to c-Jun activation and apoptosis but not oxidative stress in nerve growth factor-deprived sympathetic neurons. <i>Journal of Neurochemistry</i> , 2001, 78, 298-303.	3.9	67
279	Natural sunscreen revealed. <i>Nature Cell Biology</i> , 2001, 3, E272-E272.	10.3	1
280	Defective T cell activation and autoimmune disorder in Stra13-deficient mice. <i>Nature Immunology</i> , 2001, 2, 1040-1047.	14.5	159
281	Signal transduction by MAP kinases in T lymphocytes. <i>Oncogene</i> , 2001, 20, 2490-2497.	5.9	107
282	ICOS co-stimulatory receptor is essential for T-cell activation and function. <i>Nature</i> , 2001, 409, 97-101.	27.8	840
283	Recognition of double-stranded RNA and activation of NF- κ B by Toll-like receptor 3. <i>Nature</i> , 2001, 413, 732-738.	27.8	5,463
284	APOPTOSIS: Death of a Monopoly?. <i>Science</i> , 2001, 292, 865-866.	12.6	62
285	Caspase-3 is required for apoptosis-associated DNA fragmentation but not for cell death in neurons deprived of potassium. , 2000, 59, 24-31.		88
286	Do T cells care about the mitogen-activated protein kinase signalling pathways?. <i>Immunology and Cell Biology</i> , 2000, 78, 166-175.	2.3	26
287	Carbon monoxide has anti-inflammatory effects involving the mitogen-activated protein kinase pathway. <i>Nature Medicine</i> , 2000, 6, 422-428.	30.7	2,506
288	Death by numbers. <i>Nature Biotechnology</i> , 2000, 18, 717-718.	17.5	21

#	ARTICLE	IF	CITATIONS
289	Deficiency in caspase-9 or caspase-3 induces compensatory caspase activation. <i>Nature Medicine</i> , 2000, 6, 1241-1247.	30.7	303
290	JNK is required for effector T-cell function but not for T-cell activation. <i>Nature</i> , 2000, 405, 91-94.	27.8	302
291	Regulation of c-Jun NH2-terminal Kinase (Jnk) Gene Expression during T Cell Activation. <i>Journal of Experimental Medicine</i> , 2000, 191, 139-146.	8.5	92
292	Airway Hyperresponsiveness and Airway Obstruction in Transgenic Mice. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2000, 22, 289-295.	2.9	145
293	Autocrine Secretion of Interferon \hat{I}^3 Negatively Regulates Homing of Immature B Cells. <i>Journal of Experimental Medicine</i> , 2000, 192, 1381-1388.	8.5	76
294	<i>Borrelia burgdorferi</i> erpT expression in the arthropod vector and murine host. <i>Molecular Microbiology</i> , 1999, 31, 281-290.	2.5	48
295	All's well that ends dead. <i>Nature</i> , 1999, 400, 410-411.	27.8	274
296	Requirement for CD154 in the progression of atherosclerosis. <i>Nature Medicine</i> , 1999, 5, 1313-1316.	30.7	404
297	Walking through the forest of transgenic models of human disease. <i>Immunological Reviews</i> , 1999, 169, 5-10.	6.0	16
298	Expression of activated CDC42 induces T cell apoptosis in thymus and peripheral lymph organs via different pathways. <i>Oncogene</i> , 1999, 18, 7966-7974.	5.9	29
299	Tumor necrosis factor- α and the progression of diabetes in non-obese diabetic mice. <i>Immunological Reviews</i> , 1999, 169, 11-22.	6.0	66
300	Targeted Expression of Calcitonin Gene-Related Peptide to Osteoblasts Increases Bone Density in Mice. <i>Journal of Bone and Mineral Research</i> , 1999, 14, 1067-1074.	2.8	118
301	Immunology at Yale. <i>Immunologic Research</i> , 1999, 19, 105-106.	2.9	3
302	The molecular basis of T cell differentiation. <i>Immunologic Research</i> , 1999, 19, 159-168.	2.9	25
303	Microglial Activation Resulting from CD40-CD40L Interaction After β -Amyloid Stimulation. <i>Science</i> , 1999, 286, 2352-2355.	12.6	340
304	CD40 AND CD154 IN CELL-MEDIATED IMMUNITY. <i>Annual Review of Immunology</i> , 1998, 16, 111-135.	21.8	1,389
305	Expression of Interleukin 9 in the Lungs of β -Transgenic Mice Causes Airway Inflammation, Mast Cell Hyperplasia, and Bronchial Hyperresponsiveness. <i>Journal of Experimental Medicine</i> , 1998, 188, 1307-1320.	8.5	424
306	Differential Expression of <i>Borrelia burgdorferi</i> Genes during Erythema Migrans and Lyme Arthritis. <i>Journal of Infectious Diseases</i> , 1998, 178, 1198-1201.	4.0	35

#	ARTICLE	IF	CITATIONS
307	In vivo properties of monocyte chemoattractant protein-1. <i>Journal of Leukocyte Biology</i> , 1997, 62, 577-580.	3.3	135
308	Absence of excitotoxicity-induced apoptosis in the hippocampus of mice lacking the <i>Jnk3</i> gene. <i>Nature</i> , 1997, 389, 865-870.	27.8	1,192
309	The Cd40 ligand. <i>Immunologic Research</i> , 1997, 16, 59-70.	2.9	125
310	Reprogramming the signalling requirement for AP-1 (activator protein-1) activation during differentiation of precursor CD4 ⁺ T cells into effector Th1 and Th2 cells. <i>Genes and Function</i> , 1997, 1, 51-68.	2.8	113
311	Cleavage of FLICE (caspase-8) by granzyme B during cytotoxic T lymphocyte-induced apoptosis. <i>European Journal of Immunology</i> , 1997, 27, 3492-3498.	2.9	140
312	Glycosylphosphatidylinositol-anchored H-2Db molecules are defective in antigen processing and presentation to cytotoxic T lymphocytes. <i>European Journal of Immunology</i> , 1996, 26, 2215-2224.	2.9	8
313	The Role of CD40 Ligand in Costimulation and T Cell Activation. <i>Immunological Reviews</i> , 1996, 153, 85-106.	6.0	407
314	Neural tube, skeletal and body wall defects in mice lacking transcription factor AP-2. <i>Nature</i> , 1996, 381, 238-241.	27.8	591
315	Decreased apoptosis in the brain and premature lethality in CPP32-deficient mice. <i>Nature</i> , 1996, 384, 368-372.	27.8	1,839
316	Impairment of antigen-specific T-cell priming in mice lacking CD40 ligand. <i>Nature</i> , 1995, 378, 617-620.	27.8	462
317	Costimulation in Tolerance and Autoimmunity. <i>International Reviews of Immunology</i> , 1995, 13, 135-146.	3.3	29
318	Prominent T lymphocyte response to <i>Borrelia burgdorferi</i> from peripheral blood of unexposed donors. <i>European Journal of Immunology</i> , 1994, 24, 320-324.	2.9	35
319	Antigen Presentation in MHC Class II Transgenic Mice: Stimulation versus Tolerization. <i>Immunological Reviews</i> , 1990, 117, 121-134.	6.0	15
320	Revised nomenclature of mouse H-2 genes. <i>Immunogenetics</i> , 1990, 32, 147-149.	2.4	49
321	Infertility in Male Transgenic Mice: Disruption of Sperm Development by HSV-tk Expression in Postmeiotic Germ Cells. <i>Biology of Reproduction</i> , 1990, 43, 684-693.	2.7	105
322	Caspase Knockouts: Matters of Life and Death. , 0, , 13-35.		0