

Alexey V Danilov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9317393/publications.pdf>

Version: 2024-02-01

159
papers

3,231
citations

186265

28
h-index

189892

50
g-index

161
all docs

161
docs citations

161
times ranked

5301
citing authors

#	ARTICLE	IF	CITATIONS
1	A phase II study of obinutuzumab in combination with ibrutinib for treatment of relapsed mantle cell lymphoma. <i>Leukemia and Lymphoma</i> , 2023, 64, 722-724.	1.3	1
2	Proapoptotic and immunomodulatory effects of SYK inhibitor entospletinib in combination with obinutuzumab in patients with chronic lymphocytic leukaemia. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 836-841.	2.4	5
3	Identifying phenotype-associated subpopulations by integrating bulk and single-cell sequencing data. <i>Nature Biotechnology</i> , 2022, 40, 527-538.	17.5	128
4	The CLL comorbidity index in a population-based cohort: a tool for clinical care and research. <i>Blood Advances</i> , 2022, 6, 2701-2706.	5.2	11
5	Translating the Biology of Diffuse Large B-cell Lymphoma Into Treatment. <i>Oncologist</i> , 2022, 27, 57-66.	3.7	4
6	Dual BTK/SYK inhibition with CG-806 (luxetpinib) disrupts B-cell receptor and Bcl-2 signaling networks in mantle cell lymphoma. <i>Cell Death and Disease</i> , 2022, 13, 246.	6.3	12
7	Immunity in CLL: corrupt at inception?. <i>Blood</i> , 2022, 139, 2104-2105.	1.4	1
8	CAR T-Cell Therapy in the Older Person: Indications and Risks. <i>Current Oncology Reports</i> , 2022, 24, 1189-1199.	4.0	11
9	Immunomodulatory effects of pevonedistat, a NEDD8-activating enzyme inhibitor, in chronic lymphocytic leukemia-derived T cells. <i>Leukemia</i> , 2021, 35, 156-168.	7.2	24
10	Medical comorbidities in patients with chronic lymphocytic leukaemia treated with idelalisib: analysis of two large randomised clinical trials. <i>British Journal of Haematology</i> , 2021, 192, 720-728.	2.5	17
11	Comorbidities Predict Inferior Survival in Patients Receiving Chimeric Antigen Receptor T Cell Therapy for Diffuse Large B Cell Lymphoma: A Multicenter Analysis. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 46-52.	1.2	28
12	Burkitt lymphoma in the modern era: real-world outcomes and prognostication across 30 US cancer centers. <i>Blood</i> , 2021, 137, 374-386.	1.4	59
13	A novel somatic PLCG2 variant associated with resistance to BTK and SYK inhibition in chronic lymphocytic leukemia. <i>European Journal of Haematology</i> , 2021, 106, 294-297.	2.2	2
14	Phase 2, multicenter GIBB study of obinutuzumab plus bendamustine in previously untreated patients with chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2021, 62, 791-800.	1.3	2
15	A Novel CDK2/9 Inhibitor CYC065 Causes Anaphase Catastrophe and Represses Proliferation, Tumorigenesis, and Metastasis in Aneuploid Cancers. <i>Molecular Cancer Therapeutics</i> , 2021, 20, 477-489.	4.1	9
16	Incorporating acalabrutinib, a selective next-generation Bruton tyrosine kinase inhibitor, into clinical practice for the treatment of haematological malignancies. <i>British Journal of Haematology</i> , 2021, 193, 15-25.	2.5	20
17	High-Risk Mantle Cell Lymphoma in the Era of Novel Agents. <i>Current Hematologic Malignancy Reports</i> , 2021, 16, 8-18.	2.3	5
18	Neddylation and anti-tumor immunity. <i>Oncotarget</i> , 2021, 12, 2227-2230.	1.8	5

#	ARTICLE	IF	CITATIONS
19	Duvelisib (Copiktra) in relapsed or refractory chronic lymphocytic leukemia: safety and efficacy. Expert Review of Anticancer Therapy, 2021, 21, 481-488.	2.4	5
20	Outcomes of Burkitt lymphoma with central nervous system involvement: evidence from a large multicenter cohort study. Haematologica, 2021, 106, 1932-1942.	3.5	21
21	A phase Ib, open label, dose escalation trial of the anti-CD37 monoclonal antibody, BI 836826, in combination with ibrutinib in patients with relapsed/refractory chronic lymphocytic leukemia. Investigational New Drugs, 2021, 39, 1099-1105.	2.6	5
22	Burkitt Lymphoma International Prognostic Index. Journal of Clinical Oncology, 2021, 39, 1129-1138.	1.6	37
23	The Chronic Lymphocytic Leukemia Comorbidity Index (CLL-CI): A Three-Factor Comorbidity Model. Clinical Cancer Research, 2021, 27, 4814-4824.	7.0	23
24	Intensive induction regimens after deferring initial therapy for mantle cell lymphoma are not associated with improved survival. European Journal of Haematology, 2021, 107, 301-310.	2.2	3
25	HIV-associated Burkitt lymphoma: outcomes from a US-UK collaborative analysis. Blood Advances, 2021, 5, 2852-2862.	5.2	24
26	Pharmacologic Targeting of Mcl-1 Induces Mitochondrial Dysfunction and Apoptosis in B-Cell Lymphoma Cells in a TP53- and BAX-Dependent Manner. Clinical Cancer Research, 2021, 27, 4910-4922.	7.0	22
27	Multi-center analysis of practice patterns and outcomes of younger and older patients with mantle cell lymphoma in the rituximab era. American Journal of Hematology, 2021, 96, 1374-1384.	4.1	11
28	New Targetable Pathways in Chronic Lymphocytic Leukemia (CLL). Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, S148-S150.	0.4	0
29	NEDD8-activating enzyme inhibition induces cell cycle arrest and anaphase catastrophe in malignant T-cells. Oncotarget, 2021, 12, 2068-2074.	1.8	3
30	Early relapse identifies MCL patients with inferior survival after intensive or less intensive frontline therapy. Blood Advances, 2021, 5, 5179-5189.	5.2	21
31	Improvements in Health-Related Quality of Life and Symptoms in Patients With Previously Untreated Chronic Lymphocytic Leukemia: Final Results From the Phase II GIBB Study of the Combination of Obinutuzumab and Bendamustine. Clinical Lymphoma, Myeloma and Leukemia, 2021, , .	0.4	0
32	The evolving role of Bruton's tyrosine kinase inhibitors in chronic lymphocytic leukemia. Therapeutic Advances in Hematology, 2021, 12, 204062072198958.	2.5	13
33	Entospletinib and obinutuzumab in patients with relapsed/refractory chronic lymphocytic leukemia and B-cell malignancies. Haematologica, 2021, 106, 2022-2025.	3.5	6
34	Hodgkin lymphoma arising in patients with chronic lymphocytic leukemia: outcomes from a large multi-center collaboration. Haematologica, 2021, 106, 2845-2852.	3.5	18
35	Phase 1b study of tirabrutinib in combination with idelalisib or entospletinib in previously treated B-cell lymphoma. Leukemia, 2021, 35, 2108-2113.	7.2	13
36	A Phase 1 Dose-Escalation Study of the Oral CDK Inhibitor Voruciclib in Patients with Relapsed/Refractory B-Cell Malignancies or Acute Myeloid Leukemia (AML): Preliminary Results of the Completed Dose Escalation Stage in AML. Blood, 2021, 138, 3423-3423.	1.4	2

#	ARTICLE	IF	CITATIONS
37	Outcomes and Treatment Patterns in Patients with Aggressive B-Cell Lymphoma after Failure of Anti-CD19 CAR T-Cell Therapy. <i>Blood</i> , 2021, 138, 884-884.	1.4	7
38	Chronic Lymphocytic Leukemia Comorbidity Index (CLL-CI), a Novel Comorbidity Measure, Predicts Outcomes in the Context of Targeted Agents and in a Large National Registry. <i>Blood</i> , 2021, 138, 2637-2637.	1.4	1
39	Transcriptional Reprogramming of Super-Enhancer Associated Oncogenes Following Inhibition of Cyclin-Dependent Kinase-9 (CDK9) in Aggressive Non-Hodgkin Lymphoma (NHL). <i>Blood</i> , 2021, 138, 3493-3493.	1.4	1
40	A Phase I Trial of PI3K/Î± Inhibitor Copanlisib in Combination with Nivolumab in Patients with Richter's Transformation (RT) or Transformed Non-Hodgkin Lymphoma (tNHL). <i>Blood</i> , 2021, 138, 3558-3558.	1.4	3
41	A Phase I Trial of Nedd8-Activating Enzyme (NAE) Inhibitor, Pevonedistat (PEVO) in Combination with Ibrutinib in Patients with Relapsed/Refractory (R/R) Non-Hodgkin Lymphoma (NHL). <i>Blood</i> , 2021, 138, 2433-2433.	1.4	2
42	Final Results of a Phase 1/2 Study of SYK Inhibitor Entospletinib in Combination with Obinutuzumab in Patients with Relapsed/Refractory (R/R) Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2021, 138, 2643-2643.	1.4	1
43	Practice Patterns Pre-CART for Aggressive B-Cell Lymphomas: Patient Selection and Real World Salvage and Bridging Practices. <i>Blood</i> , 2021, 138, 532-532.	1.4	1
44	TAK-981, a First-in-Class SUMO-Activating Enzyme Inhibitor, Combined with Rituximab in Adult Patients (Pts) with CD20-Positive Relapsed/Refractory (R/R) Non-Hodgkin Lymphoma (NHL): Phase 1 Data. <i>Blood</i> , 2021, 138, 2488-2488.	1.4	2
45	Richter's Transformation after CD-19 Directed CAR-T Cells for Relapsed/Refractory Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2021, 138, 1430-1430.	1.4	0
46	A Large Multicenter Real-World Evidence (RWE) Analysis of Autoimmune (AI) Diseases and Lymphoma: Histologic Associations, Disease Characteristics, Survival, and Prognostication. <i>Blood</i> , 2021, 138, 50-50.	1.4	0
47	Efficacy and Safety of Ublituximab in Combination with Umbralisib (U2) in Patients with Chronic Lymphocytic Leukemia (CLL) By Treatment Status: A Sub-Analysis of the Phase 3 Unity-CLL Study. <i>Blood</i> , 2021, 138, 3726-3726.	1.4	3
48	Awareness, Knowledge, and Preferences of United States (US) Patients with Chronic Lymphocytic Leukemia (CLL) and Their Caregivers Related to Finite Duration (FD) Therapy and Minimal (Measurable) Residual Disease (MRD). <i>Blood</i> , 2021, 138, 1927-1927.	1.4	0
49	Pharmacologic Inhibition of SUMO-Activating Enzyme Potentiates Interferon Response and T Cell-Mediated Anti-Tumor Immunity in Chronic Lymphocytic Leukemia (CLL) and Lymphoma Models. <i>Blood</i> , 2021, 138, 3719-3719.	1.4	0
50	MGA deletion Leads to Richter's Transformation Via NME1. <i>Blood</i> , 2021, 138, 252-252.	1.4	1
51	Impact of Comorbidities on Outcomes and Toxicity in Patients Treated with CAR T-Cell Therapy for Diffuse Large B Cell Lymphoma (DLBCL): A Multicenter Rwe Study. <i>Blood</i> , 2021, 138, 529-529.	1.4	4
52	Atezolizumab Combined with Immunogenic Salvage Chemoimmunotherapy (R-GemOx+Atezo) in Patients with Transformed Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2021, 138, 1407-1407.	1.4	1
53	METTL3 Dysregulates RNA Splicing by Translational Control of Splicing Factors via m 6A Modification in CLL. <i>Blood</i> , 2021, 138, 499-499.	1.4	0
54	Nedd8-Activating Enzyme Inhibition Enhances Anti-Tumor Immunity and PD1 Blockade in <i>In Vivo</i> lymphoma Models. <i>Blood</i> , 2021, 138, 2414-2414.	1.4	0

#	ARTICLE	IF	CITATIONS
55	Randomized, Phase III Study of Early Intervention with Venetoclax and Obinutuzumab Versus Delayed Therapy with Venetoclax and Obinutuzumab in Newly Diagnosed Asymptomatic High-Risk Patients with Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL/SLL): Evolve CLL/SLL Study (SWOG) Tj ETQq1 10.784314 rgBT /Ove	14.7	14
56	Phase Ib Study of Tirabrutinib in Combination with Idelalisib or Entospletinib in Previously Treated Chronic Lymphocytic Leukemia. <i>Clinical Cancer Research</i> , 2020, 26, 2810-2818.	7.0	46
57	Simultaneous kinase inhibition with ibrutinib and BCL2 inhibition with venetoclax offers a therapeutic strategy for acute myeloid leukemia. <i>Leukemia</i> , 2020, 34, 2342-2353.	7.2	18
58	A simplified prognostic index for chronic lymphocytic leukemia treated with ibrutinib: Results from a multicenter retrospective cohort study. <i>Leukemia Research</i> , 2020, 89, 106302.	0.8	5
59	Cell Death Pathways in Lymphoid Malignancies. <i>Current Oncology Reports</i> , 2020, 22, 10.	4.0	14
60	Management of <scp>CLL</scp> patients early in the <scp>COVID</scp> pandemic: An international survey of <scp>CLL</scp> experts. <i>American Journal of Hematology</i> , 2020, 95, E199-E203.	4.1	20
61	Follicular Lymphoma: Recent and Emerging Therapies, Treatment Strategies, and Remaining Unmet Needs. <i>Oncologist</i> , 2019, 24, e1236-e1250.	3.7	36
62	Cyclin-Dependent Kinase-9 Is a Therapeutic Target in MYC-Expressing Diffuse Large B-Cell Lymphoma. <i>Molecular Cancer Therapeutics</i> , 2019, 18, 1520-1532.	4.1	39
63	Pharmacologic inhibition of the ubiquitin-activating enzyme induces ER stress and apoptosis in chronic lymphocytic leukemia and ibrutinib-resistant mantle cell lymphoma cells. <i>Leukemia and Lymphoma</i> , 2019, 60, 2946-2950.	1.3	10
64	The TP53 Apoptotic Network Is a Primary Mediator of Resistance to BCL2 Inhibition in AML Cells. <i>Cancer Discovery</i> , 2019, 9, 910-925.	9.4	215
65	Relevance of Prognostic Factors in the Era of Targeted Therapies in CLL. <i>Current Hematologic Malignancy Reports</i> , 2019, 14, 302-309.	2.3	11
66	Prognostic Variables of Progression Free Survival in Mantle Cell Lymphoma after Autologous Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, S23-S24.	2.0	0
67	Targeting ubiquitin-activating enzyme induces ER stress-mediated apoptosis in B-cell lymphoma cells. <i>Blood Advances</i> , 2019, 3, 51-62.	5.2	39
68	Chemoimmunotherapy for Older Patients with Chronic Lymphocytic Leukemia – Pass© Yet?. <i>HemaSphere</i> , 2019, 3, e275.	2.7	2
69	Cytogenetic and Molecular Marker Associations to Outcomes with Duvelisib and Ofatumumab Treatment in Patients with Relapsed or Refractory CLL/SLL in the DUO Trial. <i>Blood</i> , 2019, 134, 4312-4312.	1.4	1
70	The Evaluation and Treatment (Tx) of Burkitt Lymphoma (BL) in the Modern Era: Real World (RW) Outcomes and Prognostication across 26 US Cancer Centers (CC). <i>Blood</i> , 2019, 134, 397-397.	1.4	3
71	SYK Inhibitor Entospletinib in Combination with Obinutuzumab Demonstrates Efficacy in Patients with Relapsed/Refractory Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2019, 134, 4295-4295.	1.4	1
72	Improvements in Health-Related Quality of Life and Symptoms in Patients with Previously Untreated Chronic Lymphocytic Leukemia: Final Results from the Phase II GIBB Study of the Combination of Obinutuzumab and Bendamustine. <i>Blood</i> , 2019, 134, 3491-3491.	1.4	1

#	ARTICLE	IF	CITATIONS
73	The Chronic Lymphocytic Leukemia Comorbidity Index (CLL-CI): A Novel Comorbidity Score Derived from a Large Multicenter Retrospective Cohort Study of Patients Treated with Ibrutinib and/or Chemo-Immunotherapy (CIT). <i>Blood</i> , 2019, 134, 4286-4286.	1.4	3
74	Comorbidities Predict Inferior Survival in Patients Receiving CAR T-Cell Therapy for Relapsed/Refractory DLBCL: A Multicenter Retrospective Analysis. <i>Blood</i> , 2019, 134, 780-780.	1.4	7
75	Pharmacologic Inhibition of SUMO-Activating Enzyme (SAE) with TAK-981 Augments Interferon Signaling and Regulates T Cell Differentiation in Ex Vivo studies of Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2019, 134, 1760-1760.	1.4	4
76	Outcomes Following Early Relapse in Patients with Mantle Cell Lymphoma. <i>Blood</i> , 2019, 134, 753-753.	1.4	9
77	Short Time to Treatment Is Associated with Inferior Survival in Newly Diagnosed Patients with Mantle Cell Lymphoma. <i>Blood</i> , 2019, 134, 3997-3997.	1.4	1
78	Clinical Trial Participation Is Associated with Improved Overall Survival in Newly Diagnosed Patients with Mantle Cell Lymphoma. <i>Blood</i> , 2019, 134, 3483-3483.	1.4	1
79	Maintenance Rituximab Improves Outcomes in Mantle Cell Lymphoma Patients Who Respond to Induction Therapy with Bendamustine + Rituximab without Autologous Transplant. <i>Blood</i> , 2019, 134, 1525-1525.	1.4	10
80	The Impact of Pre-Diagnosis Tobacco Use in Mantle Cell Lymphoma. <i>Blood</i> , 2019, 134, 5891-5891.	1.4	0
81	Comparative Outcomes of Relapsed Follicular Lymphoma Patients Treated with Novel Agents: A Multi-Center Analysis. <i>Blood</i> , 2019, 134, 3982-3982.	1.4	0
82	Final Results from the Multicenter, Open-Label, Phase II GIBB Study of Obinutuzumab+Bendamustine in Previously Untreated Patients with Chronic Lymphocytic Leukemia. <i>Blood</i> , 2019, 134, 4317-4317.	1.4	1
83	Neddylation Pathway Regulates Treg Differentiation and T Cell Function in Chronic Lymphocytic Leukemia (CLL) Ex Vivo and Murine In Vivo Studies. <i>Blood</i> , 2019, 134, 4313-4313.	1.4	0
84	An Innovative Telemedicine Platform to Provide Expert Access to Patients with Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2019, 134, 4716-4716.	1.4	1
85	Complex karyotype in patients with mantle cell lymphoma predicts inferior survival and poor response to intensive induction therapy. <i>Cancer</i> , 2018, 124, 2306-2315.	4.1	40
86	Obinutuzumab monotherapy in previously untreated chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2018, 59, 2258-2260.	1.3	6
87	Targeting of colony-stimulating factor 1 receptor (CSF1R) in the CLL microenvironment yields antineoplastic activity in primary patient samples. <i>Oncotarget</i> , 2018, 9, 24576-24589.	1.8	36
88	Functional genomic landscape of acute myeloid leukaemia. <i>Nature</i> , 2018, 562, 526-531.	27.8	907
89	Comorbidities predict inferior outcomes in chronic lymphocytic leukemia treated with ibrutinib. <i>Cancer</i> , 2018, 124, 3192-3200.	4.1	70
90	Deferred treatment is a safe and viable option for selected patients with mantle cell lymphoma. <i>Leukemia and Lymphoma</i> , 2018, 59, 2862-2870.	1.3	13

#	ARTICLE	IF	CITATIONS
91	Updated Preliminary Results of a Phase 1b Dose Escalation and Dose Expansion Study of Tirabrutinib Alone or in Combination with Idelalisib or Entospletinib in Patients with Previously Treated Chronic Lymphocytic Leukemia. <i>Blood</i> , 2018, 132, 3135-3135.	1.4	1
92	Outcomes of Follicular Lymphoma Patients Treated with Frontline Bendamustine and Rituximab: Impact of Histologic Grade and Early Progression on Overall Survival. <i>Blood</i> , 2018, 132, 4146-4146.	1.4	8
93	Intensive Induction Regimens after Deferring Initial Therapy Are Not Associated with Improved Progression-Free or Overall Survival in Patients with Mantle Cell Lymphoma (MCL). <i>Blood</i> , 2018, 132, 4153-4153.	1.4	0
94	Dual Inhibition of Bruton's Tyrosine Kinase and BCL2: A Promising Therapeutic Strategy for Myeloid and Lymphoid Leukemias. <i>Blood</i> , 2018, 132, 214-214.	1.4	0
95	CG'806, a First-in-Class Pan-FLT3/Pan-BTK Inhibitor, Exhibits Broader and Greater Potency Than Ibrutinib Against Primary and Cultured Malignant B Cells. <i>Blood</i> , 2018, 132, 3503-3503.	1.4	0
96	Chronic Lymphocytic Leukemia (CLL) Transformed into Hodgkin Lymphoma (HL): Clinical Characteristics and Outcomes from a Large Multi-Center Collaboration. <i>Blood</i> , 2018, 132, 1648-1648.	1.4	0
97	TAK-243, a Small Molecule Inhibitor of Ubiquitin-Activating Enzyme (UAE), Induces ER Stress and Apoptosis in CLL Cells. <i>Blood</i> , 2018, 132, 1867-1867.	1.4	1
98	Pevonedistat, a Small Molecule Inhibitor of NEDD8-Activating Enzyme (NAE), Induces Cell Cycle Deregulation, Anaphase Catastrophe, and Apoptosis in T-Cell Lymphoma Cells. <i>Blood</i> , 2018, 132, 1667-1667.	1.4	1
99	Updated Preliminary Results of a Phase 1b Dose Escalation and Dose Expansion Study of Tirabrutinib in Combination with Entospletinib in Patients with B-Cell Lymphoma. <i>Blood</i> , 2018, 132, 5344-5344.	1.4	0
100	Immunomodulatory Effects of Pevonedistat, a NEDD8-Activating Enzyme (NAE) Inhibitor, in Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2018, 132, 2946-2946.	1.4	0
101	Impact of Individual Comorbidities on Treatment Outcomes in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2018, 132, 4848-4848.	1.4	0
102	Outcomes in Mantle Cell Lymphoma for Elderly Patients Undergoing Autologous Stem Cell Transplant in CR1. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, S265-S266.	2.0	1
103	SYK inhibition thwarts the BAFF - B-cell receptor crosstalk and thereby antagonizes Mcl-1 in chronic lymphocytic leukemia. <i>Haematologica</i> , 2017, 102, 1890-1900.	3.5	27
104	Role for ZAP-70 Signaling in the Differential Effector Functions of Rituximab and Obinutuzumab (GA101) in Chronic Lymphocytic Leukemia B Cells. <i>Journal of Immunology</i> , 2017, 199, 1275-1282.	0.8	7
105	Bendamustine hydrochloride in patients with B-cell malignancies who have comorbidities – is there an optimal dose?. <i>Expert Review of Hematology</i> , 2017, 10, 707-718.	2.2	8
106	Feasibility of interim positron emission tomography (PET)-adapted therapy in HIV-positive patients with advanced Hodgkin lymphoma (HL): a sub-analysis of SWOG S0816 Phase 2 trial. <i>Leukemia and Lymphoma</i> , 2017, 58, 461-465.	1.3	23
107	Ibrutinib is an effective treatment for B-cell polymphocytic leukaemia. <i>British Journal of Haematology</i> , 2017, 179, 501-503.	2.5	22
108	A phase I dose-ranging study of bendamustine and rituximab in chronic lymphocytic leukemia patients with comorbidities. <i>British Journal of Haematology</i> , 2017, 178, 820-823.	2.5	4

#	ARTICLE	IF	CITATIONS
109	Effect of ketoconazole, a strong CYP3A inhibitor, on the pharmacokinetics of venetoclax, a BCL2 inhibitor, in patients with non-Hodgkin lymphoma. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 846-854.	2.4	68
110	Pevonedistat, a Nedd8-activating enzyme inhibitor, sensitizes neoplastic B-cells to death receptor-mediated apoptosis. <i>Oncotarget</i> , 2017, 8, 21128-21139.	1.8	12
111	Improvements in Health-Related Quality of Life and Symptoms in Patients with Previously Untreated Chronic Lymphocytic Leukemia: Results from the Phase II GIBB Study of the Combination of Obinutuzumab and Bendamustine. <i>Blood</i> , 2017, 130, 683-683.	1.4	0
112	Medical Comorbidities Assessed By CIRS Negatively Impact Survival in the Era of Targeted Therapies in CLL: A Multicenter Retrospective Analysis. <i>Blood</i> , 2017, 130, 918-918.	1.4	0
113	Cardiac non-Hodgkin's lymphoma: clinical characteristics and trends in survival. <i>European Journal of Haematology</i> , 2016, 97, 445-452.	2.2	55
114	Dinaciclib Induces Anaphase Catastrophe in Lung Cancer Cells via Inhibition of Cyclin-Dependent Kinases 1 and 2. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 2758-2766.	4.1	37
115	Rapid induction of apoptosis in chronic lymphocytic leukemia cells by the microtubule disrupting agent BNC105. <i>Cancer Biology and Therapy</i> , 2016, 17, 291-299.	3.4	20
116	Autoimmune haemolytic anaemia occurring during ibrutinib therapy for chronic lymphocytic leukaemia – response to Rider <i>et al</i> . <i>British Journal of Haematology</i> , 2016, 173, 327-328.	2.5	3
117	Risk Stratification of Untreated Mantle Cell Lymphoma Patients Using MIPI, Ki67 Proliferative Index and Cytogenetics. <i>Blood</i> , 2016, 128, 1785-1785.	1.4	3
118	Selective Targeting Cyclin-Dependent Kinase-9 (CDK9) Downmodulates c-MYC and Induces Apoptosis in Diffuse Large B-Cell Lymphoma (DLBCL) Cells. <i>Blood</i> , 2016, 128, 289-289.	1.4	8
119	SYK Inhibition Disrupts the Cross-Talk Between B-Cell Activation Factor (BAFF) and B-Cell Receptor (BCR) and Thereby Antagonizes Mcl-1 in Chronic Lymphocytic Leukemia (CLL) B-Cells. <i>Blood</i> , 2016, 128, 303-303.	1.4	1
120	Voruciclib Sensitizes High Risk Diffuse Large B Cell Lymphoma to BCL2 Inhibition Mediated Cell Death and Tumor Regression. <i>Blood</i> , 2016, 128, 4167-4167.	1.4	0
121	Acute inflammatory skin reaction during neutrophil recovery after antileukemic therapy. <i>Cutis</i> , 2016, 98, E13-E15.	0.3	1
122	Urticarial linear IgA bullous dermatosis (LABD) as a presenting sign of chronic lymphocytic leukemia (CLL). <i>JAAD Case Reports</i> , 2015, 1, 412-414.	0.8	4
123	Vincristine activates c-Jun N-terminal kinase in chronic lymphocytic leukaemia <i>in vivo</i> . <i>British Journal of Clinical Pharmacology</i> , 2015, 80, 493-501.	2.4	10
124	MIR21 is differentially expressed in the lymphoid tissue and modulated by stromal signalling in chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2015, 170, 272-275.	2.5	3
125	Carfilzomib associated thrombotic microangiopathy initially treated with therapeutic plasma exchange. <i>Journal of Clinical Apheresis</i> , 2015, 30, 308-310.	1.3	38
126	Targeting neddylation effectively antagonizes nuclear factor- κ B in chronic lymphocytic leukemia B-cells. <i>Leukemia and Lymphoma</i> , 2015, 56, 1566-1569.	1.3	8

#	ARTICLE	IF	CITATIONS
127	CDK2 Inhibition Causes Anaphase Catastrophe in Lung Cancer through the Centrosomal Protein CP110. <i>Cancer Research</i> , 2015, 75, 2029-2038.	0.9	40
128	Ibrutinib is an effective treatment of autoimmune haemolytic anaemia in chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2015, 170, 734-736.	2.5	42
129	Feasibility of Interim PET-Adapted Therapy in HIV-Positive Patients with Advanced Hodgkin Lymphoma (HL): Sub-Analysis of SWOG S0816 Phase 2 Trial. <i>Blood</i> , 2015, 126, 1498-1498.	1.4	2
130	Cyclin-Dependent Kinase Inhibitor P1446A Induces Apoptosis in a JNK/p38 MAPK-Dependent Manner in Chronic Lymphocytic Leukemia B-Cells. <i>PLoS ONE</i> , 2015, 10, e0143685.	2.5	32
131	Pevonedistat Sensitizes Diffuse Large B-Cell Lymphoma Cells to Death Receptor Ligand-Mediated Apoptosis. <i>Blood</i> , 2015, 126, 3994-3994.	1.4	0
132	Prognostic Markers in Cardiac Non-Hodgkin Lymphoma: A Retrospective Review. <i>Blood</i> , 2015, 126, 5007-5007.	1.4	0
133	The Nedd8-Activating Enzyme Inhibitor MLN4924 Thwarts Microenvironment-Driven NF- κ B Activation and Induces Apoptosis in Chronic Lymphocytic Leukemia B Cells. <i>Clinical Cancer Research</i> , 2014, 20, 1576-1589.	7.0	108
134	The putative BH3 mimetic S1 sensitizes leukemia to ABT-737 by increasing reactive oxygen species, inducing endoplasmic reticulum stress, and upregulating the BH3-only protein NOXA. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2014, 19, 201-209.	4.9	28
135	A new hope: novel therapeutic approaches to treatment of chronic lymphocytic leukaemia with defects in <i>TP53</i> . <i>British Journal of Haematology</i> , 2014, 167, 149-161.	2.5	27
136	Gossypol Increases Expression of the Pro-apoptotic BH3-only Protein NOXA through a Novel Mechanism Involving Phospholipase A2, Cytoplasmic Calcium, and Endoplasmic Reticulum Stress. <i>Journal of Biological Chemistry</i> , 2014, 289, 16190-16199.	3.4	39
137	Impact of Comorbidities on Treatment Outcomes in Chronic Lymphocytic Leukemia: A Retrospective Analysis. <i>Blood</i> , 2014, 124, 1312-1312.	1.4	20
138	Targeting Nedd8 Activating Enzyme Induces DNA Damage and Cell Cycle Arrest and Sensitizes Chronic Lymphocytic Leukemia (CLL) B-Cells to Alkylating Agents. <i>Blood</i> , 2014, 124, 4690-4690.	1.4	2
139	microRNA-21 Is Differentially Expressed in the Lymphoid Tissue and Modulated By Stromal Signaling in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2014, 124, 1975-1975.	1.4	0
140	FASN and CD36 predict survival in rituximab-treated diffuse large B-cell lymphoma. <i>Journal of Hematopathology</i> , 2013, 6, 11-18.	0.4	20
141	Pro-apoptotic <i>TP53</i> homolog <i>TAp63</i> is repressed via epigenetic silencing and <i>Bcl-2</i> cell receptor signalling in chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2013, 163, 590-602.	2.5	22
142	Targeted Therapy in Chronic Lymphocytic Leukemia: Past, Present, and Future. <i>Clinical Therapeutics</i> , 2013, 35, 1258-1270.	2.5	37
143	Toward a cure for chronic lymphocytic leukemia: an attack on multiple fronts. <i>Expert Review of Anticancer Therapy</i> , 2013, 13, 1009-1012.	2.4	8
144	Vinblastine Rapidly Induces NOXA and Acutely Sensitizes Primary Chronic Lymphocytic Leukemia Cells to ABT-737. <i>Molecular Cancer Therapeutics</i> , 2013, 12, 1504-1514.	4.1	30

#	ARTICLE	IF	CITATIONS
145	A Novel Cyclin Dependent Kinase Inhibitor P1446A Induces Apoptosis Of Chronic Lymphocytic Leukemia B Cells. <i>Blood</i> , 2013, 122, 1636-1636.	1.4	3
146	Targeting Microenvironment-Mediated NF κ B Activation With MLN4924, An Inhibitor Of The Nedd8-Activating Enzyme, In Chronic Lymphocytic Leukemia B Cells. <i>Blood</i> , 2013, 122, 2875-2875.	1.4	1
147	B-Cell Receptor Signaling Suppresses TAp63-Induced Apoptosis Via PI3-K/mTOR Pathway and Upregulation of MiR-21 in Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2012, 120, 562-562.	1.4	0
148	DeltaNp63alpha-Mediated Induction of Epidermal Growth Factor Receptor Promotes Pancreatic Cancer Cell Growth and Chemoresistance. <i>PLoS ONE</i> , 2011, 6, e26815.	2.5	64
149	p53 Homolog TAp63 elicits apoptosis in Chronic Lymphocytic Leukemia (CLL) B-Cells,. <i>Blood</i> , 2011, 118, 3894-3894.	1.4	0
150	Dipeptidyl peptidase 2 apoptosis assay determines the B-cell activation stage and predicts prognosis in chronic lymphocytic leukemia. <i>Experimental Hematology</i> , 2010, 38, 1167-1177.	0.4	14
151	Managing a pregnant patient with paroxysmal nocturnal hemoglobinuria in the era of eculizumab. <i>Leukemia Research</i> , 2010, 34, 566-571.	0.8	38
152	Decitabine is an effective treatment of idiopathic myelofibrosis. <i>British Journal of Haematology</i> , 2009, 145, 131-132.	2.5	43
153	Outpatient Decitabine in Elderly Patients with Acute Myeloid Leukemia (AML).. <i>Blood</i> , 2009, 114, 4144-4144.	1.4	3
154	ZAP-70 Disrupts Dipeptidyl Peptidase 2 (DPP2)-Regulated Quiescence in Chronic Lymphocytic Leukemia (CLL).. <i>Blood</i> , 2009, 114, 1251-1251.	1.4	1
155	AIDS-related Burkitt lymphoma—A heterogeneous disease?. <i>Leukemia Research</i> , 2008, 32, 1939-1941.	0.8	5
156	Apoptosis in Response to Inhibition of Dipeptidyl Peptidase 2 (DPP2) Defines Low Risk Chronic Lymphocytic Leukemia (CLL).. <i>Blood</i> , 2007, 110, 3094-3094.	1.4	0
157	Molecular Pathogenesis of Chronic Lymphocytic Leukemia. <i>Current Molecular Medicine</i> , 2006, 6, 665-675.	1.3	37
158	Dipeptidyl Peptidase 2 - A Pro-Survival Molecule in Chronic Lymphocytic Leukemia.. <i>Blood</i> , 2006, 108, 4964-4964.	1.4	0
159	Differential control of G0programme in chronic lymphocytic leukaemia: a novel prognostic factor. <i>British Journal of Haematology</i> , 2005, 128, 472-481.	2.5	22