

# Fumio Hayashi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9319485/publications.pdf>

Version: 2024-02-01

63

papers

590

citations

623734

14

h-index

794594

19

g-index

64

all docs

64

docs citations

64

times ranked

500

citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | A new species of the fishfly genus <i>Ctenochauliodes</i> van der Weele (Megaloptera: Corydalidae) from Vietnam. <i>Oriental Insects</i> , 2022, 56, 160-170.   | 0.3 | 1         |
| 2  | Similar pattern, different paths: tracing the biogeographical history of Megaloptera (Insecta: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702   | 3.3 | 11        |
| 3  | Taxonomic notes on the antlion genus <i>Dendroleon</i> Brauer, 1866 (Neuroptera, Myrmeleontidae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Zootaxa, 2022, 5099, 344-354.   | 0.5 | 1         |
| 4  | Unveiling the Evolutionary History of a Puzzling Antlion Genus <i>Gatzara</i> Navájs (Neuroptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Biogeographic Inference. <i>Insect Systematics and Diversity</i> , 2022, 6, . | 1.7 | 2         |
| 5  | Different Responses of Endemic and Alien Tree Squirrels to Tree Seed Chemicals. <i>Mammal Study</i> , 2021, 46, .   | 0.6 | 2         |
| 6  | Geographical variation in squirrel mating calls and their recognition limits in the widely distributed species complex. <i>Behavioral Ecology and Sociobiology</i> , 2021, 75, 1.                                     | 1.4 | 3         |
| 7  | Defensive spray by a semiaquatic osmylid larva (Insecta: Neuroptera) for both aquatic and terrestrial predators. <i>Journal of Ethology</i> , 2021, 39, 369.  | 0.8 | 3         |
| 8  | Molecular discrimination and phylogeographic patterns of clones of the parthenogenetic gecko <i>Lepidodactylus lugubris</i> in the Japanese Archipelago. <i>Population Ecology</i> , 2019, 61, 315-324.               | 1.2 | 4         |
| 9  | Allometry and morphological trait relationship in the sexually dimorphic Chinese dobsonfly, <i>Acanthacorydalis asiatica</i> (Wood-Mason, 1884) (Megaloptera, Corydalidae). <i>ZooKeys</i> , 2019, 854, 119-129.      | 1.1 | 1         |
| 10 | MÁllerian mimicry between cohabiting final-instar larval <i>Pryeria sinica</i> Moore, 1877 (Lepidoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2019, 95, 83.  | 0.2 | 4         |
| 11 | Cantharidin world in air: Spatiotemporal distributions of flying canthariphilous insects in the forest interior. <i>Entomological Science</i> , 2018, 21, 306-314.  | 0.6 | 5         |
| 12 | Pitfall vs fence traps in feeding efficiency of antlion larvae. <i>Journal of Ethology</i> , 2018, 36, 265-275.   | 0.8 | 13        |
| 13 | Behavioral Interactions for Food among Two Clones of Parthenogenetic <i>Lepidodactylus lugubris</i> and Sexually Reproducing <i>Hemidactylus frenatus</i> Geckos. <i>Current Herpetology</i> , 2018, 37, 124-132.     | 0.5 | 1         |
| 14 | Evolutionary history of the complex polymorphic dobsonfly genus <i>Neoneuromus</i> (Megaloptera:) Tj ETQq0 0 0 rgBT /Overlock 10  | 3.9 | 1         |
| 15 | Evolution of female-specific wingless forms in bagworm moths. <i>Evolution &amp; Development</i> , 2017, 19, 9-16.  | 2.0 | 5         |
| 16 | Folivory with leaf folding by giant flying squirrels: its patterns and possible function. <i>Ecological Research</i> , 2016, 31, 617-626.   | 1.5 | 6         |
| 17 | Cantharidin world on islands: Species diversity of canthariphilous arthropods in the Izuâ€“Ogasawara Arc. <i>Entomological Science</i> , 2016, 19, 432-439.   | 0.6 | 6         |
| 18 | Unique set of copulatory organs in mantises: Concealed female genital opening and extremely asymmetric male genitalia. <i>Entomological Science</i> , 2016, 19, 383-390.  | 0.6 | 5         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Sclerotised spines in the female bursa associated with maleâ€™s spermatophore production in cantharidin-producing false blister beetles. <i>Journal of Insect Physiology</i> , 2016, 93-94, 18-27.   | 2.0 | 6         |
| 20 | Fine-Scale Genetic Differentiation in a Salamander <i>Hynobius tokyoensis</i> Living in Fragmented Urban Habitats in and Around Tokyo, Japan. <i>Zoological Science</i> , 2016, 33, 476.   | 0.7 | 6         |
| 21 | &lt;p&gt;&lt;strong&gt;Molecular systematics of the fishfly genus &lt;em&gt; <i>Anachauliodes</i> &lt;/em&gt;&lt;/strong&gt;(&lt;strong&gt;Megaloptera: Corydalidae:&lt;/strong&gt;) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 657 Td (Chauhan et al., 2016)                                     |     |           |
| 22 | &lt;strong&gt;Description of two new species of the genus &lt;em&gt; <i>Devadatta</i> &lt;/em&gt; from northern Vietnam and central Laos (Odonata: Devadattidae)&lt;/strong&gt;. <i>Zootaxa</i> , 2015, 3941, 414.   | 0.5 | 2         |
| 23 | <i>Sialis primitivus</i> sp. nov. (Megaloptera: Sialidae), a remarkable new alderfly species from China. <i>Zootaxa</i> , 2015, 4033, 593-9.   | 0.5 | 1         |
| 24 | Population genetic structure and distribution patterns of sexual and asexual gecko species in the Ogasawara Islands. <i>Ecological Research</i> , 2015, 30, 471-478.   | 1.5 | 8         |
| 25 | Is diversification in male reproductive traits driven by evolutionary trade-offs between weapons and nuptial gifts?. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20150247.   | 2.6 | 32        |
| 26 | Phylogeny of the family <scp>S</scp>ialidae (<scp>I</scp>nsecta: <scp>M</scp>egaloptera) inferred from morphological data, with implications for generic classification and historical biogeography. <i>Cladistics</i> , 2015, 31, 18-49.  | 3.3 | 30        |
| 27 | &lt;strong&gt;Revision of the Megaloptera (Insecta: Neuroptera) of Madagascar&lt;/strong&gt;. <i>Zootaxa</i> , 2014, 3796, 320.  | 0.5 | 8         |
| 28 | Cantharidin world in nature: a concealed arthropod assemblage with interactions via the terpenoid cantharidin. <i>Entomological Science</i> , 2014, 17, 388-395.   | 0.6 | 17        |
| 29 | Left-handed sperm removal by male <i>Calopteryx</i> damselflies (Odonata). <i>SpringerPlus</i> , 2014, 3, 144.   | 1.2 | 5         |
| 30 | Phylogeography of the East Asian polymitarcyid mayfly genus <i>Ephoron</i> (Ephemeroptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 Td (Petersen et al., 2013)  | 1.6 | 35        |
| 31 | Journal of the Linnean Society, 2013, 109, 181-202.  |     |           |
| 31 | Systematic revision reveals underestimated diversity of the South African endemic fishfly genus <i>Taeniochauliodes</i> Esbenâ€Petersen (Megaloptera: Corydalidae). <i>Systematic Entomology</i> , 2013, 38, 543-560.  | 3.9 | 9         |
| 32 | The Protohermes latus species group (Megaloptera: Corydalidae), with description of two new species from India and Myanmar. <i>Zootaxa</i> , 2013, 3609, 513-9.  | 0.5 | 5         |
| 33 | &lt;p class="HeadingRunIn"&gt;&lt;strong&gt;Discovery of the female of&lt;em&gt; Protohermes niger&lt;/em&gt; Yang &amp; Yang (Megaloptera: Corydalidae): Sexual dimorphism in coloration of a dobsonfly revealed by molecular evidence&lt;/strong&gt;&lt;/p&gt;. <i>Zootaxa</i> , 2013, 3745, 84. | 0.5 | 5         |
| 34 | Systematics and biogeography of the dobsonfly genus <i>Nevromus</i> Rambur (Megaloptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 10 Td (Petersen et al., 2013)   | 3.9 | 10        |
| 35 | Structure and function of the large pronotal horn of the sandâ€living anthcid beetle <i>Mecynotarsus tenuipes</i>. <i>Entomological Science</i> , 2012, 15, 274-279.   | 0.6 | 7         |
| 36 | Revision of the<i>Protohermes davidi</i>species group (Megaloptera: Corydalidae), with updated notes on its phylogeny and zoogeography. <i>Aquatic Insects</i> , 2010, 32, 299-319.  | 0.9 | 4         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Systematics of the <i>&lt; i&gt;Protohermes parcus&lt;/i&gt;</i> species group (Megaloptera: Corydalidae), with notes on its phylogeny and biogeography. <i>Journal of Natural History</i> , 2009, 43, 355-372.                            | 0.5 | 5         |
| 38 | Improved walnut-feeding skills with experience in wood mice, <i>Apodemus speciosus</i> . <i>Journal of Ethology</i> , 2009, 27, 83-89.   | 0.8 | 10        |
| 39 | Limited Overwater Dispersal and Genetic Differentiation of the Snake-Eyed Skink ( <i>Cryptoblepharus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 0.7  | 0.7 | 7         |
| 40 | Surgical examination of male genital function of calopterygid damselflies (Odonata). <i>Behavioral Ecology and Sociobiology</i> , 2008, 62, 1417-1425.   | 1.4 | 13        |
| 41 | Systematics and biogeography of the fishfly genus <i>&lt; i&gt;Parachauiodes&lt;/i&gt;</i> (Megaloptera: Corydalidae) endemic to the east Asian islands. <i>Systematic Entomology</i> , 2008, 33, 560-578.                                 | 3.9 | 15        |
| 42 | Origin of the Transition from Aquatic to Terrestrial Habits in <i>Nothopsyche</i> Caddisflies (Trichoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50  | 0.7 | 3         |
| 43 | The <i>&lt; i&gt;Protohermes fruhstorferi&lt;/i&gt;</i> species group (Megaloptera: Corydalidae: Corydalinae), with description of a new species from Vietnam. <i>Aquatic Insects</i> , 2007, 29, 307-317.                                 | 0.9 | 7         |
| 44 | Five-year study of the genetic structure and demography of two subpopulations of the Japanese squirrel ( <i>Sciurus lis</i> ) in a continuous forest and an isolated woodlot. <i>Ecological Research</i> , 2007, 22, 261-267.              | 1.5 | 12        |
| 45 | Systematics of the <i>Protohermes xanthodes</i> species-group in eastern Asia (Megaloptera: Corydalidae). <i>Entomological Science</i> , 2006, 9, 399-409.   | 0.6 | 9         |
| 46 | Genetic polymorphism of the adult medusae invading an electric power station and wild polyps of <i>Aurelia aurita</i> in Wakasa Bay, Japan. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2005, 85, 563-568. | 0.8 | 18        |
| 47 | Functional association between female sperm storage organs and male sperm removal organs in calopterygid damselflies. <i>Entomological Science</i> , 2005, 8, 245-252.   | 0.6 | 18        |
| 48 | Density dependent shifts in attachment site by the ectosymbiotic chironomid <i>Nanocladius asiaticus</i> on its megalopteran host <i>Protohermes grandis</i> . <i>Entomological Science</i> , 2005, 8, 253-261.                            | 0.6 | 7         |
| 49 | Disturbed Population Genetics: Suspected Introgressive Hybridization between Two <i>Mnais</i> Damselfly Species (Odonata). <i>Zoological Science</i> , 2005, 22, 869-881.  | 0.7 | 25        |
| 50 | The potential for incorporation of male derived proteins into developing eggs in the leafhopper <i>Bothrogonia ferruginea</i> . <i>Journal of Insect Physiology</i> , 2002, 48, 153-159.   | 2.0 | 23        |
| 51 | Multiple mating and lifetime reproductive output in female dobsonflies that receive nuptial gifts. <i>Ecological Research</i> , 1998, 13, 283-289.   | 1.5 | 21        |
| 52 | <i>Nanocladius (Plecoperacoluthus) asiaticus</i> sp. n. (Diptera: Chironomidae) Phoretic on Dobsonfly and Fishfly Larvae (Megaloptera: Corydalidae). <i>Aquatic Insects</i> , 1998, 20, 215-229.   | 0.9 | 14        |
| 53 | Life cycle of <i>Protohermes immaculatus</i> (Megaloptera: Corydalidae) accelerated by warm water overflowing a dam. <i>Aquatic Insects</i> , 1996, 18, 101-110.   | 0.9 | 2         |
| 54 | Sialidae (Megaloptera) of Japan. <i>Aquatic Insects</i> , 1995, 17, 1-15.  | 0.9 | 16        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Intra- and interspecific variation in body size of Protohermes (Megaloptera: Corydalidae). Ecological Research, 1992, 7, 171-178.   | 1.5 | 2         |
| 56 | Convergence of insular dwarfism in damselflies (Euphaea) and dobsonflies (Protohermes). Freshwater Biology, 1990, 23, 219-231.  | 2.4 | 11        |
| 57 | Radio tracking and activity monitoring of the dobsonfly larva, Protohermes grandis (Megaloptera: Corydalidae). Tj ETQql 1 0.784314 rgBT <sub>2.0</sub> /Overlock 31         |     |           |
| 58 | Microhabitat selection by the fishfly larva, Parachauiodes japonicus, in relation to its mode of respiration. Freshwater Biology, 1989, 21, 489-496.                        | 2.4 | 10        |
| 59 | Life history variation in a dobsonfly, Protohermes grandis (Megaloptera: Corydalidae): effects of prey availability and temperature. Freshwater Biology, 1988, 19, 205-216. | 2.4 | 19        |
| 60 | Prey selection by the dobsonfly larva, Protohermes grandis (Megaloptera: Corydalidae). Freshwater Biology, 1988, 20, 19-29.   | 2.4 | 12        |
| 61 | Seasonal change in the respiration of the dobsonfly larva, Protohermes grandis(Megaloptera:) Tj ETQql 1 0.784314 rgBT <sub>2.4</sub> /Overlock 10 T                         |     |           |
| 62 | Chromosome number of the lizard tick, <i>Ixodes asanumai</i> (Acarina: Ixodidae). International Journal of Acarology, 1986, 12, 211-213.                                    | 0.7 | 0         |
| 63 | Prey Type- and Size-related Handling Time of Larval Salamanders, <i>Onychodactylus japonicus</i> . Japanese Journal of Herpetology, 1985, 11, 20-24.                        | 0.5 | 0         |