

Tetsuo Asakura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9322891/publications.pdf>

Version: 2024-02-01

415
papers

13,204
citations

23567

58
h-index

43889

91
g-index

423
all docs

423
docs citations

423
times ranked

6722
citing authors

#	ARTICLE	IF	CITATIONS
1	Conformational characterization of Bombyx mori silk fibroin in the solid state by high-frequency carbon-13 cross polarization-magic angle spinning NMR, x-ray diffraction, and infrared spectroscopy. <i>Macromolecules</i> , 1985, 18, 1841-1845.	4.8	330
2	Study of Protein Conformation and Orientation in Silkworm and Spider Silk Fibers Using Raman Microspectroscopy. <i>Biomacromolecules</i> , 2004, 5, 2247-2257.	5.4	285
3	Preparation of non-woven nanofibers of Bombyx mori silk, Samia cynthia ricini silk and recombinant hybrid silk with electrospinning method. <i>Polymer</i> , 2003, 44, 841-846.	3.8	251
4	A repeated β -turn structure in Poly(Ala-Gly) as a model for silk I of Bombyx mori silk fibroin studied with two-dimensional spin-diffusion NMR under off magic angle spinning and rotational echo double resonance ¹¹ Edited by M. F. Summers. <i>Journal of Molecular Biology</i> , 2001, 306, 291-305.	4.2	230
5	Heterogeneous Structure of Silk Fibers from Bombyx mori Resolved by ^{13}C Solid-State NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2002, 124, 8794-8795.	13.7	215
6	Solvent- and mechanical-treatment-induced conformational transition of silk fibroins studies by high-resolution solid-state carbon-13 NMR spectroscopy. <i>Macromolecules</i> , 1990, 23, 88-94.	4.8	201
7	Long-term patency of small-diameter vascular graft made from fibroin, a silk-based biodegradable material. <i>Journal of Vascular Surgery</i> , 2010, 51, 155-164.	1.1	197
8	High-resolution carbon-13 NMR study of silk fibroin in the solid state by the cross-polarization-magic angle spinning method. Conformational characterization of silk I and silk II type forms of Bombyx mori fibroin by the conformation-dependent carbon-13 chemical shifts. <i>Macromolecules</i> , 1984, 17, 1405-1412.	4.8	192
9	Solid-state NMR determination of the secondary structure of Samia cynthia ricini silk. <i>Nature</i> , 2000, 405, 1077-1079.	27.8	186
10	Analysis of the Structure of Bombyx mori Silk Fibroin by NMR. <i>Macromolecules</i> , 2015, 48, 2345-2357.	4.8	166
11	C alpha and C beta carbon-13 chemical shifts in proteins from an empirical database. <i>Journal of Biomolecular NMR</i> , 1999, 13, 199-211.	2.8	160
12	Artificial Spinning and Characterization of Silk Fiber from Bombyx mori Silk Fibroin in Hexafluoroacetone Hydrate. <i>Macromolecules</i> , 2002, 35, 6-9.	4.8	158
13	Carbon-13 NMR spectral assignment of five polyolefins determined from the chemical shift calculation and the polymerization mechanism. <i>Macromolecules</i> , 1991, 24, 2334-2340.	4.8	155
14	Some Observations on the Structure and Function of the Spinning Apparatus in the Silkworm Bombyx mori. <i>Biomacromolecules</i> , 2007, 8, 175-181.	5.4	143
15	Empirical Comparisons of Models for Chemical-Shift Calculation in Proteins. <i>Journal of Magnetic Resonance Series B</i> , 1993, 101, 63-71.	1.6	138
16	Raman spectroscopic characterization of Bombyx mori silk fibroin: Raman spectrum of Silk I. <i>Journal of Raman Spectroscopy</i> , 2001, 32, 103-107.	2.5	134
17	NMR of silk fibroin. Carbon-13 NMR study of the chain dynamics and solution structure of Bombyx mori silk fibroin. <i>Macromolecules</i> , 1984, 17, 1075-1081.	4.8	126
18	Immobilization of glucose oxidase with Bombyx mori silk fibroin by only stretching treatment and its application to glucose sensor. <i>Biotechnology and Bioengineering</i> , 1989, 33, 598-603.	3.3	126

#	ARTICLE	IF	CITATIONS
19	Very fast magic angle spinning ^1H - ^{14}N 2D solid-state NMR: Sub-micro-liter sample data collection in a few minutes. <i>Journal of Magnetic Resonance</i> , 2011, 208, 44-48.	2.1	125
20	Structural characterization and artificial fiber formation of <i>Bombyx mori</i> silk fibroin in hexafluoro-iso-propanol solvent system. <i>Biopolymers</i> , 2003, 69, 253-259.	2.4	124
21	The relationship between amide proton chemical shifts and secondary structure in proteins. <i>Journal of Biomolecular NMR</i> , 1995, 6, 227-36.	2.8	119
22	^{13}C CP/MAS NMR study on structural heterogeneity in <i>Bombyx mori</i> silk fiber and their generation by stretching. <i>Protein Science</i> , 2009, 11, 2706-2713.	7.6	106
23	Comparative study of silk fibroin porous scaffolds derived from salt/water and sucrose/hexafluoroisopropanol in cartilage formation. <i>Journal of Bioscience and Bioengineering</i> , 2009, 108, 68-75.	2.2	105
24	Improving Cell-Adhesive Properties of Recombinant <i>Bombyx mori</i> Silk by Incorporation of Collagen or Fibronectin Derived Peptides Produced by Transgenic Silkworms. <i>Biomacromolecules</i> , 2007, 8, 3487-3492.	5.4	104
25	Structure of <i>Bombyx mori</i> Silk Fibroin Based on Solid-State NMR Orientational Constraints and Fiber Diffraction Unit Cell Parameters. <i>Journal of the American Chemical Society</i> , 1998, 120, 1300-1308.	13.7	99
26	Comparative Structure Analysis of Tyrosine and Valine Residues in Unprocessed Silk Fibroin (Silk I) and in the Processed Silk Fiber (Silk II) from <i>Bombyx mori</i> Using Solid-State ^{13}C , ^{15}N , and ^2H NMR. <i>Biochemistry</i> , 2002, 41, 4415-4424.	2.5	98
27	Structural analysis of silk with ^{13}C NMR chemical shift contour plots. <i>International Journal of Biological Macromolecules</i> , 1999, 24, 167-171.	7.5	97
28	Immobilization of biocatalysts with <i>bombyx mori</i> silk fibroin by several kinds of physical treatment and its application to glucose sensors. <i>Biosensors</i> , 1989, 4, 361-372.	1.7	95
29	The structure of <i>Bombyx mori</i> silk fibroin membrane swollen by water studied with ESR, ^{13}C -NMR, and FT-IR spectroscopies. <i>Journal of Applied Polymer Science</i> , 1990, 40, 1745-1756.	2.6	92
30	Preparation and characterization of silk fibroin powder and its application to enzyme immobilization. <i>Journal of Applied Polymer Science</i> , 1990, 40, 127-134.	2.6	91
31	NMR study of silk I structure of <i>Bombyx mori</i> silk fibroin with ^{15}N - and ^{13}C -NMR chemical shift contour plots. , 1997, 41, 193-203.		91
32	Binding of amyloid I^2 -peptide to ganglioside micelles is dependent on histidine-13. <i>Biochemical Journal</i> , 2006, 397, 483-490.	3.7	90
33	Refinement of Repeated I^2 -turn Structure for Silk I Conformation of <i>Bombyx mori</i> Silk Fibroin Using ^{13}C Solid-State NMR and X-ray Diffraction Methods. <i>Macromolecules</i> , 2005, 38, 7397-7403.	4.8	89
34	Silk structure studied with nuclear magnetic resonance. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2013, 69, 23-68.	7.5	88
35	A method for the calculation of protein I^\pm -CH chemical shifts. <i>Journal of Biomolecular NMR</i> , 1992, 2, 83-98.	2.8	87
36	Structure of <i>Bombyx mori</i> silk fibroin before spinning in solid state studied with wide angle x-ray scattering and ^{13}C cross-polarization/magic angle spinning NMR. <i>Biopolymers</i> , 2001, 58, 521-525.	2.4	86

#	ARTICLE	IF	CITATIONS
37	Use of silk fibroin for enzyme membrane. Journal of Biotechnology, 1987, 5, 199-207.	3.8	85
38	Structure of Alanine and Glycine Residues of Samia cynthia ricini Silk Fibers Studied with Solid-State ^{15}N and ^{13}C NMR. Macromolecules, 1999, 32, 4940-4946.	4.8	84
39	Colored Fluorescent Silk Made by Transgenic Silkworms. Advanced Functional Materials, 2013, 23, 5232-5239.	14.9	82
40	A method for studying the structure of uniaxially aligned biopolymers using solid state ^{15}N -nmr: Application to Bombyx mori silk fibroin fibers. Biopolymers, 1993, 33, 847-861.	2.4	80
41	Characterization by Raman Microspectroscopy of the Strain-Induced Conformational Transition in Fibroin Fibers from the Silkworm Samia cynthia ricini. Biomacromolecules, 2006, 7, 2512-2521.	5.4	79
42	Hydrolysis and condensation mechanisms of a silane coupling agent studied by ^{13}C and ^{29}Si NMR. Journal of Applied Polymer Science, 1987, 34, 1619-1630.	2.6	78
43	Porous membrane of Bombyx mori silk fibroin: structure characterization, physical properties and application to glucose oxidase immobilization. Journal of Membrane Science, 1991, 59, 39-52.	8.2	76
44	Preparation of double-raschel knitted silk vascular grafts and evaluation of short-term function in a rat abdominal aorta. Journal of Artificial Organs, 2011, 14, 89-99.	0.9	76
45	Primary and secondary structures of synthetic polymer systems as studied by ^{13}C NMR spectroscopy. Progress in Nuclear Magnetic Resonance Spectroscopy, 1990, 22, 349-400.	7.5	75
46	Heptad configurational analysis of ^{13}C n.m.r. spectra in highly isotactic polypropylene. Polymer, 1988, 29, 138-143.	3.8	74
47	Structure of Silk studied with NMR. Progress in Nuclear Magnetic Resonance Spectroscopy, 2001, 39, 301-352.	7.5	73
48	Structure Determination of a Peptide Model of the Repeated Helical Domain in Samia cynthia ricini Silk Fibroin before Spinning by a Combination of Advanced Solid-State NMR Methods. Journal of the American Chemical Society, 2003, 125, 7230-7237.	13.7	73
49	Small Diameter Silk Vascular Grafts (3 mm Diameter) with a Double Raschel Knitted Silk Tube Coated with Silk Fibroin Sponge. Advanced Healthcare Materials, 2013, 2, 361-368.	7.6	73
50	Structural role of tyrosine in Bombyx mori silk fibroin, studied by solid-state NMR and molecular mechanics on a model peptide prepared as silk I and II. Magnetic Resonance in Chemistry, 2004, 42, 258-266.	1.9	70
51	Possible Implications of Serine and Tyrosine Residues and Intermolecular Interactions on the Appearance of Silk I Structure of Bombyx mori Silk Fibroin-Derived Synthetic Peptides: A High-Resolution ^{13}C Cross-Polarization/Magic-Angle Spinning NMR Study. Biomacromolecules, 2005, 6, 468-474.	5.4	70
52	NMR of silk fibroin. 3. Assignment of carbonyl carbon resonances and their dependence on sequence and conformation in Bombyx mori silk fibroin using selective isotopic labeling. Macromolecules, 1984, 17, 2421-2426.	4.8	68
53	NMR of silk fibroin. 4. Temperature- and urea-induced helix-coil transitions of the $-(\text{Ala})_n-$ sequence in Philosamia cynthia ricini silk fibroin protein monitored by carbon- 13 NMR spectroscopy. Macromolecules, 1985, 18, 2614-2619.	4.8	66
54	Elucidating silk structure using solid-state NMR. Soft Matter, 2013, 9, 11440.	2.7	65

#	ARTICLE	IF	CITATIONS
55	Porous Silk Fibroin Film as a Transparent Carrier for Cultivated Corneal Epithelial Sheets. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2011, 22, 2261-2276.	3.5	63
56	Conformational characterization of silk fibroin in intact <i>Bombyx mori</i> and <i>Pilosamia cynthia ricini</i> silkworms by carbon-13 NMR spectroscopy. <i>Macromolecules</i> , 1983, 16, 1024-1026.	4.8	62
57	Structural Analysis of Alanine Tripeptide with Antiparallel and Parallel β -Sheet Structures in Relation to the Analysis of Mixed β -Sheet Structures in <i>Samiamynthiaricini</i> Silk Protein Fiber Using Solid-State NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2006, 128, 6231-6238.	13.7	62
58	Development of Small-Diameter Vascular Grafts Based on Silk Fibroin Fibers from <i>Bombyx mori</i> for Vascular Regeneration. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2011, 22, 195-206.	3.5	62
59	Structural change of keratin protein in human hair by permanent waving treatment ¹ This work was presented at the 44th Annual Meeting of the Society of Polymer Science, Japan; 1996, Nagoya, Japan.1. <i>Polymer</i> , 1998, 39, 3835-3840.	3.8	60
60	Investigation of Structural Transition of Regenerated Silk Fibroin Aqueous Solution by Rheo-NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2008, 130, 4182-4186.	13.7	60
61	Immobilization of peroxidase with a <i>Bombyx mori</i> silk fibroin membrane and its application to biophotosensors. <i>Journal of Biotechnology</i> , 1989, 10, 113-119.	3.8	59
62	The role of irregular unit, GAAS, on the secondary structure of <i>Bombyx mori</i> silk fibroin studied with ^{13}C CP/MAS NMR and wide-angle X-ray scattering. <i>Protein Science</i> , 2002, 11, 1873-1877.	7.6	59
63	NMR of silk fibroin. 8. Carbon-13 NMR analysis of the conformation and the conformational transition of <i>Philosamia cynthia ricini</i> silk fibroin protein on the basis of Bixon-Scheraga-Lifson theory. <i>Macromolecules</i> , 1988, 21, 644-648.	4.8	57
64	Production and characterization of a silk-like hybrid protein, based on the polyalanine region of <i>Samia cynthia ricini</i> silk fibroin and a cell adhesive region derived from fibronectin. <i>Biomaterials</i> , 2004, 25, 617-624.	11.4	57
65	Structures of <i>Bombyx mori</i> and <i>Samiamynthiaricini</i> Silk Fibroins Studied with Solid-State NMR. <i>Biomacromolecules</i> , 2004, 5, 680-688.	5.4	57
66	Dynamic features of side chains in tyrosine and serine residues of some polypeptides and fibroins in the solid as studied by high-resolution solid-state carbon-13 NMR spectroscopy. <i>Macromolecules</i> , 1990, 23, 83-88.	4.8	56
67	Interaction of mastoparan with membranes studied by ^1H -NMR spectroscopy in detergent micelles and by solid-state ^2H -NMR and ^{15}N -NMR spectroscopy in oriented lipid bilayers. <i>FEBS Journal</i> , 2001, 268, 302-309.	0.2	56
68	Determination of the torsion angles of alanine and glycine residues of model compounds of spider silk (AGG)(10) using solid-state NMR methods. <i>Journal of Biomolecular NMR</i> , 2003, 25, 91-103.	2.8	55
69	Mechanical Properties of Regenerated <i>Bombyx mori</i> Silk Fibers and Recombinant Silk Fibers Produced by Transgenic Silkworms. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2010, 21, 395-411.	3.5	55
70	High-Resolution ^{13}C CP/MAS NMR Study on Structure and Structural Transition of <i>Antheraea pernyi</i> Silk Fibroin Containing Poly(L-alanine) and Gly-Rich Regions. <i>Macromolecules</i> , 2002, 35, 2393-2400.	4.8	53
71	Carbon-13 NMR spectral assignments of regioirregular polypropylene determined from two-dimensional INADEQUATE spectra and chemical shift calculations. <i>Macromolecules</i> , 1992, 25, 4876-4881.	4.8	51
72	Molecular Dynamics Simulation of Conformational Change of Poly(Ala-Gly) from Silk I to Silk I TM in Relation to Fiber Formation Mechanism of <i>Bombyx mori</i> Silk Fibroin. <i>Macromolecules</i> , 2003, 36, 6766-6772.	4.8	51

#	ARTICLE	IF	CITATIONS
73	NMR Study of the Structures of Repeated Sequences, GACXGA (X = S, Y, V), in <i>Bombyx mori</i> Liquid Silk. <i>Biomacromolecules</i> , 2014, 15, 104-112.	5.4	51
74	Preparation and characterization of multilayered hydroxyapatite/silk fibroin film. <i>Journal of Bioscience and Bioengineering</i> , 2007, 103, 514-520.	2.2	49
75	Role of Hydroxyl Side Chains in <i>Bombyx mori</i> Silk Sericin in Stabilizing Its Solid Structure. <i>Macromolecules</i> , 2007, 40, 1562-1569.	4.8	48
76	Characterization of low-temperature plasma treated silk fibroin fabrics by ESCA and the use of the fabrics as an enzyme-immobilization support. <i>Biomaterials</i> , 1992, 13, 276-280.	11.4	47
77	Solid-State NMR Analysis of a Peptide (Gly-Pro-Gly-Gly-Ala) ₆ -Gly Derived from a Flagelliform Silk Sequence of <i>Nephila clavipes</i> . <i>Biomacromolecules</i> , 2006, 7, 1210-1214.	5.4	47
78	Carbon-13 NMR chemical shift of regioirregular polypropylene. <i>Macromolecules</i> , 1987, 20, 616-620.	4.8	46
79	Chain-end structures in polypropylene prepared with δ -TiCl ₃ /Et ₂ AlCl catalytic system in the presence of hydrogen. <i>Macromolecules</i> , 1988, 21, 2675-2684.	4.8	46
80	Hydrogen-Bonding Structure of Serine Side Chains in <i>Bombyx mori</i> and <i>Samia cynthia ricini</i> Silk Fibroin Determined by Solid-State ² H NMR. <i>Macromolecules</i> , 1999, 32, 7166-7171.	4.8	46
81	Distinctive Influence of Two Hexafluoro Solvents on the Structural Stabilization of <i>Bombyx mori</i> Silk Fibroin Protein and Its Derived Peptides: ¹³ C NMR and CD Studies. <i>Biomacromolecules</i> , 2006, 7, 18-23.	5.4	46
82	Structure of Silk I (<i>Bombyx mori</i> Silk Fibroin before Spinning) -Type II ¹² -Turn, Not ¹² -Helix-. <i>Molecules</i> , 2021, 26, 3706.	3.8	46
83	Adsorption behavior of a silane coupling agent onto a colloidal silica surface studied by ²⁹ Si NMR spectroscopy. <i>Journal of Colloid and Interface Science</i> , 1989, 129, 113-119.	9.4	45
84	² H-Labeling of Silk Fibroin Fibers and Their Structural Characterization by Solid-State ² H NMR. <i>Macromolecules</i> , 1997, 30, 2429-2435.	4.8	44
85	Two Different Packing Arrangements of Antiparallel Polyalanine. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 1212-1215.	13.8	44
86	Advanced Silk Fibroin Biomaterials and Application to Small-Diameter Silk Vascular Grafts. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 5561-5577.	5.2	44
87	Activation Energy for Permeation of Phosphonium Cations through Phospholipid Bilayer Membrane. <i>Biochemistry</i> , 1994, 33, 4312-4318.	2.5	43
88	The structure of the melittin tetramer at different temperatures. An NOE-based calculation with chemical shift refinement. <i>FEBS Journal</i> , 1998, 257, 479-487.	0.2	43
89	The Structural Characteristics of <i>Bombyx mori</i> Silk Fibroin before Spinning As Studied with Molecular Dynamics Simulation. <i>Macromolecules</i> , 2002, 35, 8831-8838.	4.8	43
90	Rheological Properties of Native Silk Fibroins from Domestic and Wild Silkworms, and Flow Analysis in Each Spinneret by a Finite Element Method. <i>Biomacromolecules</i> , 2009, 10, 929-935.	5.4	43

#	ARTICLE	IF	CITATIONS
91	Intermolecular Packing in <i>B. mori</i> Silk Fibroin: Multinuclear NMR Study of the Model Peptide (Ala-Gly) ₁₅ Defines a Heterogeneous Antiparallel Antipolar Mode of Assembly in the Silk II Form. <i>Macromolecules</i> , 2015, 48, 28-36.	4.8	43
92	NMR of silk fibroin. 9. Sequence and conformation analyses of the silk fibroins from <i>Bombyx mori</i> and <i>Philosamia cynthia ricini</i> by 15N NMR spectroscopy. <i>Macromolecules</i> , 1988, 21, 2038-2041.	4.8	42
93	Native Structure and Degradation Pattern of Silk Sericin Studied by 13C NMR Spectroscopy. <i>Macromolecules</i> , 2006, 39, 6-8.	4.8	42
94	Silk fibroin-based scaffolds for bone regeneration. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2013, 101B, 295-302.	3.4	42
95	Introduction of VEGF or RGD sequences improves revascularization properties of <i>Bombyx mori</i> silk fibroin produced by transgenic silkworm. <i>Journal of Materials Chemistry B</i> , 2015, 3, 7109-7116.	5.8	42
96	1H pulsed NMR study of <i>bombyx mori</i> silk fibroin: Dynamics of fibroin and of absorbed water. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1992, 30, 693-699.	2.1	41
97	Tightly winding structure of sequential model peptide for repeated helical region in <i>Samia cynthia ricini</i> silk fibroin studied with solid-state NMR. <i>Protein Science</i> , 2003, 12, 666-671.	7.6	41
98	Small-diameter vascular grafts of <i>Bombyx mori</i> silk fibroin prepared by a combination of electrospinning and sponge coating. <i>Materials Letters</i> , 2010, 64, 1786-1788.	2.6	40
99	13C NMR analysis of chemical inversion in polypropylene. <i>Die Makromolekulare Chemie</i> , 1977, 178, 791-801.	1.1	39
100	A HIGH RESOLUTION 13C NMR STUDY OF SILK FIBROIN IN SOLID STATE BY THE CROSS POLARIZATION-MAGIC ANGLE SPINNING METHOD: CONFORMATIONAL CHARACTERIZATION UTILIZING CONFORMATION-DEPENDENT 13C CHEMICAL SHIFTS. <i>Chemistry Letters</i> , 1983, 12, 427-430.	1.3	39
101	The Carbon-13 NMR Chemical Shift of Poly(1-butene) Referring to that of 2,4,6,8,10,12,14,16,18-Nonaethylnonadecane and a Comparison of the Chemical Shifts between Poly(1-butene) and Polypropylene. <i>Polymer Journal</i> , 1984, 16, 717-726.	2.7	39
102	Immobilization of glucose oxidase on nonwoven fabrics with <i>bombyx mori</i> silk fibroin gel. <i>Journal of Applied Polymer Science</i> , 1992, 46, 49-53.	2.6	39
103	Raman study of poly(alanine-glycine)-based peptides containing tyrosine, valine, and serine as model for the semicrystalline domains of <i>Bombyx mori</i> silk fibroin. <i>Biopolymers</i> , 2004, 75, 314-324.	2.4	39
104	The interaction of amyloid A β (1-40) with lipid bilayers and ganglioside as studied by 31P solid-state NMR. <i>Chemistry and Physics of Lipids</i> , 2009, 158, 54-60.	3.2	39
105	Nano-mole scale sequential signal assignment by ¹ H-detected protein solid-state NMR. <i>Chemical Communications</i> , 2015, 51, 15055-15058.	4.1	39
106	NMR of silk fibroin, 6. Structure of <i>bombyx mori</i> silk fibroin in aqueous solution. <i>Die Makromolekulare Chemie Rapid Communications</i> , 1986, 7, 755-759.	1.1	38
107	Regeneration of the femoral epicondyle on calcium-binding silk scaffolds developed using transgenic silk fibroin produced by transgenic silkworm. <i>Acta Biomaterialia</i> , 2011, 7, 1192-1201.	8.3	38
108	Conformation of Crystalline and Noncrystalline Domains of [3- ¹³ C]Ala-, [3- ¹³ C]Ser-, and [3- ¹³ C]Tyr- <i>Bombyx mori</i> Silk Fibroin in a Hydrated State Studied with ¹³ C DD/MAS NMR. <i>Macromolecules</i> , 2015, 48, 8062-8069.	4.8	38

#	ARTICLE	IF	CITATIONS
109	Biological Reaction to Small-Diameter Vascular Grafts Made of Silk Fibroin Implanted in the Abdominal Aortae of Rats. <i>Annals of Vascular Surgery</i> , 2015, 29, 341-352.	0.9	38
110	Triad Sequence Analysis of Poly(ethylene/butylene terephthalate) Copolymer Using ^1H NMR. <i>Macromolecules</i> , 2002, 35, 4664-4668.	4.8	37
111	Synthesis and Characterization of Chimeric Silkworm Silk. <i>Biomacromolecules</i> , 2003, 4, 815-820.	5.4	37
112	Structural Analysis of <i>Bombyx mori</i> Silk Fibroin Peptides with Formic Acid Treatment Using High-Resolution Solid-State ^{13}C NMR Spectroscopy. <i>Biomacromolecules</i> , 2004, 5, 1763-1769.	5.4	37
113	Structural Determination of an Elastin-Mimetic Model Peptide, (Val-Pro-Gly-Val-Gly) ₆ , Studied by ^{13}C CP/MAS NMR Chemical Shifts, Two-Dimensional off Magic Angle Spinning Spin-Diffusion NMR, Rotational Echo Double Resonance, and Statistical Distribution of Torsion Angles from Protein Data Bank. <i>Macromolecules</i> , 2005, 38, 6038-6047.	4.8	37
114	Deposition of bone-like apatite on modified silk fibroin films from simulated body fluid. <i>Journal of Applied Polymer Science</i> , 2006, 99, 2822-2830.	2.6	37
115	Silklike materials constructed from sequences of <i>Bombyx mori</i> silk fibroin, fibronectin, and elastin. <i>Journal of Biomedical Materials Research - Part A</i> , 2008, 84A, 353-363.	4.0	37
116	Nanotechnology in Agriculture. <i>ACS Symposium Series</i> , 2016, , 233-242.	0.5	37
117	Silk Fibroin as a Coating Polymer for Sirolimus-Eluting Magnesium Alloy Stents. <i>ACS Applied Bio Materials</i> , 2020, 3, 531-538.	4.6	36
118	Evidence from ^{13}C solid-state NMR spectroscopy for a lamella structure in an alanine-glycine copolypeptide: A model for the crystalline domain of <i>Bombyx mori</i> silk fiber. <i>Protein Science</i> , 2005, 14, 2654-2657.	7.6	35
119	Preparation and Properties of Covalently Immobilized Alkaline Phosphatase on <i>Bombyx Mori</i> Silk Fibroin Fiber. <i>Polymer-Plastics Technology and Engineering</i> , 1989, 28, 453-469.	1.9	34
120	An ESR study of spin-labeled silk fibroin membranes and spin-labeled glucose oxidase immobilized in silk fibroin membranes. <i>Biotechnology and Bioengineering</i> , 1990, 35, 511-517.	3.3	34
121	Design and synthesis of C-linked fucosides as inhibitors of E-selectin. <i>Bioorganic and Medicinal Chemistry</i> , 1996, 4, 1149-1165.	3.0	34
122	Dynamics of the Tyrosine Side Chain in <i>Bombyx mori</i> and <i>Samia cynthia ricini</i> Silk Fibroin Studied by Solid State ^2H NMR. <i>Macromolecules</i> , 1999, 32, 8491-8495.	4.8	32
123	Heterogeneous exchange behavior of <i>Samia cynthia ricini</i> silk fibroin during helix-coil transition studied with ^{13}C NMR. <i>FEBS Letters</i> , 2002, 529, 188-192.	2.8	32
124	Design, Expression and Solid-State NMR Characterization of Silk-Like Materials Constructed from Sequences of Spider Silk, <i>Samia cynthia ricini</i> and <i>Bombyx mori</i> Silk Fibroins. <i>Journal of Biochemistry</i> , 2005, 137, 721-729.	1.7	32
125	Stretching-Induced Conformational Transition of the Crystalline and Noncrystalline Domains of ^{13}C -Labeled <i>Bombyx mori</i> Silk Fibroin Monitored by Solid State NMR. <i>Macromolecules</i> , 2015, 48, 5761-5769.	4.8	32
126	Carbon-13 NMR study of the chain dynamics of polypropylene and poly(1-butene) and the stereochemical dependence of the segmental mobility. <i>Macromolecules</i> , 1983, 16, 786-790.	4.8	31

#	ARTICLE	IF	CITATIONS
127	Adhesion of N-Methacryloyl-L-Proline-Amino Acid Primers to Collagen Analyzed by ^{13}C NMR. Journal of Dental Research, 2001, 80, 855-859.	5.2	31
128	Design, Expression and Characterization of Collagen-Like Proteins Based on the Cell Adhesive and Crosslinking Sequences Derived from Native Collagens. Journal of Biochemistry, 2004, 136, 643-649.	1.7	31
129	^{13}C Solid-State NMR Study of Structural Heterogeneity in Peptides Containing Both Polyalanine and Repeated GGA Sequences as a Local Structural Model of Nephila clavipes Dragline Silk (Spidroin 1). Macromolecules, 2005, 38, 3356-3363.	4.8	31
130	Determination of Accurate ^1H Positions of (Ala-Gly) $_n$ as a Sequential Peptide Model of Bombyx mori Silk Fibroin before Spinning (Silk I). Macromolecules, 2013, 46, 8046-8050.	4.8	31
131	^{13}C and ^{31}P NMR studies on sugar metabolism in Bombyx mori and Philosamia cynthia ricini larvae. Insect Biochemistry, 1988, 18, 531-538.	1.8	30
132	Application of ^1H NMR chemical shifts to measure the quality of protein structures. Journal of Molecular Biology, 1995, 247, 541-546.	4.2	30
133	Hydration of Bombyx mori silk cocoon, silk sericin and silk fibroin and their interactions with water as studied by ^{13}C NMR and ^2H NMR relaxation. Journal of Materials Chemistry B, 2017, 5, 1624-1632.	5.8	30
134	Structural analysis of uniaxially aligned polymers using solid-state nitrogen-15 NMR. Macromolecules, 1993, 26, 6660-6663.	4.8	29
135	Bond Strength of Resin to Acid-etched Dentin Studied by ^{13}C NMR: Interaction between N-methacryloyl-L-Proline-Amino Acid Primer and Dentinal Collagen. Journal of Dental Research, 2000, 79, 806-811.	5.2	29
136	Pressure-dependent changes in the structure of the melittin alpha-helix determined by NMR. Journal of Biomolecular NMR, 2001, 19, 115-124.	2.8	29
137	Flow analysis of aqueous solution of silk fibroin in the spinneret of Bombyx mori silkworm by combination of viscosity measurement and finite element method calculation. Polymer, 2008, 49, 952-956.	3.8	29
138	Recombinant silk fibroin incorporated cell-adhesive sequences produced by transgenic silkworm as a possible candidate for use in vascular graft. Journal of Materials Chemistry B, 2014, 2, 7375-7383.	5.8	29
139	Characterization of water in hydrated Bombyx mori silk fibroin fiber and films by ^2H NMR relaxation and ^{13}C solid state NMR. Acta Biomaterialia, 2017, 50, 322-333.	8.3	29
140	Structure of the spinning apparatus of a wild silkworm Samia cynthia ricini and molecular dynamics calculation on the structural change of the silk fibroin. Polymer, 2007, 48, 2064-2070.	3.8	28
141	Preparation and characterization of regenerated Bombyx mori silk fibroin fiber containing recombinant cell adhesive proteins; Nonwoven fiber and monofilament. Journal of Applied Polymer Science, 2008, 109, 2956-2963.	2.6	28
142	Condensation behavior of a sulane coupling agent in the presence of colloidal silica studied by ^{29}Si and ^{13}C NMR. Journal of Colloid and Interface Science, 1988, 124, 14-21.	9.4	27
143	Structure and Structural Changes of the Silk Fibroin from Samia cynthia ricini Using Nuclear Magnetic Resonance Spectroscopy. Macromolecular Bioscience, 2004, 4, 175-185.	4.1	27
144	^{13}C - ^{17}O REAPDOR NMR as a Tool for Determining Secondary Structure in Polyamides. Macromolecules, 2007, 40, 1363-1365.	4.8	27

#	ARTICLE	IF	CITATIONS
145	Lamellar Structure in Poly(Ala-Gly) Determined by Solid-State NMR and Statistical Mechanical Calculations. Journal of the American Chemical Society, 2007, 129, 5703-5709.	13.7	27
146	Structural Analyses of <i>Anaphe</i> Silk Fibroin and Several Model Peptides Using ¹³ C NMR and X-ray Diffraction Methods. Macromolecules, 2008, 41, 796-803.	4.8	27
147	Structure and Dynamic Properties of a Ti-Binding Peptide Bound to TiO ₂ Nanoparticles As Accessed by ¹ H NMR Spectroscopy. Journal of Physical Chemistry B, 2016, 120, 4600-4607.	2.6	27
148	Refined Crystal Structure of <i>Samia cynthia ricini</i> Silk Fibroin Revealed by Solid-State NMR Investigations. Biomacromolecules, 2017, 18, 1965-1974.	5.4	27
149	Silk fibroin vascular graft: a promising tissue-engineered scaffold material for abdominal venous system replacement. Scientific Reports, 2020, 10, 21041.	3.3	27
150	Spectroscopic Characterization of Heterogeneous Structure of <i>Samiacynthiaricini</i> Silk Fibroin Induced by Stretching and Molecular Dynamics Simulation. Macromolecules, 2004, 37, 3497-3504.	4.8	26
151	Bombyx mori silk fibroin scaffolds for bone regeneration studied by bone differentiation experiment. Journal of Bioscience and Bioengineering, 2013, 115, 575-578.	2.2	26
152	Local Structure and Dynamics of Serine in the Heterogeneous Structure of the Crystalline Domain of <i>Bombyx mori</i> Silk Fibroin in Silk II Form Studied by 2D ¹³ C- ¹³ C Homonuclear Correlation NMR and Relaxation Time Observation. Macromolecules, 2014, 47, 4308-4316.	4.8	26
153	Adhesion mechanisms of resin to etched dentin primed with N-methacryloyl glycine studied by ¹³ C-NMR. , 1998, 40, 458-463.		25
154	A ¹³ C NMR study on the structural change of silk fibroin from <i>Samia cynthia ricini</i> . Chemical Physics Letters, 1999, 311, 362-366.	2.6	25
155	Determining Dihedral Angles and Local Structure in Silk Peptide by ¹³ C- ² H REDOR. Journal of the American Chemical Society, 2003, 125, 7510-7511.	13.7	25
156	Structure of Model Peptides Based on <i>Nephila clavipes</i> Dragline Silk Spidroin (MaSp1) Studied by ¹³ C Cross Polarization/Magic Angle Spinning NMR. Biomacromolecules, 2005, 6, 3220-3226.	5.4	25
157	Structural Analysis of the Synthetic Peptide (Ala-Gly-Ser-Gly-Ala-Gly) ₅ , a Model for the Crystalline Domain of <i>Bombyx mori</i> Silk Fibroin, Studied with ¹³ C CP/MAS NMR, REDOR, and Statistical Mechanical Calculations. Macromolecules, 2010, 43, 9434-9440.	4.8	25
158	Determination of accurate ¹ H positions of an alanine tripeptide with anti-parallel and parallel β -sheet structures by high resolution ¹ H solid state NMR and GIPAW chemical shift calculation. Chemical Communications, 2012, 48, 11199.	4.1	25
159	High field ¹⁷ O solid-state NMR study of alanine tripeptides. Journal of Magnetic Resonance, 2008, 190, 327-332.	2.1	24
160	Difference in the structures of alanine tri- and tetra-peptides with antiparallel β -sheet assessed by X-ray diffraction, solid-state NMR and chemical shift calculations by GIPAW. Biopolymers, 2014, 101, 13-20.	2.4	24
161	Effect of fibroin sponge coating on in vivo performance of knitted silk small diameter vascular grafts. Organogenesis, 2015, 11, 137-151.	1.2	24
162	Silk fibroin produced by transgenic silkworms overexpressing the Arg-Gly-Asp motif accelerates cutaneous wound healing in mice. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2019, 107, 97-103.	3.4	24

#	ARTICLE	IF	CITATIONS
163	A2H NMR Study of [Ser-3,3-2H2]- and [Ala-3,3,3-2H3]- Silk Fibroins in the Solid State. Role of Side-Chain Moiety in Stabilization of Secondary Structure. Bulletin of the Chemical Society of Japan, 1986, 59, 3383-3387.	3.2	23
164	A nuclear magnetic resonance study on aggregation of an azo dye, Orange II, in aqueous solution. Journal of Colloid and Interface Science, 1989, 130, 184-189.	9.4	23
165	Structure and dynamics in the amorphous region of natural rubber observed under uniaxial deformation monitored with solid-state ¹³ C NMR. Polymer, 2003, 44, 7539-7544.	3.8	23
166	Design of Silk-Like Biomaterials Inspired by Mussel-Adhesive Protein. Tissue Engineering, 2007, 13, 2941-2947.	4.6	23
167	Synthesis and Characterization of Cell-Adhesive Silk-Like Proteins Constructed from the Sequences of Anaphe Silk Fibroin and Fibronectin. Biomacromolecules, 2009, 10, 923-928.	5.4	23
168	NMR Investigation about Heterogeneous Structure and Dynamics of Recombinant Spider Silk in the Dry and Hydrated States. Macromolecules, 2017, 50, 8117-8128.	4.8	23
169	Mixture of Rectangular and Staggered Packing Arrangements of Polyalanine Region in Spider Dragline Silk in Dry and Hydrated States As Revealed by ¹³ C NMR and X-ray Diffraction. Macromolecules, 2018, 51, 1058-1068.	4.8	23
170	¹ H- and ¹³ C-NMR studies of N-acetyl-L-alanine methylester and N-acetyl-L-alanine methylamide. I. Self-association. Biopolymers, 1979, 18, 467-477.	2.4	22
171	In vitro production of Bombyx mori silk fibroin by organ culture of the posterior silk glands; isotope labeling and fluorination of the silk fibroin. Biotechnology and Bioengineering, 1993, 41, 245-252.	3.3	22
172	Structural analysis of uniaxially oriented ¹³ C-labelled poly(ethylene terephthalate) film studied with solid-state ¹³ C nuclear magnetic resonance spectroscopy. Polymer, 1996, 37, 1965-1973.	3.8	22
173	Production of interferon-beta in a culture of fibroblast cells on some polymeric films. Cytotechnology, 2000, 34, 165-173.	1.6	22
174	Synthesis and Structural Characterization of Silk-Like Materials Incorporated with an Elastic Motif. Journal of Biochemistry, 2003, 133, 147-154.	1.7	22
175	Preparation and characterization of regenerated fiber from the aqueous solution of Bombyx mori cocoon silk fibroin. Materials Chemistry and Physics, 2009, 117, 430-433.	4.0	22
176	NMR Analysis of Poly(Lactic Acid) via Statistical Models. Polymers, 2019, 11, 725.	4.5	22
177	¹³ C n.m.r. spectral assignments and hexad comonomer sequence determination in stereoregular ethylene-propylene copolymer. Polymer, 1988, 29, 1848-1857.	3.8	21
178	Effects of a structural change in collagen upon binding to conditioned dentin studied by ¹³ C NMR. Journal of Biomedical Materials Research Part B, 1995, 29, 107-111.	3.1	21
179	High Resolution Solid State ¹³ C NMR Spectroscopy of Polypropylene with Very High Syndiospecificity. Polymer Journal, 1996, 28, 24-29.	2.7	21
180	Protein Chemical Shifts. , 1997, 60, 53-70.		21

#	ARTICLE	IF	CITATIONS
181	Sequence analysis of poly(ethylene/1,4-cyclohexanedimethylene terephthalate) copolymer using ¹ H and ¹³ C NMR. <i>Polymer</i> , 2003, 44, 4681-4687.	3.8	21
182	Characterization of silk sponge in the wet state using ¹³ C solid state NMR for development of a porous silk vascular graft with small diameter. <i>RSC Advances</i> , 2014, 4, 4427-4434.	3.6	21
183	Adsorbed behavior of spin-labeled silane coupling agent on colloidal silica studied by electron spin resonance. <i>Journal of Biomedical Materials Research Part B</i> , 1987, 21, 1029-1038.	3.1	20
184	The effects of pH of N-methacryloyl glycine primer on bond strength to acid-etched dentin. , 1996, 31, 379-384.		20
185	Production of interferon- γ by fibroblast cells on membranes prepared with RGD-containing peptides. <i>Journal of Biomedical Materials Research Part B</i> , 2003, 65A, 369-378.	3.1	20
186	Intra- and Intermolecular Effects on ¹ H Chemical Shifts in a Silk Model Peptide Determined by High-Field Solid State ¹ H NMR and Empirical Calculations. <i>Journal of Physical Chemistry B</i> , 2009, 113, 9756-9761.	2.6	20
187	Effect of plasma-irradiated silk fibroin in bone regeneration. <i>Journal of Bioscience and Bioengineering</i> , 2014, 118, 333-340.	2.2	20
188	Emergence of supercontraction in regenerated silkworm (<i>Bombyx mori</i>) silk fibers. <i>Scientific Reports</i> , 2019, 9, 2398.	3.3	20
189	Structure and Dynamics of Spider Silk Studied with Solid-State Nuclear Magnetic Resonance and Molecular Dynamics Simulation. <i>Molecules</i> , 2020, 25, 2634.	3.8	20
190	The proton chemical shifts and the stereochemical structures of poly(vinyl chloride). <i>Die Makromolekulare Chemie</i> , 1975, 176, 411-437.	1.1	19
191	The proton chemical shifts of α -helical poly-L-alanine. <i>Die Makromolekulare Chemie</i> , 1977, 178, 1111-1132.	1.1	19
192	Title is missing!. <i>Die Makromolekulare Chemie</i> , 1984, 185, 1827-1833.	1.1	19
193	Structure of <i>Bombyx mori</i> Silk Fibroin Studied by REDOR NMR Spectroscopy. <i>Polymer Journal</i> , 1994, 26, 1405-1408.	2.7	19
194	Biosynthesis of L-alanine, a major amino acid of fibroin in <i>Samia cynthia ricini</i> . <i>Insect Biochemistry and Molecular Biology</i> , 2000, 30, 225-232.	2.7	19
195	Determination of the Torsion Angles of Alanine and Glycine Residues of <i>Bombyx Mori</i> Silk Fibroin and the Model Peptides in the Silk I and Silk II Forms Using 2D Spin Diffusion Solid-State NMR under Off Magic Angle Spinning. <i>Journal of Physical Chemistry B</i> , 2002, 106, 9434-9439.	2.6	19
196	Vibrational ¹³ C-cross-polarization/magic angle spinning NMR spectroscopic and thermal characterization of poly(alanine-glycine) as model for silk <i>Bombyx mori</i> fibroin. <i>Biopolymers</i> , 2003, 72, 329-338.	2.4	19
197	Heterogeneity in the Conformation of Valine in the Elastin Mimetic (LGGVG) ₆ as Shown by Solid-State ¹³ C NMR Spectroscopy. <i>Biomacromolecules</i> , 2006, 7, 3306-3310.	5.4	19
198	Development of MicroMAS NMR Probehead for Mass-limited Solid-state Samples. <i>Chemistry Letters</i> , 2006, 35, 426-427.	1.3	19

#	ARTICLE	IF	CITATIONS
199	Synthesis and Characterization of Silklike Materials Containing the Calcium-Binding Sequence from Calbindin D9k or the Shell Nacreous Matrix Protein MSI60. <i>Biomacromolecules</i> , 2008, 9, 416-420.	5.4	19
200	Development of silk-like materials based on Bombyx mori and Nephila clavipes dragline silk fibroins. <i>Polymer</i> , 2009, 50, 117-124.	3.8	19
201	Structural Characterization of Silk-Based Water-Soluble Peptides (Glu) ₄ (Ala-Gly-Ser-Gly-Ala-Gly) ₄ (α = 4 \times 8) as a Mimic of Bombyx mori Silk Fibroin by ¹³ C Solid-State NMR. <i>Macromolecules</i> , 2009, 42, 8950-8958.	4.8	19
202	Structural analysis of the Gly-rich region in spider dragline silk using stable-isotope labeled sequential model peptides and solid-state NMR. <i>Chemical Communications</i> , 2009, , 4176.	4.1	19
203	Structural Determination of the Tandem Repeat Motif in Samia cynthia ricini Liquid Silk by Solution NMR. <i>Macromolecules</i> , 2015, 48, 6574-6579.	4.8	19
204	Effect of Water on the Structure and Dynamics of Regenerated [¹³ C] Ser, [¹³ C], and [¹³ C] Ala-Bombyx mori Silk Fibroin Studied with ¹³ C Solid-State Nuclear Magnetic Resonance. <i>Biomacromolecules</i> , 2018, 19, 563-575.	5.4	19
205	Lamellar Structure in Alanine-Glycine Copolypeptides Studied by Solid-State NMR Spectroscopy: A Model for the Crystalline Domain of Bombyx mori Silk Fibroin in Silk II Form. <i>Biomacromolecules</i> , 2020, 21, 3102-3111.	5.4	19
206	Polymerization mechanism and conformation of poly(1-butene). <i>Polymer</i> , 1987, 28, 1037-1040.	3.8	18
207	Structural analysis of highly oriented poly(p-phenylene-terephthalamide) by 15N solid-state nuclear magnetic resonance. <i>Solid State Nuclear Magnetic Resonance</i> , 1994, 3, 209-218.	2.3	18
208	A light-harvesting antenna protein retains its folded conformation in the absence of protein-lipid and protein-pigment interactions. , 1999, 49, 361-372.		18
209	Conformational Study of Silklike Peptides Modified by the Addition of the Calcium-Binding Sequence from the Shell Nacreous Matrix Protein MSI60 Using ¹³ C CP/MAS NMR Spectroscopy. <i>Biomacromolecules</i> , 2006, 7, 1996-2002.	5.4	18
210	Pentad Assignments of Methine Carbon Resonances in Stereoregular Ethylene-Propylene Copolymer Based on Two-Dimensional INADEQUATE NMR Spectrum. <i>Polymer Journal</i> , 1988, 20, 895-902.	2.7	17
211	NMR imaging of diffusion of small organic molecules in silk fibroin gel. <i>Macromolecules</i> , 1991, 24, 620-622.	4.8	17
212	Structure of uniaxially aligned ¹³ C labeled silk fibroin fibers with solid state ¹³ C-NMR. <i>Journal of Molecular Structure</i> , 1998, 441, 155-163.	3.6	17
213	Orientational behavior of phospholipid membranes with mastoparan studied by ³¹ P solid state NMR. <i>FEBS Letters</i> , 1999, 455, 228-232.	2.8	17
214	NMR studies of water dynamics during sol-to-gel transition of poly (N-isopropylacrylamide) in concentrated aqueous solution. <i>Polymer</i> , 2017, 109, 287-296.	3.8	17
215	ESR Study of the Spin-labeled Poly(methyl methacrylate) Adsorbed on the Human Tooth and Hydroxyapatite. <i>Bulletin of the Chemical Society of Japan</i> , 1981, 54, 2180-2182.	3.2	16
216	Water sorption, membrane potentials, and ion permeability of styrene-grafted Bombyx mori silk fibroin membrane. <i>Journal of Applied Polymer Science</i> , 1988, 36, 535-543.	2.6	16

#	ARTICLE	IF	CITATIONS
217	Relationship between Sequence Distribution and Thermal Properties of the Transesterification Product between Poly(ethylene terephthalate) and Poly(butylene terephthalate). <i>Macromolecules</i> , 2004, 37, 4651-4657.	4.8	16
218	Sensitivity enhanced $^{14}\text{N}/^{14}\text{N}$ correlations to probe inter-beta-sheet interactions using fast magic angle spinning solid-state NMR in biological solids. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 22583-22589.	2.8	16
219	^{13}C NMR characterization of hydrated ^{13}C labeled Bombyx mori silk fibroin sponges prepared using glycerin, poly(ethylene glycol diglycidyl ether) and poly(ethylene glycol) as porogens. <i>Journal of Materials Chemistry B</i> , 2017, 5, 2152-2160.	5.8	16
220	Nano-Mole Scale Side-Chain Signal Assignment by ^1H -Detected Protein Solid-State NMR by Ultra-Fast Magic-Angle Spinning and Stereo-Array Isotope Labeling. <i>PLoS ONE</i> , 2015, 10, e0122714.	2.5	16
221	Syntheses and properties of tertiary peptide bond containing polypeptides. 7. Conformational studies of sequential polypeptides containing the Pro-Pro sequence by carbon-13 and proton NMR. <i>Macromolecules</i> , 1985, 18, 878-881.	4.8	15
222	The application of ^1H NMR chemical shift calculations to diastereotopic groups in proteins. <i>FEBS Letters</i> , 1992, 302, 185-188.	2.8	15
223	Determination of the Structure of $[1-^{13}\text{C}]$ Glycine- $[^{15}\text{N}]$ Alanine Double Labeled Bombyx mori Silk Fibroin Fibers Using Solid State ^{15}N NMR. <i>Chemistry Letters</i> , 1994, 23, 2249-2252.	1.3	15
224	Change in the structure of poly(tetramethylene succinate) under tensile stress monitored with solid state ^{13}C NMR. <i>Polymer</i> , 2002, 43, 1447-1451.	3.8	15
225	Sequence Analysis of Technora (Copolyamide of Terephthaloyl Chloride, p-Phenylenediamine, and) Tj ETQq1 1 0.784314 rgBT / Overload	4.8	15
226	Solid-State NMR Analysis of $(\text{GA})_3\text{S}(\text{AG})_3\text{D}(\text{GA})_3\text{S}(\text{AG})_3\text{D}(\text{GA})_3\text{S}(\text{AG})_3$, a Peptide with a Lamellar Structure and a Calcium Binding Site, and Production of $\text{TS}[(\text{AG})_3\text{D}(\text{GA})_3\text{S}]_{16}$ in <i>Escherichia coli</i> . <i>Macromolecules</i> , 2007, 40, 8983-8990.	4.8	15
227	NMR Analysis of the Fibronectin Cell-Adhesive Sequence, Arg-Gly-Asp, in a Recombinant Silk-Like Protein and a Model Peptide. <i>Biomacromolecules</i> , 2011, 12, 3910-3916.	5.4	15
228	Stereoregularity of Poly(lactic acid) and their Model Compounds as studied by NMR and Quantum Chemical Calculations. <i>Macromolecules</i> , 2011, 44, 9247-9253.	4.8	15
229	Glycerin-Induced Conformational Changes in Bombyx mori Silk Fibroin Film Monitored by ^{13}C CP/MAS NMR and ^1H DQMAS NMR. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1517.	4.1	15
230	Comparison of the knitted silk vascular grafts coated with fibroin sponges prepared using glycerin, poly(ethylene glycol diglycidyl ether) and poly(ethylene glycol) as porogens. <i>Journal of Biomaterials Applications</i> , 2018, 32, 1239-1252.	2.4	15
231	A quantum-chemical study of the preferred conformations of the model compounds of polypropylene. <i>Die Makromolekulare Chemie</i> , 1975, 176, 1151-1161.	1.1	14
232	Enzymatic properties of lipase-immobilized silk fibroin membrane and its membrane potential with the enzyme reaction.. <i>Journal of Fiber Science and Technology</i> , 1990, 46, 391-396.	0.0	14
233	Spectroscopic investigation of tertiary fold of staphylococcal protein A to explore its engineering application. <i>Biomaterials</i> , 1999, 20, 647-654.	11.4	14
234	Enhanced CEA production associated with aspirin in a culture of CW-2 cells on some polymeric films. <i>Cytotechnology</i> , 1999, 31, 233-242.	1.6	14

#	ARTICLE	IF	CITATIONS
235	Determination of intermolecular distance for a model peptide of Bombyx mori silk fibroin, GAGAG, with rotational echo double resonance. Biopolymers, 2002, 64, 80-85.	2.4	14
236	Structure of the Model Peptides of Bombyx mori Silk-Elastin Like Protein Studied with Solid State NMR. Biomacromolecules, 2004, 5, 744-750.	5.4	14
237	Structure of Characteristic Sequences in Nephila clavipes Dragline Silk (MaSp1) Studied with ¹³ C Solid State NMR. Polymer Journal, 2004, 36, 999-1003.	2.7	14
238	Micro-computerized tomographic observation of the spinning apparatus in Bombyx mori silkworms. Polymer, 2008, 49, 5665-5669.	3.8	14
239	Structural insights into the elastin mimetic (LGGVC) ₆ using solid-state ¹³ C NMR experiments and statistical analysis of the PDB. Biopolymers, 2008, 89, 668-679.	2.4	14
240	Microscopic structural analysis of fractured silk fibers from Bombyx mori and Samia cynthia ricini using ¹³ C CP/MAS NMR with a 1 mm microcoil MAS NMR probehead. Solid State Nuclear Magnetic Resonance, 2010, 38, 27-30.	2.3	14
241	NMR analysis and chemical shift calculations of poly(lactic acid) dimer model compounds with different tacticities. Polymer Journal, 2012, 44, 838-844.	2.7	14
242	Rapid endothelialization and thin luminal layers in vascular grafts using silk fibroin. Journal of Materials Chemistry B, 2016, 4, 938-946.	5.8	14
243	Packing arrangement of ¹³ C selectively labeled sequence model peptides of Samia cynthia ricini silk fibroin fibers studied by solid-state NMR. Physical Chemistry Chemical Physics, 2017, 19, 13379-13386.	2.8	14
244	Distinct solvent- and temperature-dependent packing arrangements of anti-parallel β^2 -sheet polyanilines studied with solid-state ¹³ C NMR and MD simulation. Physical Chemistry Chemical Physics, 2017, 19, 20829-20838.	2.8	14
245	Determination of Local Structure of ¹³ C Selectively Labeled 47-mer Peptides as a Model for Gly-Rich Region of <i>Nephila clavipes</i> Dragline Silk Using a Combination of ¹³ C Solid-State NMR and MD Simulation. Macromolecules, 2018, 51, 3608-3619.	4.8	14
246	Chain-folded lamellar structure and dynamics of the crystalline fraction of Bombyx mori silk fibroin and of (Ala-Gly-Ser-Gly-Ala-Gly) _n model peptides. International Journal of Biological Macromolecules, 2020, 164, 3974-3983.	7.5	14
247	The Silk I and Lamella Structures of (Ala-Gly) ₁₅ as the Model of Bombyx mori Silk Fibroin Studied with Solid State NMR. Biologically-inspired Systems, 2014, , 49-68.	0.2	14
248	Carbon-13 NMR Analysis of Stereodefects in Highly Isotactic Polypropylene by Calculation of Chemical Shifts. Polymer Journal, 1984, 16, 895-899.	2.7	13
249	Syntheses and properties of tertiary peptide bond containing polypeptides. 6. Conformational studies of oligopeptides containing the Pro-Pro sequence by carbon-13 and proton NMR. Macromolecules, 1985, 18, 871-877.	4.8	13
250	Luminescence from excited tris(2,2'-bipyridine)-ruthenium(II) incorporated into a silk fibroin membrane. Journal of Photochemistry and Photobiology A: Chemistry, 1991, 61, 373-380.	3.9	13
251	Membrane potential of Bombyx mori silk fibroin membrane induced by an immobilized enzyme reaction. Bioelectrochemistry, 1991, 26, 167-175.	1.0	13
252	Carbon-13 NMR chemical shift assignments of comonomer sequences in a 1-butene-propylene copolymer. Macromolecules, 1992, 25, 155-160.	4.8	13

#	ARTICLE	IF	CITATIONS
253	Carbon-13 solid-state n.m.r. study of ¹³ C-enriched human hair keratin. <i>Polymer</i> , 1999, 40, 2139-2144.	3.8	13
254	Solid phase synthesis and biological activities of [Arg8]-vasopressin methylenedithioether. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1999, 9, 1767-1772.	2.2	13
255	Structure and dynamics of photosynthetic membrane-bound proteins in <i>Rhodobacter Sphaeroides</i> , studied with solid-state NMR spectroscopy. <i>Photosynthesis Research</i> , 2000, 63, 259-267.	2.9	13
256	Determination of distance of intra-molecular hydrogen bonding in (Ala-Gly) ₁₅ with silk I form after removal of the effect of MAS frequency in REDOR experiment. <i>Journal of Magnetic Resonance</i> , 2003, 160, 91-96.	2.1	13
257	Conformational Characterization of (Val-Pro-Gly-Val-Gly) ₆ with ¹³ C Solid State NMR. <i>Polymer Journal</i> , 2003, 35, 293-296.	2.7	13
258	¹³ C solid-state NMR study of the ¹³ C-labeled peptide, (E) ₈ GGLGGQGAG(A) ₆ GGAGQGGYGG as a model for the local structure of <i>Nephila clavipes</i> dragline silk (MaSp1) before and after spinning. <i>Biopolymers</i> , 2012, 97, 347-354.	2.4	13
259	3D ¹⁴ N/ ¹ H Double Quantum/ ¹ H Single Quantum Correlation Solid-state NMR for Probing the Parallel and Anti-Parallel Beta-Sheet Arrangement of Oligo-Peptides at Natural Abundance. <i>ChemPhysChem</i> , 2018, 19, 1841-1845.	2.1	13
260	Calculation of chemical shifts of protons on alpha carbons in proteins. <i>Journal of Magnetic Resonance</i> , 1991, 94, 557-562.	0.5	12
261	Use of ¹³ C conformation-dependent chemical shifts to elucidate the local structure of a large protein with homologous domains in solution and solid state. <i>Journal of Proteomics</i> , 1999, 38, 203-208.	2.4	12
262	Carbon-13 solid state NMR study on uniaxially oriented poly(L-lactic acid) films. <i>Polymer</i> , 2000, 41, 859-866.	3.8	12
263	Design, Expression, and Structural Characterization of Hybrid Proteins of <i>Samia cynthia ricini</i> and <i>Bombyx mori</i> Silk Fibroins. <i>Polymer Journal</i> , 2002, 34, 936-943.	2.7	12
264	Production of interferon-beta by fibroblast cells on membranes prepared by extracellular matrix proteins. <i>Cytotechnology</i> , 2002, 39, 131-137.	1.6	12
265	Molecular dynamics and orientation of stretched rubber by solid-state ¹³ C NMR. <i>Polymer Journal</i> , 2010, 42, 25-30.	2.7	12
266	Structural characterization of silk-polyurethane composite material for biomaterials using solid-state NMR. <i>Polymer Journal</i> , 2012, 44, 802-807.	2.7	12
267	Characterization of a Ca binding-amphipathic silk-like protein and peptide with the sequence (Glu) ₈ (Ala-Gly-Ser-Gly-Ala-Gly) ₄ with potential for bone repair. <i>Soft Matter</i> , 2012, 8, 741-748.	2.7	12
268	NMR analysis and tacticity determination of poly(lactic acid) in C5D5N. <i>Polymer Testing</i> , 2014, 38, 35-39.	4.8	12
269	Development of Small-diameter Polyester Vascular Grafts Coated with Silk Fibroin Sponge. <i>Organogenesis</i> , 2020, 16, 1-13.	1.2	12
270	Development of Small-Diameter Elastin-Silk Fibroin Vascular Grafts. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 622220.	4.1	12

#	ARTICLE	IF	CITATIONS
271	A theoretical study on the proton chemical shifts of polypropylene. Die Makromolekulare Chemie, 1976, 177, 523-548.	1.1	11
272	Metabolic flux and incorporation of [2- ¹³ C]glycine into silk fibroin studied by ¹³ C NMR in vivo and in vitro. Insect Biochemistry, 1991, 21, 743-748.	1.8	11
273	Effects of N-methacryloyl- γ -amino acid primer pretreatment on the bond strength of the resin to acid-etched dentin. , 1997, 37, 261-266.		11
274	Determination of the mutual orientation of the ¹⁵ N and ¹³ C NMR chemical shift tensors of ¹³ - ¹⁵ N double labeled model peptides for silk fibroin from the dipolar-coupled powder patterns. Journal of Molecular Structure, 1998, 446, 179-190.	3.6	11
275	An advantage for use of isotope labeling and NMR chemical shifts to analyze the structure of four homologous IgG-binding domains of staphylococcal protein A. Journal of Proteomics, 2000, 42, 35-47.	2.4	11
276	Dynamics of silk fibroin studied with NMR spectroscopy. Annual Reports on NMR Spectroscopy, 2002, 46, 101-149.	1.5	11
277	High-Field ¹ H MAS and ¹⁵ N CP-MAS NMR Studies of Alanine Tripeptides and Oligomers: Distinction of Antiparallel and Parallel β -Sheet Structures and Two Crystallographically Independent Molecules. Journal of Physical Chemistry B, 2007, 111, 9172-9178.	2.6	11
278	Biodegradable Extremely-Small-Diameter Vascular Graft Made of Silk Fibroin can be Implanted in Mice. Journal of Atherosclerosis and Thrombosis, 2020, 27, 1299-1309.	2.0	11
279	Title is missing!. Die Makromolekulare Chemie, 1976, 177, 1493-1500.	1.1	10
280	¹³ C and ³¹ P NMR analyses of the cultured posterior silk gland of the silkworm, Bombyx mori: Silk fibroin production and the effect of sorbitol-6-phosphate. Insect Biochemistry, 1990, 20, 261-266.	1.8	10
281	Ring-current effects and magnetic anisotropy effects of carbonyl groups on the β -CH proton chemical shifts of the basic pancreatic trypsin inhibitor and tendamistat. Journal of Magnetic Resonance, 1991, 93, 355-360.	0.5	10
282	Photoluminescent copolymer- ϵ -pendant Ru(BPY) ₃ ²⁺ grafted onto nonwoven silk fabric and its application to oxygen sensor. Makromolekulare Chemie Macromolecular Symposia, 1992, 59, 183-197.	0.6	10
283	Conformational Study of Silk-Like Peptides Containing the Calcium-Binding Sequence from Calbindin D9k Using ¹³ C CP/MAS NMR Spectroscopy. Biomacromolecules, 2006, 7, 627-634.	5.4	10
284	Acetylation of Bombyx mori silk fibroin and their characterization in the dry and hydrated states using ¹³ C solid-state NMR. International Journal of Biological Macromolecules, 2020, 155, 1410-1419.	7.5	10
285	Title is missing!. Die Makromolekulare Chemie, 1981, 182, 1135-1145.	1.1	9
286	NMR of silk fibroin, 1. Direct ¹³ C NMR observation of the silk fibroin in bombyx mori. Die Makromolekulare Chemie Rapid Communications, 1982, 3, 723-726.	1.1	9
287	A Study of Dielectric Solvent Effect on Silicon- ²⁹ NMR Chemical Shifts of Some Chlorosilanes. Bulletin of the Chemical Society of Japan, 1989, 62, 1233-1236.	3.2	9
288	2D-INADEQUATE ¹³ C nuclear magnetic resonance assignment of regioirregular poly(1-butene). Polymer, 1992, 33, 650-654.	3.8	9

#	ARTICLE	IF	CITATIONS
289	Structure of Polyamide Fibers in the Non-Crystalline Domain Studied by ^{15}N Solid State NMR. <i>Polymer Journal</i> , 1994, 26, 229-233.	2.7	9
290	Heterogeneous structure of poly(glycolic acid) fiber studied with differential scanning calorimeter, X-ray diffraction, solid-state NMR and molecular dynamic simulation. <i>Polymer</i> , 2009, 50, 6083-6090.	3.8	9
291	Dynamics of Alanine Methyl Groups in Alanine Oligopeptides and Spider Dragline Silks with Different Packing Structures As Studied by ^{13}C Solid-State NMR Relaxation. <i>Macromolecules</i> , 2018, 51, 6746-6756.	4.8	9
292	Packing Structure of Antiparallel β -Sheet Polyalanine Region in a Sequential Model Peptide of <i>Nephila clavipes</i> Dragline Silk Studied Using ^{13}C Solid-State NMR and MD Simulation. <i>Biomacromolecules</i> , 2019, 20, 3884-3894.	5.4	9
293	ESR study on the structure and molecular motion of spin-labelled silk fibroins.. <i>Journal of Fiber Science and Technology</i> , 1987, 43, 335-342.	0.0	9
294	The β -CH proton chemical shift in the coil conformation of poly(L-alanine). <i>Die Makromolekulare Chemie</i> , 1977, 178, 1521-1533.	1.1	8
295	Carbon-13 nuclear magnetic resonance analysis of inverted monomeric units in regioirregular poly(1-butene). <i>Macromolecules</i> , 1981, 14, 69-71.	4.8	8
296	Effect of stereosequence on carbon-13 nuclear magnetic resonance spin-lattice relaxation times of polypropylene. <i>Macromolecules</i> , 1981, 14, 72-74.	4.8	8
297	pH Dependence of the Coiled-Coil Structure of Keratin Intermediate Filament in Human Hair by ^{13}C NMR Spectroscopy and the Mechanism of Its Disruption. <i>Polymer Journal</i> , 1998, 30, 125-132.	2.7	8
298	Synthesis and Characterization of Water-Soluble Silk Peptides and Recombinant Silk Protein Containing Polyalanine, the Integrin Binding Site, and Two Glutamic Acids at Each Terminal Site as a Possible Candidate for Use in Bone Repair Materials. <i>Biomacromolecules</i> , 2013, 14, 3731-3741.	5.4	8
299	Structural Transition of Bombyx mori Liquid Silk Studied with Vibrational Circular Dichroism Spectroscopy. <i>Analytical Sciences</i> , 2015, 31, 763-768.	1.6	8
300	Changes in the Local Structure of <i>Nephila clavipes</i> Dragline Silk Model Peptides upon Trifluoroacetic Acid, Low pH, Freeze-Drying, and Hydration Treatments Studied by ^{13}C Solid-State NMR. <i>Biomacromolecules</i> , 2018, 19, 4396-4410.	5.4	8
301	Unusual Dynamics of Alanine Residues in Polyalanine Regions with Staggered Packing Structure of <i>Samia cynthia ricini</i> Silk Fiber in Dry and Hydrated States Studied by ^{13}C Solid-State NMR and Molecular Dynamics Simulation. <i>Journal of Physical Chemistry B</i> , 2018, 122, 6511-6520.	2.6	8
302	Evaluation of small-diameter silk vascular grafts implanted in dogs. <i>JTCVS Open</i> , 2021, 6, 148-156.	0.5	8
303	^1H and ^{13}C NMR studies on N-acetyl-L-alanyl-L-alanine-methylamide. <i>Die Makromolekulare Chemie</i> , 1981, 182, 1153-1165.	1.1	7
304	^{13}C NMR Chemical Shifts Calculation for Model Compounds of Ethylene-Propylene Copolymer with a Low Ethylene Content. <i>Polymer Journal</i> , 1988, 20, 107-118.	2.7	7
305	^{13}C n.m.r. determination of the isotacticity of the propylene homopolymer part in ethylene-propylene block copolymers. <i>Polymer</i> , 1993, 34, 3129-3131.	3.8	7
306	Structural analyses of poly(m-xylene- β , β' -diyladipamide) and nylon 66 by ^{15}N solid state NMR. <i>Macromolecular Chemistry and Physics</i> , 1994, 195, 1423-1431.	2.2	7

#	ARTICLE	IF	CITATIONS
307	Structure determination of [Arg8]vasopressin methylenedithioether in dimethylsulfoxide using NMR. FEBS Journal, 2000, 267, 4504-4510.	0.2	7
308	A Study of the Relationship between the Tensile Strength and Dynamics of As-spun and Drawn Poly(glycolic acid) Fibers. Polymer Journal, 2008, 40, 10-16.	2.7	7
309	Local conformation of serine residues in a silk model peptide, (Ala α -Gly β -Ser α -Gly β -Ala α -Gly) ₅ , studied with solid-state NMR:REDOR. Polymer Journal, 2010, 42, 354-356.	2.7	7
310	NMR studies of thermo-responsive behavior of an amphiphilic poly(asparagine) derivative in water. Polymer, 2014, 55, 278-286.	3.8	7
311	Parallel β -Sheet Structure of Alanine Tetrapeptide in the Solid State As Studied by Solid-State NMR Spectroscopy. Journal of Physical Chemistry B, 2016, 120, 8932-8941.	2.6	7
312	Evaluation of endothelialization in the center part of graft using 3 μ m vascular grafts implanted in the abdominal aortae of the rat. Journal of Artificial Organs, 2017, 20, 221-229.	0.9	7
313	Structure and dynamics of biodegradable polyurethane-silk fibroin composite materials in the dry and hydrated states studied using ¹³ C solid-state NMR spectroscopy. Polymer Degradation and Stability, 2021, 190, 109645.	5.8	7
314	Carbon-13 NMR Spin-Lattice Relaxation Times of Inverted Monomeric Units in Polypropylene. Macromolecules, 1980, 13, 454-455.	4.8	6
315	A theoretical study on the ¹ H NMR chemical shift of alanine oligopeptides. Die Makromolekulare Chemie, 1981, 182, 1097-1109.	1.1	6
316	Adsorbed behavior of spin-labeled poly(methyl methacrylate) on human tooth and hydroxyapatite studied by electron spin resonance. Journal of Biomedical Materials Research Part B, 1982, 16, 529-531.	3.1	6
317	Dissolution mechanism of Bombyx mori silk fibroin in a CaCl ₂ aqueous solution studied with ¹³ C, ¹ H and ⁴³ Ca NMR spectroscopies.. Journal of Fiber Science and Technology, 1989, 45, 252-257.	0.0	6
318	¹³ C NMR Assignments of Polyolefines and Olefine Copolymers Based on the ¹³ C NMR Chemical Shift Calculations and 2D INADEQUATE NMR. Annual Reports on NMR Spectroscopy, 1994, 29, 325-404.	1.5	6
319	Structural Analysis of Oriented Polymers by Solid-state NMR. Annual Reports on NMR Spectroscopy, 1997, 34, 301-346.	1.5	6
320	Carbon-13 n.m.r. studies of keratin intermediate filament of human hair. Polymer, 1998, 39, 1001-1004.	3.8	6
321	Characterization of Molecular Orientation of Stretched Natural Rubber by Solid-State ¹³ C NMR. Polymer Journal, 2007, 39, 502-503.	2.7	6
322	The Influence of Ser and Tyr Residues on the Structure of Bombyx Mori Silk Fibroin Studied Using High-resolution Solid-state ¹³ C NMR Spectroscopy and ¹³ C Selectively Labeled Model Peptides. Polymer Journal, 2008, 40, 184-185.	2.7	6
323	NMR Study of Interactions between Silk Model Peptide and Fluorinated Alcohols for Preparation of Regenerated Silk Fiber. Macromolecules, 2010, 43, 2364-2370.	4.8	6
324	Preface to the special issue. Polymer Journal, 2012, 44, 733-733.	2.7	6

#	ARTICLE	IF	CITATIONS
325	Development of silk/polyurethane small-diameter vascular graft by electrospinning. Seikei-Kakou, 2013, 25, 181-187.	0.0	6
326	Relationship between structure and physical strength of silk fibroin nanofiber sheet depending on insolubilization treatment. Journal of Applied Polymer Science, 2017, 134, 45560.	2.6	6
327	Packing Arrangements and Intersheet Interaction of Alanine Oligopeptides As Revealed by Relaxation Parameters Obtained from High-Resolution ¹³ C Solid-State NMR. Journal of Physical Chemistry B, 2017, 121, 8946-8955.	2.6	6
328	Quantitative Analysis of Solid-State Homonuclear Correlation Spectra of Antiparallel β^2 -Sheet Alanine Tetramers. Journal of Physical Chemistry B, 2018, 122, 2715-2724.	2.6	6
329	Formylation of Recombinant Spider Silk in Formic Acid and Wet Spinning Studied Using Nuclear Magnetic Resonance and Infrared Spectroscopies. ACS Biomaterials Science and Engineering, 2022, , .	5.2	6
330	¹³ C nuclear magnetic resonance spectral analysis of stereosequences in ethylene-propylene copolymer. Polymer, 1988, 29, 2208-2215.	3.8	5
331	NMR of silk fibroin 11. ¹ H NMR analysis of water orientation in porous silk fibroin membrane.. Journal of Fiber Science and Technology, 1988, 44, 535-540.	0.0	5
332	Determination of the magnetic anisotropy of the oxygen atom and ¹ H chemical-shift calculation of proteins. Journal of Magnetic Resonance, 1992, 98, 646-653.	0.5	5
333	Structure Analysis of Proteins by a Combination of Distance Geometry Calculation and ¹ H NMR Chemical Shift Calculation.. Kobunshi Ronbunshu, 1994, 51, 409-413.	0.2	5
334	Structure of Bombyx mori Silk Fibroin before Spinning in Silkworm. ACS Symposium Series, 2002, , 71-82.	0.5	5
335	Longer Range Sequence Analysis of Four-Component Copolyester Using NMR. Macromolecules, 2004, 37, 2163-2170.	4.8	5
336	Biodegradation of Multilayer Silk Fibroin and Hydroxyapatite Composite Material. Key Engineering Materials, 2006, 309-311, 1169-1172.	0.4	5
337	Cell Shape and Matrix Production of Fibroblasts Cultured on Fibroin-organized Silk Scaffold with Type-II .BETA.-turn Structured (Ala-Gly-Ala-Gly-Ser-Gly) _n Sequences. Journal of Health Science, 2010, 56, 738-744.	0.9	5
338	Innovative NMR Strategies for Complex Macromolecules. ACS Symposium Series, 2011, , 3-16.	0.5	5
339	In vitro and in vivo Evaluation of Hemocompatibility of Silk Fibroin Based Artificial Vascular Grafts. International Journal of Chemistry, 2014, 6, .	0.3	5
340	Quantitative Correlation between Primary Sequences and Conformations in ¹³ C-Labeled <i>Samia cynthia ricini</i> Silk Fibroin during Strain-Induced Conformational Transition by ¹³ C Solid State NMR. Macromolecules, 2017, 50, 2871-2880.	4.8	5
341	Conformational change of ¹³ C-labeled 47-mer model peptides of Nephila clavipes dragline silk in poly(vinyl alcohol) film by stretching studied by ¹³ C solid-state NMR and molecular dynamics simulation. International Journal of Biological Macromolecules, 2019, 131, 654-665.	7.5	5
342	Presence of β^2 -Turn Structure in Recombinant Spider Silk Dissolved in Formic Acid Revealed with NMR. Molecules, 2022, 27, 511.	3.8	5

#	ARTICLE	IF	CITATIONS
343	Structure of silk I (Bombyx mori silk fibroin before spinning) in the dry and hydrated states studied using ¹³ C solid-state NMR spectroscopy. International Journal of Biological Macromolecules, 2022, 216, 282-290.	7.5	5
344	Title is missing!. Die Makromolekulare Chemie Rapid Communications, 1980, 1, 227-229.	1.1	4
345	¹⁵ N and ¹³ C NMR chemical shift calculations for the sequence analysis of Bombyx mori silk fibroin protein with FPT INDO method. Computational and Theoretical Chemistry, 1988, 168, 135-139.	1.5	4
346	Structural Analysis of Polyamide Fibers by Solid State ¹⁵ N NMR.. Kobunshi Ronbunshu, 1994, 51, 47-51.	0.2	4
347	Theory of Structural Analysis of Oriented Polymers by Solid State ¹⁵ N NMR.. Kobunshi Ronbunshu, 1994, 51, 43-46.	0.2	4
348	Structural Characterization of Drawn and Annealed Poly(trimethylene terephthalate) Fibers. Polymer Journal, 2005, 37, 214-220.	2.7	4
349	Determination of Structures of Silk Fibroins from Silkworms and Spiders using Solid-state NMR. Kobunshi Ronbunshu, 2006, 63, 707-719.	0.2	4
350	Toward Understanding the Silk Fiber Structure: ¹³ C Solid-State NMR Studies of the Packing Structures of Alanine Oligomers before and after Trifluoroacetic Acid Treatment. Journal of Physical Chemistry B, 2019, 123, 6716-6727.	2.6	4
351	Structural investigations of polyurethane and ¹³ C solid-state NMR spectroscopy. Journal of Applied Polymer Science, 2021, 138, 51178.	2.6	4
352	A Study on the Hydration of Bombyx mori Silk Fibroin by Nuclear Magnetic Resonance Spectroscopy.. Journal of Fiber Science and Technology, 1994, 50, 498-504.	0.0	4
353	¹³ C-NMR Study of the Solvent Effect of the N-Acetyl-L-alanine Methyl Ester. Bulletin of the Chemical Society of Japan, 1980, 53, 490-493.	3.2	3
354	N.m.r. study of egg yolk lecithin in aromatic solvents. Magnetic nonequivalence in the methylene protons of the fatty acyl chains. Polymer, 1980, 21, 1372-1378.	3.8	3
355	Proton NMR study of helical structures initiated by an .alpha.-aminoisobutyric acid residue in oligoleucines. Macromolecules, 1987, 20, 1227-1234.	4.8	3
356	NMR Characterization of Silk Proteins. ACS Symposium Series, 1993, , 148-154.	0.5	3
357	Polyolefins. Studies in Physical and Theoretical Chemistry, 1998, , 415-444.	0.0	3
358	Morphologies of PC12 Cells Cultured on Some Polymeric Films - Relationship between Cell Growth and Surface Physical Properties.. Nippon Kagaku Kaishi / Chemical Society of Japan - Chemistry and Industrial Chemistry Journal, 2000, 2000, 257-265.	0.1	3
359	Characteristics of photoluminescence from ruthenium polypyridyl complexes incorporated into silk. Journal of Photochemistry and Photobiology A: Chemistry, 2001, 143, 147-151.	3.9	3
360	Sequence Analysis of Polyarylate (U-Polymer) and Its Polyestercarbonate Using ¹ H and ¹³ C NMR. Polymer Journal, 2003, 35, 740-747.	2.7	3

#	ARTICLE	IF	CITATIONS
361	A two-dimensional spin-diffusion NMR study on the local structure of a water-soluble model peptide for <i>Nephila clavipes</i> dragline silk (MaSp1) before and after spinning. <i>Polymer Journal</i> , 2012, 44, 913-917.	2.7	3
362	Application of <i>Bombyx mori</i> Silk Fibroin as a Biomaterial for Vascular Grafts. <i>Biologically-inspired Systems</i> , 2014, , 69-85.	0.2	3
363	Biofunctionalized titanium surfaces with modified silk fibroin carrying titanium binding motif to enhance the ossific differentiation of MC3T3-E1. <i>Biotechnology and Bioengineering</i> , 2021, 118, 2585-2596.	3.3	3
364	Acetylation and hydration treatment of recombinant spider silk fiber, and their characterization using ¹³ C NMR spectroscopy. <i>Polymer</i> , 2022, 243, 124605.	3.8	3
365	Characterization of polyurethane and a silk fibroin-polyurethane composite fiber studied with NMR spectroscopies. <i>Polymer Journal</i> , 2022, 54, 803-813.	2.7	3
366	C-13 NMR Analysis of Isolated Ethylene Units in Ethylene-Propylene Copolymer. <i>Polymer Journal</i> , 1987, 19, 829-837.	2.7	2
367	¹ H NMR Chemical Shift Calculation of .ALPHA.-CH and NH Protons in Basic Pancreatic Trypsin Inhibitor.. <i>Kobunshi Ronbunshu</i> , 1992, 49, 281-287.	0.2	2
368	¹³ C n.m.r. sequence analysis of ethylene-1,4-methylstyrene copolymers. <i>Polymer</i> , 1994, 35, 2523-2527.	3.8	2
369	Conformations of Synthetic Model Peptides for <i>Plasmodium falciparum</i> Circumsporozoite Protein in Me ₂ SO by ¹ H NMR and Distance Geometry Calculations. <i>Polymer Journal</i> , 1995, 27, 347-360.	2.7	2
370	Oriented Fibers and Polymers. <i>Studies in Physical and Theoretical Chemistry</i> , 1998, 84, 307-326.	0.0	2
371	Structure and dynamics of silk fibroin studied with ¹³ C, ¹⁵ N and ² H solid state NMR. <i>Macromolecular Symposia</i> , 1999, 143, 1-10.	0.7	2
372	An application of the XiX decoupling for solid state ¹³ C NMR with mobile samples. <i>Journal of Magnetic Resonance</i> , 2003, 165, 180-183.	2.1	2
373	Direct Observations of High Resolution ¹ H NMR in Liquid Phase for Peptides bound to Bicelles. <i>Kobunshi Ronbunshu</i> , 2003, 60, 199-202.	0.2	2
374	Biosynthesis and Characterization of the Artificial Protein Consisting of Marine Mussel Adhesive Protein and Silk-Like Protein Sequences. <i>Polymer Journal</i> , 2007, 39, 294-295.	2.7	2
375	Development of the Tissue Engineered Medical Products Based on Silk Fibroin from <i>Bombyx mori</i> and Transgenic Silkworm. <i>Journal of Fiber Science and Technology</i> , 2009, 65, P.11-P.13.	0.0	2
376	Preparation of Braiding Silk Vascular Graft Coated by Silk Fibroin and Evaluation by Implantation into Dog Abdominal Aorta. <i>Journal of Fiber Science and Technology</i> , 2014, 70, 281-287.	0.0	2
377	Silk Fibroin. , 2014, , 1-7.		2
378	Effect of the surface morphology of silk fibroin scaffolds for bone regeneration. <i>Bio-Medical Materials and Engineering</i> , 2016, 27, 413-424.	0.6	2

#	ARTICLE	IF	CITATIONS
379	Characterization of a Water-Dispersed Biodegradable Polyurethane-Silk Composite Sponge Using ^{13}C Solid-State Nuclear Magnetic Resonance as Coating Material for Silk Vascular Grafts with Small Diameters. <i>Molecules</i> , 2021, 26, 4649.	3.8	2
380	THE STRUCTURE ANALYSIS OF <i>Philosamia cynthia ricini</i> ; SILK FIBROIN AND ITS MODEL COMPOUNDS, L-ALANINE/ β -ALANINE COPOLYMERS, BY MEANS OF ^{13}C NMR SPECTROSCOPY. <i>Journal of Fiber Science and Technology</i> , 1988, 44, 379-384.	0.0	2
381	^1H and ^{13}C n.m.r. studies of the conformational change in poly(n-butyl isocyanate). <i>Polymer</i> , 1980, 21, 579-582.	3.8	1
382	Effect of solvent on ^{13}C NMR chemical shifts of tetrad methylene carbons of poly(vinyl chloride). <i>Die Makromolekulare Chemie</i> , 1981, 182, 1243-1251.	1.1	1
383	Solution structure of sialyl Lewis X mimics studied by two-dimensional NMR. <i>Journal of Molecular Structure</i> , 2002, 602-603, 215-222.	3.6	1
384	Detection of Poorly-Oriented Component in Uniaxially Stretched Poly(glycolic acid) Fiber Studied Using ^{13}C Solid-State NMR. <i>Polymer Journal</i> , 2009, 41, 582-583.	2.7	1
385	The Interaction of $\text{A}\beta(1-40)$ Peptide with Lipid Bilayers and Ganglioside As Studied by Multinuclear Solid-State NMR. <i>ACS Symposium Series</i> , 2011, , 299-316.	0.5	1
386	^1H MRI study of small-diameter silk vascular grafts in water. <i>Polymer Journal</i> , 2012, 44, 868-875.	2.7	1
387	Solution NMR Structure and Conformation of Silk Fibroins Stored in <i>Bombyx mori</i> and <i>Samia cynthia ricini</i> Silkworms. <i>ACS Symposium Series</i> , 2017, , 191-206.	0.5	1
388	Structural Analyses of Alanine Trimer and Tetramer Crystals with Antiparallel and Parallel β -Sheet Structures Using Solid-State ^1H Spin-Diffusion 2D Correlation NMR Spectroscopy. <i>Journal of Physical Chemistry B</i> , 2018, 122, 9373-9381.	2.6	1
389	Structure Analysis of <i>Bombyx mori</i> Silk Fibroin Using NMR. , 2018, , 349-361.		1
390	Biodegradation of Multilayer Silk Fibroin and Hydroxyapatite Composite Material. <i>Key Engineering Materials</i> , 0, , 1169-1172.	0.4	1
391	Structure Analysis of <i>Bombyx mori</i> Silk Fibroin Using NMR. , 2017, , 1-13.		1
392	Membrane potential of <i>Bombyx mori</i> silk fibroin membrane induced by an immobilized enzyme reaction. <i>Journal of Electroanalytical Chemistry and Interfacial Electrochemistry</i> , 1991, 321, 167-175.	0.1	0
393	Special Issue on Recent Advances in Coordination Polymerization of Olefins. ^{13}C NMR Spectral Analysis of Ethylene-Propylene-1-Butene Terpolymer.. <i>Kobunshi Ronbunshu</i> , 1994, 51, 676-684.	0.2	0
394	Polyamides. <i>Studies in Physical and Theoretical Chemistry</i> , 1998, , 445-468.	0.0	0
395	Poly(ethylene terephthalate). <i>Studies in Physical and Theoretical Chemistry</i> , 1998, 84, 491-507.	0.0	0
396	^1H NMR Analysis of Aromatic Polyamide in N-methyl-2-pyrrolidone Solution. <i>Kobunshi Ronbunshu</i> , 2003, 60, 186-191.	0.2	0

#	ARTICLE	IF	CITATIONS
397	Structures of Bombyx mori and Samia cynthia Ricini Silk Fibroins Studied with Solid-State NMR. ChemInform, 2004, 35, no.	0.0	0
398	Orientation of the Antimicrobial Peptide, Cecropin Aα-Magainin 2 Hybrid, in a Lipid Bilayer Studied by 15N Solid-State NMR. Polymer Journal, 2005, 37, 229-233.	2.7	0
399	Structural Study of Silk-like Peptides Modified by the Addition of the Cell Adhesive Sequence, RGD, Using 13C CP/MAS NMR. Polymer Journal, 2009, 41, 18-19.	2.7	0
400	Molecular Dynamics Calculation on the Generation of Aggregated Structure of Poly(L-Alanine) from the Aqueous Solution. Kobunshi Ronbunshu, 2010, 67, 45-50.	0.2	0
401	Structural Change of Poly(glycolic acid) by Stretching studied with MD Simulation, 13C CP/MAS NMR and X-ray Diffraction Methods. Kobunshi Ronbunshu, 2010, 67, 57-60.	0.2	0
402	Synthesis and Characterization of Novel Silk-Like Proteins Using Genetic Engineering Methods. Advanced Materials Research, 2011, 175-176, 258-265.	0.3	0
403	NMR Characterization and Product Design of Novel Silk-Based Biomaterials. ACS Symposium Series, 2011, , 281-297.	0.5	0
404	Observation of Silk I Conformation in Bombyx Mori Liquid Silk with NMR. Biophysical Journal, 2013, 104, 181a.	0.5	0
405	Preparation of Small-Diameter Silk Fibroin Tubular Scaffolds with Electrospinning Method. Materials Science Forum, 2013, 745-746, 1-5.	0.3	0
406	NMR Study of the Interaction between Ti Binding Peptide and TiO2 Nanoparticles. Biophysical Journal, 2014, 106, 208a.	0.5	0
407	1H NMR Study of the Adsorption Mechanism for Ti-Binding Peptide on TiO2 Nanoparticles. Biophysical Journal, 2015, 108, 484a.	0.5	0
408	Structural Analysis of Polymers Based on the Origin of the NMR Chemical Shift. Kobunshi Ronbunshu, 2015, 72, 653-660.	0.2	0
409	Development of Silk Based Artificial Blood Vessel by Electro-spinning Method. Journal of Textile Engineering, 2017, 63, 175-179.	0.2	0
410	NMR Studies on Silk Materials. , 2018, , 297-312.		0
411	The Summer Seminar on Fiber Science and Technology in 2002. Journal of Fiber Science and Technology, 2002, 58, P.67-P.67.	0.0	0
412	<i>From Determination of Silk Structure to Application of Silk to Vascular Graft</i>. Journal of Fiber Science and Technology, 2013, 69, P_145-P_148.	0.0	0
413	Use of Information on NMR Chemical Shift to Structural Analysis of Protein.. Seibutsu Butsuri, 1999, 39, 319-321.	0.1	0
414	ã,“ãf~ã,ãf^ãfã,1ãf”ãfãf3ã,°æ³·ã«ã,ã,çµ¹i¹/4ãfãfãã, ãf~ã,ãf3ã°ã£ã³/4,,ã°ã·ëj€ç®jã®é-ç™º i¹/4ç¬¬ 25 å»ç¬¬04ã·æŽ²ã¹/4%oi¹/4%.		

#	ARTICLE	IF	CITATIONS
415	Silks. , 0, , 7255-7262.		0