

# Irene Blackberry

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9327622/publications.pdf>

Version: 2024-02-01

55  
papers

1,334  
citations

394421

19  
h-index

377865

34  
g-index

57  
all docs

57  
docs citations

57  
times ranked

1991  
citing authors

#	ARTICLE	IF	CITATIONS
1	The reliability and predictive accuracy of the falls risk for older people in the community assessment (FROP-Com) tool. <i>Age and Ageing</i> , 2008, 37, 634-639.	1.6	145
2	Development of the Falls Risk for Older People in the Community (FROP-Com) screening tool. <i>Age and Ageing</i> , 2008, 38, 40-46.	1.6	108
3	Telemedicine interventions for gestational diabetes mellitus: A systematic review and meta-analysis. <i>Diabetes Research and Clinical Practice</i> , 2015, 110, 1-9.	2.8	90
4	Effectiveness of general practice based, practice nurse led telephone coaching on glycaemic control of type 2 diabetes: the Patient Engagement And Coaching for Health (PEACH) pragmatic cluster randomised controlled trial. <i>BMJ</i> , The, 2013, 347, f5272-f5272.	6.0	80
5	Falls Risk and Functional Decline in Older Fallers Discharged Directly From Emergency Departments. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006, 61, 1090-1095.	3.6	79
6	The emotional context of self-management in chronic illness: A qualitative study of the role of health professional support in the self-management of type 2 diabetes. <i>BMC Health Services Research</i> , 2008, 8, 214.	2.2	65
7	A Randomized Controlled Trial of a Multifactorial Falls Prevention Intervention for Older Fallers Presenting to Emergency Departments. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 2265-2274.	2.6	49
8	Supporting insulin initiation in type 2 diabetes in primary care: results of the Stepping Up pragmatic cluster randomised controlled clinical trial. <i>BMJ: British Medical Journal</i> , 2017, 356, j783.	2.3	46
9	CHERISH (collaboration for hospitalised elders reducing the impact of stays in hospital): protocol for a multi-site improvement program to reduce geriatric syndromes in older inpatients. <i>BMC Geriatrics</i> , 2017, 17, 11.	2.7	39
10	Patient Engagement and Coaching for Health: The PEACH study – a cluster randomised controlled trial using the telephone to coach people with type 2 diabetes to engage with their GPs to improve diabetes care: a study protocol. <i>BMC Family Practice</i> , 2007, 8, 20.	2.9	36
11	Identifying support needs to improve rural dementia services for people with dementia and their carers: A consultation study in Victoria, Australia. <i>Australian Journal of Rural Health</i> , 2019, 27, 22-27.	1.5	35
12	Using technology to support care in gestational diabetes mellitus: Quantitative outcomes of an exploratory randomised control trial of adjunct telemedicine for gestational diabetes mellitus (TeleGDM). <i>Diabetes Research and Clinical Practice</i> , 2018, 142, 276-285.	2.8	33
13	Stepping up: a nurse-led model of care for insulin initiation for people with type 2 diabetes. <i>Family Practice</i> , 2014, 31, 349-356.	1.9	30
14	Use of professional-mode flash glucose monitoring, at 3-month intervals, in adults with type 2 diabetes in general practice (GP-OSMOTIC): a pragmatic, open-label, 12-month, randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 17-26.	11.4	30
15	Roles and relationships between health professionals involved in insulin initiation for people with type 2 diabetes in the general practice setting: a qualitative study drawing on relational coordination theory. <i>BMC Family Practice</i> , 2014, 15, 20.	2.9	29
16	Online Dance Therapy for People With Parkinson’s Disease: Feasibility and Impact on Consumer Engagement. <i>Neurorehabilitation and Neural Repair</i> , 2021, 35, 1076-1087.	2.9	28
17	Quit in General Practice: a cluster randomised trial of enhanced in-practice support for smoking cessation. <i>BMC Family Practice</i> , 2010, 11, 59.	2.9	27
18	Quit in general practice: a cluster randomized trial of enhanced in-practice support for smoking cessation. <i>Family Practice</i> , 2015, 32, 173-180.	1.9	26

#	ARTICLE	IF	CITATIONS
19	Fear of falling in older fallers presenting at emergency departments. <i>Journal of Advanced Nursing</i> , 2010, 66, 1769-1779.	3.3	24
20	Help seeking in older Asian people with dementia in Melbourne: Using the Cultural Exchange Model to explore barriers and enablers. <i>Journal of Cross-Cultural Gerontology</i> , 2014, 29, 69-86.	1.0	24
21	Mobilities of Older Chinese Rural-Urban Migrants: A Case Study in Beijing. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 488.	2.6	23
22	An exploratory trial of basal and prandial insulin initiation and titration for type 2 diabetes in primary care with adjunct retrospective continuous glucose monitoring: INITIATION study. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, 247-255.	2.8	22
23	Factors impacting on early detection of dementia in older people of Asian background in primary healthcare. <i>Asia-Pacific Psychiatry</i> , 2011, 3, 120-127.	2.2	18
24	Screening and diagnosis of chronic kidney disease in people with type 2 diabetes attending Australian general practice. <i>Australian Journal of Primary Health</i> , 2018, 24, 280.	0.9	18
25	Let's CHAT (community health approaches to) dementia in Aboriginal and Torres Strait Islander communities: protocol for a stepped wedge cluster randomised controlled trial. <i>BMC Health Services Research</i> , 2020, 20, 208.	2.2	18
26	Process evaluation of a practice nurse-led smoking cessation trial in Australian general practice: views of general practitioners and practice nurses. <i>Family Practice</i> , 2015, 32, cmv041.	1.9	16
27	Willingness to initiate insulin among adults with type 2 diabetes in Australian primary care: Results from the Stepping Up Study. <i>Diabetes Research and Clinical Practice</i> , 2016, 114, 126-135.	2.8	16
28	Overcoming clinical inertia in insulin initiation in primary care for patients with type 2 diabetes: 24-month follow-up of the Stepping Up cluster randomised controlled trial. <i>Primary Care Diabetes</i> , 2017, 11, 474-481.	1.8	16
29	Understanding ageing well in Australian rural and regional settings: Applying an age-friendly lens. <i>Australian Journal of Rural Health</i> , 2019, 27, 298-303.	1.5	16
30	Prevalence and Determinants of Pre-Hypertension among Omani Adults Attending Non-Communicable Disease Screening Program in Primary Care Setting in Sohar City. <i>Oman Medical Journal</i> , 2013, 28, 316-323.	1.0	15
31	Can primary care team-based transition to insulin improve outcomes in adults with type 2 diabetes: the stepping up to insulin cluster randomized controlled trial protocol. <i>Implementation Science</i> , 2014, 9, 20.	6.9	14
32	The cost of treating to target: cross-sectional analysis of patients with poorly controlled type 2 diabetes in Australian general practice. <i>BMC Family Practice</i> , 2013, 14, 32.	2.9	11
33	Prescribing for people with type 2 diabetes and renal impairment in Australian general practice: A national cross sectional study. <i>Primary Care Diabetes</i> , 2019, 13, 113-121.	1.8	10
34	Women, clinician and IT staff perspectives on telehealth for enhanced gestational diabetes mellitus management in an Australian rural/regional setting. <i>Rural and Remote Health</i> , 2021, 21, 5983.	0.5	10
35	Relational coordination amongst health professionals involved in insulin initiation for people with type 2 diabetes in general practice: an exploratory survey. <i>BMC Health Services Research</i> , 2014, 14, 515.	2.2	9
36	Telemedicine for Gestational Diabetes Mellitus (TeleGDM): A Mixed-Method Study Protocol of Effects of a Web-Based GDM Support System on Health Service Utilization, Maternal and Fetal Outcomes, Costs, and User Experience. <i>JMIR Research Protocols</i> , 2016, 5, e163.	1.0	9

#	ARTICLE	IF	CITATIONS
37	An exploratory trial of insulin initiation and titration among patients with type 2 diabetes in the primary care setting with retrospective continuous glucose monitoring as an adjunct: INITIATION study protocol. BMC Family Practice, 2014, 15, 82.	2.9	8
38	Predictors of insulin uptake among adults with type 2 diabetes in the Stepping Up Study. Diabetes Research and Clinical Practice, 2017, 133, 204-210.	2.8	8
39	GP-OSMOTIC trial protocol: an individually randomised controlled trial to determine the effect of retrospective continuous glucose monitoring (r-CGM) on HbA1c in adults with type 2 diabetes in general practice. BMJ Open, 2018, 8, e021435.	1.9	8
40	What does it cost to establish a practice-based clinical trial in general practice?. Medical Journal of Australia, 2009, 191, 492-495.	1.7	6
41	The delivery of a telephone coaching programme to people with type 2 diabetes by practice nurses in Victoria, Australia: a qualitative evaluation. Journal of Nursing and Healthcare of Chronic Illness, 2011, 3, 419-426.	0.5	6
42	Impact of insulin initiation on glycaemic variability and glucose profiles in a primary healthcare Type 2 diabetes cohort: analysis of continuous glucose monitoring data from the <sc>INITIATION</sc> study. Diabetic Medicine, 2016, 33, 803-811.	2.3	6
43	Optimizing Care and Outcomes for People with Type 2 Diabetes – Lessons from a Translational Research Program on Insulin Initiation in General Practice. Frontiers in Medicine, 2015, 1, 60.	2.6	4
44	Potentially preventable hospitalisations: are they a useful marker of access to and experience of care in general practice among people with type 2 diabetes?. Australian Journal of Primary Health, 2015, 21, 214.	0.9	4
45	Assessing the value of rural community health services. Australian Journal of Primary Health, 2018, 24, 221.	0.9	4
46	Predictors of long-term function in older community-dwelling people who have presented to an emergency department after a fall: A cohort study. Australasian Journal on Ageing, 2015, 34, 47-52.	0.9	3
47	Factors associated with relational coordination between health professionals involved in insulin initiation in the general practice setting for people with type 2 diabetes. Journal of Advanced Nursing, 2015, 71, 2176-2188.	3.3	3
48	Comprehensive geriatric assessment programmes: Possibilities, realities and outcomes. Evaluation Journal of Australasia, 2019, 19, 115-133.	0.6	3
49	Comment on O'Connell et al. Randomized Trial of Telephone Outreach to Improve Medication Adherence and Metabolic Control in Adults With Diabetes. Diabetes Care 2014;37:3317-3324. Diabetes Care, 2015, 38, e45-e45.	8.6	2
50	Geographical Disparities in Pooled Stroke Incidence and Case Fatality in Mainland China, Hong Kong, and Macao: Protocol for a Systematic Review and Meta-analysis. JMIR Research Protocols, 2022, 11, e32566.	1.0	2
51	Cost-effectiveness of professional-mode flash glucose monitoring in general practice among adults with type 2 diabetes: Evidence from the GP-OSMOTIC trial. Diabetic Medicine, 2021, , e14747.	2.3	1
52	Web-Based Technologies to Support Carers of People Living With Dementia: Protocol for a Mixed Methods Stepped-Wedge Cluster Randomized Controlled Trial. JMIR Research Protocols, 2022, 11, e33023.	1.0	1
53	Pooled incidence and case-fatality of acute stroke in Mainland China, Hong Kong, and Macao: A systematic review and meta-analysis. PLoS ONE, 2022, 17, e0270554.	2.5	1
54	Improving Detection of Client Complexity in the Community (Impact): A Study Protocol of a Pragmatic Randomized Controlled Trial. Methods and Protocols, 2021, 4, 70.	2.0	0

#	ARTICLE	IF	CITATIONS
55	Identifying Risk for Diabetes in Adolescence (IRDA): A pilot study in general practice. Australian Family Physician, 2016, 45, 582-6.	0.5	0