## Irene Blackberry

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9327622/publications.pdf

Version: 2024-02-01

55	1,334	19	34
papers	citations	h-index	g-index
57	57	57	1991 citing authors
all docs	docs citations	times ranked	

#	Article	IF	CITATIONS
1	Geographical Disparities in Pooled Stroke Incidence and Case Fatality in Mainland China, Hong Kong, and Macao: Protocol for a Systematic Review and Meta-analysis. JMIR Research Protocols, 2022, 11, e32566.	1.0	2
2	Web-Based Technologies to Support Carers of People Living With Dementia: Protocol for a Mixed Methods Stepped-Wedge Cluster Randomized Controlled Trial. JMIR Research Protocols, 2022, 11, e33023.	1.0	1
3	Pooled incidence and case-fatality of acute stroke in Mainland China, Hong Kong, and Macao: A systematic review and meta-analysis. PLoS ONE, 2022, 17, e0270554.	2.5	1
4	Women, clinician and IT staff perspectives on telehealth for enhanced gestational diabetes mellitus management in an Australian rural/regional setting. Rural and Remote Health, 2021, 21, 5983.	0.5	10
5	Online Dance Therapy for People With Parkinson's Disease: Feasibility and Impact on Consumer Engagement. Neurorehabilitation and Neural Repair, 2021, 35, 1076-1087.	2.9	28
6	Improving Detection of Client Complexity in the Community (Impact): A Study Protocol of a Pragmatic Randomized Controlled Trial. Methods and Protocols, 2021, 4, 70.	2.0	0
7	Costâ€effectiveness of professionalâ€mode flash glucose monitoring in general practice among adults with type 2 diabetes: Evidence from the GPâ€OSMOTIC trial. Diabetic Medicine, 2021, , e14747.	2.3	1
8	Use of professional-mode flash glucose monitoring, at 3-month intervals, in adults with type 2 diabetes in general practice (GP-OSMOTIC): a pragmatic, open-label, 12-month, randomised controlled trial. Lancet Diabetes and Endocrinology,the, 2020, 8, 17-26.	11.4	30
9	Let's CHAT (community health approaches to) dementia in Aboriginal and Torres Strait Islander communities: protocol for a stepped wedge cluster randomised controlled trial. BMC Health Services Research, 2020, 20, 208.	2.2	18
10	Comprehensive geriatric assessment programmes: Possibilities, realities and outcomes. Evaluation Journal of Australasia, 2019, 19, 115-133.	0.6	3
11	Understanding ageing well in Australian rural and regional settings: Applying an ageâ€friendly lens. Australian Journal of Rural Health, 2019, 27, 298-303.	1.5	16
12	Mobilities of Older Chinese Rural-Urban Migrants: A Case Study in Beijing. International Journal of Environmental Research and Public Health, 2019, 16, 488.	2.6	23
13	Identifying support needs to improve rural dementia services for people with dementia and their carers: A consultation study in Victoria, Australia. Australian Journal of Rural Health, 2019, 27, 22-27.	1.5	35
14	Prescribing for people with type 2 diabetes and renal impairment in Australian general practice: A national cross sectional study. Primary Care Diabetes, 2019, 13, 113-121.	1.8	10
15	GP-OSMOTIC trial protocol: an individually randomised controlled trial to determine the effect of retrospective continuous glucose monitoring (r-CGM) on HbA1c in adults with type 2 diabetes in general practice. BMJ Open, 2018, 8, e021435.	1.9	8
16	Assessing the value of rural community health services. Australian Journal of Primary Health, 2018, 24, 221.	0.9	4
17	Screening and diagnosis of chronic kidney disease in people with type 2 diabetes attending Australian general practice. Australian Journal of Primary Health, 2018, 24, 280.	0.9	18
18	Using technology to support care in gestational diabetes mellitus: Quantitative outcomes of an exploratory randomised control trial of adjunct telemedicine for gestational diabetes mellitus (TeleGDM). Diabetes Research and Clinical Practice, 2018, 142, 276-285.	2.8	33

#	Article	IF	CITATIONS
19	CHERISH (collaboration for hospitalised elders reducing the impact of stays in hospital): protocol for a multi-site improvement program to reduce geriatric syndromes in older inpatients. BMC Geriatrics, 2017, 17, 11.	2.7	39
20	Predictors of insulin uptake among adults with type 2 diabetes in the Stepping Up Study. Diabetes Research and Clinical Practice, 2017, 133, 204-210.	2.8	8
21	Overcoming clinical inertia in insulin initiation in primary care for patients with type 2 diabetes: 24-month follow-up of the Stepping Up cluster randomised controlled trial. Primary Care Diabetes, 2017, 11, 474-481.	1.8	16
22	Supporting insulin initiation in type 2 diabetes in primary care: results of the Stepping Up pragmatic cluster randomised controlled clinical trial. BMJ: British Medical Journal, 2017, 356, j783.	2.3	46
23	Impact of insulin initiation on glycaemic variability and glucose profiles in a primary healthcare Type 2 diabetes cohort: analysis of continuous glucose monitoring data from the <scp>INITIATION</scp> study. Diabetic Medicine, 2016, 33, 803-811.	2.3	6
24	Willingness to initiate insulin among adults with type 2 diabetes in Australian primary care: Results from the Stepping Up Study. Diabetes Research and Clinical Practice, 2016, 114, 126-135.	2.8	16
25	Telemedicine for Gestational Diabetes Mellitus (TeleGDM): A Mixed-Method Study Protocol of Effects of a Web-Based GDM Support System on Health Service Utilization, Maternal and Fetal Outcomes, Costs, and User Experience. JMIR Research Protocols, 2016, 5, e163.	1.0	9
26	Identifying Risk for Diabetes in Adolescence (IRDA): A pilot study in general practice. Australian Family Physician, 2016, 45, 582-6.	0.5	0
27	Predictors of long-term function in older community-dwelling people who have presented to an emergency department after a fall: A cohort study. Australasian Journal on Ageing, 2015, 34, 47-52.	0.9	3
28	Factors associated with relational coordination between health professionals involved in insulin initiation in the general practice setting for people with type 2 diabetes. Journal of Advanced Nursing, 2015, 71, 2176-2188.	3.3	3
29	Optimizing Care and Outcomes for People with Type 2 Diabetes ââ,¬â€œ Lessons from a Translational Research Program on Insulin Initiation in General Practice. Frontiers in Medicine, 2015, 1, 60.	2.6	4
30	Potentially preventable hospitalisations: are they a useful marker of access to and experience of care in general practice among people with type 2 diabetes?. Australian Journal of Primary Health, 2015, 21, 214.	0.9	4
31	Process evaluation of a practice nurse-led smoking cessation trial in Australian general practice: views of general practitioners and practice nurses. Family Practice, 2015, 32, cmv041.	1.9	16
32	Comment on O'Connor et al. Randomized Trial of Telephone Outreach to Improve Medication Adherence and Metabolic Control in Adults With Diabetes. Diabetes Care 2014;37:3317–3324. Diabetes Care, 2015, 38, e45-e45.	8.6	2
33	Telemedicine interventions for gestational diabetes mellitus: A systematic review and meta-analysis. Diabetes Research and Clinical Practice, 2015, 110, 1-9.	2.8	90
34	Quit in general practice: a cluster randomized trial of enhanced in-practice support for smoking cessation. Family Practice, 2015, 32, 173-180.	1.9	26
35	Relational coordination amongst health professionals involved in insulin initiation for people with type 2 diabetes in general practice: an exploratory survey. BMC Health Services Research, 2014, 14, 515.	2.2	9
36	Stepping up: a nurse-led model of care for insulin initiation for people with type 2 diabetes. Family Practice, 2014, 31, 349-356.	1.9	30

#	Article	IF	CITATIONS
37	Can primary care team-based transition to insulin improve outcomes in adults with type 2 diabetes: the stepping up to insulin cluster randomized controlled trial protocol. Implementation Science, 2014, 9, 20.	6.9	14
38	Help seeking in older Asian people with dementia in Melbourne: Using the Cultural Exchange Model to explore barriers and enablers. Journal of Cross-Cultural Gerontology, 2014, 29, 69-86.	1.0	24
39	Roles and relationships between health professionals involved in insulin initiation for people with type 2 diabetes in the general practice setting: a qualitative study drawing on relational coordination theory. BMC Family Practice, 2014, 15, 20.	2.9	29
40	An exploratory trial of basal and prandial insulin initiation and titration for type 2 diabetes in primary care with adjunct retrospective continuous glucose monitoring: INITIATION study. Diabetes Research and Clinical Practice, 2014, 106, 247-255.	2.8	22
41	An exploratory trial of insulin initiation and titration among patients with type 2 diabetes in the primary care setting with retrospective continuous glucose monitoring as an adjunct: INITIATION study protocol. BMC Family Practice, 2014, 15, 82.	2.9	8
42	The "cost―of treating to target: cross-sectional analysis of patients with poorly controlled type 2 diabetes in Australian general practice. BMC Family Practice, 2013, 14, 32.	2.9	11
43	Effectiveness of general practice based, practice nurse led telephone coaching on glycaemic control of type 2 diabetes: the Patient Engagement And Coaching for Health (PEACH) pragmatic cluster randomised controlled trial. BMJ, The, 2013, 347, f5272-f5272.	6.0	80
44	Prevalence and Determinants of Pre-Hypertension among Omani Adults Attending Non-Communicable Disease Screening Program in Primary Care Setting in Sohar City. Oman Medical Journal, 2013, 28, 316-323.	1.0	15
45	The delivery of a telephone coaching programme to people with type 2 diabetes by practice nurses in Victoria, Australia: a qualitative evaluation. Journal of Nursing and Healthcare of Chronic Illness, 2011, 3, 419-426.	0.5	6
46	Factors impacting on early detection of dementia in older people of <scp>A</scp> sian background in primary healthcare. Asia-Pacific Psychiatry, 2011, 3, 120-127.	2.2	18
47	Quit in General Practice: a cluster randomised trial of enhanced in-practice support for smoking cessation. BMC Family Practice, 2010, 11, 59.	2.9	27
48	A Randomized Controlled Trial of a Multifactorial Falls Prevention Intervention for Older Fallers Presenting to Emergency Departments. Journal of the American Geriatrics Society, 2010, 58, 2265-2274.	2.6	49
49	Fear of falling in older fallers presenting at emergency departments. Journal of Advanced Nursing, 2010, 66, 1769-1779.	3.3	24
50	What does it cost to establish a practiceâ€nursesâ€led clinical trial in general practice?. Medical Journal of Australia, 2009, 191, 492-495.	1.7	6
51	The emotional context of self-management in chronic illness: A qualitative study of the role of health professional support in the self-management of type 2 diabetes. BMC Health Services Research, 2008, 8, 214.	2.2	65
52	The reliability and predictive accuracy of the falls risk for older people in the community assessment (FROP-Com) tool. Age and Ageing, 2008, 37, 634-639.	1.6	145
53	Development of the Falls Risk for Older People in the Community (FROP-Com) screening tool. Age and Ageing, 2008, 38, 40-46.	1.6	108
54	Patient Engagement and Coaching for Health: The PEACH study – a cluster randomised controlled trial using the telephone to coach people with type 2 diabetes to engage with their GPs to improve diabetes care: a study protocol. BMC Family Practice, 2007, 8, 20.	2.9	36

#	Article	IF	CITATIONS
55	Falls Risk and Functional Decline in Older Fallers Discharged Directly From Emergency Departments. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2006, 61, 1090-1095.	3.6	79