
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/933084/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Strengthening contraceptive counselling: gaps in knowledge and implementation research. BMJ Sexual and Reproductive Health, 2022, 48, 235-237.	1.7	9
2	Major differences in the characteristics of users of the copper intrauterine device or levonorgestrel intrauterine system at a clinic in Campinas, Brazil. International Journal of Gynecology and Obstetrics, 2022, 156, 240-246.	2.3	7
3	Defining counselling in contraceptive information and services: outcomes from an expert think tank. BMJ Sexual and Reproductive Health, 2022, 48, 79-81.	1.7	8
4	Health systems analysis and evaluation of the barriers to availability, utilisation and readiness of sexual and reproductive health services in COVID-19-affected areas: a WHO mixed-methods study protocol. BMJ Open, 2022, 12, e057810.	1.9	5
5	Inclusion of pregnant women in COVID-19 treatment trials: a review and global call to action. The Lancet Global Health, 2021, 9, e366-e371.	6.3	92
6	Role of social network in decision making for increasing uptake and continuing use of long acting reversible (LARC) methods in Pakistan. Reproductive Health, 2021, 18, 96.	3.1	7
7	Scoping Review on the Impact of Outbreaks on Sexual and Reproductive Health Services: Proposed Frameworks for Pre-, Intra-, and Postoutbreak Situations. BioMed Research International, 2021, 2021, 1-21.	1.9	4
8	Celebrating the 25th anniversary of the International Conference on Population and Development: A perspective from Turkey. International Journal of Gynecology and Obstetrics, 2020, 148, 261-262.	2.3	0
9	Contraception and post abortion services: qualitative analysis of users' perspectives and experiences following Zika epidemic in Honduras. BMC Women's Health, 2020, 20, 199.	2.0	7
10	A systematic review of the effectiveness of counselling strategies for modern contraceptive methods: what works and what doesn't?. BMJ Sexual and Reproductive Health, 2020, 46, 254-269.	1.7	70
11	Understanding sexual and reproductive health needs of young women living in Zika affected regions: a qualitative study in northeastern Brazil. Reproductive Health, 2020, 17, 22.	3.1	7
12	Anxiety and perceived psychological impact associated with needle stick and sharp device injury among tertiary hospital workers, Vientiane, Lao PDR. Industrial Health, 2020, 58, 388-396.	1.0	7
13	Sexual and reproductive health (SRH): a key issue in the emergency response to the coronavirus disease (COVID- 19) outbreak. Reproductive Health, 2020, 17, 59.	3.1	103
14	<p>Assessing Effectiveness of Multipurpose Voucher Scheme to Enhance Contraceptive Choices, Equity, and Child Immunization Coverage: Results of an Interventional Study from Pakistan</p> . Journal of Multidisciplinary Healthcare, 2020, Volume 13, 1061-1074.	2.7	6
15	Understanding the sexual and reproductive health needs in Brazil's Zikaâ€affected region: placing women at the center of the discussion. International Journal of Gynecology and Obstetrics, 2019, 147, 268-270.	2.3	8
16	Self care interventions for sexual and reproductive health and rights: costs, benefits, and financing. BMJ: British Medical Journal, 2019, 365, 11228.	2.3	29
17	Are family planning vouchers effective in increasing use, improving equity and reaching the underserved? An evaluation of a voucher program in Pakistan. BMC Health Services Research, 2019, 19, 200.	2.2	19
18	Scoping review to map evidence on mechanism of action, pharmacokinetics, effectiveness and side effects of centchroman as a contraceptive pill. BMJ Open, 2019, 9, e030373.	1.9	5

#	Article	IF	CITATIONS
19	â€~Leaving no one behind': a scoping review on the provision of sexual and reproductive health care to nomadic populations. BMC Women's Health, 2019, 19, 161.	2.0	19
20	Expanding choice and access in contraception: an assessment of intrauterine contraception policies in low and middle-income countries. BMC Public Health, 2019, 19, 1707.	2.9	17
21	A review of family planning policies and services in WHO Eastern Mediterranean Region Member States. Eastern Mediterranean Health Journal, 2019, 25, 127-133.	0.8	5
22	Who Meets the Contraceptive Needs of Young Women in Sub-Saharan Africa?. Journal of Adolescent Health, 2018, 62, 273-280.	2.5	72
23	Pregnancy outcomes associated with extended use of the 52-mg 20 μg/day levonorgestrel-releasing intrauterine system beyond 60 months: A chart review of 776 women in Brazil. Contraception, 2018, 97, 205-209.	1.5	26
24	The logistics of voucher management: the underreported component in family planning voucher discussions. Journal of Multidisciplinary Healthcare, 2018, Volume 11, 683-690.	2.7	5
25	Zika virus exposure in pregnancy and its association with newborn visual anomalies and hearing loss. International Journal of Gynecology and Obstetrics, 2018, 143, 277-281.	2.3	19
26	Assessment of Family Planning Service Availability and Readiness in 10 African Countries. Global Health, Science and Practice, 2018, 6, 473-483.	1.7	30
27	Assessment of modern contraceptives continuation, switching and discontinuation among clients in Pakistan: study protocol of 24-months post family planning voucher intervention follow up. BMC Health Services Research, 2018, 18, 359.	2.2	6
28	Research gaps and emerging priorities in sexual and reproductive health in Africa and the eastern Mediterranean regions. Reproductive Health, 2018, 15, 39.	3.1	20
29	A multicenter randomized clinical trial of etonogestrel and levonorgestrel contraceptive implants with nonrandomized copper intrauterine device controls: effect on weight variations up to 3 years after placement. Contraception, 2018, 98, 181-187.	1.5	26
30	Safety, Quality, and Acceptability of Contraceptive Subdermal Implant Provision by Community Health Extension Workers Versus Nurses and Midwives in Nigeria: Protocol for a Quasi-Experimental, Noninferiority Study. JMIR Research Protocols, 2018, 7, e67.	1.0	4
31	Overview of community health worker programmes in Afghanistan, Egypt, and Pakistan. Eastern Mediterranean Health Journal, 2018, 24, 940-950.	0.8	13
32	Contraceptive sales in the setting of the Zika virus epidemic. Human Reproduction, 2017, 32, 88-93.	0.9	21
33	Family planning and Zika virus: need for renewed and cohesive efforts to ensure availability of intrauterine contraception in Latin America and the Caribbean. European Journal of Contraception and Reproductive Health Care, 2017, 22, 102-106.	1.5	12
34	The promotion of intrauterine contraception in low- and middle-income countries: a narrative review. Contraception, 2017, 95, 519-528.	1.5	44
35	Provider-controlled or user-dependent contraceptive methods: Levels and pattern among married women of reproductive age in China, 1988–2006. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 211, 68-73.	1.1	2
36	Contraception supply chain challenges: a review of evidence from low- and middle-income countries. European Journal of Contraception and Reproductive Health Care, 2017, 22, 384-390.	1.5	24

#	Article	IF	CITATIONS
37	Stagnant contraceptive sales after the Zika epidemic in Brazil. European Journal of Contraception and Reproductive Health Care, 2017, 22, 381-383.	1.5	5
38	Research capacity strengthening for sexual and reproductive health: a case study from Latin America. Reproductive Health, 2017, 14, 35.	3.1	2
39	Study protocol on establishment of sentinel sites network for contraceptive and abortion trends, needs and utilization of services in Zika virus affected countries. Reproductive Health, 2017, 14, 19.	3.1	5
40	A study protocol for facility assessment and follow-up evaluations of the barriers to access, availability, utilization and readiness of contraception, abortion and postabortion services in Zika affected areas. Reproductive Health, 2017, 14, 18.	3.1	8
41	Design and initial implementation of the WHO FP umbrella project- to strengthen contraceptive services in the sub Saharan Africa. Reproductive Health, 2017, 14, 74.	3.1	7
42	Prevalence and risk factors of needle stick and sharp injury among tertiary hospital workers, Vientiane, Lao PDR. Journal of Occupational Health, 2017, 59, 581-585.	2.1	27
43	Extended Effectiveness of the Etonogestrel-Releasing Contraceptive Implant and the 20 µg Levonorgestrel-Releasing Intrauterine System for 2 Years Beyond U.S. Food and Drug Administration Product Labeling. Global Health, Science and Practice, 2017, 5, 534-539.	1.7	25
44	Programme Reporting Standards (PRS) for improving the reporting of sexual, reproductive, maternal, newborn, child and adolescent health programmes. BMC Medical Research Methodology, 2017, 17, 117.	3.1	18
45	Provider and lay perspectives on intra-uterine contraception: a global review. Reproductive Health, 2017, 14, 119.	3.1	42
46	Expanding Method Choice in Africa with Long-Acting Methods: IUDs, Implants or Both?. International Perspectives on Sexual and Reproductive Health, 2017, 43, 183.	3.7	25
47	A novel methodology for strengthening human rights based monitoring in public health: Family planning indicators as an illustrative example. PLoS ONE, 2017, 12, e0186330.	2.5	8
48	Conditional and Unconditional Cash Transfers to Improve Use of Contraception in Low and Middle Income Countries: A Systematic Review. Studies in Family Planning, 2016, 47, 371-383.	1.8	27
49	Communityâ€Based Financing of Family Planning in Developing Countries: A Systematic Review. Studies in Family Planning, 2016, 47, 325-339.	1.8	7
50	Men's behavior surrounding use of contraceptives in Guinea. International Journal of Gynecology and Obstetrics, 2016, 135, S16-S19.	2.3	2
51	Family Planning Vouchers in Low and Middle Income Countries: A Systematic Review. Studies in Family Planning, 2016, 47, 357-370.	1.8	48
52	Systematic Reviews of Mechanisms for Financing Family Planning: Findings, Implications, and Future Agenda. Studies in Family Planning, 2016, 47, 295-308.	1.8	8
53	Extended use up to 5 years of the etonogestrel-releasing subdermal contraceptive implant: comparison to levonorgestrel-releasing subdermal implant. Human Reproduction, 2016, 31, 2491-2498.	0.9	73
54	E-learning for research capacity strengthening in sexual and reproductive health: the experience of the Geneva Foundation for Medical Education and Research and the Department of Reproductive Health and Research, World Health Organization. Human Resources for Health, 2016, 14, 76.	3.1	6

#	Article	IF	CITATIONS
55	Engaging with community-based public and private mid-level providers for promoting the use of modern contraceptive methods in rural Pakistan: results from two innovative birth spacing interventions. Reproductive Health, 2016, 13, 25.	3.1	21
56	Comparing Effectiveness of Active and Passive Client Follow-Up Approaches in Sustaining the Continued Use of Long Acting Reversible Contraceptives (LARC) in Rural Punjab: A Multicentre, Non-Inferiority Trial. PLoS ONE, 2016, 11, e0160683.	2.5	13
57	Research capacity for sexual and reproductive health and rights. Bulletin of the World Health Organization, 2016, 94, 549-550.	3.3	4
58	How to assess success of treatment when using multiple doses: the case of misoprostol for medical abortion. Trials, 2015, 16, 510.	1.6	3
59	Comparing effectiveness of two client follow-up approaches in sustaining the use of Long Acting Reversible Contraceptives (LARC) among the underserved in rural Punjab, Pakistan: a study protocol and participants' profile. Reproductive Health, 2015, 12, 9.	3.1	2
60	A Systematic Review of Reporting Tools Applicable to Sexual and Reproductive Health Programmes: Step 1 in Developing Programme Reporting Standards. PLoS ONE, 2015, 10, e0138647.	2.5	6
61	Determinants of Method Switching among Social Franchise Clients Who Discontinued the Use of Intrauterine Contraceptive Device. International Journal of Reproductive Medicine, 2015, 2015, 1-8.	1.1	14
62	Assessing predictors of contraceptive use and demand for family planning services in underserved areas of Punjab province in Pakistan: results of a cross-sectional baseline survey. Reproductive Health, 2015, 12, 25.	3.1	33
63	Recent advances in managing and understanding menstrual disorders. F1000prime Reports, 2015, 7, 33.	5.9	22
64	A 3-year multicentre randomized controlled trial of etonogestrel- and levonorgestrel-releasing contraceptive implants, with non-randomized matched copper-intrauterine device controls. Human Reproduction, 2015, 30, 2527-2538.	0.9	76
65	Family Planning – friendly Health facility Initiative to promote contraceptive utilization. WHO South-East Asia Journal of Public Health, 2015, 4, 3.	0.7	0
66	Women's Empowerment and Contraceptive Use: The Role of Independent versus Couples' Decision-Making, from a Lower Middle Income Country Perspective. PLoS ONE, 2014, 9, e104633.	2.5	111
67	A global research agenda for family planning: results of an exercise for setting research priorities. Bulletin of the World Health Organization, 2014, 92, 93-98.	3.3	36
68	A study protocol: using demand-side financing to meet the birth spacing needs of the underserved in Punjab Province in Pakistan. Reproductive Health, 2014, 11, 39.	3.1	14
69	A multicenter randomized clinical trial of one-rod etonogestrel and two-rod levonorgestrel contraceptive implants with nonrandomized copper-IUD controls: methodology and insertion data. Contraception, 2013, 87, 113-120.	1.5	13
70	New Signal Functions to Measure the Ability of Health Facilities to Provide Routine and Emergency Newborn Care. PLoS Medicine, 2012, 9, e1001340.	8.4	106
71	Assessment of prevalence and determinants of posttraumatic stress disorder in survivors of earthquake in Pakistan using Davidson Trauma Scale. Journal of Affective Disorders, 2012, 136, 238-243.	4.1	83
72	Needlestick and sharps injuries among health care workers at public tertiary hospitals in an urban community in Mongolia. BMC Research Notes, 2011, 4, 184.	1.4	45

#	Article	IF	CITATIONS
73	Health Management Information System utilization in Pakistan: Challenges, pitfalls and the way forward. BioScience Trends, 2011, 5, 245-254.	3.4	20
74	Willingness to undergo HIV testing among factory workers in Surabaya, Indonesia. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2011, 23, 1305-1313.	1.2	8
75	Prevalence and barriers to HIV testing among mothers at a tertiary care hospital in Phnom Penh, Cambodia. Barriers to HIV testing in Phnom Penh, Cambodia. BMC Public Health, 2010, 10, 494.	2.9	15
76	Survey of non-prescribed use of antibiotics for children in an urban community in Mongolia. Bulletin of the World Health Organization, 2010, 88, 930-936.	3.3	137
77	Predictors of Exclusive Breast-Feeding in Early Infancy: A Survey Report from Phnom Penh, Cambodia. Journal of Pediatric Nursing, 2010, 25, 463-469.	1.5	28
78	Status and challenges of hospital solid waste management: case studies from Thailand, Pakistan, and Mongolia. Journal of Material Cycles and Waste Management, 2009, 11, 251-257.	3.0	32
79	Factors influencing breastfeeding in children less than 2 years of age in Lao PDR. Journal of Paediatrics and Child Health, 2009, 45, 487-492.	0.8	17
80	Assessment of doctors' knowledge regarding tuberculosis management in Lucknow, India: A public–private sector comparison. Public Health, 2009, 123, 484-489.	2.9	47
81	Emergency obstetric care in Punjab, Pakistan: Improvement needed. European Journal of Contraception and Reproductive Health Care, 2008, 13, 201-207.	1.5	5
82	Challenges in access to and utilization of reproductive health care in Pakistan. Journal of Ayub Medical College, Abbottabad: JAMC, 2008, 20, 3-7.	0.1	5
83	Assessment of hepatitis B vaccine-induced seroprotection among children 5-10 years old in Ulaanbaatar, Mongolia. BioScience Trends, 2008, 2, 68-74.	3.4	4
84	Risk factors for protein?energy malnutrition in children under 5 years: Study from Luangprabang province, Laos. Pediatrics International, 2007, 49, 260-265.	0.5	31
85	Factors determining prenatal HIV testing for prevention of mother to child transmission in Dar Es Salaam, Tanzania. Pediatrics International, 2007, 49, 286-292.	0.5	31
86	Situational analysis of maternal and child health services for foreign residents in Japan. Pediatrics International, 2007, 49, 293-300.	0.5	4
87	Accurate record keeping in referral hospitals in Pakistan's north west frontier province and Punjab: a crucial step needed to improve maternal health. JPMA the Journal of the Pakistan Medical Association, 2007, 57, 443-6.	0.2	6
88	Emergency obstetric care availability, accessibility and utilization in eight districts in Pakistan's North West Frontier Province. Journal of Ayub Medical College, Abbottabad: JAMC, 2006, 18, 10-5.	0.1	1
89	PERCEPTIONS OF MEN ON ROLE OF RELIGIOUS LEADERS IN REPRODUCTIVE HEALTH ISSUES IN RURAL PAKISTAN. Journal of Biosocial Science, 2005, 37, 115-122.	1.2	26
90	Street children in Pakistan: A situational analysis of social conditions and nutritional status. Social Science and Medicine, 2004, 59, 1707-1717.	3.8	70

#	Article	IF	CITATIONS
91	Relationship between Decreasing Fertility during the Post-War Period and Maternal Age in a Japanese Population. Tohoku Journal of Experimental Medicine, 2004, 202, 221-226.	1.2	1
92	Reproductive Health Needs of Adolescent Males in Rural Pakistan: An Exploratory Study. Tohoku Journal of Experimental Medicine, 2004, 204, 17-25.	1.2	21
93	Feeding practice of infants and their correlates in urban areas of Beijing, China. Pediatrics International, 2003, 45, 400-406.	0.5	45