

# Marc D Moncrieff

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9332277/publications.pdf>

Version: 2024-02-01

80  
papers

4,125  
citations

218677

26  
h-index

114465

63  
g-index

84  
all docs

84  
docs citations

84  
times ranked

4797  
citing authors

#	ARTICLE	IF	CITATIONS
1	Machine-learning algorithm to predict multidisciplinary team treatment recommendations in the management of basal cell carcinoma. <i>British Journal of Cancer</i> , 2022, 126, 562-568.	6.4	13
2	Health-related quality of life using the FACT-M questionnaire in patients with malignant melanoma: A systematic review. <i>European Journal of Surgical Oncology</i> , 2022, 48, 312-319.	1.0	4
3	Effectiveness of SPECT/CT Imaging for Sentinel Node Biopsy Staging of Primary Cutaneous Melanoma and Patient Outcomes. <i>Annals of Surgical Oncology</i> , 2022, 29, 767-775.	1.5	9
4	ASO Visual Abstract: Effectiveness of SPECT/CT Imaging for Sentinel Node Biopsy Staging of Primary Cutaneous Melanoma and Patient Outcomes. <i>Annals of Surgical Oncology</i> , 2022, 29, 778-779.	1.5	1
5	PGC-1 $\alpha$ induced mitochondrial biogenesis in stromal cells underpins mitochondrial transfer to melanoma. <i>British Journal of Cancer</i> , 2022, 127, 69-78.	6.4	11
6	A Phase III, Multicenter, Randomized Controlled Trial Investigating 1-cm Versus 2-cm Surgical Excision Margins for Stage II Primary Cutaneous Melanoma (MelMarT-II). <i>Annals of Surgical Oncology</i> , 2022, 29, 4050-4051.	1.5	3
7	Evaluation of the Indications for Sentinel Node Biopsy in Early-Stage Melanoma with the Advent of Adjuvant Systemic Therapy: An International, Multicenter Study. <i>Annals of Surgical Oncology</i> , 2022, 29, 5937-5945.	1.5	4
8	Evaluating and Embracing Modern Imaging Technology to Guide Sentinel Node Biopsy for Melanoma. <i>Annals of Surgical Oncology</i> , 2022, 29, 5350-5352.	1.5	1
9	Predictors of Sentinel Lymph Node Metastasis in Patients with Thin Melanoma: An International Multi-institutional Collaboration. <i>Annals of Surgical Oncology</i> , 2022, 29, 7010-7017.	1.5	3
10	Quantitative and Spatial Analysis of CD8+/PD-1 Tumor-Infiltrating Lymphocytes as a Predictive Biomarker for Clinical Response of Melanoma In-Transit Metastases to Topical Immunotherapy. <i>Annals of Surgical Oncology</i> , 2021, 28, 1029-1038.	1.5	4
11	ASO Author Reflections: Extracapsular Spread in Melanoma Lymphadenopathy: Prognostic Implications, Classification, and Management. <i>Annals of Surgical Oncology</i> , 2021, 28, 1654-1655.	1.5	0
12	Mitochondrial oxidative phosphorylation in cutaneous melanoma. <i>British Journal of Cancer</i> , 2021, 124, 115-123.	6.4	39
13	Predictive indicators for revisional surgery in nasal reconstruction after Mohs surgery. <i>European Journal of Plastic Surgery</i> , 2021, 44, 197-202.	0.6	0
14	Surveillance of Sentinel Node-Positive Melanoma Patients with Reasons for Exclusion from MSLT-II: Multi-Institutional Propensity Score Matched Analysis. <i>Journal of the American College of Surgeons</i> , 2021, 232, 424-431.	0.5	14
15	Extracapsular Spread in Melanoma Lymphadenopathy: Prognostic Implications, Classification, and Management. <i>Annals of Surgical Oncology</i> , 2021, 28, 1642-1653.	1.5	11
16	Active surveillance of patients who have sentinel node positive melanoma: An international, multi-institution evaluation of adoption and early outcomes after the Multicenter Selective Lymphadenectomy Trial II (MSLT-II). <i>Cancer</i> , 2021, 127, 2251-2261.	4.1	37
17	Commentary on the British Association of Dermatologists UK basal cell carcinoma guidelines 2021: all together now. <i>British Journal of Dermatology</i> , 2021, 185, 877-877.	1.5	1
18	Letter Regarding Editorial by Samuel Zagarella. <i>American Journal of Dermatopathology</i> , 2021, 43, 539-541.	0.6	2

#	ARTICLE	IF	CITATIONS
19	Introducing Minimally Invasive Inguinal Lymph Node Dissection in a UK Tertiary Skin Cancer Service: Initial Experience & Outcomes. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2021, , .	1.0	1
20	ASO Author Reflections: Effectiveness of SPECT/CT Imaging for Sentinel Node Biopsy Staging of Primary Cutaneous Melanoma and Patient Outcomes. <i>Annals of Surgical Oncology</i> , 2021, 29, 776.	1.5	3
21	MelRisk: Using the Neutrophil-to-Lymphocyte Ratio to Improve Risk Prediction Models for Metastatic Cutaneous Melanoma in the Sentinel Lymph Node. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2021, , .	1.0	0
22	Reconstructive burden and financial implications of wider excision margins for invasive primary cutaneous melanoma. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2020, 73, 313-318.	1.0	2
23	The MelFo Study UK: Effects of a Reduced-Frequency, Stage-Adjusted Follow-Up Schedule for Cutaneous Melanoma 1B to 2C Patients After 3-Years. <i>Annals of Surgical Oncology</i> , 2020, 27, 4109-4119.	1.5	12
24	ASO Author Reflections: The MelFo-Study, UK: Effects of a Reduced Frequency, Stage-Adjusted Follow-Up Schedule for Cutaneous Melanoma IB&#x2013;IIC Patients After 3&#x2013;Years. <i>Annals of Surgical Oncology</i> , 2020, 27, 4120-4121.	1.5	3
25	ASO Author Reflections: Improved Perioperative Seroma and Complication Rates Following the Application of a Two-Layer Negative Pressure Wound Therapy System After Inguinal Lymphadenectomy for Metastatic Cutaneous Melanoma. <i>Annals of Surgical Oncology</i> , 2020, 27, 3702-3703.	1.5	1
26	Improved Perioperative Seroma and Complication Rates Following the Application of a 2-Layer Negative Pressure Wound Therapy System After Inguinal Lymphadenectomy for Metastatic Cutaneous Melanoma. <i>Annals of Surgical Oncology</i> , 2020, 27, 3692-3701.	1.5	5
27	Effect of delay between nuclear medicine scanning and sentinel node biopsy on outcome in patients with cutaneous melanoma. <i>British Journal of Surgery</i> , 2020, 107, 669-676.	0.3	7
28	The neutrophil&#x2013;lymphocyte ratio and locoregional melanoma: a multicentre cohort study. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 559-568.	4.2	28
29	Sequencing in management of in-transit melanoma metastasis: Diphencyprone versus isolate limb infusion. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2020, 73, 1263-1267.	1.0	4
30	Reconstructive Options Following Surgery of Primary Melanoma. , 2020, , 595-656.		0
31	Reply to: Differences in cutaneous melanoma outcomes with changes in lymphoscintigraphy timings?. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1747.	1.0	0
32	Sentinel lymph node biopsy remains the most accurate method of obtaining staging and prognostic information for patients with primary cutaneous melanomas. <i>Australasian Journal of Dermatology</i> , 2019, 60, 75-76.	0.7	1
33	Reconstructive Options Following Surgery of Primary Melanoma. , 2019, , 1-61.		0
34	Sentinel Lymph Node Biopsy and Management of Regional Lymph Nodes in Melanoma: American Society of Clinical Oncology and Society of Surgical Oncology Clinical Practice Guideline Update. <i>Annals of Surgical Oncology</i> , 2018, 25, 356-377.	1.5	130
35	Sentinel Lymph Node Biopsy and Management of Regional Lymph Nodes in Melanoma: American Society of Clinical Oncology and Society of Surgical Oncology Clinical Practice Guideline Update. <i>Journal of Clinical Oncology</i> , 2018, 36, 399-413.	1.6	190
36	1 Versus 2-cm Excision Margins for pT2-pT4 Primary Cutaneous Melanoma (MelMarT): A Feasibility Study. <i>Annals of Surgical Oncology</i> , 2018, 25, 2541-2549.	1.5	35

#	ARTICLE	IF	CITATIONS
37	Survival outcomes and interval between lymphoscintigraphy and SLNB in cutaneous melanoma-findings of a large prospective cohort study. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1768-1772.	1.0	7
38	Baseline Neutrophilâ€“Lymphocyte and Plateletâ€“Lymphocyte Ratios as Biomarkers of Survival in Cutaneous Melanoma: A Multicenter Cohort Study. <i>Annals of Surgical Oncology</i> , 2018, 25, 3341-3349.	1.5	31
39	Neuropathic pain and quality of life after wide local excision and sentinel lymph node biopsy for melanoma: a multicentre study. <i>Melanoma Research</i> , 2017, 27, 121-125.	1.2	6
40	Completion Dissection or Observation for Sentinel-Node Metastasis in Melanoma. <i>New England Journal of Medicine</i> , 2017, 376, 2211-2222.	27.0	1,087
41	Monitoring vitamin D in the patient with melanoma: impact of sun avoidance on vitamin D levels of patients with melanoma at a U.K. tertiary-referral melanoma service. <i>British Journal of Dermatology</i> , 2017, 177, 282-283.	1.5	6
42	A UK feasibility and validation study of the VE1 monoclonal antibody immunohistochemistry stain for BRAF-V600E mutations in metastatic melanoma. <i>British Journal of Cancer</i> , 2016, 115, 223-227.	6.4	17
43	Magnetic Technique for Sentinel Lymph Node Biopsy in Melanoma: The MELAMAG Trial. <i>Annals of Surgical Oncology</i> , 2016, 23, 2070-2078.	1.5	19
44	Microsurgical Reconstructions for Head and Neck Cancers in Elderly Aged >80ÂˆYears: An Analysis of Surgical Outcomes and Quality of Life. <i>Annals of Surgical Oncology</i> , 2016, 23, 1684-1692.	1.5	13
45	Excision margins for melanomas: how wide is enough?. <i>Lancet Oncology</i> , The, 2016, 17, 127-128.	10.7	12
46	MSLT â€“: it's all about the lymph nodesâ€“. <i>British Journal of Dermatology</i> , 2015, 173, 626-627.	1.5	3
47	False-negative rate of intraoperative frozen section margin analysis for complex head and neck nonmelanoma skin cancer excisions. <i>Clinical and Experimental Dermatology</i> , 2015, 40, 834-838.	1.3	26
48	A meta-analysis of margin size and local recurrence in oral squamous cell carcinoma. <i>Oral Oncology</i> , 2015, 51, 464-469.	1.5	95
49	Intraoperative use of Mohs' surgery for the resection of major cutaneous head and neck cancer under general anaesthetic: Initial experiences, efficiency and outcomes. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2015, 68, 1706-1712.	1.0	6
50	The scope of nanoparticle therapies for future metastatic melanoma treatment. <i>Lancet Oncology</i> , The, 2014, 15, e22-e32.	10.7	75
51	Tumor-Infiltrating Lymphocyte Grade Is an Independent Predictor of Sentinel Lymph Node Status and Survival in Patients With Cutaneous Melanoma. <i>Journal of Clinical Oncology</i> , 2012, 30, 2678-2683.	1.6	691
52	The Prognostic Value of Tumor Mitotic Rate and Other Clinicopathologic Factors in Patients with Locoregional Recurrences of Melanoma. <i>Annals of Surgical Oncology</i> , 2010, 17, 2992-2999.	1.5	9
53	Predicting the pattern of regional metastases from cutaneous squamous cell carcinoma of the head and neck based on location of the primary. <i>Head and Neck</i> , 2010, 32, 1288-1294.	2.0	72
54	Accuracy of SIAscopy for pigmented skin lesions encountered in primary care: development and validation of a new diagnostic algorithm. <i>BMC Dermatology</i> , 2010, 10, 9.	2.1	45

#	ARTICLE	IF	CITATIONS
55	Extended experience and modifications in the design and concepts of the keystone design island flap. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2010, 63, 1359-1363.	1.0	44
56	Free flap reconstruction for melanoma of the head and neck: indications and outcomes. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2010, 63, 205-212.	1.0	13
57	Targeted High-Resolution Ultrasound Is Not an Effective Substitute for Sentinel Lymph Node Biopsy in Patients With Primary Cutaneous Melanoma. <i>Journal of Clinical Oncology</i> , 2009, 27, 5614-5619.	1.6	91
58	Interobserver reproducibility of histologic parameters of melanoma deposits in sentinel lymph nodes. <i>Cancer</i> , 2009, 115, 5026-5037.	4.1	75
59	Outcomes of primary surgical treatment of T1 and T2 carcinomas of the oropharynx. <i>Laryngoscope</i> , 2009, 119, 307-311.	2.0	58
60	Factors Predictive of Acute Regional Toxicity After Isolated Limb Infusion with Melphalan and Actinomycin D in Melanoma Patients. <i>Annals of Surgical Oncology</i> , 2009, 16, 1184-1192.	1.5	52
61	Reconstruction after wide excision of primary cutaneous melanomas: part I—the head and neck. <i>Lancet Oncology</i> , 2009, 10, 700-708.	10.7	21
62	Reconstruction after wide excision of primary cutaneous melanomas: part II—the extremities. <i>Lancet Oncology</i> , 2009, 10, 810-815.	10.7	14
63	Keystone Flap Reconstruction of Primary Melanoma Excision Defects of the Leg—The End of the Skin Graft?. <i>Annals of Surgical Oncology</i> , 2008, 15, 2867-2873.	1.5	85
64	Isolated Limb Infusion for Advanced Soft Tissue Sarcoma of the Extremity. <i>Annals of Surgical Oncology</i> , 2008, 15, 2749-2756.	1.5	48
65	Adjuvant Postoperative Radiotherapy to the Cervical Lymph Nodes in Cutaneous Melanoma: Is There Any Benefit for High-Risk Patients?. <i>Annals of Surgical Oncology</i> , 2008, 15, 3022-3027.	1.5	36
66	Outcomes Following Isolated Limb Infusion for Melanoma. A 14-Year Experience. <i>Annals of Surgical Oncology</i> , 2008, 15, 3003-3013.	1.5	146
67	Re: The use of Botulinum toxin after repair in a non-compliant adult patient. <i>Journal of Hand Surgery: European Volume</i> , 2008, 33, 214-214.	1.0	1
68	Dramatic reduction of chronic lymphoedema of the lower limb with sorafenib therapy. <i>Melanoma Research</i> , 2008, 18, 161-162.	1.2	3
69	Correct identification of a sentinel node postselective lymphadenectomy using antimony levels. <i>Melanoma Research</i> , 2008, 18, 365-366.	1.2	0
70	Spectrophotometric Intracutaneous Analysis. <i>Annals of Plastic Surgery</i> , 2008, 61, 437-440.	0.9	13
71	Use your head and put a hat on it. <i>BMJ: British Medical Journal</i> , 2008, 337, a1131-a1131.	2.3	0
72	Subungual Melanoma. <i>American Journal of Surgical Pathology</i> , 2007, 31, 1902-1912.	3.7	157

#	ARTICLE	IF	CITATIONS
73	Reconstructive options after temporal bone resection for squamous cell carcinoma. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2007, 60, 607-614.	1.0	38
74	???The Foot Bone???'s Connected to the Knee Bone???: Use of the Fillet-of-Sole Flap to Avoid an Above Knee Amputation After Severe Lower Limb Compartment Syndrome. <i>Journal of Trauma</i> , 2006, 61, 1264-1266.	2.3	5
75	Effective treatment of chondrodermatitis nodularis chronica helicis using a conservative approach. <i>British Journal of Dermatology</i> , 2004, 150, 892-894.	1.5	55
76	The See-and-Treat Clinic in Plastic Surgery: An Efficient, Cost-Effective, and Training-Friendly Setup. <i>Plastic and Reconstructive Surgery</i> , 2004, 113, 1060-1063.	1.4	6
77	From colour to tissue histology: Physics-based interpretation of images of pigmented skin lesions. <i>Medical Image Analysis</i> , 2003, 7, 489-502.	11.6	85
78	A simple classification of the resolution and depth of imaging systems for pigmented skin lesions. <i>Melanoma Research</i> , 2002, 12, 155-159.	1.2	3
79	Spectrophotometric intracutaneous analysis: a new technique for imaging pigmented skin lesions. <i>British Journal of Dermatology</i> , 2002, 146, 448-457.	1.5	261
80	A modified neck incision for cervical lymphadenectomy and intraoral access. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 1999, 52, 72-73.	1.1	2