

Soo-Kyung Cho

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9333057/publications.pdf>

Version: 2024-02-01

105
papers

1,597
citations

331670

21
h-index

395702

33
g-index

107
all docs

107
docs citations

107
times ranked

2373
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparative Effectiveness of Azathioprine Versus Cyclosporine as an Initial Treatment for Idiopathic Inflammatory Myopathies: A Population-Based Observational Study. <i>Rheumatology and Therapy</i> , 2022, 9, 139-149.	2.3	0
2	Risk factors for herpes zoster in Korean patients with rheumatoid arthritis treated with JAK inhibitor: a nested case-control study. <i>RMD Open</i> , 2022, 8, e001892.	3.8	8
3	COX-2 Inhibitor Use as an Early Treatment Option for Knee Osteoarthritis Patients in Korea: A Population-Based Cross-Sectional Study. <i>Journal of Korean Medical Science</i> , 2022, 37, e148.	2.5	3
4	Risk of Tuberculosis Development in Patients with Rheumatoid Arthritis Receiving Targeted Therapy: a Prospective Single Center Cohort Study. <i>Journal of Korean Medical Science</i> , 2021, 36, e70.	2.5	7
5	Fracture Risk and its Prevention Patterns in Korean Patients with Polymyalgia Rheumatica: a Retrospective Cohort Study. <i>Journal of Korean Medical Science</i> , 2021, 36, e263.	2.5	2
6	Comparison of healthcare resource utilization and medical costs between patients with seropositive and seronegative rheumatoid arthritis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021, 13, 1759720X21110248.	2.7	4
7	Prevalence, incidence and cause-specific mortality of rheumatoid arthritis-associated interstitial lung disease among older rheumatoid arthritis patients. <i>Rheumatology</i> , 2021, 60, 3689-3698.	1.9	43
8	Validation of claims-based algorithms to identify patients with psoriasis. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 868-874.	1.9	3
9	Gender differences in factors associated with low quality of life and depression in Korean patients with ankylosing spondylitis. <i>Quality of Life Research</i> , 2021, 30, 2299-2310.	3.1	6
10	Update on Glucocorticoid Induced Osteoporosis. <i>Endocrinology and Metabolism</i> , 2021, 36, 536-543.	3.0	9
11	Effectiveness of bazedoxifene in preventing glucocorticoid-induced bone loss in rheumatoid arthritis patients. <i>Arthritis Research and Therapy</i> , 2021, 23, 176.	3.5	6
12	The usefulness of trabecular bone score in patients with ankylosing spondylitis. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 1211-1220.	1.7	13
13	Uptake of Biosimilars and Its Economic Implication for the Treatment of Patients with Rheumatoid Arthritis in Korea. <i>Journal of Korean Medical Science</i> , 2021, 36, e143.	2.5	3
14	Developing the Korean Educational Needs Assessment Tool (Korean ENAT) in rheumatoid arthritis: cross-cultural validation using Rasch analysis. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 1014-1022.	1.7	5
15	Risk of Non-Vertebral Fracture in Gout Compared to Rheumatoid Arthritis. <i>Journal of Clinical Medicine</i> , 2021, 10, 4655.	2.4	2
16	Increased risk of malignancy in patients with systemic lupus erythematosus: population-based cohort study in Korea. <i>Arthritis Research and Therapy</i> , 2021, 23, 270.	3.5	8
17	Increased risk of malignancy in patients aged over 50 with idiopathic inflammatory myositis compared to patients with osteoarthritis of the knee. <i>Modern Rheumatology</i> , 2020, 30, 870-877.	1.8	1
18	Effect of a Nationwide Real-time Drug Utilization Review System on Duplicated Nonsteroidal Antiinflammatory Drug Prescriptions in Korea. <i>Arthritis Care and Research</i> , 2020, 72, 1374-1382.	3.4	8

#	ARTICLE	IF	CITATIONS
19	Validation of claims-based algorithms for psoriatic arthritis. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 404-408.	1.9	9
20	An increased disease burden of autoimmune inflammatory rheumatic diseases in Korea. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 526-533.	3.4	24
21	Genome-wide association study in a Korean population identifies six novel susceptibility loci for rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1438-1445.	0.9	26
22	Risk of malignancy in Korean patients with primary Sjögren's syndrome. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 1240-1247.	1.9	15
23	Temporal relationship between idiopathic inflammatory myopathies and malignancies and its mortality: a nationwide population-based study. <i>Clinical Rheumatology</i> , 2020, 39, 3409-3416.	2.2	5
24	Validation of claims-based algorithms to identify interstitial lung disease in patients with rheumatoid arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 592-597.	3.4	16
25	Factors for starting biosimilar TNF inhibitors in patients with rheumatic diseases in the real world. <i>PLoS ONE</i> , 2020, 15, e0227960.	2.5	8
26	The Prevalence of Sjögren's Syndrome in Rheumatoid Arthritis Patients and Their Clinical Features. <i>Journal of Korean Medical Science</i> , 2020, 35, e369.	2.5	12
27	Treatment strategy for patients with rheumatoid arthritis. <i>Journal of the Korean Medical Association</i> , 2020, 63, 422-430.	0.3	6
28	Intervention Thresholds for Treatment in Patients with Glucocorticoid-Induced Osteoporosis: Systematic Review of Guidelines. <i>Journal of Bone Metabolism</i> , 2020, 27, 247-259.	1.3	14
29	Nonsteroidal Anti-inflammatory Drugs-sparing Effect of Symptomatic Slow-acting Drugs for Osteoarthritis in Knee Osteoarthritis Patients. <i>Journal of Rheumatic Diseases</i> , 2019, 26, 179.	1.1	5
30	Malignancy risk in Korean male patients with ankylosing spondylitis. <i>Rheumatology International</i> , 2019, 39, 1741-1748.	3.0	12
31	Factors related to the use of opioids as early treatment in patients with knee osteoarthritis. <i>Arthritis Research and Therapy</i> , 2019, 21, 222.	3.5	13
32	International descriptive study for comparison of treatment patterns in patients with knee osteoarthritis between Korea and Japan using claims data. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 2052-2058.	1.9	5
33	Deletion at 2q14.3 is associated with worse response to TNF- α blockers in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2019, 21, 195.	3.5	1
34	Clinical outcomes of patients with active rheumatoid arthritis with normal acute phase reactant values. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 852-859.	1.9	0
35	Increased risk of opportunistic infection in early rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1239-1246.	1.9	11
36	Prevalence and predictors for sustained remission in rheumatoid arthritis. <i>PLoS ONE</i> , 2019, 14, e0214981.	2.5	12

#	ARTICLE	IF	CITATIONS
37	Incidence and Prevalence of Idiopathic Inflammatory Myopathies in Korea: a Nationwide Population-based Study. <i>Journal of Korean Medical Science</i> , 2019, 34, e55.	2.5	25
38	Validation of algorithms to identify knee osteoarthritis patients in the claims database. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 890-896.	1.9	17
39	THU0678â€¦MALIGNANCY RISK IN MALE PATIENTS WITH ANKYLOSING SPONDYLITIS. , 2019, , .		0
40	AB1273â€¦ESTABLISHMENT OF A PROSPECTIVE COHORT FOR RHEUMATOID ARTHRITIS PATIENTS WITH INTERSTITIAL LUNG DISEASE: COMPARISON OF BASELINE CHARACTERISTICS BETWEEN RHEUMATOID ARTHRITIS PATIENT WITH OR WITHOUT INTERSTITIAL LUNG DISEASE. , 2019, , .		0
41	Treatment patterns of knee osteoarthritis patients in Korea. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 1145-1153.	1.7	26
42	A Case of Hepatic Inflammatory Pseudotumor Occurred in a Patient with Lupus Nephritis. <i>Journal of Rheumatic Diseases</i> , 2019, 26, 137.	1.1	0
43	Usability Evaluation of an Image-based Pill Identification Application. <i>Journal of Rheumatic Diseases</i> , 2019, 26, 111.	1.1	3
44	A paradigm shift in studies based on rheumatoid arthritis clinical registries. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 974-981.	1.7	2
45	Comparative effectiveness of oral pharmacologic interventions for knee osteoarthritis: A network meta-analysis. <i>Modern Rheumatology</i> , 2018, 28, 1021-1028.	1.8	34
46	Update on the prevalence and incidence of rheumatoid arthritis in Korea and an analysis of medical care and drug utilization. <i>Rheumatology International</i> , 2018, 38, 649-656.	3.0	48
47	Glucocorticoids Are Associated with an Increased Risk for Vertebral Fracture in Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2018, 45, 612-620.	2.0	20
48	Factors associated with quality of life and functional disability among rheumatoid arthritis patients treated with disease-modifying anti-rheumatic drugs for at least 6 months. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1001-1009.	1.9	5
49	Clinical characteristics of multifocal osteonecrosis in Korean patients with rheumatic disease. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1301-1308.	1.9	8
50	Korean Red Ginseng exhibits no significant adverse effect on disease activity in patients with rheumatoid arthritis: a randomized, double-blind, crossover study. <i>Journal of Ginseng Research</i> , 2018, 42, 144-148.	5.7	11
51	Impact of anti-rheumatic treatment on cardiovascular risk in Asian patients with rheumatoid arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2018, 47, 501-506.	3.4	13
52	Productivity Loss of Rheumatoid Arthritis Patients according to the Their Stages of the Disease Activity Score. <i>Journal of Rheumatic Diseases</i> , 2018, 25, 122.	1.1	2
53	Antiphospholipid Antibody Positivity and the Clinical Outcomes of Patients with Systemic Lupus Erythematosus. <i>Journal of Rheumatic Diseases</i> , 2018, 25, 239.	1.1	3
54	Cross-cultural adaptation and validation of the Korean Version of the Functional Index for Hand Osteoarthritis (FIHOA). <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 2095-2103.	1.9	11

#	ARTICLE	IF	CITATIONS
55	Case of Polymyalgia Rheumatica Misdiagnosed as Infectious Spondylitis. <i>Journal of Rheumatic Diseases</i> , 2018, 25, 140.	1.1	1
56	Impact of Osteoarthritis on Household Catastrophic Health Expenditures in Korea. <i>Journal of Korean Medical Science</i> , 2018, 33, e161.	2.5	10
57	Isoniazid treatment for latent tuberculosis infection is tolerable for rheumatoid arthritis patients receiving tumor necrosis factor inhibitor therapy. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 1016-1024.	1.7	3
58	Systemic review: agreement between the latent tuberculosis screening tests among patients with rheumatic diseases. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 1241-1251.	1.7	10
59	What factors affect discordance between physicians and patients in the global assessment of disease activity in rheumatoid arthritis?. <i>Modern Rheumatology</i> , 2017, 27, 35-41.	1.8	16
60	Safety of resuming biologic DMARDs in patients who develop tuberculosis after anti-TNF treatment. <i>Seminars in Arthritis and Rheumatism</i> , 2017, 47, 102-107.	3.4	11
61	Comparative effectiveness of treatment options after conventional DMARDs failure in rheumatoid arthritis. <i>Rheumatology International</i> , 2017, 37, 975-982.	3.0	8
62	Characteristics and outcomes of rheumatoid arthritis patients who started biosimilar infliximab. <i>Rheumatology International</i> , 2017, 37, 1007-1014.	3.0	10
63	Impact of interstitial lung disease on mortality of patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2017, 37, 1735-1745.	3.0	43
64	Clinical characteristics and outcomes of diffuse alveolar hemorrhage in patients with systemic lupus erythematosus. <i>Seminars in Arthritis and Rheumatism</i> , 2017, 46, 782-787.	3.4	36
65	The risk of malignancy and its incidence in early rheumatoid arthritis patients treated with biologic DMARDs. <i>Arthritis Research and Therapy</i> , 2017, 19, 277.	3.5	19
66	A Case of Refractory Oral Aphthous Ulcer Successfully Treated with Adalimumab. <i>Journal of Rheumatic Diseases</i> , 2017, 24, 157.	1.1	0
67	Impact of midfoot and Hindfoot involvement on functional disability in Korean patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 365.	1.9	17
68	Cardiovascular and Gastrointestinal Effects of Etoricoxib in the Treatment of Osteoarthritis: A Systematic Review and Network Meta-analysis. <i>Journal of Rheumatic Diseases</i> , 2017, 24, 293.	1.1	4
69	Impact of early diagnosis on functional disability in rheumatoid arthritis. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 738-746.	1.7	15
70	Pharmacologic treatment of rheumatoid arthritis. <i>Journal of the Korean Medical Association</i> , 2017, 60, 156.	0.3	4
71	Agreement of Major Diagnosis and Comorbidity between Self-reported Questionnaire and Medical Record Review in Patients with Rheumatic Disease. <i>Journal of Rheumatic Diseases</i> , 2016, 23, 348.	1.1	1
72	Impact of Patient Education on the Satisfaction of Rheumatoid Arthritis Patients: A Randomized Trial of Nurse-led Versus Medical Doctor-led Education. <i>Journal of Rheumatic Diseases</i> , 2016, 23, 109.	1.1	3

#	ARTICLE	IF	CITATIONS
73	Factors Contributing to Discordance between the 2011 ACR/EULAR Criteria and Physician Clinical Judgment for the Identification of Remission in Patients with Rheumatoid Arthritis. <i>Journal of Korean Medical Science</i> , 2016, 31, 1907.	2.5	7
74	Prevalence and possible causes of hypouricemia at a tertiary care hospital. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 971-976.	1.7	23
75	Mapping health assessment questionnaire disability index (HAQ-DI) score, pain visual analog scale (VAS), and disease activity score in 28 joints (DAS28) onto the EuroQol-5D (EQ-5D) utility score with the KORean Observational study Network for Arthritis (KORONA) registry data. <i>Rheumatology International</i> , 2016, 36, 505-513.	3.0	18
76	Incidence and risk factors of fractures in patients with rheumatoid arthritis: an Asian prospective cohort study. <i>Rheumatology International</i> , 2016, 36, 1205-1214.	3.0	35
77	The frequency of and risk factors for osteoporosis in Korean patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 98.	1.9	38
78	Drug retention and safety of TNF inhibitors in elderly patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 333.	1.9	28
79	Association-heterogeneity mapping identifies an Asian-specific association of the GTF2I locus with rheumatoid arthritis. <i>Scientific Reports</i> , 2016, 6, 27563.	3.3	23
80	Association between trabecular bone score and risk factors for fractures in Korean female patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2016, 26, 540-545.	1.8	25
81	Factors associated with atypical femoral fracture. <i>Rheumatology International</i> , 2016, 36, 65-71.	3.0	20
82	Imputing Variants in HLA-DR Beta Genes Reveals That HLA-DRB1 Is Solely Associated with Rheumatoid Arthritis and Systemic Lupus Erythematosus. <i>PLoS ONE</i> , 2016, 11, e0150283.	2.5	20
83	Incidence of Tuberculosis in Rheumatoid Arthritis Patients Using Anti-Tumor Necrosis Factor Agents following Latent Tuberculosis Infection Screening Strategies. <i>Journal of Rheumatic Diseases</i> , 2015, 22, 223.	1.1	3
84	Head-to-head comparison of the safety of tocilizumab and tumor necrosis factor inhibitors in rheumatoid arthritis patients (RA) in clinical practice: results from the registry of Japanese RA patients on biologics for long-term safety (REAL) registry. <i>Arthritis Research and Therapy</i> , 2015, 17, 74.	3.5	53
85	High-density genotyping of immune loci in Koreans and Europeans identifies eight new rheumatoid arthritis risk loci. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, e13-e13.	0.9	100
86	Factors Associated with the Use of Complementary and Alternative Medicine for Korean Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2015, 42, 2075-2081.	2.0	19
87	The Present and Future of Clinical Research for Korean Lupus Patients. <i>Journal of Rheumatic Diseases</i> , 2014, 21, 54.	1.1	1
88	The Influence of Vertebral Fracture on the Functional Disability of Patients with Rheumatoid Arthritis. <i>Journal of Korean Medical Science</i> , 2014, 29, 859.	2.5	5
89	The Role of Bone Scintigraphy in the Diagnosis of Rheumatoid Arthritis According to the 2010 ACR/EULAR Classification Criteria. <i>Journal of Korean Medical Science</i> , 2014, 29, 204.	2.5	16
90	Prediction for TNF Inhibitor Users in RA Patients According to Reimbursement Criteria Based on DAS28. <i>Journal of Rheumatic Diseases</i> , 2014, 21, 64.	1.1	6

#	ARTICLE	IF	CITATIONS
91	A comparison of incidence and risk factors for serious adverse events in rheumatoid arthritis patients with etanercept or adalimumab in Korea and Japan. <i>Modern Rheumatology</i> , 2014, 24, 572-579.	1.8	7
92	Observational Cohort Studies in Rheumatic Diseases. <i>Korean Journal of Medicine</i> , 2014, 87, 548.	0.3	1
93	Validity and role of vertebral fracture assessment in detecting prevalent vertebral fracture in patients with rheumatoid arthritis. <i>Joint Bone Spine</i> , 2014, 81, 149-153.	1.6	11
94	The risk of serious infection in patients with rheumatoid arthritis treated with tumor necrosis factor inhibitors decreased over time: a report from the registry of Japanese rheumatoid arthritis patients on biologics for long-term safety (REAL) database. <i>Rheumatology International</i> , 2014, 34, 1729-1736.	3.0	14
95	Are glucocorticoid-induced osteoporosis recommendations sufficient to determine antiosteoporotic treatment for patients with rheumatoid arthritis?. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 509.	1.7	5
96	Prevalence and incidence of rheumatoid arthritis in South Korea. <i>Rheumatology International</i> , 2013, 33, 1525-1532.	3.0	62
97	Factors influencing quality of life (QOL) for Korean patients with rheumatoid arthritis (RA). <i>Rheumatology International</i> , 2013, 33, 93-102.	3.0	32
98	Development of an algorithm for identifying rheumatoid arthritis in the Korean National Health Insurance claims database. <i>Rheumatology International</i> , 2013, 33, 2985-2992.	3.0	78
99	Factors Influencing Discrepancies Between the QuantiFERON-TB Gold in Tube Test and the Tuberculin Skin Test in Korean Patients with Rheumatic Diseases. <i>Seminars in Arthritis and Rheumatism</i> , 2013, 42, 424-432.	3.4	31
100	Etanercept induced organizing pneumonia in a patient with rheumatoid arthritis. <i>Rheumatology International</i> , 2012, 32, 1055-1057.	3.0	20
101	Do Patients with Elderly-Onset Rheumatoid Arthritis Have Severe Functional Disability?. <i>Seminars in Arthritis and Rheumatism</i> , 2012, 42, 23-31.	3.4	43
102	Impact of comorbidities on TNF inhibitor persistence in rheumatoid arthritis patients: an analysis of Korean National Health Insurance claims data. <i>Rheumatology International</i> , 2012, 32, 3851-3856.	3.0	28
103	Korean Observational Study Network for Arthritis (KORONA): Establishment of a Prospective Multicenter Cohort for Rheumatoid Arthritis in South Korea. <i>Seminars in Arthritis and Rheumatism</i> , 2012, 41, 745-751.	3.4	54
104	Impact of Change in Reimbursement Guideline of Rheumatoid Arthritis on the Short Term Persistence of Tumor Necrosis Factor (TNF) Blockers. <i>Journal of Rheumatic Diseases</i> , 2011, 18, 283.	1.1	4
105	Treatment Persistence with TNF Blocker in Korean Rheumatoid Arthritis Patients. <i>Journal of Rheumatic Diseases</i> , 2011, 18, 161.	1.1	3