Sandra Fehsenfeld

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9333999/publications.pdf Version: 2024-02-01

	759233	794594
1,132	12	19
citations	h-index	g-index
21	21	1450
docs citations	times ranked	citing authors
	1,132 citations 21 docs citations	1,132 12 citations h-index 21 21 21 citations 21 times ranked

#	Article	IF	CITATIONS
1	Is ammonia excretion affected by gill ventilation in the rainbow trout Oncorhynchus mykiss?. Respiratory Physiology and Neurobiology, 2020, 275, 103385.	1.6	15
2	A potential role for hyperpolarization-activated cyclic nucleotide-gated sodium/potassium channels (HCNs) in teleost acid-base and ammonia regulation. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2020, 248-249, 110469.	1.6	3
3	Section-specific H+ fluxes in renal tubules of fasted and fed goldfish. Journal of Experimental Biology, 2019, 222, .	1.7	5
4	Section-specific expression of acid-base and ammonia transporters in the kidney tubules of the goldfish <i>Carassius auratus</i> and their responses to feeding. American Journal of Physiology - Renal Physiology, 2018, 315, F1565-F1582.	2.7	14
5	Nitrogen Excretion in Aquatic Crustaceans. , 2017, , 1-24.		13
6	Acid–Base Regulation in Aquatic Decapod Crustaceans. , 2017, , 151-191.		10
7	Mechanisms of acid–base regulation in seawater-acclimated green crabs (<i>Carcinus maenas</i>). Canadian Journal of Zoology, 2016, 94, 95-107.	1.0	31
8	Effects of salinity on short-term waterborne zinc uptake, accumulation and sub-lethal toxicity in the green shore crab (Carcinus maenas). Aquatic Toxicology, 2016, 178, 132-140.	4.0	12
9	The role of an ancestral hyperpolarization activated cyclic nucleotide-gated K+-channel in branchial acid-base regulation in the green crab, <i>Carcinus maenas</i> (L.). Journal of Experimental Biology, 2016, 219, 887-96.	1.7	15
10	Making sense of nickel accumulation and sub-lethal toxic effects in saline waters: Fate and effects of nickel in the green crab, Carcinus maenas. Aquatic Toxicology, 2015, 164, 23-33.	4.0	33
11	Acid–base regulation in the Dungeness crab (Metacarcinus magister). Marine Biology, 2014, 161, 1179-1193.	1.5	38
12	Differential acid–base regulation in various gills of the green crab Carcinus maenas: Effects of elevated environmental pCO2. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2013, 164, 54-65.	1.8	43
13	Cutaneous nitrogen excretion in the African clawed frog Xenopus laevis: Effects of high environmental ammonia (HEA). Aquatic Toxicology, 2013, 136-137, 1-12.	4.0	24
14	Effects of high environmental ammonia on branchial ammonia excretion rates and tissue Rh-protein mRNA expression levels in seawater acclimated Dungeness crab Metacarcinus magister. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2011, 160, 267-277.	1.8	76
15	Effects of elevated seawater p CO2 on gene expression patterns in the gills of the green crab, Carcinus maenas. BMC Genomics, 2011, 12, 488.	2.8	46
16	The murine winged-helix transcription factor Foxl2 is required for granulosa cell differentiation and ovary maintenance. Development (Cambridge), 2004, 131, 933-942.	2.5	623
17	α Complementation in the Cre recombinase enzyme. Genesis, 2003, 37, 25-29.	1.6	42
18	Construction of a conditional allele of RSK-B/MSK2 in the mouse. Genesis, 2002, 32, 158-160.	1.6	2

#	Article	IF	CITATIONS
19	Conditional mutagenesis of CamKIV. Genesis, 2002, 32, 161-164.	1.6	5
20	ERâ€based double icre fusion protein allows partial recombination in forebrain. Genesis, 2002, 34, 208-214.	1.6	81