Hiroyuki Sakakibara

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9334611/publications.pdf

Version: 2024-02-01

77 papers

2,666 citations

236925 25 h-index 50 g-index

77 all docs

77 docs citations

77 times ranked 4070 citing authors

#	Article	IF	CITATIONS
1	Beneficial Effects of the Consumption of Hot-Water Extracts of Thinned Immature Mangos (Mangifera) Tj ETQq1 116.	1 0.7843] 2.9	14 rgBT /Over O
2	Selective Consumption of Fish Oil at End of the Day Increases the Physiological Fatty Acid Compositions of Eicosapentaenoic Acid and Docosahexaenoic Acid in Mice. Molecules, 2022, 27, 1271.	3.8	2
3	Subchronic safety evaluation of hot-water extract from thinned immature mangos (Mangifera indica) Tj ETQq $1\ 1$	0.784314	rgBT /Overlo
4	Beneficial effects of the consumption of sunâ€dried radishes (<i>Raphanus sativus </i> cv.) Tj ETQq0 0 0 rgBT /O·45, e13727.	verlock 10 2.9	Tf 50 627 To 3
5	Maternal Quercetin Consumption during Pregnancy May Help Regulate Total Cholesterol/HDL-Cholesterol Ratio without Effect on Cholesterol Levels in Male Progeny Consuming High-Fat Diet. Nutrients, 2021, 13, 1242.	4.1	2
6	Omega-3 Eicosapentaenoic Acid Is Related to Happiness and a Sense of Fulfillment—A Study among Female Nursing Workers. Nutrients, 2020, 12, 3462.	4.1	2
7	Dietary phytanic acid-induced changes in tissue fatty acid profiles in mice. Journal of Dairy Research, 2020, 87, 498-500.	1.4	4
8	Insights into the potential benefits of black soybean (<i>Glycine max</i> L.) polyphenols in lifestyle diseases. Food and Function, 2020, 11, 7321-7339.	4.6	15
9	Effects of dietary phytol on tissue accumulation of phytanic acid and pristanic acid and on the tissue lipid profiles in mice. Animal Science Journal, 2020, 91, e13424.	1.4	4
10	Impact of Gut Microbiome on Hypertensive Patients With Low-Salt Intake: Shika Study Results. Frontiers in Medicine, 2020, 7, 475.	2.6	8
11	Daily consumption of black soybean (Glycine max L.) seed coat polyphenols attenuates dyslipidemia in apolipoprotein E-deficient mice. Journal of Functional Foods, 2020, 72, 104054.	3.4	4
12	Anti-stress effects of polyphenols: animal models and human trials. Food and Function, 2020, 11, 5702-5717.	4.6	11
13	Nocturnal light exposure stimulates the cardiac fibrinolysis system and stress responses in C3H/He mice. Thrombosis Research, 2020, 188, 79-81.	1.7	2
14	Suitability of a 10% fat diet for use in time-restricted feeding experiments with C57BL/6 mice. Bioactive Compounds in Health and Disease, 2020, 3, 55.	0.6	1
15	Dosage time affects alkylating agents induced micronuclei in mouse peripheral blood reticulocytes through the function of erythropoietin. Journal of Toxicological Sciences, 2019, 44, 273-282.	1.5	2
16	Subchronic toxicity evaluation of leaves from rabbiteye blueberry (Vaccinium virgatum Aiton) in rats. Toxicology Reports, 2019, 6, 272-278.	3.3	5
17	Serum IL-6 levels and oxidation rate of LDL cholesterol were related to depressive symptoms independent of omega-3 fatty acids among female hospital and nursing home workers in Japan. Journal of Affective Disorders, 2019, 249, 385-393.	4.1	10
18	Elevated Levels of Serum IL-17A in Community-Dwelling Women with Higher Depressive Symptoms. Behavioral Sciences (Basel, Switzerland), 2018, 8, 102.	2.1	20

#	Article	IF	Citations
19	Daily Consumption of Bilberry (<i>Vaccinium myrtillus</i> L.) Extracts Increases the Absorption Rate of Anthocyanins in Rats. Journal of Agricultural and Food Chemistry, 2018, 66, 7958-7964.	5.2	6
20	Daily consumption of monoglucosyl-rutin prevents high-fat diet-induced obesity by suppressing gastric inhibitory polypeptide secretion in mice. Functional Foods in Health and Disease, 2018, 8, 353.	0.6	9
21	Effects of blueberry leaf and stem extracts on hepatic lipid levels in rats consuming a high-sucrose diet. Functional Foods in Health and Disease, 2018, 8, 447.	0.6	3
22	Estrogen- and stress-induced DNA damage in breast cancer and chemoprevention with dietary flavonoid. Genes and Environment, 2017, 39, 10.	2.1	37
23	Hierarchy in the home cage affects behaviour and gene expression in group-housed C57BL/6 male mice. Scientific Reports, 2017, 7, 6991.	3.3	57
24	Consumption of Salted Pickles of Sun-dried Radish Roots (<i>Raphanus sativus cv.) Tj ETQq0 0 0 rgBT /Ov and Technology Research, 2017, 23, 757-763.</i>	erlock 101 0.6	Tf 50 547 Td (3
25	Effects of environmental and social stressors on biological rhythms. The Journal of Physical Fitness and Sports Medicine, 2016, 5, 143-152.	0.3	2
26	Bioavailability of isoflavones from soy products in equol producers and non-producers in Japanese women. Journal of Nutrition & Intermediary Metabolism, 2016, 6, 41-47.	1.7	18
27	Whey Protein-hydrolyzed Peptides Diminish Hepatic Lipid Levels in Rats Consuming High-sucrose Diets. Food Science and Technology Research, 2016, 22, 631-638.	0.6	4
28	Spatial and vertical distributions of sedimentary halogenated polycyclic aromatic hydrocarbons in moderately polluted areas of Asia. Environmental Pollution, 2015, 196, 331-340.	7.5	38
29	Practical application of flavonoid-poor menu meals to the study of the bioavailability of bilberry anthocyanins in human subjects. Bioscience, Biotechnology and Biochemistry, 2014, 78, 1748-1752.	1.3	8
30	Depressive symptoms of female nursing staff working in stressful environments and their association with serum creatine kinase and lactate dehydrogenase – a preliminary study. BioPsychoSocial Medicine, 2014, 8, 21.	2.1	6
31	Coffee consumption delays the hepatitis and suppresses the inflammation related gene expression in the Long-Evans Cinnamon rat. Clinical Nutrition, 2014, 33, 302-310.	5.0	15
32	Quercetin-3-O-glucronide inhibits noradrenaline binding to $\hat{1}\pm2$ -adrenergic receptor, thus suppressing DNA damage induced by treatment with 4-hydroxyestradiol and noradrenaline in MCF-10A cells. Journal of Steroid Biochemistry and Molecular Biology, 2014, 143, 122-129.	2.5	19
33	Nocturnal Light Exposure Alters Hepatic <i>Pai-1</i> Expression by Stimulating the Adrenal Pathwayin C3H Mice. Experimental Animals, 2014, 63, 331-338.	1.1	12
34	Sex-dependent difference in the hepatic and pulmonary toxicological effects in mice administrated 7-chlorinated benz [<i>a</i>]anthracene. Fundamental Toxicological Sciences, 2014, 1, 101-108.	0.6	6
35	Pu-erh Tea Suppresses Diet-Induced Body Fat Accumulation in C57BL/6J Mice by Down-Regulating SREBP-1c and Related Molecules. Bioscience, Biotechnology and Biochemistry, 2013, 77, 1455-1460.	1.3	22
36	Organ-specific distribution of 7-chlorinated benz [<i>a</i>]anthracene and regulation of selected cytochrome P450 genes in rats. Journal of Toxicological Sciences, 2013, 38, 137-143.	1.5	16

#	Article	IF	Citations
37	Diurnal rhythmicity in biological processes involved in bioavailability of functional food factors. Journal of Clinical Biochemistry and Nutrition, 2013, 52, 208-214.	1.4	5
38	Breast Cancer and Flavonoids - A Role in Prevention. Current Pharmaceutical Design, 2013, 19, 6125-6132.	1.9	39
39	Differences in micronucleus induction in peripheral blood reticulocytes of mice exposed to $\langle i\rangle N\langle i\rangle$ -ethyl- $\langle i\rangle N\langle i\rangle$ -nitrosourea at light and dark dosing times. Journal of Toxicological Sciences, 2012, 37, 427-430.	1.5	4
40	Social isolation stress induces hepatic hypertrophy in C57BL/6J mice. Journal of Toxicological Sciences, 2012, 37, 1071-1076.	1.5	20
41	4-Hydroxyestradiol Induces ^ ^gamma;-H2AX in the Presence of an Inhibitor of Catechol-O-methyltransferase in Human Breast Cancer MCF-7 Cells. Genes and Environment, 2012, 34, 129-135.	2.1	3
42	Protocols for Preparation of a Flavonoid-poor Menu Satisfying the Dietary Reference Intakes for Japanese, 2005. Nihon EiyŕShokuryŕGakkai Shi = Nippon EiyŕShokuryŕGakkaishi = Journal of Japanese Society of Nutrition and Food Science, 2012, 65, 229-235.	0.2	1
43	Feeble awake effects of plasminogen activator inhibitor type-1 in mice. Behavioural Brain Research, 2011, 220, 354-357.	2.2	2
44	Effects of spaced feeding on gene expression of hepatic transaminase and gluconeogenic enzymes in rats. Journal of Toxicological Sciences, 2011, 36, 325-337.	1.5	16
45	Anthocyanins in Mesocarp/Epicarp and Endocarp of Fresh Acai (Euterpe oleracea Mart.) and their Antioxidant Activities and Bioavailability. Food Science and Technology Research, 2011, 17, 327-334.	0.6	19
46	Effect of quercetin and glucuronide metabolites on the monoamine oxidase-A reaction in mouse brain mitochondria. Nutrition, 2011, 27, 847-852.	2.4	75
47	Val1483lle polymorphism in the fatty acid synthase gene was associated with depressive symptoms under the influence of psychological stress. Journal of Affective Disorders, 2011, 134, 448-452.	4.1	6
48	Accumulation of orally administered quercetin in brain tissue and its antioxidative effects in rats. Free Radical Biology and Medicine, 2011, 51, 1329-1336.	2.9	223
49	Differential action of chlorinated polycyclic aromatic hydrocarbons on aryl hydrocarbon receptorâ€mediated signaling in breast cancer cells. Environmental Toxicology, 2010, 25, 180-187.	4.0	28
50	Effects of Animal Care Procedures on Plasma Corticosterone Levels in Group-Housed Mice during the Nocturnal Active Phase. Experimental Animals, 2010, 59, 637-642.	1.1	11
51	Relationships between plasma and tissue transaminase activities in rats maintained under different feeding conditions. Journal of Toxicological Sciences, 2010, 35, 639-652.	1.5	5
52	Inhibitory effects of chrysoeriol on DNA adduct formation with benzo[a]pyrene in MCF-7 breast cancer cells. Toxicology, 2010, 274, 42-48.	4.2	43
53	Selective inhibition of methoxyflavonoids on human CYP1B1 activity. Bioorganic and Medicinal Chemistry, 2010, 18, 6310-6315.	3.0	80
54	Proteomic Identification of Serum Proteins Associated with Stress-Induced Gastric Ulcers in Fasted Rats. Bioscience, Biotechnology and Biochemistry, 2010, 74, 812-818.	1.3	14

#	Article	IF	Citations
55	Genistein Regulated Serotonergic Activity in the Hippocampus of Ovariectomized Rats under Forced Swimming Stress. Bioscience, Biotechnology and Biochemistry, 2010, 74, 2005-2010.	1.3	32
56	A methoxyflavonoid, chrysoeriol, selectively inhibits the formation of a carcinogenic estrogen metabolite in MCF-7 breast cancer cells. Journal of Steroid Biochemistry and Molecular Biology, 2010, 118, 70-76.	2.5	29
57	Distribution and Excretion of Bilberry Anthocyanins in Mice. Journal of Agricultural and Food Chemistry, 2009, 57, 7681-7686.	5.2	68
58	Quercetin metabolites and protection against peroxynitrite-induced oxidative hepatic injury in rats. Free Radical Research, 2009, 43, 913-921.	3.3	30
59	Effects of fenofibrate on plasma and hepatic transaminase activities and hepatic transaminase gene expression in rats. Journal of Toxicological Sciences, 2009, 34, 377-387.	1.5	34
60	Isolation stress for 30 days alters hepatic gene expression profiles, especially with reference to lipid metabolism in mice. Physiological Genomics, 2009, 37, 79-87.	2.3	21
61	Anthocyanin Composition and Antioxidant Activity of the Crowberry (<i>Empetrum nigrum</i>) and Other Berries. Journal of Agricultural and Food Chemistry, 2008, 56, 4457-4462.	5.2	131
62	Antidepressant-Like Effect of Onion (<i>Allium cepa</i> L.) Powder in a Rat Behavioral Model of Depression. Bioscience, Biotechnology and Biochemistry, 2008, 72, 94-100.	1.3	68
63	Effects of Polyphenol Rich Herbal Medicine, <i>Ginkgo biloba</i> Extracts on Neurotransmitter Levels in Rat Brain. ACS Symposium Series, 2008, , 429-434.	0.5	1
64	Yellow tea is more potent than other types of tea in suppressing liver toxicity induced by carbon tetrachloride in rats. Phytotherapy Research, 2007, 21, 668-670.	5.8	31
65	Effects of Combined Administration of Quercetin, Rutin, and Extract of White Radish Sprout Rich in Kaempferol Glycosides on the Metabolism in Rats. Bioscience, Biotechnology and Biochemistry, 2006, 70, 279-281.	1.3	29
66	Antidepressant Effect of Extracts from Ginkgo biloba Leaves in Behavioral Models. Biological and Pharmaceutical Bulletin, 2006, 29, 1767-1770.	1.4	66
67	A Frequent Drinking of Green Tea Lowers the Levels of Endogenous Oxidative Stress in Small Intestines, Erythrocytes and Kidneys in Rats. Journal of Clinical Biochemistry and Nutrition, 2006, 39, 32-39.	1.4	5
68	Effects of Japanese Kelp (Kombu) on Life Span of Benzo [a] pyrene-Fed Mice. Journal of Nutritional Science and Vitaminology, 2005, 51, 369-373.	0.6	9
69	Effects of forced swimming stress on rat brain function. Journal of Medical Investigation, 2005, 52, 300-301.	0.5	6
70	Antiâ€obesity actions of green tea: Possible involvements in modulation of the glucose uptake system and suppression of the adipogenesisâ€related transcription factors. BioFactors, 2004, 22, 135-140.	5.4	96
71	Isoflavones in several clover species and in milk from goats fed clovers. BioFactors, 2004, 22, 237-239.	5.4	30
72	Simultaneous Determination of All Polyphenols in Vegetables, Fruits, and Teas. Journal of Agricultural and Food Chemistry, 2003, 51, 571-581.	5.2	562

#	Article	IF	CITATION
73	A Novel Method Using 8-hydroperoxy-2′-deoxyguanosine Formation for Evaluating Antioxidative Potency. Free Radical Research, 2002, 36, 307-316.	3.3	42
74	Arsenic accumulation in three species of sea turtles. BioMetals, 2000, 13, 241-250.	4.1	63
75	High Content of Dopamine, a Strong Antioxidant, in Cavendish Banana. Journal of Agricultural and Food Chemistry, 2000, 48, 844-848.	5.2	291
76	Dietary Antioxidants Fail in Protection against Oxidative Genetic Damage in In Vitro Evaluation. Bioscience, Biotechnology and Biochemistry, 2000, 64, 2395-2401.	1.3	4
77	Cytochrome P4501A1-Inhibitory Action of Antimutagenic Anthraquinones in Medicinal Plants and the Structure-activity Relationship. Bioscience, Biotechnology and Biochemistry, 2000, 64, 1373-1378.	1.3	44