

# Tatiana Baptista Gibertoni

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9335844/publications.pdf>

Version: 2024-02-01

72  
papers

2,561  
citations

516710

16  
h-index

223800

46  
g-index

73  
all docs

73  
docs citations

73  
times ranked

2003  
citing authors

#	ARTICLE	IF	CITATIONS
1	Allophlebia, a new genus to accommodate <i>Phlebia ludoviciana</i> (Agaricomycetes, Polyporales). <i>Mycological Progress</i> , 2022, 21, .	1.4	3
2	<i>Crystallodon Alvarenga</i> gen. nov., A New Genus of the Auriculariales from the Neotropics. <i>Cryptogamie, Mycologie</i> , 2021, 42, .	1.0	3
3	Additions to <i>Trechispora</i> and the status of <i>Scytinopogon</i> (Trechisporales, Basidiomycota). <i>Mycological Progress</i> , 2021, 20, 203-222.	1.4	14
4	Four new species in the <i>Tremella fibulifera</i> complex (Tremellales, Basidiomycota). <i>MycoKeys</i> , 2021, 82, 33-56.	1.9	5
5	Global Diversity and Updated Phylogeny of <i>Auricularia</i> (Auriculariales, Basidiomycota). <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 933.	3.5	29
6	Additions to neotropical stereoid fungi (Polyporales, Basidiomycota): one new species of <i>Lopharia</i> and one new combination in <i>Phlebiopsis</i> . <i>Mycological Progress</i> , 2020, 19, 31-40.	1.4	9
7	Taxonomic novelties in <i>Trechispora</i> (Trechisporales, Basidiomycota) from Brazil. <i>Mycological Progress</i> , 2020, 19, 1403-1414.	1.4	10
8	Fungal diversity notes 1277â€“1386: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2020, 104, 1-266.	12.3	60
9	A checklist of corticioid fungi (Agaricomycetes, Basidiomycota) from Brazil. <i>Mycotaxon</i> , 2020, 135, 467-467.	0.3	3
10	Fungal diversity notes 1151â€“1276: taxonomic and phylogenetic contributions on genera and species of fungal taxa. <i>Fungal Diversity</i> , 2020, 100, 5-277.	12.3	156
11	FungalTraits: a user-friendly traits database of fungi and fungus-like stramenopiles. <i>Fungal Diversity</i> , 2020, 105, 1-16.	12.3	387
12	<i>Psathyrella atlantica</i> (Agaricales: Basidiomycota), a new species from Brazil. <i>Acta Botanica Brasilica</i> , 2020, 34, 394-400.	0.8	1
13	Two new genera and six other novelties in <i>Heterochaete sensu lato</i> (Auriculariales, Basidiomycota). <i>Botany</i> , 2019, 97, 439-451.	1.0	11
14	On <i>Protomerulius</i> and <i>Heterochaetella</i> (Auriculariales, Basidiomycota). <i>Mycological Progress</i> , 2019, 18, 1079-1099.	1.4	11
15	Fungal diversity notes 1036â€“1150: taxonomic and phylogenetic contributions on genera and species of fungal taxa. <i>Fungal Diversity</i> , 2019, 96, 1-242.	12.3	148
16	Fungal diversity notes 929â€“1035: taxonomic and phylogenetic contributions on genera and species of fungi. <i>Fungal Diversity</i> , 2019, 95, 1-273.	12.3	203
17	Mycological Diversity Description II. <i>Acta Botanica Brasilica</i> , 2019, 33, 163-173.	0.8	5
18	An updated phylogeny and diversity of <i>Phylloporia</i> (Hymenochaetales): eight new species and keys to species of the genus. <i>Mycological Progress</i> , 2019, 18, 615-639.	1.4	13

#	ARTICLE	IF	CITATIONS
19	One stop shop II: taxonomic update with molecular phylogeny for important phytopathogenic genera: 26â€“50 (2019). <i>Fungal Diversity</i> , 2019, 94, 41-129.	12.3	69
20	Notes, outline and divergence times of Basidiomycota. <i>Fungal Diversity</i> , 2019, 99, 105-367.	12.3	256
21	Considerations and consequences of allowing DNA sequence data as types of fungal taxa. <i>IMA Fungus</i> , 2018, 9, 167-175.	3.8	45
22	Fungal perspective on neotropical biogeography: poroid fungi (Agaricomycetes: Hymenochaetales and) Tj ETQq0 0,0 rgBT /Overlock 10	1.6	6
23	<i>Ceraceomyces atlanticus</i> (Amylocorticiales, Basidiomycota), a new species from the Atlantic Rain Forest, Brazil. <i>Phytotaxa</i> , 2017, 296, 73.	0.3	2
24	Fungal diversity notes 491â€“602: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2017, 83, 1-261.	12.3	180
25	Fungal diversity notes 603â€“708: taxonomic and phylogenetic notes on genera and species. <i>Fungal Diversity</i> , 2017, 87, 1-235.	12.3	165
26	A new species, two new combinations and notes on Fomitopsidaceae (Agaricomycetes, Polyporales). <i>Phytotaxa</i> , 2017, 331, 75.	0.3	5
27	Host-exclusivity and host-recurrence by wood decay fungi (Basidiomycota - Agaricomycetes) in Brazilian mangroves. <i>Acta Botanica Brasilica</i> , 2017, 31, 566-570.	0.8	7
28	Notes on <i>Junghuhnia</i> (Agaricomycetes) in Brazil. <i>Acta Botanica Brasilica</i> , 2016, 30, 266-270.	0.8	0
29	<i>Phellinotus</i> , a new neotropical genus in the Hymenochaetaceae (Basidiomycota, Hymenochaetales). <i>Phytotaxa</i> , 2016, 261, 218.	0.3	25
30	Morphological and molecular evidences for a new species of <i>Datroniella</i> (Polyporales,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td (Bas	0.3	1
31	Fungal diversity notes 367â€“490: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2016, 80, 1-270.	12.3	314
32	Three new combinations in <i>Rhizochaete</i> (Agaricomycetes, Fungi) â€“ a validation. <i>Nova Hedwigia</i> , 2016, 103, 561-562.	0.4	2
33	The distribution of polypore fungi in endemism centres in Brazilian Amazonia. <i>Fungal Ecology</i> , 2016, 20, 1-6.	1.6	11
34	Three new combinations in <i>Rhizochaete</i> (Agaricomycetes, Fungi) and a new record to the Brazilian Amazonia. <i>Nova Hedwigia</i> , 2016, 102, 185-196.	0.4	11
35	&lt;p class="HeadingRunIn"&gt;&lt;strong&gt;Two new species of &lt;em&gt;Phellinus &lt;/em&gt;s.l. from the Brazilian Amazonia&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2015, 67, 55.	0.3	2
36	Delimitation of taxa in <i>Amauroderma</i> (Ganodermataceae, Polyporales) based in morphology and molecular phylogeny of Brazilian specimens. <i>Phytotaxa</i> , 2015, 227, 201.	0.3	11

#	ARTICLE	IF	CITATIONS
37	Diversity of Brazilian Fungi. <i>Rodriguesia</i> , 2015, 66, 1033-1045.	0.9	67
38	Validation of <i>Porogramme albocincta</i> and new records of Polyporales from the Brazilian Amazonia 1. <i>Journal of the Torrey Botanical Society</i> , 2015, 142, 331-336.	0.3	3
39	Studies on <i>Gymnopus</i> sect. <i>Impudicae</i> (Omphalotaceae, Agaricales) from Northern Brazil: two new species and notes on <i>G. montagnei</i> . <i>Mycological Progress</i> , 2015, 14, 1.	1.4	10
40	Notes on <i>Fomitopsis</i> (Polyporales, Agaricomycetes) from North and Northeast Brazil 1. <i>Journal of the Torrey Botanical Society</i> , 2015, 142, 179-185.	0.3	0
41	Distribution of poroid fungi (Basidiomycota) in the Atlantic Rain Forest in Northeast Brazil: implications for conservation. <i>Biodiversity and Conservation</i> , 2015, 24, 2227-2237.	2.6	10
42	First record of <i>Trichopilus fasciculatus</i> (Agaricales) from Brazil, with a key for the species of Entolomataceae from the Northern region. <i>Mycoscience</i> , 2015, 56, 118-122.	0.8	5
43	<i>Diplomitoporus</i> (Polyporales, Basidiomycota) in Brazil revisited. <i>Mycological Progress</i> , 2014, 13, 313-319.	1.4	4
44	Two new species of <i>Rigidoporus</i> (Agaricomycetes) from Brazil and new records from the Brazilian Amazonia. <i>Phytotaxa</i> , 2014, 156, 191.	0.3	7
45	Delimitación de algunos <i>Ganoderma</i> (Ganodermataceae) lacados neotropicales: filogenia molecular y morfología. <i>Revista De Biología Tropical</i> , 2014, 62, 1197.	0.4	25
46	The community structure of macroscopic basidiomycetes (Fungi) in Brazilian mangroves influenced by temporal and spatial variations. <i>Revista De Biología Tropical</i> , 2014, 62, 1587.	0.4	5
47	<i>Megacollybia rimosa</i> (Agaricales), a new species from Brazil. <i>Mycoscience</i> , 2013, 54, 206-209.	0.8	4
48	<i>Inonotus amazonicus</i> sp. nov., <i>I. calcitratus</i> comb. nov. and notes on <i>Phylloporia</i> (Hymenochaetaceae.) <i>Tj ETQq0 0 0 rgBT / Overlock 10 1</i>	0.8	5
49	Studies on <i>Entoloma</i> (Agaricales, Basidiomycota) in the Atlantic Forest, Northeast Brazil. <i>Nova Hedwigia</i> , 2013, 97, 139-157.	0.4	7
50	New records of Auriculariales, Hymenochaetales and Polyporales (Fungi: Agaricomycetes) for the Caatinga Biome. <i>Check List</i> , 2013, 9, 800.	0.4	6
51	<i>Polyporus</i> (Basidiomycota) in the Brazilian Amazonia, with notes on <i>Polyporus indigenus</i> I.J. Araujo & M.A. de Sousa and <i>P. sapurema</i> A. Mällner. <i>Nova Hedwigia</i> , 2012, 94, 227-238.	0.4	3
52	<i>Oxyporus mollis</i> sp. nov. (Agaricomycetes) from the Eastern Brazilian Amazonia. <i>Nova Hedwigia</i> , 2012, 94, 175-179.	0.4	3
53	Notes on <i>Perenniporia</i> Murrill (Basidiomycota) from the Brazilian Amazonia. <i>Nova Hedwigia</i> , 2012, 94, 507-519.	0.4	2
54	<i>Phaeocollybia nigripes</i> (Agaricomycetes), a new species from Brazil. <i>Mycotaxon</i> , 2012, 120, 171-179.	0.3	4

#	ARTICLE	IF	CITATIONS
55	<i>Corioloopsis psila</i> comb. nov. ( <i>Agaricomycetes</i> ) and two new <i>Corioloopsis</i> records for Brazil. <i>Mycotaxon</i> , 2012, 120, 223-230.	0.3	3
56	Resupinate poroid fungi from tropical rain forests in Brazil: two new species and new records. <i>Mycological Progress</i> , 2012, 11, 879-885.	1.4	7
57	Studies on lentinoid fungi ( <i>Lentinus</i> and <i>Panus</i> ) from the semi-arid region of Brazil. <i>Journal of the Torrey Botanical Society</i> , 2012, 139, 437-446.	0.3	15
58	<i>Coltricia</i> and <i>Hymenochaete</i> ( <i>Hymenochaetaceae</i> ) from the Amazonia and the Atlantic Forest, Brazil: One new combination and new records. <i>Journal of the Torrey Botanical Society</i> , 2012, 139, 428-436.	0.3	4
59	New records of Ganodermataceae (Basidiomycota) from Brazil. <i>Nova Hedwigia</i> , 2011, 92, 83-94.	0.4	12
60	First record of <i>Resupinatus poriaeformis</i> ( <i>Agaricomycetes</i> ) from South America. <i>Mycotaxon</i> , 2011, 117, 423-427.	0.3	4
61	The genus <i>Trichaptum</i> ( <i>Agaricomycetes</i> , Basidiomycota) in Brazil. <i>Nova Hedwigia</i> , 2011, 93, 85-96.	0.4	4
62	Notes on <i>Trametes</i> from the Brazilian Amazonia. <i>Mycotaxon</i> , 2010, 113, 61-71.	0.3	11
63	New combinations in <i>Phellinus</i> s.l. and <i>Inonotus</i> s.l.. <i>Mycotaxon</i> , 2010, 111, 205-208.	0.3	16
64	The genus <i>Coltricia</i> in Brazil: new records and two new species. <i>Mycologia</i> , 2010, 102, 1253-1262.	1.9	16
65	<i>Amauroderma calcigenum</i> (Ganodermataceae, Basidiomycota) and its presumed synonym <i>A. partitum</i> . <i>Nova Hedwigia</i> , 2010, 90, 449-455.	0.4	5
66	A checklist of the aphylloroid fungi ( <i>Basidiomycota</i> ) recorded from the Brazilian Atlantic Forest. <i>Mycotaxon</i> , 2009, 109, 439-442.	0.3	44
67	New and interesting species of Hymenochaetaceae from the Brazilian Amazonia. <i>Mycological Progress</i> , 2009, 8, 273-279.	1.4	8
68	Checklist of the aphylloraceous fungi ( <i>Agaricomycetes</i> ) of the Brazilian Amazonia. <i>Mycotaxon</i> , 2009, 108, 319-322.	0.3	29
69	Revisão do Herbário URM: novas ocorrências de Aphyllorales para a Amazônia brasileira. <i>Revista Brasileira De Botanica</i> , 2009, 32, 587-596.	1.3	9
70	Steroid Fungi (Basidiomycota) of the Atlantic Rain Forest in Northeast Brasil. <i>Nova Hedwigia</i> , 2006, 82, 105-113.	0.4	11
71	New records of Aphyllorales (Basidiomycota) in the Atlantic Rain Forest in Northeast Brazil. <i>Acta Botanica Brasilica</i> , 2004, 18, 975-979.	0.8	7
72	Novos registros de Aphyllorales para o Brasil. <i>Acta Botanica Brasilica</i> , 2000, 14, 267-271.	0.8	3