

Soon-Ki Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/933586/publications.pdf>

Version: 2024-02-01

28
papers

1,195
citations

567281

15
h-index

526287

27
g-index

28
all docs

28
docs citations

28
times ranked

1070
citing authors

#	ARTICLE	IF	CITATIONS
1	Overexpression of C-Repeat Binding Factor1 (CBF1) Gene Enhances Heat Stress Tolerance in Arabidopsis. <i>Journal of Plant Biology</i> , 2022, 65, 253-260.	2.1	6
2	<i>GOR1</i> , encoding the WD40 domain protein, is required for pollen tube germination and elongation in rice. <i>Plant Journal</i> , 2021, 105, 1645-1664.	5.7	31
3	Analysis of <i>sticky generative cell</i> mutants reveals that suppression of callose deposition in the generative cell is necessary for generative cell internalization and differentiation in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2021, 106, 228-244.	5.7	5
4	A Raf-like kinase is required for smoke-induced seed dormancy in <i>Arabidopsis thaliana</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	3
5	Global Identification of ANTH Genes Involved in Rice Pollen Germination and Functional Characterization of a Key Member, OsANTH3. <i>Frontiers in Plant Science</i> , 2021, 12, 609473.	3.6	11
6	OsMTD2-mediated reactive oxygen species (ROS) balance is essential for intact pollen tube elongation in rice. <i>Plant Journal</i> , 2021, 107, 1131-1147.	5.7	17
7	Metabolomic Variability of Different Soybean Genotypes: β -Carotene-Enhanced (Glycine max), Wild (Glycine soja), and Hybrid (Glycine max \times Glycine soja) Soybeans. <i>Foods</i> , 2021, 10, 2421.	4.3	7
8	MYB81, a microspore-specific GAMYB transcription factor, promotes pollen mitosis I and cell lineage formation in Arabidopsis. <i>Plant Journal</i> , 2020, 101, 590-603.	5.7	14
9	Rice Male Gamete Expression Database (RMEDB): A Web Resource for Functional Genomic Studies of Rice Male Organ Development. <i>Journal of Plant Biology</i> , 2020, 63, 421-430.	2.1	14
10	Physiological Importance of Pectin Modifying Genes During Rice Pollen Development. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4840.	4.1	14
11	Identification of New Mutant Alleles of Augmin Subunits Broadens Spectrum of Augmin Function During Sexual Reproduction in Arabidopsis. <i>Journal of Plant Biology</i> , 2020, 63, 485-494.	2.1	2
12	A missense allele of KARRIKIN-INSENSITIVE2 impairs ligand-binding and downstream signaling in Arabidopsis thaliana. <i>Journal of Experimental Botany</i> , 2018, 69, 3609-3623.	4.8	26
13	Genome-wide analyses of late pollen-preferred genes conserved in various rice cultivars and functional identification of a gene involved in the key processes of late pollen development. <i>Rice</i> , 2018, 11, 28.	4.0	32
14	Analysis of <i>geminipollen3</i> mutant suggests a broad function of <i>AUGMIN</i> in microtubule organization during sexual reproduction in Arabidopsis. <i>Plant Journal</i> , 2016, 87, 188-201.	5.7	18
15	<i>BURSTING POLLEN</i> is required to organize the pollen germination plaque and pollen tube tip in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2015, 206, 255-267.	7.3	28
16	Arabidopsis Fused kinase TWO-IN-ONE dominantly inhibits male meiotic cytokinesis. <i>Plant Reproduction</i> , 2014, 27, 7-17.	2.2	18
17	Arabidopsis Fused kinase and the Kinesin12 subfamily constitute a signalling module required for phragmoplast expansion. <i>Plant Journal</i> , 2012, 72, 308-319.	5.7	41
18	The SIDECAR POLLEN gene encodes a microspore-specific LOB/AS2 domain protein required for the correct timing and orientation of asymmetric cell division. <i>Plant Journal</i> , 2010, 64, 839-850.	5.7	60

#	ARTICLE	IF	CITATIONS
19	The tobacco MAP215/Dis1-family protein TMBP200 is required for the functional organization of microtubule arrays during male germline establishment. <i>Journal of Experimental Botany</i> , 2010, 61, 969-981.	4.8	38
20	Arabidopsis Kinesins HINKEL and TETRASPORE Act Redundantly to Control Cell Plate Expansion during Cytokinesis in the Male Gametophyte. <i>Molecular Plant</i> , 2008, 1, 794-799.	8.3	37
21	A Divergent Cellular Role for the FUSED Kinase Family in the Plant-Specific Cytokinetic Phragmoplast. <i>Current Biology</i> , 2005, 15, 2107-2111.	3.9	98
22	Gemini pollen 2, a male and female gametophytic cytokinesis defective mutation. <i>Sexual Plant Reproduction</i> , 2004, 17, 63-70.	2.2	27
23	halfman, an Arabidopsis male gametophytic mutant associated with a 150i;1/2kb chromosomal deletion adjacent to an introduced Ds transposable element. <i>Sexual Plant Reproduction</i> , 2003, 16, 99-102.	2.2	16
24	MOR1/GEM1 has an essential role in the plant-specific cytokinetic phragmoplast. <i>Nature Cell Biology</i> , 2002, 4, 711-714.	10.3	220
25	Novel Patterns of Ectopic Cell Plate Growth and Lipid Body Distribution in the Arabidopsis <i>gemini pollen1</i> Mutant. <i>Plant Physiology</i> , 2001, 126, 899-909.	4.8	75
26	Asymmetric division and cell-fate determination in developing pollen. <i>Trends in Plant Science</i> , 1998, 3, 305-310.	8.8	148
27	Selection of T-DNA-Tagged Male and Female Gametophytic Mutants by Segregation Distortion in Arabidopsis. <i>Genetics</i> , 1998, 149, 621-631.	2.9	189
28	Overexpression of TWO-IN-ONE Domains Inhibits Cytokinesis in Arabidopsis. <i>Journal of Plant Biology</i> , 0, , .	2.1	0