

Pauline Schaap

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9336075/publications.pdf>

Version: 2024-02-01

127
papers

4,725
citations

87888

38
h-index

123424

61
g-index

132
all docs

132
docs citations

132
times ranked

2849
citing authors

#	ARTICLE	IF	CITATIONS
1	Interactome and evolutionary conservation of Dictyostelid small GTPases and their direct regulators. <i>Small GTPases</i> , 2022, 13, 239-254.	1.6	3
2	Evolution of a novel cell type in Dictyostelia required gene duplication of a <i>cudA</i> -like transcription factor. <i>Current Biology</i> , 2022, 32, 428-437.e4.	3.9	5
3	Novel RNAseq-Informed Cell-type Markers and Their Regulation Alter Paradigms of Dictyostelium Developmental Control. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, .	3.7	1
4	The proppin <i>Bcas3</i> and its interactor <i>KinkyA</i> localize to the early phagophore and regulate autophagy. <i>Autophagy</i> , 2021, 17, 640-655.	9.1	13
5	From environmental sensing to developmental control: cognitive evolution in dictyostelid social amoebas. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2021, 376, 20190756.	4.0	11
6	Abundantly expressed class of noncoding RNAs conserved through the multicellular evolution of dictyostelid social amoebas. <i>Genome Research</i> , 2021, 31, 436-447.	5.5	5
7	Evolution of Multicellular Complexity in The Dictyostelid Social Amoebas. <i>Genes</i> , 2021, 12, 487.	2.4	14
8	Loss of <i>PIKfyve</i> Causes Transdifferentiation of Dictyostelium Spores Into Basal Disc Cells. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 692473.	3.7	3
9	Cold climate adaptation is a plausible cause for evolution of multicellular sporulation in Dictyostelia. <i>Scientific Reports</i> , 2020, 10, 8797.	3.3	6
10	Loss of the Polyketide Synthase <i>StlB</i> Results in Stalk Cell Overproduction in <i>Polysphondylium violaceum</i> . <i>Genome Biology and Evolution</i> , 2020, 12, 674-683.	2.5	8
11	Resolving Amoebozoan Encystation from Dictyostelium Evo-Devo and Amoebozoan Comparative Genomics. , 2020, , 19-29.		0
12	Cyclic c-di-GMP Activates Adenylate Cyclase A and Protein Kinase A to Induce Stalk Formation in Dictyostelium. , 2020, , 563-574.		0
13	A well supported multi gene phylogeny of 52 dictyostelia. <i>Molecular Phylogenetics and Evolution</i> , 2019, 134, 66-73.	2.7	27
14	Cyclic AMP induction of Dictyostelium prespore gene expression requires autophagy. <i>Developmental Biology</i> , 2019, 452, 114-126.	2.0	13
15	Evolution of multicellularity in Dictyostelia. <i>International Journal of Developmental Biology</i> , 2019, 63, 359-369.	0.6	21
16	Phylogeny-wide conservation and change in developmental expression, cell-type specificity and functional domains of the transcriptional regulators of social amoebas. <i>BMC Genomics</i> , 2019, 20, 890.	2.8	10
17	Diversity and Evolution of Sensor Histidine Kinases in Eukaryotes. <i>Genome Biology and Evolution</i> , 2019, 11, 86-108.	2.5	28
18	Multiple Roots of Fruiting Body Formation in Amoebozoa. <i>Genome Biology and Evolution</i> , 2018, 10, 591-606.	2.5	39

#	ARTICLE	IF	CITATIONS
19	The transcription factor Spores Absent A is a PKA dependent inducer of Dictyostelium sporulation. Scientific Reports, 2018, 8, 6643.	3.3	11
20	Cell-type specific RNA-Seq reveals novel roles and regulatory programs for terminally differentiated Dictyostelium cells. BMC Genomics, 2018, 19, 764.	2.8	19
21	Glycogen synthase kinase 3 promotes multicellular development over unicellular encystation in encysting Dictyostelia. EvoDevo, 2018, 9, 12.	3.2	4
22	Encystation: the most prevalent and underinvestigated differentiation pathway of eukaryotes. Microbiology (United Kingdom), 2018, 164, 727-739.	1.8	54
23	Adenylate cyclase A acting on PKA mediates induction of stalk formation by cyclic diguanylate at the <i>Dictyostelium</i> organizer. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 516-521.	7.1	22
24	Effects of deletion of the receptor CrIA on Dictyostelium aggregation and MPBD-mediated responses are strain dependent and not evident in strain Ax2. FEMS Microbiology Letters, 2017, 364, .	1.8	4
25	Improved annotation with de novo transcriptome assembly in four social amoeba species. BMC Genomics, 2017, 18, 120.	2.8	7
26	A set of genes conserved in sequence and expression traces back the establishment of multicellularity in social amoebae. BMC Genomics, 2016, 17, 871.	2.8	13
27	Evolution of developmental signalling in Dictyostelid social amoebas. Current Opinion in Genetics and Development, 2016, 39, 29-34.	3.3	25
28	The multicellularity genes of dictyostelid social amoebas. Nature Communications, 2016, 7, 12085.	12.8	63
29	A core phylogeny of Dictyostelia inferred from genomes representative of the eight major and minor taxonomic divisions of the group. BMC Evolutionary Biology, 2016, 16, 251.	3.2	19
30	The <i>Physarum polycephalum</i> Genome Reveals Extensive Use of Prokaryotic Two-Component and Metazoan-Type Tyrosine Kinase Signaling. Genome Biology and Evolution, 2016, 8, 109-125.	2.5	87
31	Secreted Cyclic Di-GMP Induces Stalk Cell Differentiation in the Eukaryote Dictyostelium discoideum. Journal of Bacteriology, 2016, 198, 27-31.	2.2	31
32	A Conserved Signalling Pathway for Amoebozoan Encystation that was Co-Opted for Multicellular Development. Scientific Reports, 2015, 5, 9644.	3.3	28
33	Root of Dictyostelia based on 213 universal proteins. Molecular Phylogenetics and Evolution, 2015, 92, 53-62.	2.7	16
34	The Evolution of Aggregative Multicellularity and Cell-Cell Communication in the Dictyostelia. Journal of Molecular Biology, 2015, 427, 3722-3733.	4.2	92
35	The Evolution of Developmental Signalling in Dictyostelia from an Amoebozoan Stress Response. Advances in Marine Genomics, 2015, , 451-467.	1.2	0
36	The Hybrid Type Polyketide Synthase SteelyA Is Required for cAMP Signalling in Early Dictyostelium Development. PLoS ONE, 2014, 9, e106634.	2.5	19

#	ARTICLE	IF	CITATIONS
37	A cyanobacterial light activated adenylyl cyclase partially restores development of a Dictyostelium discoideum, adenylyl cyclase a null mutant. <i>Journal of Biotechnology</i> , 2014, 191, 246-249.	3.8	18
38	Evolutionary reconstruction of pattern formation in 98 Dictyostelium species reveals that cell-type specialization by lateral inhibition is a derived trait. <i>EvoDevo</i> , 2014, 5, 34.	3.2	30
39	The Social Amoeba <i>Polysphondylium pallidum</i> Loses Encystation and Sporulation, but Can Still Erect Fruiting Bodies in the Absence of Cellulose. <i>Protist</i> , 2014, 165, 569-579.	1.5	3
40	The cyclic AMP phosphodiesterase RegA critically regulates encystation in social and pathogenic amoebas. <i>Cellular Signalling</i> , 2014, 26, 453-459.	3.6	30
41	The Amoebozoa. <i>Methods in Molecular Biology</i> , 2013, 983, 1-15.	0.9	25
42	Analysis of phenotypic evolution in Dictyostelia highlights developmental plasticity as a likely consequence of colonial multicellularity. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20130976.	2.6	57
43	Genome of <i>Acanthamoeba castellanii</i> highlights extensive lateral gene transfer and early evolution of tyrosine kinase signaling. <i>Genome Biology</i> , 2013, 14, R11.	9.6	296
44	Cyclic di-nucleotide signaling enters the eukaryote domain. <i>IUBMB Life</i> , 2013, 65, 897-903.	3.4	29
45	Evolution of self-organisation in Dictyostelia by adaptation of a non-selective phosphodiesterase and a matrix component for regulated cAMP degradation. <i>Development (Cambridge)</i> , 2012, 139, 1336-1345.	2.5	21
46	The prokaryote messenger c-di-GMP triggers stalk cell differentiation in Dictyostelium. <i>Nature</i> , 2012, 488, 680-683.	27.8	103
47	Evolutionary crossroads in developmental biology: Dictyostelium discoideum. <i>Development (Cambridge)</i> , 2011, 138, 387-396.	2.5	80
48	4 Evolution of Signalling and Morphogenesis in the Dictyostelids. , 2011, , 57-71.		0
49	Comparative genomics of the social amoebae Dictyostelium discoideum and Dictyostelium purpureum. <i>Genome Biology</i> , 2011, 12, R20.	9.6	141
50	Evolution of developmental cyclic adenosine monophosphate signaling in the Dictyostelia from an amoebozoan stress response. <i>Development Growth and Differentiation</i> , 2011, 53, 452-462.	1.5	29
51	Phylogeny-wide analysis of social amoeba genomes highlights ancient origins for complex intercellular communication. <i>Genome Research</i> , 2011, 21, 1882-1891.	5.5	145
52	Functional Dissection of Adenylate Cyclase R, an Inducer of Spore Encapsulation*. <i>Journal of Biological Chemistry</i> , 2010, 285, 41724-41731.	3.4	7
53	Activated cAMP receptors switch encystation into sporulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 7089-7094.	7.1	57
54	The Evolution of Morphogenetic Signalling in Social Amoebae. , 2009, , 91-107.		1

#	ARTICLE	IF	CITATIONS
55	From Drought Sensing to Developmental Control: Evolution of Cyclic AMP Signaling in Social Amoebas. <i>Molecular Biology and Evolution</i> , 2008, 25, 2109-2118.	8.9	50
56	cAMP production by adenylyl cyclase G induces prespore differentiation in <i>Dictyostelium</i> slugs. <i>Development (Cambridge)</i> , 2007, 134, 959-966.	2.5	37
57	Pharmacological profiling of the <i>Dictyostelium</i> adenylate cyclases ACA, ACB and ACG. <i>Biochemical Journal</i> , 2007, 401, 309-316.	3.7	24
58	Vectors for expression of proteins with single or combinatorial fluorescent protein and tandem affinity purification tags in <i>Dictyostelium</i> . <i>Protein Expression and Purification</i> , 2007, 53, 283-288.	1.3	31
59	Evolution of size and pattern in the social amoebas. <i>BioEssays</i> , 2007, 29, 635-644.	2.5	29
60	Molecular Phylogeny and Evolution of Morphology in the Social Amoebas. <i>Science</i> , 2006, 314, 661-663.	12.6	232
61	Guanylyl cyclases across the tree of life. <i>Frontiers in Bioscience - Landmark</i> , 2005, 10, 1485.	3.0	68
62	Evolutionary origin of cAMP-based chemoattraction in the social amoebae. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 6385-6390.	7.1	67
63	Adenylyl Cyclase G Is Activated by an Intramolecular Osmosensor. <i>Molecular Biology of the Cell</i> , 2004, 15, 1479-1486.	2.1	38
64	Non-metazoan Class III Nucleotidyl Cyclases: Novel Forms and Functions. <i>IUBMB Life</i> , 2004, 56, 527-528.	3.4	0
65	Expression of a family of expansin-like proteins during the development of <i>Dictyostelium discoideum</i> . <i>FEBS Letters</i> , 2003, 546, 416-418.	2.8	27
66	Contrasting activities of the aggregative and late PDSA promoters in <i>Dictyostelium</i> development. <i>Developmental Biology</i> , 2003, 255, 373-382.	2.0	9
67	Multiple Splice Variants Encode a Novel Adenylyl Cyclase of Possible Plastid Origin Expressed in the Sexual Stage of the Malaria Parasite <i>Plasmodium falciparum</i> . <i>Journal of Biological Chemistry</i> , 2003, 278, 22014-22022.	3.4	61
68	A STAT-regulated, stress-induced signalling pathway in <i>Dictyostelium</i> . <i>Journal of Cell Science</i> , 2003, 116, 2907-2915.	2.0	42
69	Characterization of a cAMP-stimulated cAMP Phosphodiesterase in <i>Dictyostelium discoideum</i> . <i>Journal of Biological Chemistry</i> , 2003, 278, 14356-14362.	3.4	23
70	Identification of a Novel Type of cGMP Phosphodiesterase That Is Defective in the ChemotacticstmFMutants. <i>Molecular Biology of the Cell</i> , 2002, 13, 3870-3877.	2.1	29
71	cAMP signaling in <i>Dictyostelium</i> . Complexity of cAMP synthesis, degradation and detection. <i>Journal of Muscle Research and Cell Motility</i> , 2002, 23, 793-802.	2.0	89
72	Multiple signalling pathways connect chemoattractant receptors and calcium channels in <i>Dictyostelium</i> . <i>Journal of Muscle Research and Cell Motility</i> , 2002, 23, 853-865.	2.0	16

#	ARTICLE	IF	CITATIONS
73	Adenylyl Cyclase A Expression Is Tip-Specific in Dictyostelium Slugs and Directs StatA Nuclear Translocation and CudA Gene Expression. <i>Developmental Biology</i> , 2001, 234, 151-160.	2.0	45
74	Light regulation of cyclic-AMP levels in the red macroalga <i>Porphyra leucosticta</i> . <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2001, 64, 69-74.	3.8	11
75	The Dictyostelium homologue of mammalian soluble adenylyl cyclase encodes a guanylyl cyclase. <i>EMBO Journal</i> , 2001, 20, 4341-4348.	7.8	64
76	Guanylyl Cyclase Activity Associated with Putative Bifunctional Integral Membrane Proteins in <i>Plasmodium falciparum</i> . <i>Journal of Biological Chemistry</i> , 2000, 275, 22147-22156.	3.4	84
77	<i>Trypanosoma cruzi</i> adenylyl cyclase is encoded by a complex multigene family. <i>Molecular and Biochemical Parasitology</i> , 1999, 104, 205-217.	1.1	47
78	Fingerprinting of Adenylyl Cyclase Activities during Dictyostelium Development Indicates a Dominant Role for Adenylyl Cyclase B in Terminal Differentiation. <i>Developmental Biology</i> , 1999, 212, 182-190.	2.0	49
79	Dictyostelium development "socializing through cAMP. <i>Seminars in Cell and Developmental Biology</i> , 1999, 10, 567-576.	5.0	29
80	High cAMP in spores of Dictyostelium discoideum: association with spore dormancy and inhibition of germination. <i>Microbiology (United Kingdom)</i> , 1999, 145, 1883-1890.	1.8	36
81	Temperature-sensitive Gbeta mutants discriminate between G protein-dependent and -independent signaling mediated by serpentine receptors. <i>EMBO Journal</i> , 1998, 17, 5076-5084.	7.8	34
82	Two Distinct Signaling Pathways Mediate DIF Induction of Prestalk Gene Expression in Dictyostelium. <i>Experimental Cell Research</i> , 1998, 245, 179-185.	2.6	17
83	A Novel Adenylyl Cyclase Detected in Rapidly Developing Mutants of Dictyostelium. <i>Journal of Biological Chemistry</i> , 1998, 273, 30859-30862.	3.4	57
84	Functional Promiscuity of Gene Regulation by Serpentine Receptors in Dictyostelium discoideum. <i>Molecular and Cellular Biology</i> , 1998, 18, 5744-5749.	2.3	22
85	Phosphorylation of Chemoattractant Receptors Is Not Essential for Chemotaxis or Termination of G-protein-mediated Responses. <i>Journal of Biological Chemistry</i> , 1997, 272, 27313-27318.	3.4	86
86	Two ras genes in Dictyostelium minutum show high sequence homology, but different developmental regulation from Dictyostelium discoideum rasD and rasG genes. The sequence reported in this paper has been deposited in the GenBank data base (accession No. X89037). <i>Gene</i> , 1997, 187, 93-97.	2.2	7
87	Extracellular cAMP Depletion Triggers Stalk Gene Expression in Dictyostelium: Disparities in Developmental Timing and Dose Dependency Indicate That Prespore Induction and Stalk Repression by cAMP Are Mediated by Separate Signaling Pathways. <i>Developmental Biology</i> , 1996, 177, 152-159.	2.0	18
88	A model for pattern formation in Dictyostelium discoideum. <i>Differentiation</i> , 1996, 60, 1-16.	1.9	17
89	Adenylyl Cyclase G, an Osmosensor Controlling Germination of Dictyostelium Spores. <i>Journal of Biological Chemistry</i> , 1996, 271, 23623-23625.	3.4	79
90	Metabolic pathways for differentiation-inducing factor-1 and their regulation are conserved between closely related Dictyostelium species, but not between distant members of the family. <i>Differentiation</i> , 1995, 58, 95-100.	1.9	9

#	ARTICLE	IF	CITATIONS
91	Dual role of cAMP during Dictyostelium development. <i>Experientia</i> , 1995, 51, 1166-1174.	1.2	48
92	Regulation of Dictyostelium Adenylylcyclases by Morphogen-Induced Modulation of Cytosolic pH or Ca ²⁺ Levels. <i>Developmental Biology</i> , 1995, 168, 179-188.	2.0	24
93	Transformation with Vectors Harboring the NEOR Selection Marker Induces Germination-Specific Adenylylcyclase Activity in Dictyostelium Cells. <i>Experimental Cell Research</i> , 1995, 220, 505-508.	2.6	2
94	cAMP-dependent protein kinase activity is essential for preaggregative gene expression in Dictyostelium. <i>FEBS Letters</i> , 1995, 368, 381-384.	2.8	58
95	Extracellular cAMP is sufficient to restore developmental gene expression and morphogenesis in Dictyostelium cells lacking the aggregation adenylyl cyclase (ACA).. <i>Genes and Development</i> , 1993, 7, 2172-2180.	5.9	76
96	Four Signals to Shape a Slime Mold. , 1993, , 301-318.		1
97	Gene Regulation by Hormone-like Signals in Dictyostelium. , 1993, , 353-376.		1
98	A Pharmacological Approach to Identify Hormone Signaling Pathways Controlling Gene Regulation in Dictyostelium. , 1993, , 87-101.		0
99	Lithium, an inhibitor of cAMP-induced inositol 1,4,5-trisphosphate accumulation in Dictyostelium discoideum, inhibits activation of guanine-nucleotide-binding regulatory proteins, reduces activation of adenylylcyclase, but potentiates activation of guanylyl cyclase by cAMP. <i>FEBS Journal</i> , 1992, 209, 299-304.	0.2	11
100	Kinetics and nucleotide specificity of a surface cAMP binding site in Dictyostelium discoideum, which is not down-regulated by cAMP. <i>FEMS Microbiology Letters</i> , 1991, 82, 9-14.	1.8	5
101	Control of cAMP-induced gene expression by divergent signal transduction pathways. <i>Genesis</i> , 1991, 12, 25-34.	2.1	30
102	Selective induction of gene expression and second-messenger accumulation in Dictyostelium discoideum by the partial chemotactic antagonist 8-p-chlorophenylthioadenosine 3',5'-cyclic monophosphate.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 9219-9223.	7.1	15
103	Cytoplasmic acidification facilitates but does not mediate DIF-induced prestalk gene expression in Dictyostelium discoideum. <i>Developmental Biology</i> , 1990, 140, 182-188.	2.0	40
104	Lithium respecifies cyclic -AMP-Induced cell-type specific gene expression in Dictyostelium. <i>Genesis</i> , 1988, 9, 589-596.	2.1	31
105	Cell cycle phase in Dictyostelium discoideum is correlated with the expression of cyclic AMP production, detection, and degradation. <i>Developmental Biology</i> , 1988, 125, 410-416.	2.0	53
106	Localization of chemoattractant receptors on Dictyostelium discoideum cells during aggregation and down-regulation. <i>Developmental Biology</i> , 1988, 128, 72-77.	2.0	33
107	Opposite effects of adenosine on two types of cAMP-induced gene expression in Dictyostelium indicate the involvement of at least two different intracellular pathways for the transduction of cAMP signals. <i>FEBS Letters</i> , 1988, 228, 231-234.	2.8	19
108	Regulation of size and pattern in the cellular slime molds. <i>Differentiation</i> , 1987, 33, 1-16.	1.9	2

#	ARTICLE	IF	CITATIONS
109	Postaggregative differentiation induction by cyclic AMP in Dictyostelium: Intracellular transduction pathway and requirement for additional stimuli. <i>Developmental Biology</i> , 1986, 118, 52-63.	2.0	95
110	Specificity of adenosine inhibition of cAMP-induced responses in Dictyostelium resembles that of the P site of higher organisms. <i>Developmental Biology</i> , 1986, 117, 245-251.	2.0	29
111	Interactions between adenosine and oscillatory cAMP signaling regulate size and pattern in Dictyostelium. <i>Cell</i> , 1986, 45, 137-144.	28.9	118
112	Cyclic AMP relay and cyclic AMP-induced cyclic GMP accumulation during development of Dictyostelium discoideum. <i>FEMS Microbiology Letters</i> , 1986, 34, 85-89.	1.8	14
113	Regulation of size and pattern in the cellular slime molds. <i>Differentiation</i> , 1986, 33, 1-16.	1.9	82
114	Multiple effects of differentiation-inducing factor on prespore differentiation and cyclic-AMP signal transduction in Dictyostelium. <i>Differentiation</i> , 1986, 33, 24-28.	1.9	40
115	cAMP induces a transient elevation of cGMP levels during early culmination of Dictyostelium minutum. <i>Cell Differentiation</i> , 1985, 16, 29-33.	0.4	14
116	Correlations between tip dominance, prestalk/prespore pattern, and cAMP-relay efficiency in slugs of Dictyostelium discoideum. <i>Differentiation</i> , 1985, 30, 7-14.	1.9	27
117	cAMP relay during early culmination of Dictyostelium minutum. <i>Differentiation</i> , 1985, 28, 205-208.	1.9	18
118	Induction of post-aggregative differentiation in Dictyostelium discoideum by cAMP. <i>Experimental Cell Research</i> , 1985, 159, 388-396.	2.6	184
119	Patterns of cell differentiation in several cellular slime mold species. <i>Developmental Biology</i> , 1985, 111, 51-61.	2.0	30
120	Cyclic-AMP binding to the cell surface during development of Dictyostelium discoideum. <i>Differentiation</i> , 1984, 27, 83-87.	1.9	50
121	The possible involvement of oscillatory cAMP signaling in multicellular morphogenesis of the cellular slime molds. <i>Developmental Biology</i> , 1984, 105, 470-478.	2.0	44
122	cAMP pulses coordinate morphogenetic movement during fruiting body formation of Dictyostelium minutum. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984, 81, 2122-2126.	7.1	62
123	Quantitative analysis of the spatial distribution of ultrastructural differentiation markers during development of Dictyostelium discoideum. <i>Wilhelm Roux's Archives of Developmental Biology</i> , 1983, 192, 86-94.	1.4	23
124	The organisation of fruiting body formation in Dictyostelium minutum. <i>Cell Differentiation</i> , 1983, 12, 287-297.	0.4	22
125	Early Recognition of Prespore Differentiation in Dictyostelium discoideum and its Significance for Models on Pattern Formation. <i>Differentiation</i> , 1982, 22, 1-5.	1.9	24
126	Development of the simple cellular slime mold Dictyostelium minutum. <i>Developmental Biology</i> , 1981, 85, 171-179.	2.0	11

#	ARTICLE	IF	CITATIONS
127	A sensitive method for assaying acetylcholine synthesis in human and frog skeletal muscle. Journal of Neurochemistry, 1979, 33, 389-392.	3.9	13