

# Jackeline Agorreta

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9337854/publications.pdf>

Version: 2024-02-01

45  
papers

2,520  
citations

218677

26  
h-index

302126

39  
g-index

45  
all docs

45  
docs citations

45  
times ranked

4865  
citing authors

#	ARTICLE	IF	CITATIONS
1	Impaired HLA Class I Antigen Processing and Presentation as a Mechanism of Acquired Resistance to Immune Checkpoint Inhibitors in Lung Cancer. <i>Cancer Discovery</i> , 2017, 7, 1420-1435.	9.4	507
2	microRNA-451 Regulates Macrophage Migration Inhibitory Factor Production and Proliferation of Gastrointestinal Cancer Cells. <i>Clinical Cancer Research</i> , 2009, 15, 2281-2290.	7.0	328
3	A Combined PD-1/C5a Blockade Synergistically Protects against Lung Cancer Growth and Metastasis. <i>Cancer Discovery</i> , 2017, 7, 694-703.	9.4	160
4	Investigation of Complement Activation Product C4d as a Diagnostic and Prognostic Biomarker for Lung Cancer. <i>Journal of the National Cancer Institute</i> , 2013, 105, 1385-1393.	6.3	127
5	Inhibition of Collagen Receptor Discoidin Domain Receptor-1 (DDR1) Reduces Cell Survival, Homing, and Colonization in Lung Cancer Bone Metastasis. <i>Clinical Cancer Research</i> , 2012, 18, 969-980.	7.0	121
6	Modeling and Control of a Master-Slave PV Inverter With N-Paralleled Inverters and Three-Phase Three-Limb Inductors. <i>IEEE Transactions on Power Electronics</i> , 2013, 28, 2842-2855.	7.9	94
7	Expression of Sirtuin 1 and 2 Is Associated with Poor Prognosis in Non-Small Cell Lung Cancer Patients. <i>PLoS ONE</i> , 2015, 10, e0124670.	2.5	79
8	Blockade of the Complement C5a/C5aR1 Axis Impairs Lung Cancer Bone Metastasis by CXCL16-mediated Effects. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018, 197, 1164-1176.	5.6	77
9	Expression of Tumor-Derived Vascular Endothelial Growth Factor and Its Receptors Is Associated With Outcome in Early Squamous Cell Carcinoma of the Lung. <i>Journal of Clinical Oncology</i> , 2012, 30, 1129-1136.	1.6	63
10	TGFBI expression is associated with a better response to chemotherapy in NSCLC. <i>Molecular Cancer</i> , 2010, 9, 130.	19.2	61
11	TRAP1 Regulates Proliferation, Mitochondrial Function, and Has Prognostic Significance in NSCLC. <i>Molecular Cancer Research</i> , 2014, 12, 660-669.	3.4	59
12	VEGF121b and VEGF165b are weakly angiogenic isoforms of VEGF-A. <i>Molecular Cancer</i> , 2010, 9, 320.	19.2	55
13	YES1 Drives Lung Cancer Growth and Progression and Predicts Sensitivity to Dasatinib. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019, 200, 888-899.	5.6	50
14	Successful Immunotherapy against a Transplantable Mouse Squamous Lung Carcinoma with Anti-PD-1 and Anti-CD137 Monoclonal Antibodies. <i>Journal of Thoracic Oncology</i> , 2016, 11, 524-536.	1.1	48
15	Inhibitor of Differentiation-1 as a Novel Prognostic Factor in NSCLC Patients with Adenocarcinoma Histology and Its Potential Contribution to Therapy Resistance. <i>Clinical Cancer Research</i> , 2011, 17, 4155-4166.	7.0	47
16	The Oncoprotein SF2/ASF Promotes Non-Small Cell Lung Cancer Survival by Enhancing Survivin Expression. <i>Clinical Cancer Research</i> , 2010, 16, 4113-4125.	7.0	46
17	Tumor necrosis factor receptor-associated protein 1 (TRAP1) regulates genes involved in cell cycle and metastases. <i>Cancer Letters</i> , 2010, 296, 194-205.	7.2	46
18	Receptor of Activated Protein C Promotes Metastasis and Correlates with Clinical Outcome in Lung Adenocarcinoma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012, 186, 96-105.	5.6	45

#	ARTICLE	IF	CITATIONS
19	SRC family kinase (SFK) inhibitor dasatinib improves the antitumor activity of anti-PD-1 in NSCLC models by inhibiting Treg cell conversion and proliferation. , 2021, 9, e001496.		42
20	Effects of Acute Hypoxia and Lipopolysaccharide on Nitric Oxide Synthase-2 Expression in Acute Lung Injury. American Journal of Respiratory and Critical Care Medicine, 2003, 168, 287-296.	5.6	40
21	Identification of Importin 8 (IPO8) as the most accurate reference gene for the clinicopathological analysis of lung specimens. BMC Molecular Biology, 2008, 9, 103.	3.0	40
22	Complement C4d-specific antibodies for the diagnosis of lung cancer. Oncotarget, 2018, 9, 6346-6355.	1.8	39
23	Silica-induced Chronic Inflammation Promotes Lung Carcinogenesis in the Context of an Immunosuppressive Microenvironment. Neoplasia, 2013, 15, 913-IN18.	5.3	33
24	Phosphorylated tubulin adaptor protein CRMP2 as prognostic marker and candidate therapeutic target for NSCLC. International Journal of Cancer, 2013, 132, 1986-1995.	5.1	32
25	The oncogenic RNA-binding protein SRSF1 regulates LIG1 in non-small cell lung cancer. Laboratory Investigation, 2018, 98, 1562-1574.	3.7	30
26	A novel protein-based prognostic signature improves risk stratification to guide clinical management in early-stage lung adenocarcinoma patients. Journal of Pathology, 2018, 245, 421-432.	4.5	29
27	Adrenomedullin expression in a rat model of acute lung injury induced by hypoxia and LPS. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2005, 288, L536-L545.	2.9	27
28	RHOB influences lung adenocarcinoma metastasis and resistance in a host-sensitive manner. Molecular Oncology, 2014, 8, 196-206.	4.6	27
29	Development of a novel splice array platform and its application in the identification of alternative splice variants in lung cancer. BMC Genomics, 2010, 11, 352.	2.8	25
30	TGFBI expression is an independent predictor of survival in adjuvant-treated lung squamous cell carcinoma patients. British Journal of Cancer, 2014, 110, 1545-1551.	6.4	21
31	Contrasting responses of non-small cell lung cancer to antiangiogenic therapies depend on histological subtype. EMBO Molecular Medicine, 2014, 6, 539-550.	6.9	21
32	Individual nodule tracking in micro-CT images of a longitudinal lung cancer mouse model. Medical Image Analysis, 2013, 17, 1095-1105.	11.6	18
33	The sVEGFR1-i13 splice variant regulates a $\beta$ 1 integrin/VEGFR autocrine loop involved in the progression and the response to anti-angiogenic therapies of squamous cell lung carcinoma. British Journal of Cancer, 2018, 118, 1596-1608.	6.4	18
34	Molecular Profiling of Computed Tomography Screen-Detected Lung Nodules Shows Multiple Malignant Features. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 373-380.	2.5	17
35	EUELC project: a multi-centre, multipurpose study to investigate early stage NSCLC, and to establish a biobank for ongoing collaboration. European Respiratory Journal, 2009, 34, 1477-1486.	6.7	15
36	Combined clinical and genomic signatures for the prognosis of early stage non-small cell lung cancer based on gene copy number alterations. BMC Genomics, 2015, 16, 752.	2.8	12

#	ARTICLE	IF	CITATIONS
37	5 protein-based signature for resectable lung squamous cell carcinoma improves the prognostic performance of the TNM staging. <i>Thorax</i> , 2019, 74, 371-379.	5.6	9
38	Prognostic signature of early lung adenocarcinoma based on the expression of ribonucleic acid metabolism-related genes. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2015, 150, 986-992.e11.	0.8	6
39	Two cell line models to study multiorgan metastasis and immunotherapy in lung squamous cell carcinoma. <i>DMM Disease Models and Mechanisms</i> , 2022, 15, .	2.4	5
40	The diverse lives of TRAP1. <i>Oncoscience</i> , 2014, 1, 560-561.	2.2	1
41	Abstract 3103: Survivin expression is enhanced by the oncoprotein SF2/ASF in non-small cell lung cancer. , 2010, , .		0
42	Inhibitor of differentiation-1 (Id1): A novel prognostic and predictive factor in lung adenocarcinoma (AC).. <i>Journal of Clinical Oncology</i> , 2010, 28, 10611-10611.	1.6	0
43	Abstract 5143: The role of VEGFR2 in lung cancer differs between adenocarcinoma and squamous cell carcinoma cell lines. , 2011, , .		0
44	Abstract 2251: High VEGFA pathway expression predicts good prognosis in stage I squamous cell carcinoma of the lung. , 2011, , .		0
45	Abstract 2219: Inhibitor of differentiation-1 is a novel prognostic factor among NSCLC patients with adenocarcinoma histology and contributes to therapy resistance. , 2011, , .		0