

Yoed Tsur

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9338933/publications.pdf>

Version: 2024-02-01

85
papers

2,180
citations

236925

25
h-index

302126

39
g-index

86
all docs

86
docs citations

86
times ranked

2353
citing authors

#	ARTICLE	IF	CITATIONS
1	Investigation of thermo-chemical expansions in Pr and Gd doped ceria by a novel temperature modulated dilatometry approach. <i>Journal of the European Ceramic Society</i> , 2022, 42, 2299-2306.	5.7	3
2	Determining the Electrochemical Oxygen Evolution Reaction Kinetics of $\text{Fe}_{3}\text{S}_{4}/\text{Ni}_{3}\text{S}_{2}$ Using Distribution Function of Relaxation Times. <i>ChemElectroChem</i> , 2021, 8, 517-523.	3.4	12
3	Bifunctional PGM-free metal organic framework-based electrocatalysts for alkaline electrolyzers: trends in the activity with different metal centers. <i>Nanoscale</i> , 2021, 13, 4576-4584.	5.6	8
4	Optimization of Ni-Co-Fe Based Catalysts for Oxygen Evolution Reaction by Surface and Relaxation Phenomena Analysis. <i>ChemSusChem</i> , 2021, 14, 1737-1746.	6.8	17
5	Flash Sintering Mechanism Studied Through Interrupted Experiments. <i>Advanced Engineering Materials</i> , 2021, 23, 2001499.	3.5	4
6	Development of a Typical Distribution Function of Relaxation Times Model for Polymer Electrolyte Membrane Fuel Cells and Quantifying the Resistance to Proton Conduction within the Catalyst Layer. <i>Journal of Physical Chemistry C</i> , 2021, 125, 11867-11874.	3.1	20
7	Influence of Isovalent W Substitutions on the Structure and Electrical Properties of $\text{La}_{2}\text{Mo}_{2}\text{O}_{9}$ Electrolyte for Intermediate-Temperature Solid Oxide Fuel Cells. <i>Ceramics</i> , 2021, 4, 502-515.	2.6	5
8	Uncovering the Change in Catalytic Activity during Electro-oxidation of Urea: Answering Overisolation of the Relaxation Phenomenon. <i>Journal of Physical Chemistry C</i> , 2021, 125, 23126-23132.	3.1	5
9	Electrochemical impedance spectra of RuO_{2} during oxygen evolution reaction studied by the distribution function of relaxation times. <i>Electrochemistry Communications</i> , 2020, 110, 106641.	4.7	17
10	Interphases Formation and Analysis at the Lithium-Aluminum-Titanium-Phosphate (LATP) and Lithium-Manganese Oxide Spinel (LMO) Interface during High-Temperature Bonding. <i>Energy Technology</i> , 2020, 8, 2000634.	3.8	4
11	Fabrication of nickel-yttria stabilized zirconia 3D micro-pattern by atmospheric plasma spray as a dual-functional electrocatalyst for overall water splitting applications in alkaline medium. <i>Journal of Power Sources</i> , 2020, 473, 228526.	7.8	11
12	Studies on effect of Ca-doping on structure and electrochemical properties of garnet-type $\text{Y}_{3-x}\text{Ca}_x\text{Fe}_5\text{O}_{12}$. <i>Journal of Solid State Chemistry</i> , 2020, 290, 121530.	2.9	1
13	Electrochemical Activation of Li_2MnO_3 Electrodes at 0 °C and Its Impact on the Subsequent Performance at Higher Temperatures. <i>Materials</i> , 2020, 13, 4388.	2.9	11
14	Tri-Functional Double Perovskite Oxide Catalysts for Fuel Cells and Electrolyzers. <i>ChemSusChem</i> , 2020, 13, 5671-5682.	6.8	9
15	Ternary NiFeTiOOH Catalyst for the Oxygen Evolution Reaction: Study of the Effect of the Addition of Ti at Different Loadings. <i>ACS Catalysis</i> , 2020, 10, 4879-4887.	11.2	21
16	Preformed Oxide Scale Chemistry and Its Influence on Local Metal Loss During Dual Atmosphere Corrosion. <i>Minerals, Metals and Materials Series</i> , 2020, , 635-645.	0.4	1
17	Sintering aid (ZnO) effect on proton transport in $\text{BaCe}_{0.35}\text{Zr}_{0.5}\text{Y}_{0.15}\text{O}_{3-\delta}$ and electrode phenomena studied by distribution function of relaxation times. <i>Journal of the American Ceramic Society</i> , 2019, 102, 239-250.	3.8	27
18	Femtosecond laser processing of ceria-based micro actuators. <i>Microelectronic Engineering</i> , 2019, 217, 111126.	2.4	5

#	ARTICLE	IF	CITATIONS
19	Electrochemomechanical Contribution to Mechanical Actuation in Gd-Doped Ceria Membranes. <i>Advanced Materials Interfaces</i> , 2019, 6, 1801592.	3.7	20
20	Determination of grain boundary conductivity using distribution function of relaxation times (DFRT) analysis at room temperature in 10 mol% Gd doped ceria: A non-classical electrostrictor. <i>Solid State Ionics</i> , 2019, 331, 18-21.	2.7	12
21	Electrochemical studies of Ruddlesden-Popper layered perovskite-type $\text{La}_{0.6}\text{Sr}_{1.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{4+\delta}$ cathode for solid oxide fuel cells and associated electrical loss phenomena. <i>Ceramics International</i> , 2019, 45, 1641-1650.	4.8	25
22	A protocol to detect the phase transition in $\text{La}_2\text{Mo}_2\text{O}_9$ oxide ion conductor. <i>Materials Letters</i> , 2018, 220, 325-327.	2.6	4
23	Understanding methods of preparation and characterization of pore-filling polymer composites for proton exchange membranes: a beginner's guide. <i>Reviews in Chemical Engineering</i> , 2018, 34, 455-479.	4.4	29
24	Effect of isovalent doping on grain boundary conductivity for $\text{La}_2\text{Mo}_2\text{O}_9$ oxide ion conductor: A distribution function of relaxation times approach. <i>Solid State Ionics</i> , 2018, 323, 37-43.	2.7	17
25	Data for new protocol to detect the monoclinic phase of $\text{La}_2\text{Mo}_2\text{O}_9$ and related oxide ion conductors. <i>Data in Brief</i> , 2018, 18, 1637-1641.	1.0	2
26	Understanding of Oxygen Reduction Reaction on Perovskite-Type $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Fe}_{0.91}\text{Al}_{0.09}\text{O}_{3-\delta}$ and $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Fe}_{0.8}\text{Cu}_{0.2}\text{O}_{3-\delta}$ Using AC Impedance Spectroscopy Genetic Programming. <i>Journal of Physical Chemistry C</i> , 2018, 122, 15097-15107.	3.1	17
27	Recent Advances in Mechanism Research and Methods for Electric-Field-Assisted Sintering of Ceramics. <i>Advanced Materials</i> , 2018, 30, e1706369.	21.0	76
28	A Nafion-filled Polycarbonate Track-Etched Composite Membrane with Enhanced Selectivity for Direct Methanol Fuel Cells. <i>Fuel Cells</i> , 2017, 17, 56-66.	2.4	10
29	Vibrational and impedance spectroscopic analyses of semi-interpenetrating polymer networks as solid polymer electrolytes. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 14615-14624.	2.8	25
30	A novel approach for supercapacitors degradation characterization. <i>Journal of Power Sources</i> , 2017, 355, 74-82.	7.8	52
31	Novel method for determining the width of the electrochemically active electrode area along the triple phase boundary. <i>Solid State Ionics</i> , 2017, 303, 70-77.	2.7	1
32	Impedance spectroscopy of Gd-doped ceria analyzed by genetic programming (ISGP) method. <i>Solid State Ionics</i> , 2017, 304, 145-149.	2.7	27
33	Evolutionary Programming Based Approach for SOFC Cathode Characterization: A Case Study on Co-Free Mixed Conducting Perovskites. <i>ECS Transactions</i> , 2017, 78, 2099-2108.	0.5	2
34	An aluminum ionic liquid interface sustaining a durable Al-air battery. <i>Journal of Power Sources</i> , 2017, 364, 110-120.	7.8	48
35	The influence of doping on flash sintering conditions in $\text{SrTi}_{1-x}\text{Fe}_x\text{O}_3$. <i>Journal of the European Ceramic Society</i> , 2017, 37, 179-188.	5.7	29
36	The Effects of Low Oxygen Activity Conditions on the Phase Equilibria and Cation Occupancy of Strontium Barium Niobate. <i>Journal of the American Ceramic Society</i> , 2016, 99, 3435-3442.	3.8	11

#	ARTICLE	IF	CITATIONS
37	A Novel Composite Nafion/Anodized Aluminium Oxide Proton Exchange Membrane. <i>Fuel Cells</i> , 2016, 16, 434-443.	2.4	10
38	Novel method for determining the triple phase boundary width. <i>Solid State Ionics</i> , 2016, 288, 322-324.	2.7	1
39	Impedance spectroscopy analysis inspired by evolutionary programming as a diagnostic tool for SOEC and SOFC. <i>Solid State Ionics</i> , 2016, 288, 307-310.	2.7	32
40	Analysis of impedance spectroscopy of aqueous supercapacitors by evolutionary programming: Finding DFRT from complex capacitance. <i>Solid State Ionics</i> , 2016, 288, 311-314.	2.7	52
41	Flash sintering of potassium-niobate. <i>Journal of the European Ceramic Society</i> , 2015, 35, 2209-2213.	5.7	32
42	Use of 1,10-Phenanthroline as an Additive for High-Performance Supercapacitors. <i>Journal of Physical Chemistry C</i> , 2015, 119, 12165-12173.	3.1	40
43	The correlation between non-stoichiometry and charge compensation in perovskites. <i>Journal of Electroceramics</i> , 2014, 33, 135-141.	2.0	11
44	Resistive switching phenomena in TiOx nanoparticle layers for memory applications. <i>Applied Physics Letters</i> , 2014, 105, 143506.	3.3	11
45	Electrochemical impedance spectroscopy of supercapacitors: A novel analysis approach using evolutionary programming. , 2014, , .		8
46	Using ellipsometry with lock-in detection to measure activation energy of ion diffusion in ionic and mixed conductors. <i>Solid State Ionics</i> , 2014, 264, 7-16.	2.7	4
47	Highly Porous Anode for Application in High-Temperature Electrochemical Devices. <i>Energy Technology</i> , 2013, 1, 25-29.	3.8	0
48	Highly Porous Anode for Application in High-Temperature Electrochemical Devices. <i>Energy Technology</i> , 2013, 1, 25-29.	3.8	4
49	Electrochemical Impedance Analysis of SOFC Cathode Reaction Using Evolutionary Programming. <i>Fuel Cells</i> , 2012, 12, 77-85.	2.4	38
50	ISGP: Impedance Spectroscopy Analysis Using Evolutionary Programming Procedure. <i>ECS Transactions</i> , 2011, 33, 67-73.	0.5	47
51	Utility of Resistance and Capacitance Response in Sensors Based on Monolayer-Capped Metal Nanoparticles. <i>Journal of Physical Chemistry Letters</i> , 2011, 2, 1912-1916.	4.6	13
52	Synthesis of inside-out core-shell perovskite-type oxide nanopowder. <i>Chemical Engineering Journal</i> , 2011, 166, 1139-1143.	12.7	6
53	Harnessing evolutionary programming for impedance spectroscopy analysis: A case study of mixed ionic-electronic conductors. <i>Solid State Ionics</i> , 2011, 188, 104-109.	2.7	78
54	Analyzing results of impedance spectroscopy using novel evolutionary programming techniques. <i>Journal of Electroceramics</i> , 2010, 24, 245-260.	2.0	83

#	ARTICLE	IF	CITATIONS
55	Eliminating chemical effects from thermal expansion coefficient measurements. Journal of Electroceramics, 2009, 22, 120-124.	2.0	13
56	V relations and enhanced mobility of metal vacancies in acceptor doped polycrystalline $BaTiO_3$ under oxygen activity gradient. Materials Science and Technology, 2009, 25, 1329-1333.	1.6	1
57	Synthesis of stabilized nanoparticles of zinc peroxide. Chemical Engineering Journal, 2008, 136, 425-429.	12.7	39
58	V relations in nano thin semi-conductors with mobile acceptors or donors. Solid State Ionics, 2008, 179, 24-24.	2.7	3
59	Preparation of core-shell Ti-Nb oxide nanocrystals. Journal of Nanoparticle Research, 2008, 10, 77-85.	1.9	6
60	Recent calculations and measurements of V relations in simple devices based on thin nano versus thick layers of semiconductors with mobile acceptors or donors. Solid State Ionics, 2008, 179, 1187-1193.	2.7	8
61	Nb-Doped Barium Titanate: Concentration-Properties Relations. , 2008, , .		0
62	Properties of solid state devices with significant impurity hopping conduction. Journal Physics D: Applied Physics, 2008, 41, 135106.	2.8	5
63	A novel method for pushing the limits of line edge roughness detection by scatterometry. Proceedings of SPIE, 2008, , .	0.8	5
64	Line edge roughness detection using deep UV light scatterometry. Microelectronic Engineering, 2007, 84, 619-625.	2.4	27
65	Surface Stabilization of Nano-sized Titanium Dioxide: Improving the Colloidal Stability and the Sintering Morphology. Journal of Nanoparticle Research, 2007, 9, 403-417.	1.9	38
66	Cathodic electrophoretic deposition of barium titanate films from aqueous solution. Journal of Materials Science, 2007, 42, 9679-9683.	3.7	6
67	Effect of Incorporating Method of Niobium on the Properties of Doped Barium Titanate Ceramics. Journal of the American Ceramic Society, 2006, 89, 1584-1589.	3.8	28
68	Identification of the Early Stage of Sintering of Nano- $BaTiO_3$. Journal of the Electrochemical Society, 2006, 153, F137.	2.9	11
69	Inter-Nanoparticle Bonds in Agglomerates Studied by Nanoindentation. Advanced Materials, 2006, 18, 2028-2030.	21.0	42
70	The Effect of Oxygen Vacancies in the Early Stages of $BaTiO_3$ Nanopowder Sintering. Advanced Materials, 2005, 17, 1606-1608.	21.0	40
71	A Device for Measuring Electrical Properties of Dielectric Materials. Instrumentation Science and Technology, 2005, 33, 279-287.	1.8	6
72	Analysis of X-ray Powder Diffraction Data Using the Maximum Likelihood Estimation Method. Journal of the American Ceramic Society, 2004, 83, 2062-2066.	3.8	7

#	ARTICLE	IF	CITATIONS
73	Electron Paramagnetic Resonance Investigations of Lanthanide-Doped Barium Titanate: Dopant Site Occupancy. Journal of Physical Chemistry B, 2004, 108, 908-917.	2.6	109
74	Analysis of Impedance Spectroscopy Data—Finding the Best System Function. , 2003, 10, 89-94.		24
75	Site Occupancy of Rare-Earth Cations in BaTiO ₃ . Japanese Journal of Applied Physics, 2001, 40, 255-258.	1.5	179
76	Title is missing!. Journal of Materials Science, 2001, 9, 163-167.	1.2	7
77	Crystal and Defect Chemistry of Rare Earth Cations in BaTiO ₃ . , 2001, 7, 25-34.		376
78	Point Defect Concentrations in Barium Titanate Revisited. Journal of the American Ceramic Society, 2001, 84, 2147-2149.	3.8	28
79	How trivalent amphoteric dopants in BaTiO ₃ ceramics improve reliability of capacitors. AIP Conference Proceedings, 2000, , .	0.4	7
80	Improving the Oxidation Resistance of Base Metal Powders. Japanese Journal of Applied Physics, 2000, 39, 6004-6007.	1.5	5
81	Self-compensation in semiconductors. Physical Review B, 1999, 60, 8138-8146.	3.2	72
82	Doping of ionic compounds: solubility limit and self-compensation. Solid State Ionics, 1999, 119, 37-42.	2.7	7
83	Effect of Y-Doping on the Dielectric Properties of BaTiO ₃ Films Deposited in Reducing Atmospheres Using Pulsed Laser Deposition. Materials Research Society Symposia Proceedings, 1999, 596, 487.	0.1	7
84	Impurity Solubility Limits in Ionic Crystals, with Application to Cu ₂ O. Zeitschrift Fur Physikalische Chemie, 1998, 207, 181-213.	2.8	12
85	Electrical conductivity of Co doped cuprous oxide. Ionics, 1995, 1, 488-490.	2.4	3