

Vladimír Kincl

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9342501/publications.pdf>

Version: 2024-02-01

38
papers

378
citations

1163117

8
h-index

839539

18
g-index

40
all docs

40
docs citations

40
times ranked

538
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic Importance of Various Echocardiographic Right Ventricular Functional Parameters in Patients with Symptomatic Heart Failure. <i>Journal of the American Society of Echocardiography</i> , 2005, 18, 435-444.	2.8	180
2	Association of coronary artery disease, erectile dysfunction, and endothelial nitric oxide synthase polymorphisms. <i>Heart and Vessels</i> , 2009, 24, 157-163.	1.2	26
3	Cardiac profile of the Czech population of Duchenne muscular dystrophy patients: a cardiovascular magnetic resonance study with T1 mapping. <i>Orphanet Journal of Rare Diseases</i> , 2019, 14, 10.	2.7	19
4	Quantitative assessment of left ventricular longitudinal function and myocardial deformation in Duchenne muscular dystrophy patients. <i>Orphanet Journal of Rare Diseases</i> , 2021, 16, 57.	2.7	15
5	Cadmium-zinc-telluride SPECT scanners - New perspectives in nuclear cardiology. <i>Cor Et Vasa</i> , 2015, 57, e214-e218.	0.1	14
6	The unique value of cardiovascular magnetic resonance in patients with suspected acute coronary syndrome and culprit-free coronary angiograms. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 170.	1.7	11
7	Matrix Metalloproteinase 13 Genotype in rs640198 Polymorphism Is Associated with Severe Coronary Artery Disease. <i>Disease Markers</i> , 2012, 33, 43-49.	1.3	9
8	Feasibility of ultra low-dose thallium stress-redistribution protocol including prone imaging in obese patients using CZT camera. <i>International Journal of Cardiovascular Imaging</i> , 2016, 32, 1463-1469.	1.5	9
9	The prognostic value of ultra low-dose thallium myocardial perfusion protocol using CZT SPECT. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 1163-1167.	1.5	7
10	The Prognostic Impact of Myocardial Late Gadolinium Enhancement. <i>Cardiology in Review</i> , 2014, 22, 128-139.	1.4	6
11	The Relation between eNOS $\hat{\sim}$ 786 C/T, 4 a/b, MMP-13 rs640198 G/T, Eotaxin 426 C/T, $\hat{\sim}$ 384 A/G, and 67 G/A Polymorphisms and Long-Term Outcome in Patients with Coronary Artery Disease. <i>Disease Markers</i> , 2015, 2015, 1-7.	1.3	6
12	The long-term effects of individual cardiac rehabilitation in patients with coronary artery disease. <i>Cor Et Vasa</i> , 2018, 60, e361-e366.	0.1	6
13	ASSOCIATION BETWEEN LABORATORY MARKERS AND PRESENCE OF CORONARY ARTERY DISEASE. <i>Biomedical Papers of the Medical Faculty of the University Palacký, Olomouc, Czechoslovakia</i> , 2010, 154, 227-233.	0.6	6
14	Association of polymorphisms of zinc metalloproteinases with clinical response to stem cell therapy. <i>Herz</i> , 2010, 35, 309-316.	1.1	5
15	Association between three single nucleotide polymorphisms in eotaxin (CCL 11) gene, hexanucleotide repetition upstream, severity and course of coronary atherosclerosis. <i>Journal of Applied Genetics</i> , 2012, 53, 271-278.	1.9	5
16	Left atrium assessment. <i>Journal of Cardiovascular Medicine</i> , 2015, 16, 671.	1.5	5
17	Decreased Global Strains of LV in Asymptomatic Female Duchenne Muscular Dystrophy Gene Carriers Using CMR-FT. <i>JACC: Cardiovascular Imaging</i> , 2021, 14, 1070-1072.	5.3	5
18	Matrix metalloproteinase 13 genotype in rs640198 polymorphism is associated with severe coronary artery disease. <i>Disease Markers</i> , 2012, 33, 43-9.	1.3	5

#	ARTICLE	IF	CITATIONS
19	Assessment of left ventricular volumes and ejection fraction using ultra-low-dose thallium-201 SPECT on a CZT camera: a comparison with magnetic resonance imaging. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 181-187.	2.1	4
20	Additional value of the coronary artery calcium score in patients for whom myocardial perfusion imaging is challenging. <i>Kardiologia Polska</i> , 2019, 77, 458-464.	0.6	4
21	Comparison of Acoustic Densitometry and Dobutamine Echocardiography for an Assessment of Myocardial Viability. <i>Echocardiography</i> , 2005, 22, 586-592.	0.9	3
22	The prognostic effect of different types of cardiac rehabilitation in patients with coronary artery disease. <i>Acta Cardiologica</i> , 2013, 68, 575-581.	0.9	3
23	The Effect of Regular Physical Activity on the Left Ventricle Systolic Function in Patients With Chronic Coronary Artery Disease. <i>Physiological Research</i> , 2011, 60, 869-875.	0.9	3
24	Assessment of the severity of acute pulmonary embolism using CT pulmonary angiography parameters. <i>Biomedical Papers of the Medical Faculty of the University Palacký&#x0301;, Olomouc, Czechoslovakia</i> , 2015, 159, 259-265.	0.6	3
25	Left atrium phasic impairments in paroxysmal atrial fibrillation patients assessed by cardiovascular magnetic resonance feature tracking. <i>Scientific Reports</i> , 2022, 12, 7539.	3.3	3
26	Myocardial T1 mapping using SMART 1 Map and MOLLI mapping in asymptomatic patients with recent extracardiac sarcoidosis. <i>NMR in Biomedicine</i> , 2020, 33, e4388.	2.8	2
27	Echocardiographic signs of subclinical cardiac function impairment in Duchenne dystrophy gene carriers. <i>Scientific Reports</i> , 2020, 10, 20794.	3.3	2
28	Diagnosis of high-risk patients with multivessel coronary artery disease by combined cardiac gated SPET imaging and coronary calcium score. <i>Hellenic Journal of Nuclear Medicine</i> , 2015, 18, 31-4.	0.3	2
29	Prognostic value of myocardial perfusion imaging and coronary artery calcium measurements in patients with end-stage renal disease. <i>Hellenic Journal of Nuclear Medicine</i> , 2015, 18, 199-206.	0.3	2
30	Atypical form of arrhythmogenic cardiomyopathy. <i>Cor Et Vasa</i> , 2014, 56, e396-e402.	0.1	1
31	Extracellular volume quantification using synthetic haematocrit assessed from native and post-contrast longitudinal relaxation T1 times of a blood pool. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 363.	1.7	1
32	Left ventricular myocardial deformation assessment in asymptomatic patients with recently diagnosed sarcoidosis of the respiratory tract and/or extrapulmonary sarcoidosis. <i>Orphanet Journal of Rare Diseases</i> , 2021, 16, 405.	2.7	1
33	Unusual use of magnetic resonance imaging in diagnosis of myocardial infarction. <i>Cor Et Vasa</i> , 2011, 53, 644-648.	0.1	1
34	Prognostic value of stress-only and stress-rest normal gated SPECT imaging: higher incidence of cardiac hard events in diabetic patients who underwent full stress-rest imaging. <i>Biomedical Papers of the Medical Faculty of the University Palacký&#x0301;, Olomouc, Czechoslovakia</i> , 2015, 159, 455-459.	0.6	1
35	Assessment of late cardiotoxic effects in patients treated for cancer in childhood. <i>Cancer Medicine</i> , 2022, , .	2.8	1
36	Stress pulmonary circulation parameters assessed by a cardiovascular magnetic resonance in patients after a heart transplant. <i>Scientific Reports</i> , 2022, 12, 6130.	3.3	1

#	ARTICLE	IF	CITATIONS
37	The prognostic effect of different types of cardiac rehabilitation in patients with coronary artery disease. <i>Acta Cardiologica</i> , 2013, 68, 575-81.	0.9	1
38	Risk stratification in patients with chronic heart failure by assessment of right ventricular isovolumic relaxation time using tissue Doppler imaging. <i>Cor Et Vasa</i> , 2006, 48, 305-310.	0.1	0