

Michele Cavo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9342774/publications.pdf>

Version: 2024-02-01

884
papers

51,135
citations

2101
100
h-index

1934
207
g-index

906
all docs

906
docs citations

906
times ranked

23530
citing authors

#	ARTICLE	IF	CITATIONS
1	International Myeloma Working Group updated criteria for the diagnosis of multiple myeloma. <i>Lancet Oncology, The</i> , 2014, 15, e538-e548.	10.7	3,343
2	International uniform response criteria for multiple myeloma. <i>Leukemia</i> , 2006, 20, 1467-1473.	7.2	2,332
3	International Myeloma Working Group consensus criteria for response and minimal residual disease assessment in multiple myeloma. <i>Lancet Oncology, The</i> , 2016, 17, e328-e346.	10.7	1,866
4	Revised International Staging System for Multiple Myeloma: A Report From International Myeloma Working Group. <i>Journal of Clinical Oncology</i> , 2015, 33, 2863-2869.	1.6	1,525
5	Idecabtagene Vicleucel in Relapsed and Refractory Multiple Myeloma. <i>New England Journal of Medicine</i> , 2021, 384, 705-716.	27.0	1,129
6	Oral Ixazomib, Lenalidomide, and Dexamethasone for Multiple Myeloma. <i>New England Journal of Medicine</i> , 2016, 374, 1621-1634.	27.0	861
7	Prevention of thalidomide- and lenalidomide-associated thrombosis in myeloma. <i>Leukemia</i> , 2008, 22, 414-423.	7.2	787
8	Bortezomib with thalidomide plus dexamethasone compared with thalidomide plus dexamethasone as induction therapy before, and consolidation therapy after, double autologous stem-cell transplantation in newly diagnosed multiple myeloma: a randomised phase 3 study. <i>Lancet, The</i> , 2010, 376, 2075-2085.	13.7	770
9	Daratumumab plus Bortezomib, Melphalan, and Prednisone for Untreated Myeloma. <i>New England Journal of Medicine</i> , 2018, 378, 518-528.	27.0	747
10	Pomalidomide plus low-dose dexamethasone versus high-dose dexamethasone alone for patients with relapsed and refractory multiple myeloma (MM-003): a randomised, open-label, phase 3 trial. <i>Lancet Oncology, The</i> , 2013, 14, 1055-1066.	10.7	710
11	Lenalidomide and Dexamethasone in Transplant-Ineligible Patients with Myeloma. <i>New England Journal of Medicine</i> , 2014, 371, 906-917.	27.0	697
12	Continuous Lenalidomide Treatment for Newly Diagnosed Multiple Myeloma. <i>New England Journal of Medicine</i> , 2012, 366, 1759-1769.	27.0	692
13	International Myeloma Working Group guidelines for serum-free light chain analysis in multiple myeloma and related disorders. <i>Leukemia</i> , 2009, 23, 215-224.	7.2	686
14	Autologous Transplantation and Maintenance Therapy in Multiple Myeloma. <i>New England Journal of Medicine</i> , 2014, 371, 895-905.	27.0	683
15	Risk of progression and survival in multiple myeloma relapsing after therapy with IMiDs and bortezomib: A multicenter international myeloma working group study. <i>Leukemia</i> , 2012, 26, 149-157.	7.2	664
16	Systemic Cardiac Amyloidoses. <i>Circulation</i> , 2009, 120, 1203-1212.	1.6	622
17	Multiple myeloma: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2017, 28, iv52-iv61.	1.2	619
18	IMWG consensus on risk stratification in multiple myeloma. <i>Leukemia</i> , 2014, 28, 269-277.	7.2	500

#	ARTICLE	IF	CITATIONS
19	Prognostic relevance of 18-F FDG PET/CT in newly diagnosed multiple myeloma patients treated with up-front autologous transplantation. <i>Blood</i> , 2011, 118, 5989-5995.	1.4	445
20	Proteasome inhibitors in multiple myeloma: 10 years later. <i>Blood</i> , 2012, 120, 947-959.	1.4	438
21	Isatuximab plus pomalidomide and low-dose dexamethasone versus pomalidomide and low-dose dexamethasone in patients with relapsed and refractory multiple myeloma (ICARIA-MM): a randomised, multicentre, open-label, phase 3 study. <i>Lancet</i> , The, 2019, 394, 2096-2107.	13.7	435
22	Clinical characteristics and risk factors associated with COVID-19 severity in patients with haematological malignancies in Italy: a retrospective, multicentre, cohort study. <i>Lancet Haematology</i> , the, 2020, 7, e737-e745.	4.6	430
23	Role of 18F-FDG PET/CT in the diagnosis and management of multiple myeloma and other plasma cell disorders: a consensus statement by the International Myeloma Working Group. <i>Lancet Oncology</i> , The, 2017, 18, e206-e217.	10.7	394
24	Allogeneic Bone Marrow Transplantation in Multiple Myeloma. <i>New England Journal of Medicine</i> , 1991, 325, 1267-1273.	27.0	363
25	Efficacy and safety of once-weekly bortezomib in multiple myeloma patients. <i>Blood</i> , 2010, 116, 4745-4753.	1.4	361
26	Renal Impairment in Patients With Multiple Myeloma: A Consensus Statement on Behalf of the International Myeloma Working Group. <i>Journal of Clinical Oncology</i> , 2010, 28, 4976-4984.	1.6	358
27	Oral melphalan, prednisone, and thalidomide in elderly patients with multiple myeloma: updated results of a randomized controlled trial. <i>Blood</i> , 2008, 112, 3107-3114.	1.4	339
28	Allogeneic bone marrow transplantation versus autologous stem cell transplantation in multiple myeloma: a retrospective case-matched study from the European Group for Blood and Marrow Transplantation. <i>Blood</i> , 1996, 88, 4711-4718.	1.4	337
29	Superiority of thalidomide and dexamethasone over vincristine-doxorubicin-dexamethasone (VAD) as primary therapy in preparation for autologous transplantation for multiple myeloma. <i>Blood</i> , 2005, 106, 35-39.	1.4	333
30	International Myeloma Working Group Consensus Statement for the Management, Treatment, and Supportive Care of Patients With Myeloma Not Eligible for Standard Autologous Stem-Cell Transplantation. <i>Journal of Clinical Oncology</i> , 2014, 32, 587-600.	1.6	330
31	Role of Magnetic Resonance Imaging in the Management of Patients With Multiple Myeloma: A Consensus Statement. <i>Journal of Clinical Oncology</i> , 2015, 33, 657-664.	1.6	330
32	Prospective, Randomized Study of Single Compared With Double Autologous Stem-Cell Transplantation for Multiple Myeloma: Bologna 96 Clinical Study. <i>Journal of Clinical Oncology</i> , 2007, 25, 2434-2441.	1.6	329
33	A prospective comparison of 18F-fluorodeoxyglucose positron emission tomography-computed tomography, magnetic resonance imaging and whole-body planar radiographs in the assessment of bone disease in newly diagnosed multiple myeloma. <i>Haematologica</i> , 2007, 92, 50-55.	3.5	318
34	Multiple myeloma: EHA-ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2021, 32, 309-322.	1.2	316
35	Personalized therapy in multiple myeloma according to patient age and vulnerability: a report of the European Myeloma Network (EMN). <i>Blood</i> , 2011, 118, 4519-4529.	1.4	309
36	Progress in allogeneic bone marrow and peripheral blood stem cell transplantation for multiple myeloma: a comparison between transplants performed 1983-93 and 1994-98 at European Group for Blood and Marrow Transplantation centres. <i>British Journal of Haematology</i> , 2001, 113, 209-216.	2.5	307

#	ARTICLE	IF	CITATIONS
37	International Myeloma Working Group Recommendations for the Treatment of Multiple Myeloma-Related Bone Disease. <i>Journal of Clinical Oncology</i> , 2013, 31, 2347-2357.	1.6	307
38	Bortezomib-thalidomide-dexamethasone is superior to thalidomide-dexamethasone as consolidation therapy after autologous hematopoietic stem cell transplantation in patients with newly diagnosed multiple myeloma. <i>Blood</i> , 2012, 120, 9-19.	1.4	305
39	Aspirin, Warfarin, or Enoxaparin Thromboprophylaxis in Patients With Multiple Myeloma Treated With Thalidomide: A Phase III, Open-Label, Randomized Trial. <i>Journal of Clinical Oncology</i> , 2011, 29, 986-993.	1.6	302
40	Overall survival with daratumumab, bortezomib, melphalan, and prednisone in newly diagnosed multiple myeloma (ALCYONE): a randomised, open-label, phase 3 trial. <i>Lancet</i> , The, 2020, 395, 132-141.	13.7	299
41	Plasma cell leukemia: consensus statement on diagnostic requirements, response criteria and treatment recommendations by the International Myeloma Working Group. <i>Leukemia</i> , 2013, 27, 780-791.	7.2	294
42	International Myeloma Working Group Recommendations for the Diagnosis and Management of Myeloma-Related Renal Impairment. <i>Journal of Clinical Oncology</i> , 2016, 34, 1544-1557.	1.6	294
43	International myeloma working group consensus recommendations on imaging in monoclonal plasma cell disorders. <i>Lancet Oncology</i> , The, 2019, 20, e302-e312.	10.7	290
44	European Myeloma Network Guidelines for the Management of Multiple Myeloma-related Complications. <i>Haematologica</i> , 2015, 100, 1254-1266.	3.5	289
45	Consensus recommendations for risk stratification in multiple myeloma: report of the International Myeloma Workshop Consensus Panel 2. <i>Blood</i> , 2011, 117, 4696-4700.	1.4	285
46	International Myeloma Working Group consensus approach to the treatment of multiple myeloma patients who are candidates for autologous stem cell transplantation. <i>Blood</i> , 2011, 117, 6063-6073.	1.4	282
47	Prognostic factors in allogeneic bone marrow transplantation for multiple myeloma. <i>Journal of Clinical Oncology</i> , 1995, 13, 1312-1322.	1.6	271
48	Aspirin or enoxaparin thromboprophylaxis for patients with newly diagnosed multiple myeloma treated with lenalidomide. <i>Blood</i> , 2012, 119, 933-939.	1.4	260
49	Natural history of relapsed myeloma, refractory to immunomodulatory drugs and proteasome inhibitors: a multicenter IMWG study. <i>Leukemia</i> , 2017, 31, 2443-2448.	7.2	259
50	Second primary malignancies with lenalidomide therapy for newly diagnosed myeloma: a meta-analysis of individual patient data. <i>Lancet Oncology</i> , The, 2014, 15, 333-342.	10.7	256
51	Pomalidomide, bortezomib, and dexamethasone for patients with relapsed or refractory multiple myeloma previously treated with lenalidomide (OPTIMISM): a randomised, open-label, phase 3 trial. <i>Lancet Oncology</i> , The, 2019, 20, 781-794.	10.7	254
52	Autologous haematopoietic stem-cell transplantation versus bortezomib-melphalan-prednisone, with or without bortezomib-lenalidomide-dexamethasone consolidation therapy, and lenalidomide maintenance for newly diagnosed multiple myeloma (EMN02/HO95): a multicentre, randomised, open-label, phase 3 study. <i>Lancet Haematology</i> , the, 2020, 7, e456-e468.	4.6	244
53	Bortezomib-Based Versus Nonbortezomib-Based Induction Treatment Before Autologous Stem-Cell Transplantation in Patients With Previously Untreated Multiple Myeloma: A Meta-Analysis of Phase III Randomized, Controlled Trials. <i>Journal of Clinical Oncology</i> , 2013, 31, 3279-3287.	1.6	238
54	Venetoclax or placebo in combination with bortezomib and dexamethasone in patients with relapsed or refractory multiple myeloma (BELLINI): a randomised, double-blind, multicentre, phase 3 trial. <i>Lancet Oncology</i> , The, 2020, 21, 1630-1642.	10.7	237

#	ARTICLE	IF	CITATIONS
55	Daratumumab plus bortezomib and dexamethasone <i>versus</i> bortezomib and dexamethasone in relapsed or refractory multiple myeloma: updated analysis of CASTOR. <i>Haematologica</i> , 2018, 103, 2079-2087.	3.5	225
56	Multiple myeloma: patient outcomes in real-world practice. <i>British Journal of Haematology</i> , 2016, 175, 252-264.	2.5	220
57	Management of treatment-emergent peripheral neuropathy in multiple myeloma. <i>Leukemia</i> , 2012, 26, 595-608.	7.2	217
58	Final analysis of survival outcomes in the phase 3 FIRST trial of up-front treatment for multiple myeloma. <i>Blood</i> , 2018, 131, 301-310.	1.4	216
59	International myeloma working group (IMWG) consensus statement and guidelines regarding the current status of stem cell collection and high-dose therapy for multiple myeloma and the role of plerixafor (AMD 3100). <i>Leukemia</i> , 2009, 23, 1904-1912.	7.2	207
60	Single-cell genetic analysis reveals the composition of initiating clones and phylogenetic patterns of branching and parallel evolution in myeloma. <i>Leukemia</i> , 2014, 28, 1705-1715.	7.2	207
61	Mobilization in myeloma revisited: IMWG consensus perspectives on stem cell collection following initial therapy with thalidomide-, lenalidomide-, or bortezomib-containing regimens. <i>Blood</i> , 2009, 114, 1729-1735.	1.4	203
62	The use of bisphosphonates in multiple myeloma: recommendations of an expert panel on behalf of the European Myeloma Network. <i>Annals of Oncology</i> , 2009, 20, 1303-1317.	1.2	201
63	Bortezomib-Melphalan-Prednisone-Thalidomide Followed by Maintenance With Bortezomib-Thalidomide Compared With Bortezomib-Melphalan-Prednisone for Initial Treatment of Multiple Myeloma: Updated Follow-Up and Improved Survival. <i>Journal of Clinical Oncology</i> , 2014, 32, 634-640.	1.6	198
64	Myeloma in patients younger than age 50 years presents with more favorable features and shows better survival: an analysis of 10%549 patients from the International Myeloma Working Group. <i>Blood</i> , 2008, 111, 4039-4047.	1.4	190
65	Once-per-week selinexor, bortezomib, and dexamethasone versus twice-per-week bortezomib and dexamethasone in patients with multiple myeloma (BOSTON): a randomised, open-label, phase 3 trial. <i>Lancet, The</i> , 2020, 396, 1563-1573.	13.7	188
66	Oral ixazomib maintenance following autologous stem cell transplantation (TOURMALINE-MM3): a double-blind, randomised, placebo-controlled phase 3 trial. <i>Lancet, The</i> , 2019, 393, 253-264.	13.7	187
67	European Myeloma Network recommendations on the evaluation and treatment of newly diagnosed patients with multiple myeloma. <i>Haematologica</i> , 2014, 99, 232-242.	3.5	185
68	IMWG consensus on maintenance therapy in multiple myeloma. <i>Blood</i> , 2012, 119, 3003-3015.	1.4	178
69	Isatuximab, carfilzomib, and dexamethasone in relapsed multiple myeloma (IKEMA): a multicentre, open-label, randomised phase 3 trial. <i>Lancet, The</i> , 2021, 397, 2361-2371.	13.7	177
70	Molecular remission after myeloablative allogeneic stem cell transplantation predicts a better relapse-free survival in patients with multiple myeloma. <i>Blood</i> , 2003, 102, 1927-1929.	1.4	176
71	Combining fluorescent in situ hybridization data with ISS staging improves risk assessment in myeloma: an International Myeloma Working Group collaborative project. <i>Leukemia</i> , 2013, 27, 711-717.	7.2	174
72	Pembrolizumab plus pomalidomide and dexamethasone for patients with relapsed or refractory multiple myeloma (KEYNOTE-183): a randomised, open-label, phase 3 trial. <i>Lancet Haematology,the</i> , 2019, 6, e459-e469.	4.6	174

#	ARTICLE	IF	CITATIONS
73	Subcutaneous versus intravenous daratumumab in patients with relapsed or refractory multiple myeloma (COLUMBA): a multicentre, open-label, non-inferiority, randomised, phase 3 trial. <i>Lancet Haematology</i> , 2020, 7, e370-e380.	4.6	170
74	Pembrolizumab plus lenalidomide and dexamethasone for patients with treatment-naïve multiple myeloma (KEYNOTE-185): a randomised, open-label, phase 3 trial. <i>Lancet Haematology</i> , 2019, 6, e448-e458.	4.6	168
75	Concomitant mobilization of plasma cells and hematopoietic progenitors into peripheral blood of multiple myeloma patients: positive selection and transplantation of enriched CD34+ cells to remove circulating tumor cells. <i>Blood</i> , 1996, 87, 1625-1634.	1.4	162
76	Daratumumab plus pomalidomide and dexamethasone versus pomalidomide and dexamethasone alone in previously treated multiple myeloma (APOLLO): an open-label, randomised, phase 3 trial. <i>Lancet Oncology</i> , 2021, 22, 801-812.	10.7	162
77	Deep-vein thrombosis in patients with multiple myeloma receiving first-line thalidomide-dexamethasone therapy. <i>Blood</i> , 2002, 100, 2272-2272.	1.4	156
78	Molecular Remission After Allogeneic or Autologous Transplantation of Hematopoietic Stem Cells for Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2000, 18, 2273-2281.	1.6	153
79	Unraveling the complexity of tyrosine kinase inhibitor-resistant populations by ultra-deep sequencing of the BCR-ABL kinase domain. <i>Blood</i> , 2013, 122, 1634-1648.	1.4	152
80	Combination of International Scoring System 3, High Lactate Dehydrogenase, and t(4;14) and/or del(17p) Identifies Patients With Multiple Myeloma (MM) Treated With Front-Line Autologous Stem-Cell Transplantation at High Risk of Early MM Progression-Related Death. <i>Journal of Clinical Oncology</i> , 2014, 32, 2173-2180.	1.6	150
81	American Society of Blood and Marrow Transplantation, European Society of Blood and Marrow Transplantation, Blood and Marrow Transplant Clinical Trials Network, and International Myeloma Working Group Consensus Conference on Salvage Hematopoietic Cell Transplantation in Patients with Relapsed Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 2039-2051.	2.0	146
82	Chronic myeloid leukemia: the paradigm of targeting oncogenic tyrosine kinase signaling and counteracting resistance for successful cancer therapy. <i>Molecular Cancer</i> , 2018, 17, 49.	19.2	146
83	Safety and efficacy of pomalidomide plus low-dose dexamethasone in STRATUS (MM-010): a phase 3b study in refractory multiple myeloma. <i>Blood</i> , 2016, 128, 497-503.	1.4	144
84	Survival and Years of Life Lost in Different Age Cohorts of Patients With Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2010, 28, 1599-1605.	1.6	142
85	PET/CT Improves the Definition of Complete Response and Allows to Detect Otherwise Unidentifiable Skeletal Progression in Multiple Myeloma. <i>Clinical Cancer Research</i> , 2015, 21, 4384-4390.	7.0	140
86	Continuous Therapy Versus Fixed Duration of Therapy in Patients With Newly Diagnosed Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2015, 33, 3459-3466.	1.6	138
87	International Myeloma Working Group guidelines for the management of multiple myeloma patients ineligible for standard high-dose chemotherapy with autologous stem cell transplantation. <i>Leukemia</i> , 2009, 23, 1716-1730.	7.2	136
88	Treatment of relapsed and refractory multiple myeloma: recommendations from the International Myeloma Working Group. <i>Lancet Oncology</i> , 2021, 22, e105-e118.	10.7	136
89	Role of 18F-FDG PET/CT in the assessment of bone involvement in newly diagnosed multiple myeloma: preliminary results. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 525-531.	6.4	135
90	First-line therapy with thalidomide and dexamethasone in preparation for autologous stem cell transplantation for multiple myeloma. <i>Haematologica</i> , 2004, 89, 826-31.	3.5	133

#	ARTICLE	IF	CITATIONS
91	Bone Marrow Mesenchymal Stem Cells Support Acute Myeloid Leukemia Bioenergetics and Enhance Antioxidant Defense and Escape from Chemotherapy. <i>Cell Metabolism</i> , 2020, 32, 829-843.e9.	16.2	122
92	Neuropathy in multiple myeloma treated with thalidomide. <i>Neurology</i> , 2007, 69, 573-581.	1.1	121
93	18F-FDG PET/CT focal, but not osteolytic, lesions predict the progression of smoldering myeloma to active disease. <i>Leukemia</i> , 2016, 30, 417-422.	7.2	120
94	Carfilzomib with cyclophosphamide and dexamethasone or lenalidomide and dexamethasone plus autologous transplantation or carfilzomib plus lenalidomide and dexamethasone, followed by maintenance with carfilzomib plus lenalidomide or lenalidomide alone for patients with newly diagnosed multiple myeloma (FORTE): a randomised, open-label, phase 2 trial. <i>Lancet Oncology</i> , The, 2021, 22, 1705-1720.	10.7	120
95	Drug resistance and BCR-ABL kinase domain mutations in Philadelphia chromosome-“positive acute lymphoblastic leukemia from the imatinib to the second-generation tyrosine kinase inhibitor era: The main changes are in the type of mutations, but not in the frequency of mutation involvement. <i>Cancer</i> , 2014, 120, 1002-1009.	4.1	116
96	Proteasome inhibitor bortezomib for the treatment of multiple myeloma. <i>Leukemia</i> , 2006, 20, 1341-1352.	7.2	115
97	Second Revision of the International Staging System (R2-ISS) for Overall Survival in Multiple Myeloma: A European Myeloma Network (EMN) Report Within the HARMONY Project. <i>Journal of Clinical Oncology</i> , 2022, 40, 3406-3418.	1.6	115
98	Cyclin D1 overexpression is a favorable prognostic variable for newly diagnosed multiple myeloma patients treated with high-dose chemotherapy and single or double autologous transplantation. <i>Blood</i> , 2003, 102, 1588-1594.	1.4	113
99	Larger Size of Donor Alloreactive NK Cell Repertoire Correlates with Better Response to NK Cell Immunotherapy in Elderly Acute Myeloid Leukemia Patients. <i>Clinical Cancer Research</i> , 2016, 22, 1914-1921.	7.0	110
100	From transplant to novel cellular therapies in multiple myeloma: European Myeloma Network guidelines and future perspectives. <i>Haematologica</i> , 2018, 103, 197-211.	3.5	110
101	The role of imaging techniques in the management of multiple myeloma. <i>British Journal of Haematology</i> , 2012, 159, 499-513.	2.5	108
102	Expert panel consensus statement on the optimal use of pomalidomide in relapsed and refractory multiple myeloma. <i>Leukemia</i> , 2014, 28, 1573-1585.	7.2	108
103	Life after ruxolitinib: Reasons for discontinuation, impact of disease phase, and outcomes in 218 patients with myelofibrosis. <i>Cancer</i> , 2020, 126, 1243-1252.	4.1	106
104	Thalidomide alone or in combination with dexamethasone in patients with advanced, relapsed or refractory multiple myeloma and renal failure. <i>European Journal of Haematology</i> , 2004, 73, 98-103.	2.2	105
105	Ascorbic acid inhibits antitumor activity of bortezomib in vivo. <i>Leukemia</i> , 2009, 23, 1679-1686.	7.2	102
106	Extramedullary intracranial localization of multiple myeloma and treatment with novel agents: A retrospective survey of 50 patients. <i>Cancer</i> , 2012, 118, 1574-1584.	4.1	102
107	Second primary malignancies in multiple myeloma: an overview and IMWG consensus. <i>Annals of Oncology</i> , 2017, 28, 228-245.	1.2	102
108	Superior outcomes associated with complete response in newly diagnosed multiple myeloma patients treated with nonintensive therapy: analysis of the phase 3 VISTA study of bortezomib plus melphalan-prednisone versus melphalan-prednisone. <i>Blood</i> , 2010, 116, 3743-3750.	1.4	101

#	ARTICLE	IF	CITATIONS
109	Melflufen and Dexamethasone in Heavily Pretreated Relapsed and Refractory Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2021, 39, 757-767.	1.6	98
110	11C-choline vs. 18F-FDG PET/CT in assessing bone involvement in patients with multiple myeloma. <i>World Journal of Surgical Oncology</i> , 2007, 5, 68.	1.9	97
111	Contrast enhanced MRI and 18F-FDG PET-CT in the assessment of multiple myeloma: A comparison of results in different phases of the disease. <i>European Journal of Radiology</i> , 2012, 81, 4013-4018.	2.6	97
112	Neurological toxicity of long-term (>1yr) thalidomide therapy in patients with multiple myeloma. <i>European Journal of Haematology</i> , 2005, 74, 212-216.	2.2	95
113	Interpretation criteria for FDG PET/CT in multiple myeloma (IMPeTUs): final results. IMPeTUs (Italian) Tj ETQq1 1 0.784314 rgBT /Over 712-719.	6.4	95
114	Image interpretation criteria for FDG PET/CT in multiple myeloma: a new proposal from an Italian expert panel. IMPeTUs (Italian Myeloma criteria for PET USE). <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 414-421.	6.4	92
115	Treatment of multiple myeloma-related bone disease: recommendations from the Bone Working Group of the International Myeloma Working Group. <i>Lancet Oncology</i> , The, 2021, 22, e119-e130.	10.7	92
116	Molecular monitoring of minimal residual disease in patients in long-term complete remission after allogeneic stem cell transplantation for multiple myeloma. <i>Blood</i> , 2000, 96, 355-357.	1.4	91
117	The impact of intra-clonal heterogeneity on the treatment of multiple myeloma. <i>British Journal of Haematology</i> , 2014, 165, 441-454.	2.5	91
118	Multiple myeloma: practice patterns across Europe. <i>British Journal of Haematology</i> , 2016, 175, 66-76.	2.5	91
119	European Perspective on Multiple Myeloma Treatment Strategies in 2014. <i>Oncologist</i> , 2014, 19, 829-844.	3.7	90
120	Ixazomib significantly prolongs progression-free survival in high-risk relapsed/refractory myeloma patients. <i>Blood</i> , 2017, 130, 2610-2618.	1.4	90
121	Diagnosis and Treatment of VOD/SOS After Allogeneic Hematopoietic Stem Cell Transplantation. <i>Frontiers in Immunology</i> , 2020, 11, 489.	4.8	90
122	Solitary plasmacytoma of bone and extramedullary plasmacytoma: Two different entities?. <i>Annals of Oncology</i> , 1995, 6, 687-691.	1.2	89
123	European Myeloma Network recommendations on tools for the diagnosis and monitoring of multiple myeloma: what to use and when. <i>Haematologica</i> , 2018, 103, 1772-1784.	3.5	86
124	Current Multiple Myeloma Treatment Strategies with Novel Agents: A European Perspective. <i>Oncologist</i> , 2010, 15, 6-25.	3.7	85
125	Standardization of ¹⁸ F-FDG PET/CT According to Deauville Criteria for Metabolic Complete Response Definition in Newly Diagnosed Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2021, 39, 116-125.	1.6	85
126	Gender-related risk of myocardial involvement in systemic amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2008, 15, 40-48.	3.0	83

#	ARTICLE	IF	CITATIONS
127	High Resolution Computed Tomography Angiography Improves the Radiographic Diagnosis of Invasive Mold Disease in Patients With Hematological Malignancies. <i>Clinical Infectious Diseases</i> , 2015, 60, 1603-1610.	5.8	83
128	Patient-centered practice in elderly myeloma patients: an overview and consensus from the European Myeloma Network (EMN). <i>Leukemia</i> , 2018, 32, 1697-1712.	7.2	83
129	Imaging in multiple myeloma: How? When?. <i>Blood</i> , 2019, 133, 644-651.	1.4	82
130	Clinical predictors of long-term survival in newly diagnosed transplant eligible multiple myeloma "an IMWG Research Project. <i>Blood Cancer Journal</i> , 2018, 8, 123.	6.2	81
131	LocoMMotion: a prospective, non-interventional, multinational study of real-life current standards of care in patients with relapsed and/or refractory multiple myeloma. <i>Leukemia</i> , 2022, 36, 1371-1376.	7.2	81
132	Chromothripsis in acute myeloid leukemia: biological features and impact on survival. <i>Leukemia</i> , 2018, 32, 1609-1620.	7.2	80
133	Recommendations for vaccination in multiple myeloma: a consensus of the European Myeloma Network. <i>Leukemia</i> , 2021, 35, 31-44.	7.2	79
134	Allogeneic bone marrow transplantation versus autologous stem cell transplantation in multiple myeloma: a retrospective case-matched study from the European Group for Blood and Marrow Transplantation. <i>Blood</i> , 1996, 88, 4711-8.	1.4	79
135	Syngeneic transplantation in multiple myeloma "a case-matched comparison with autologous and allogeneic transplantation. <i>Bone Marrow Transplantation</i> , 1999, 24, 741-745.	2.4	78
136	Multiple Myeloma, Venous Thromboembolism, and Treatment-Related Risk of Thrombosis. <i>Seminars in Thrombosis and Hemostasis</i> , 2011, 37, 209-219.	2.7	78
137	Safety and efficacy of bortezomib-based regimens for multiple myeloma patients with renal impairment: a retrospective study of Italian Myeloma Network GIMEMA. <i>European Journal of Haematology</i> , 2010, 84, 223-228.	2.2	77
138	Long-term outcome of chronic myeloid leukemia patients treated frontline with imatinib. <i>Leukemia</i> , 2015, 29, 1823-1831.	7.2	77
139	Salvage therapy with thalidomide in patients with advanced relapsed/refractory multiple myeloma. <i>Haematologica</i> , 2002, 87, 408-14.	3.5	76
140	Differences among young adults, adults and elderly chronic myeloid leukemia patients. <i>Annals of Oncology</i> , 2015, 26, 185-192.	1.2	72
141	ATP Release from Chemotherapy-Treated Dying Leukemia Cells Elicits an Immune Suppressive Effect by Increasing Regulatory T Cells and Tolerogenic Dendritic Cells. <i>Frontiers in Immunology</i> , 2017, 8, 1918.	4.8	72
142	The Role of Minimal Residual Disease Testing in Myeloma Treatment Selection and Drug Development: Current Value and Future Applications. <i>Clinical Cancer Research</i> , 2017, 23, 3980-3993.	7.0	71
143	The BCR-ABL1 transcript type influences response and outcome in Philadelphia chromosome-positive chronic myeloid leukemia patients treated frontline with imatinib. <i>American Journal of Hematology</i> , 2017, 92, 797-805.	4.1	71
144	Safety of autologous hematopoietic stem cell transplantation in patients with multiple myeloma and chronic renal failure. <i>Leukemia</i> , 2000, 14, 1310-1313.	7.2	70

#	ARTICLE	IF	CITATIONS
145	Cardiovascular adverse events in modern myeloma therapy – Incidence and risks. A review from the European Myeloma Network (EMN) and Italian Society of Arterial Hypertension (SIIA). <i>Haematologica</i> , 2018, 103, 1422-1432.	3.5	70
146	Serum free immunoglobulin light chain evaluation as a marker of impact from intraclonal heterogeneity on myeloma outcome. <i>Blood</i> , 2014, 123, 3414-3419.	1.4	68
147	Cytogenetics and long-term survival of patients with refractory or relapsed and refractory multiple myeloma treated with pomalidomide and low-dose dexamethasone. <i>Haematologica</i> , 2015, 100, 1327-1333.	3.5	68
148	Have splenectomy rate and main outcomes of ITP changed after the introduction of new treatments? A monocentric study in the outpatient setting during 35 years. <i>American Journal of Hematology</i> , 2016, 91, E267-72.	4.1	68
149	Prevention and management of adverse events of novel agents in multiple myeloma: a consensus of the European Myeloma Network. <i>Leukemia</i> , 2018, 32, 1542-1560.	7.2	68
150	Expert review on soft-tissue plasmacytomas in multiple myeloma: definition, disease assessment and treatment considerations. <i>British Journal of Haematology</i> , 2021, 194, 496-507.	2.5	67
151	Efficacy of carfilzomib lenalidomide dexamethasone (KRd) with or without transplantation in newly diagnosed myeloma according to risk status: Results from the FORTE trial. <i>Journal of Clinical Oncology</i> , 2019, 37, 8002-8002.	1.6	67
152	Engraftment, clinical, and molecular follow-up of patients with multiple myeloma who were reinfused with highly purified CD34+ cells to support single or tandem high-dose chemotherapy. <i>Blood</i> , 2000, 95, 2234-2239.	1.4	66
153	Treatment of relapsed and refractory multiple myeloma in the era of novel agents. <i>Cancer Treatment Reviews</i> , 2011, 37, 266-283.	7.7	66
154	The Value of 18F-FDG PET/CT after Autologous Stem Cell Transplantation (ASCT) in Patients Affected by Multiple Myeloma (MM). <i>Clinical Nuclear Medicine</i> , 2013, 38, e74-e79.	1.3	65
155	Sustained minimal residual disease negativity in newly diagnosed multiple myeloma and the impact of daratumumab in MAIA and ALCYONE. <i>Blood</i> , 2022, 139, 492-501.	1.4	64
156	Mesenchymal stromal cells from myelodysplastic and acute myeloid leukemia patients display in vitro reduced proliferative potential and similar capacity to support leukemia cell survival. <i>Stem Cell Research and Therapy</i> , 2018, 9, 271.	5.5	63
157	Mechanisms of Disease Progression and Resistance to Tyrosine Kinase Inhibitor Therapy in Chronic Myeloid Leukemia: An Update. <i>International Journal of Molecular Sciences</i> , 2019, 20, 6141.	4.1	63
158	First Report of the Gimema LAL1811 Phase II Prospective Study of the Combination of Steroids with Ponatinib As Frontline Therapy of Elderly or Unfit Patients with Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia. <i>Blood</i> , 2017, 130, 99-99.	1.4	63
159	Baseline factors associated with response to ruxolitinib: an independent study on 408 patients with myelofibrosis. <i>Oncotarget</i> , 2017, 8, 79073-79086.	1.8	63
160	Mutations and long-term outcome of 217 young patients with essential thrombocythemia or early primary myelofibrosis. <i>Leukemia</i> , 2015, 29, 1344-1349.	7.2	62
161	Risk factors for infections in myelofibrosis: role of disease status and treatment. A multicenter study of 507 patients. <i>American Journal of Hematology</i> , 2017, 92, 37-41.	4.1	62
162	A VEGF-dependent autocrine loop mediates proliferation and capillarogenesis in bone marrow endothelial cells of patients with multiple myeloma. <i>Thrombosis and Haemostasis</i> , 2004, 92, 1438-1445.	3.4	61

#	ARTICLE	IF	CITATIONS
163	Multiple Myeloma Treatment in Real-world Clinical Practice: Results of a Prospective, Multinational, Noninterventional Study. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2018, 18, e401-e419.	0.4	61
164	Prospective assessment of NGS-detectable mutations in CML patients with nonoptimal response: the NEXT-in-CML study. <i>Blood</i> , 2020, 135, 534-541.	1.4	61
165	18F-FDG PET/CT in myeloma with presumed solitary plasmocytoma of bone. <i>In Vivo</i> , 2008, 22, 513-7.	1.3	61
166	Staging of chronic lymphocytic leukemia. <i>Blood</i> , 1982, 59, 1191-1196.	1.4	60
167	The impact of donor gender on outcome of allogeneic hematopoietic stem cell transplantation for multiple myeloma: reduced relapse risk in female to male transplants. <i>Bone Marrow Transplantation</i> , 2005, 35, 609-617.	2.4	59
168	Recommendations for acquisition, interpretation and reporting of whole body low dose CT in patients with multiple myeloma and other plasma cell disorders: a report of the IMWG Bone Working Group. <i>Blood Cancer Journal</i> , 2018, 8, 95.	6.2	59
169	Phase I/II clinical trial of sequential subcutaneous and intravenous delivery of dendritic cell vaccination for refractory multiple myeloma using patient-specific tumour idiotype protein or idiotype (VD)-derived class II-restricted peptides. <i>British Journal of Haematology</i> , 2007, 139, 415-424.	2.5	58
170	Prognostic variables and clinical staging in multiple myeloma. <i>Blood</i> , 1989, 74, 1774-1780.	1.4	57
171	Bortezomib-thalidomide-dexamethasone (VTD) is superior to bortezomib-cyclophosphamide-dexamethasone (VCD) as induction therapy prior to autologous stem cell transplantation in multiple myeloma. <i>Leukemia</i> , 2015, 29, 2429-2431.	7.2	57
172	Liver Stiffness Measurement Allows Early Diagnosis of Veno-Occlusive Disease/Sinusoidal Obstruction Syndrome in Adult Patients Who Undergo Hematopoietic Stem Cell Transplantation: Results from a Monocentric Prospective Study. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 995-1003.	2.0	56
173	COVID-19 elicits an impaired antibody response against SARS-CoV-2 in patients with haematological malignancies. <i>British Journal of Haematology</i> , 2021, 195, 371-377.	2.5	56
174	Double Vs Single Autologous Stem Cell Transplantation After Bortezomib-Based Induction Regimens For Multiple Myeloma: An Integrated Analysis Of Patient-Level Data From Phase European III Studies. <i>Blood</i> , 2013, 122, 767-767.	1.4	56
175	Daratumumab monotherapy for patients with intermediate-risk or high-risk smoldering multiple myeloma: a randomized, open-label, multicenter, phase 2 study (CENTAURUS). <i>Leukemia</i> , 2020, 34, 1840-1852.	7.2	55
176	High-dose busulfan and cyclophosphamide are an effective conditioning regimen for allogeneic bone marrow transplantation in chemosensitive multiple myeloma. <i>Bone Marrow Transplantation</i> , 1998, 22, 27-32.	2.4	54
177	Integrative analysis of the genomic and transcriptomic landscape of double-refractory multiple myeloma. <i>Blood Advances</i> , 2020, 4, 830-844.	5.2	54
178	Isatuximab plus pomalidomide and low-dose dexamethasone versus pomalidomide and low-dose dexamethasone in patients with relapsed and refractory multiple myeloma (ICARIA-MM): follow-up analysis of a randomised, phase 3 study. <i>Lancet Oncology</i> , The, 2022, 23, 416-427.	10.7	54
179	Prognostic Factors in Autologous Stem Cell Transplantation for Multiple Myeloma: An EBMT Registry Study. <i>Leukemia and Lymphoma</i> , 1994, 15, 265-272.	1.3	53
180	Osteonecrosis of the jaws in newly diagnosed multiple myeloma patients treated with zoledronic acid and thalidomide-dexamethasone. <i>Blood</i> , 2006, 108, 3951-3952.	1.4	53

#	ARTICLE	IF	CITATIONS
181	Hypoxia inducible factor-1 alpha as a therapeutic target in multiple myeloma. <i>Oncotarget</i> , 2014, 5, 1779-1792.	1.8	53
182	PGE ₂ -Induced IDO1 Inhibits the Capacity of Fully Mature DCs to Elicit an In Vitro Antileukemic Immune Response. <i>Journal of Immunology Research</i> , 2015, 2015, 1-10.	2.2	53
183	A predictive model for risk of early grade 3 infection in patients with multiple myeloma not eligible for transplant: analysis of the FIRST trial. <i>Leukemia</i> , 2018, 32, 1404-1413.	7.2	53
184	Final Overall Survival Analysis of the TOURMALINE-MM1 Phase III Trial of Ixazomib, Lenalidomide, and Dexamethasone in Patients With Relapsed or Refractory Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2021, 39, 2430-2442.	1.6	53
185	Upfront autologous stem cell transplantation (ASCT) versus novel agent-based therapy for multiple myeloma (MM): A randomized phase 3 study of the European Myeloma Network (EMN02/HO95 MM trial). <i>Journal of Clinical Oncology</i> , 2016, 34, 8000-8000.	1.6	52
186	Next-generation sequencing for sensitive detection of BCR-ABL1 mutations relevant to tyrosine kinase inhibitor choice in imatinib-resistant patients. <i>Oncotarget</i> , 2016, 7, 21982-21990.	1.8	52
187	First-line therapy with thalidomide, dexamethasone and zoledronic acid decreases bone resorption markers in patients with multiple myeloma. <i>European Journal of Haematology</i> , 2006, 76, 399-404.	2.2	51
188	A Risk Prediction Score for Invasive Mold Disease in Patients with Hematological Malignancies. <i>PLoS ONE</i> , 2013, 8, e75531.	2.5	51
189	Consensus statement from European experts on the diagnosis, management, and treatment of multiple myeloma: from standard therapy to novel approaches. <i>Leukemia and Lymphoma</i> , 2010, 51, 1424-1443.	1.3	49
190	Aneuploid acute myeloid leukemia exhibits a signature of genomic alterations in the cell cycle and protein degradation machinery. <i>Cancer</i> , 2019, 125, 712-725.	4.1	49
191	Isatuximab as monotherapy and combined with dexamethasone in patients with relapsed/refractory multiple myeloma. <i>Blood</i> , 2021, 137, 1154-1165.	1.4	49
192	European Perspective on Multiple Myeloma Treatment Strategies: Update Following Recent Congresses. <i>Oncologist</i> , 2012, 17, 592-606.	3.7	48
193	Management of multiple myeloma and related-disorders: guidelines from the Italian Society of Hematology (SIE), Italian Society of Experimental Hematology (SIES) and Italian Group for Bone Marrow Transplantation (GITMO). <i>Haematologica</i> , 2004, 89, 717-41.	3.5	48
194	Therapeutic targeting of hypoxia and hypoxia-inducible factor 1 alpha in multiple myeloma. <i>Translational Research</i> , 2015, 165, 641-650.	5.0	47
195	Nonsecretory Multiple Myeloma. <i>Acta Haematologica</i> , 1985, 74, 27-30.	1.4	46
196	Short-Term Thalidomide Incorporated Into Double Autologous Stem-Cell Transplantation Improves Outcomes in Comparison With Double Autotransplantation for Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2009, 27, 5001-5007.	1.6	46
197	The Role of Positron Emission Tomography with 18F-Fluorodeoxyglucose Integrated with Computed Tomography in the Evaluation of Patients with Multiple Myeloma Undergoing Allogeneic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1068-1073.	2.0	46
198	The tissue inhibitor of metalloproteinases-1 (TIMP-1) promotes survival and migration of acute myeloid leukemia cells through CD63/PI3K/Akt/p21 signaling. <i>Oncotarget</i> , 2017, 8, 2261-2274.	1.8	46

#	ARTICLE	IF	CITATIONS
199	Epidemiology, outcome, and risk factors for infectious complications in myelofibrosis patients receiving ruxolitinib: A multicenter study on 446 patients. <i>Hematological Oncology</i> , 2018, 36, 561-569.	1.7	46
200	Halting the vicious cycle within the multiple myeloma ecosystem: blocking JAM-A on bone marrow endothelial cells restores angiogenic homeostasis and suppresses tumor progression. <i>Haematologica</i> , 2021, 106, 1943-1956.	3.5	46
201	Carfilzomib-Lenalidomide-Dexamethasone (KRd) Induction-Autologous Transplant (ASCT)-Krd Consolidation Vs KRd 12 Cycles Vs Carfilzomib-Cyclophosphamide-Dexamethasone (KCd) Induction-ASCT-KCd Consolidation: Analysis of the Randomized Forte Trial in Newly Diagnosed Multiple Myeloma (NDMM). <i>Blood</i> , 2018, 132, 121-121.	1.4	46
202	COVID-19 vaccination in patients with multiple myeloma: a consensus of the European Myeloma Network. <i>Lancet Haematology</i> , 2021, 8, e934-e946.	4.6	46
203	Bortezomib and thalidomide-induced peripheral neuropathy in multiple myeloma: clinical and molecular analyses of a phase 3 study. <i>American Journal of Hematology</i> , 2014, 89, 1085-1091.	4.1	45
204	Multiple Myeloma: EHA-ESMO Clinical Practice Guidelines for Diagnosis, Treatment and Follow-up. <i>HemaSphere</i> , 2021, 5, e528.	2.7	45
205	Bortezomib (Velcade®)-Thalidomide-Dexamethasone (VTD) vs Thalidomide-Dexamethasone (TD) in Preparation for Autologous Stem-Cell (SC) Transplantation (ASCT) in Newly Diagnosed Multiple Myeloma (MM). <i>Blood</i> , 2007, 110, 73-73.	1.4	45
206	Extracellular ATP induces apoptosis through P2X7R activation in acute myeloid leukemia cells but not in normal hematopoietic stem cells. <i>Oncotarget</i> , 2017, 8, 5895-5908.	1.8	45
207	Bone marrow transplantation in multiple myeloma. <i>Scandinavian Journal of Haematology</i> , 1986, 36, 176-179.	0.0	44
208	Impact of prior treatment and depth of response on survival in MM-003, a randomized phase 3 study comparing pomalidomide plus low-dose dexamethasone versus high-dose dexamethasone in relapsed/refractory multiple myeloma. <i>Haematologica</i> , 2015, 100, 1334-1339.	3.5	44
209	Prognostic value of minimal residual disease negativity in myeloma: combined analysis of POLLUX, CASTOR, ALCYONE, and MAIA. <i>Blood</i> , 2022, 139, 835-844.	1.4	43
210	Expression and functional role of c-kit ligand (SCF) in human multiple myeloma cells. <i>British Journal of Haematology</i> , 1994, 88, 760-769.	2.5	42
211	Prevention, monitoring and treatment of cardiovascular adverse events in myeloma patients receiving carfilzomib A consensus paper by the European Myeloma Network and the Italian Society of Arterial Hypertension. <i>Journal of Internal Medicine</i> , 2019, 286, 63-74.	6.0	42
212	Daratumumab-based regimens are highly effective and well tolerated in relapsed or refractory multiple myeloma regardless of patient age: subgroup analysis of the phase 3 CASTOR and POLLUX studies. <i>Haematologica</i> , 2020, 105, 468-477.	3.5	41
213	Ruxolitinib discontinuation syndrome: incidence, risk factors, and management in 251 patients with myelofibrosis. <i>Blood Cancer Journal</i> , 2021, 11, 4.	6.2	41
214	Double Vs Single Autologous Stem Cell Transplantation for Newly Diagnosed Multiple Myeloma: Long-Term Follow-up (10-Years) Analysis of Randomized Phase 3 Studies. <i>Blood</i> , 2018, 132, 124-124.	1.4	41
215	How I treat elderly patients with myeloma. <i>Blood</i> , 2010, 116, 2215-2223.	1.4	39
216	Long-term outcome of a phase 2 trial with nilotinib 400 mg twice daily in first-line treatment of chronic myeloid leukemia. <i>Haematologica</i> , 2015, 100, 1146-1150.	3.5	39

#	ARTICLE	IF	CITATIONS
217	Initial Phase 3 Results Of The First (Frontline Investigation Of Lenalidomide + Dexamethasone Versus) Tj ETQq1 1 0.784314 rgBT /Over (Pts) Ineligible For Stem Cell Transplantation (SCT). Blood, 2013, 122, 2-2.	1.4	39
218	Survival Analysis of Newly Diagnosed Transplant-Eligible Multiple Myeloma Patients in the Randomized Forte Trial. Blood, 2020, 136, 35-37.	1.4	37
219	Targeting WEE1 to enhance conventional therapies for acute lymphoblastic leukemia. Journal of Hematology and Oncology, 2018, 11, 99.	17.0	35
220	Management of infectious complications in multiple myeloma patients: Expert panel consensus-based recommendations. Blood Reviews, 2019, 34, 84-94.	5.7	35
221	Updated Analysis of Bellini, a Phase 3 Study of Venetoclax or Placebo in Combination with Bortezomib and Dexamethasone in Patients with Relapsed/Refractory Multiple Myeloma. Blood, 2019, 134, 1888-1888.	1.4	35
222	Safety and efficacy of bortezomib-melphalan-prednisone-thalidomide followed by bortezomib-thalidomide maintenance (VMPT-VT) versus bortezomib-melphalan-prednisone (VMP) in untreated multiple myeloma patients with renal impairment. Blood, 2011, 118, 5759-5766.	1.4	34
223	Bortezomib-based therapy combined with high cutoff hemodialysis is highly effective in newly diagnosed multiple myeloma patients with severe renal impairment. American Journal of Hematology, 2015, 90, 647-652.	4.1	34
224	Practical Considerations for the Use of Daratumumab, a Novel CD38 Monoclonal Antibody, in Myeloma. Drugs, 2016, 76, 853-867.	10.9	34
225	Bortezomib, thalidomide, and dexamethasone followed by double autologous haematopoietic stem-cell transplantation for newly diagnosed multiple myeloma (GIMEMA-MMY-3006): long-term follow-up analysis of a randomised phase 3, open-label study. Lancet Haematology, the, 2020, 7, e861-e873.	4.6	34
226	Thalidomide-Dexamethasone as Induction Therapy before Autologous Stem Cell Transplantation in Patients with Newly Diagnosed Multiple Myeloma and Renal Insufficiency. Biology of Blood and Marrow Transplantation, 2010, 16, 1115-1121.	2.0	33
227	The genetic and genomic background of multiple myeloma patients achieving complete response after induction therapy with bortezomib, thalidomide and dexamethasone (VTD). Oncotarget, 2016, 7, 9666-9679.	1.8	33
228	Mutations in <i>JAK2</i> and <i>Calreticulin</i> genes are associated with specific alterations of the immune system in myelofibrosis. Oncoimmunology, 2017, 6, e1345402.	4.6	33
229	Insights on Multiple Myeloma Treatment Strategies. HemaSphere, 2019, 3, e163.	2.7	33
230	Imetelstat Is Effective Treatment for Patients with Intermediate-2 or High-Risk Myelofibrosis Who Have Relapsed or Are Refractory to Janus Kinase Inhibitor Therapy: Results of a Phase 2 Randomized Study of Two Dose Levels. Blood, 2018, 132, 685-685.	1.4	33
231	INCB84344-201: Ponatinib and steroids in frontline therapy for unfit patients with Ph+ acute lymphoblastic leukemia. Blood Advances, 2022, 6, 1742-1753.	5.2	33
232	Alpha-interferon improves survival and remission duration in P-190BCR-ABL positive adult acute lymphoblastic leukemia. Leukemia, 2000, 14, 22-27.	7.2	32
233	Daratumumab, bortezomib, and dexamethasone in relapsed or refractory multiple myeloma: subgroup analysis of CASTOR based on cytogenetic risk. Journal of Hematology and Oncology, 2020, 13, 115.	17.0	32
234	Ixazomib, an Investigational Oral Proteasome Inhibitor (PI), in Combination with Lenalidomide and Dexamethasone (IRd), Significantly Extends Progression-Free Survival (PFS) for Patients (Pts) with Relapsed and/or Refractory Multiple Myeloma (RRMM): The Phase 3 Tourmaline-MM1 Study (NCT01564537). Blood, 2015, 126, 727-727.	1.4	32

#	ARTICLE	IF	CITATIONS
235	Membrane phenotype and functional behaviour of T lymphocytes in multiple myeloma: correlation with clinical stages of the disease. <i>Clinical and Experimental Immunology</i> , 1984, 56, 653-8.	2.6	32
236	Melflufen or pomalidomide plus dexamethasone for patients with multiple myeloma refractory to lenalidomide (OCEAN): a randomised, head-to-head, open-label, phase 3 study. <i>Lancet Haematology</i> , 2022, 9, e98-e110.	4.6	32
237	The Changing Landscape of Myeloma Therapy. <i>New England Journal of Medicine</i> , 2006, 354, 1076-1078.	27.0	31
238	Poor Outcome With Front-Line Autologous Transplantation in t(4;14) Multiple Myeloma: Low Complete Remission Rate and Short Duration of Remission. <i>Journal of Clinical Oncology</i> , 2006, 24, e4-e5.	1.6	31
239	Thalidomide+dexamethasone as up-front therapy for patients with newly diagnosed multiple myeloma: thrombophilic alterations, thrombotic complications, and thromboprophylaxis with low-dose warfarin. <i>European Journal of Haematology</i> , 2010, 84, 484-492.	2.2	31
240	Glutathione transferase-A2 S112T polymorphism predicts survival, transplant-related mortality, busulfan and bilirubin blood levels after allogeneic stem cell transplantation. <i>Haematologica</i> , 2014, 99, 172-179.	3.5	31
241	Minimal residual disease by flow cytometry and allelic-specific oligonucleotide real-time quantitative polymerase chain reaction in patients with myeloma receiving lenalidomide maintenance: A pooled analysis. <i>Cancer</i> , 2019, 125, 750-760.	4.1	31
242	Minimal residual disease assessment by multiparameter flow cytometry in transplant-eligible myeloma in the EMN02/HOVON 95 MM trial. <i>Blood Cancer Journal</i> , 2021, 11, 106.	6.2	31
243	Molecular monitoring of minimal residual disease in patients in long-term complete remission after allogeneic stem cell transplantation for multiple myeloma. <i>Blood</i> , 2000, 96, 355-7.	1.4	31
244	Bones in Multiple Myeloma: Imaging and Therapy. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2018, 38, 638-646.	3.8	30
245	The Yin and Yang of the Bone Marrow Microenvironment: Pros and Cons of Mesenchymal Stromal Cells in Acute Myeloid Leukemia. <i>Frontiers in Oncology</i> , 2019, 9, 1135.	2.8	30
246	Efficacy and Feasibility of Dose/Schedule-Adjusted Rd-R Vs. Continuous Rd in Elderly and Intermediate-Fit Newly Diagnosed Multiple Myeloma (NDMM) Patients: RV-MM-PI-0752 Phase III Randomized Study. <i>Blood</i> , 2018, 132, 305-305.	1.4	30
247	Upfront Single Versus Double Autologous Stem Cell Transplantation for Newly Diagnosed Multiple Myeloma: An Intergroup, Multicenter, Phase III Study of the European Myeloma Network (EMN02/HO95) Tj ETQq1 1.0.7843136orgBT / O	1.4	30
248	Melphalan-prednisone versus alternating combination VAD/MP or VND/MP as primary therapy for multiple myeloma: final analysis of a randomized clinical study. <i>Haematologica</i> , 2002, 87, 934-42.	3.5	30
249	A Comparison of Different Staging Systems for Multiple Myeloma: Can the MRI Pattern Play a Prognostic Role?. <i>American Journal of Roentgenology</i> , 2017, 209, 152-158.	2.2	29
250	Efficacy and safety of ruxolitinib in intermediate-IPSS risk myelofibrosis patients: Results from an independent study. <i>Hematological Oncology</i> , 2018, 36, 285-290.	1.7	29
251	Outcome of paraosseous extra-medullary disease in newly diagnosed multiple myeloma patients treated with new drugs. <i>Haematologica</i> , 2020, 105, 193-200.	3.5	29
252	Intensification Therapy with Bortezomib-Melphalan-Prednisone Versus Autologous Stem Cell Transplantation for Newly Diagnosed Multiple Myeloma: An Intergroup, Multicenter, Phase III Study of the European Myeloma Network (EMN02/HO95 MM Trial). <i>Blood</i> , 2016, 128, 673-673.	1.4	29

#	ARTICLE	IF	CITATIONS
253	Normal and neoplastic plasma cell membrane phenotype: studies with new monoclonal antibodies. <i>Clinical and Experimental Immunology</i> , 1987, 70, 192-200.	2.6	29
254	Glucocorticoid receptor and in vitro sensitivity to steroid hormones in human lymphoproliferative diseases and myeloid leukemia. <i>Cancer</i> , 1982, 49, 623-632.	4.1	28
255	Prognostic value of bone marrow plasma cell infiltration in stage I multiple myeloma. <i>British Journal of Haematology</i> , 1983, 55, 683-690.	2.5	28
256	Fludarabine in patients with advanced and/or resistant B-chronic lymphocytic leukemia. <i>European Journal of Haematology</i> , 1993, 51, 93-97.	2.2	28
257	SIE, SIES, GITMO evidence-based guidelines on novel agents (thalidomide, bortezomib, and lenalidomide) in the treatment of multiple myeloma. <i>Annals of Hematology</i> , 2012, 91, 875-888.	1.8	28
258	The multiple myeloma treatment landscape: international guideline recommendations and clinical practice in Europe. <i>Expert Review of Hematology</i> , 2018, 11, 219-237.	2.2	28
259	SETD2 and histone H3 lysine 36 methylation deficiency in advanced systemic mastocytosis. <i>Leukemia</i> , 2018, 32, 139-148.	7.2	28
260	A prognostic model for patients with lymphoma and COVID-19: a multicentre cohort study. <i>Blood Advances</i> , 2022, 6, 327-338.	5.2	28
261	HIF-1 α inhibition blocks the cross talk between multiple myeloma plasma cells and tumor microenvironment. <i>Experimental Cell Research</i> , 2014, 328, 444-455.	2.6	27
262	Pomalidomide plus low-dose dexamethasone in patients with relapsed/refractory multiple myeloma and moderate renal impairment: a pooled analysis of three clinical trials. <i>Leukemia and Lymphoma</i> , 2016, 57, 2833-2838.	1.3	27
263	A population-based study of chronic myeloid leukemia patients treated with imatinib in first line. <i>American Journal of Hematology</i> , 2017, 92, 82-87.	4.1	27
264	Polymerase chain reaction-based detection of minimal residual disease in multiple myeloma patients receiving allogeneic stem cell transplantation. <i>Haematologica</i> , 2000, 85, 930-4.	3.5	27
265	Autologous stem cell transplantation in multiple myeloma: Results of the european group for bone marrow transplantation. <i>Stem Cells</i> , 1995, 13, 140-146.	3.2	26
266	Concomitant Mobilization of Plasma Cells and Hematopoietic Progenitors into Peripheral Blood of Patients with Multiple Myeloma. <i>Stem Cells and Development</i> , 1996, 5, 339-349.	1.0	26
267	Multiple Myeloma Treatment Strategies with Novel Agents in 2011: A European Perspective. <i>Oncologist</i> , 2011, 16, 388-403.	3.7	26
268	Human cord blood-derived platelet lysate enhances the therapeutic activity of adipose-derived mesenchymal stromal cells isolated from Crohn's disease patients in a mouse model of colitis. <i>Stem Cell Research and Therapy</i> , 2015, 6, 170.	5.5	26
269	Safety and efficacy of daratumumab in dialysis-dependent renal failure secondary to multiple myeloma. <i>Haematologica</i> , 2018, 103, e277-e278.	3.5	26
270	Real-world use of thrombopoietin receptor agonists in older patients with primary immune thrombocytopenia. <i>Blood</i> , 2021, 138, 571-583.	1.4	26

#	ARTICLE	IF	CITATIONS
271	Carfilzomib, Pomalidomide and Dexamethasone (KPd) in Patients with Multiple Myeloma Refractory to Bortezomib and Lenalidomide. the EMN011 Trial. <i>Blood</i> , 2018, 132, 801-801.	1.4	26
272	Consolidation Followed By Maintenance Therapy Versus Maintenance Alone in Newly Diagnosed, Transplant Eligible Patients with Multiple Myeloma (MM): A Randomized Phase 3 Study of the European Myeloma Network (EMN02/HO95 MM Trial). <i>Blood</i> , 2016, 128, 242-242.	1.4	26
273	Selection and transplantation of autologous CD34+ B-lineage negative cells in advanced-phase multiple myeloma patients: a pilot study. <i>British Journal of Haematology</i> , 1999, 107, 419-428.	2.5	25
274	Predicting poor peripheral blood stem cell collection in patients with multiple myeloma receiving pre-transplant induction therapy with novel agents and mobilized with cyclophosphamide plus granulocyte-colony stimulating factor: results from a Gruppo Italiano Malattie EMatologiche dell'Adulto Multiple Myeloma Working Party study. <i>Stem Cell Research and Therapy</i> , 2015, 6, 64.	5.5	25
275	Inverse probability weighting to estimate causal effect of a singular phase in a multiphase randomized clinical trial for multiple myeloma. <i>BMC Medical Research Methodology</i> , 2016, 16, 150.	3.1	25
276	Ocular surface analysis in hematological patients before and after allogeneic hematopoietic stem cell transplantation: implication for daily clinical practice. <i>Eye</i> , 2017, 31, 1417-1426.	2.1	25
277	Response of high-risk MDS to azacitidine and lenalidomide is impacted by baseline and acquired mutations in a cluster of three inositide-specific genes. <i>Leukemia</i> , 2019, 33, 2276-2290.	7.2	25
278	Consolidation and Maintenance in Newly Diagnosed Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2021, 39, 3613-3622.	1.6	25
279	T(11;14) and High BCL2 Expression Are Predictive Biomarkers of Response to Venetoclax in Combination with Bortezomib and Dexamethasone in Patients with Relapsed/Refractory Multiple Myeloma: Biomarker Analyses from the Phase 3 Bellini Study. <i>Blood</i> , 2019, 134, 142-142.	1.4	25
280	Superior Complete Response Rate and Progression-Free Survival after Autologous Transplantation with up-Front Velcade-Thalidomide- Dexamethasone Compared with Thalidomide-Dexamethasone in Newly Diagnosed Multiple Myeloma. <i>Blood</i> , 2008, 112, 158-158.	1.4	25
281	Salvage therapy with thalidomide in multiple myeloma patients relapsing after autologous peripheral blood stem cell transplantation. <i>Haematologica</i> , 2001, 86, 409-13.	3.5	25
282	Selection and Transplantation of Autologous Hematopoietic CD34+Cells for Patients with Multiple Myeloma. <i>Leukemia and Lymphoma</i> , 1997, 26, 1-11.	1.3	24
283	Impact of comorbidities on the treatment of chronic myeloid leukemia with tyrosine-kinase inhibitors. <i>Expert Review of Hematology</i> , 2013, 6, 563-574.	2.2	24
284	Bortezomib, melphalan, prednisone (VMP) versus melphalan, prednisone, thalidomide (MPT) in elderly newly diagnosed multiple myeloma patients: A retrospective case-matched study. <i>American Journal of Hematology</i> , 2014, 89, 355-362.	4.1	24
285	The tissue inhibitor of metalloproteinases 1 increases the clonogenic efficiency of human hematopoietic progenitor cells through CD63/PI3K/Akt signaling. <i>Experimental Hematology</i> , 2015, 43, 974-985.e1.	0.4	24
286	Toward a GEP-based PET in myeloma. <i>Blood</i> , 2017, 130, 2-3.	1.4	24
287	The use of bisphosphonates in the management of bone involvement from solid tumours and haematological malignancies - a European survey. <i>European Journal of Cancer Care</i> , 2017, 26, e12490.	1.5	24
288	Differences in presenting features, outcome and prognostic models in patients with primary myelofibrosis and post-polycythemia vera and/or post-essential thrombocythemia myelofibrosis treated with ruxolitinib. New perspective of the MYSEC-PM in a large multicenter study. <i>Seminars in Hematology</i> , 2018, 55, 248-255.	3.4	24

#	ARTICLE	IF	CITATIONS
289	Circulating Calreticulin Is Increased in Myelofibrosis: Correlation with Interleukin-6 Plasma Levels, Bone Marrow Fibrosis, and Splenomegaly. <i>Mediators of Inflammation</i> , 2016, 2016, 1-7.	3.0	23
290	In chronic myeloid leukemia patients on second-line tyrosine kinase inhibitor therapy, deep sequencing of BCR-ABL1 at the time of warning may allow sensitive detection of emerging drug-resistant mutants. <i>BMC Cancer</i> , 2016, 16, 572.	2.6	23
291	Light chains removal by extracorporeal techniques in acute kidney injury due to multiple myeloma: a position statement of the Onconephrology Work Group of the Italian Society of Nephrology. <i>Journal of Nephrology</i> , 2016, 29, 735-746.	2.0	23
292	Durability of spleen response affects the outcome of ruxolitinib-treated patients with myelofibrosis: Results from a multicentre study on 284 patients. <i>Leukemia Research</i> , 2018, 74, 86-88.	0.8	23
293	Chemotherapy-Induced Tumor Cell Death at the Crossroads Between Immunogenicity and Immunotolerance: Focus on Acute Myeloid Leukemia. <i>Frontiers in Oncology</i> , 2019, 9, 1004.	2.8	23
294	Understanding mortality in multiple myeloma: Findings of a European retrospective chart review. <i>European Journal of Haematology</i> , 2019, 103, 107-115.	2.2	23
295	Addition of elotuzumab to lenalidomide and dexamethasone for patients with newly diagnosed, transplantation ineligible multiple myeloma (ELOQUENT-1): an open-label, multicentre, randomised, phase 3 trial. <i>Lancet Haematology</i> , 2022, 9, e403-e414.	4.6	23
296	Nilotinib 300 mg twice daily: an academic single-arm study of newly diagnosed chronic phase chronic myeloid leukemia patients. <i>Haematologica</i> , 2016, 101, 1200-1207.	3.5	22
297	Once-weekly versus twice-weekly carfilzomib in patients with newly diagnosed multiple myeloma: a pooled analysis of two phase I/II studies. <i>Haematologica</i> , 2019, 104, 1640-1647.	3.5	22
298	A real-world efficacy and safety analysis of combined carfilzomib, lenalidomide, and dexamethasone (KRd) in relapsed/refractory multiple myeloma. <i>Hematological Oncology</i> , 2021, 39, 41-50.	1.7	22
299	Daratumumab Plus Bortezomib, Melphalan, and Prednisone Versus Bortezomib, Melphalan, and Prednisone in Transplant-Ineligible Newly Diagnosed Multiple Myeloma: Frailty Subgroup Analysis of ALCYONE. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, 785-798.	0.4	22
300	2021 European Myeloma Network review and consensus statement on smoldering multiple myeloma: how to distinguish (and manage) Dr. Jekyll and Mr. Hyde. <i>Haematologica</i> , 2021, 106, 2799-2812.	3.5	22
301	Cryptic BCR-ABL fusion gene as variant rearrangement in chronic myeloid leukemia: molecular cytogenetic characterization and influence on TKIs therapy. <i>Oncotarget</i> , 2017, 8, 29906-29913.	1.8	22
302	Considerations in the treatment of multiple myeloma: a consensus statement from Italian experts. <i>European Journal of Haematology</i> , 2009, 82, 93-105.	2.2	21
303	Successful mobilization of PBSCs predicts favorable outcomes in multiple myeloma patients treated with novel agents and autologous transplantation. <i>Bone Marrow Transplantation</i> , 2015, 50, 673-678.	2.4	21
304	Adverse event management in patients with relapsed and refractory multiple myeloma taking pomalidomide plus low-dose dexamethasone: A pooled analysis. <i>European Journal of Haematology</i> , 2017, 99, 199-206.	2.2	21
305	The More, The Better: Do the Right Thing For Natural Killer Immunotherapy in Acute Myeloid Leukemia. <i>Frontiers in Immunology</i> , 2017, 8, 1330.	4.8	21
306	Patient-reported outcomes in relapsed/refractory multiple myeloma: a systematic review. <i>Supportive Care in Cancer</i> , 2018, 26, 2075-2090.	2.2	21

#	ARTICLE	IF	CITATIONS
307	Results from a Phase II Study of Isatuximab As a Single Agent and in Combination with Dexamethasone in Patients with Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2018, 132, 155-155.	1.4	21
308	Bisphosphonates and Osteonecrosis of the Jaws: Incidence in a Homogeneous Series of Patients with Newly Diagnosed Multiple Myeloma Treated with Zoledronic Acid.. <i>Blood</i> , 2005, 106, 3461-3461.	1.4	21
309	Vantage 095: Vorinostat in Combination with Bortezomib in Salvage Multiple Myeloma Patients: Final Study Results of a Global Phase 2b Trial. <i>Blood</i> , 2011, 118, 480-480.	1.4	21
310	Phase III (IMROZ) study design: Isatuximab plus bortezomib (V), lenalidomide (R), and dexamethasone (d) vs VRd in transplant-ineligible patients (pts) with newly diagnosed multiple myeloma (NDMM).. <i>Journal of Clinical Oncology</i> , 2018, 36, TPS8055-TPS8055.	1.6	21
311	Crucial factors of the inflammatory microenvironment (IL-1 ^{Î²} /TNF-Î±/TIMP-1) promote the maintenance of the malignant hemopoietic clone of myelofibrosis: an <i>in vitro</i> study. <i>Oncotarget</i> , 2016, 7, 43974-43988.	1.8	21
312	Treatment with Imetelstat Improves Myelofibrosis-Related Symptoms and Other Patient-Reported Outcomes in Patients with Relapsed or Refractory Higher-Risk Myelofibrosis. <i>Blood</i> , 2020, 136, 45-46.	1.4	21
313	First-Line Treatment of Newly Diagnosed Elderly Patients with Chronic Myeloid Leukemia: Current and Emerging Strategies. <i>Drugs</i> , 2014, 74, 627-643.	10.9	20
314	Valosin-Containing Protein/p97 as a Novel Therapeutic Target in Acute Lymphoblastic Leukemia. <i>Neoplasia</i> , 2017, 19, 750-761.	5.3	20
315	Development and internal validation of a model for predicting 60-day risk of invasive mould disease in patients with haematological malignancies. <i>Journal of Infection</i> , 2019, 78, 484-490.	3.3	20
316	The role of circulating monocytes and JAK inhibition in the infectious-driven inflammatory response of myelofibrosis. <i>Oncolmmunology</i> , 2020, 9, 1782575.	4.6	20
317	Recent Advances in the Molecular Biology of Systemic Mastocytosis: Implications for Diagnosis, Prognosis, and Therapy. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3987.	4.1	20
318	One-Year Update of a Phase 3 Randomized Study of Daratumumab Plus Bortezomib, Melphalan, and Prednisone (D-VMP) Versus Bortezomib, Melphalan, and Prednisone (VMP) in Patients (Pts) with Transplant-Ineligible Newly Diagnosed Multiple Myeloma (NDMM): Alcyone. <i>Blood</i> , 2018, 132, 156-156.	1.4	20
319	Standardization of 18F-FDG PET/CT According to Deauville Criteria for MRD Evaluation in Newly Diagnosed Transplant Eligible Multiple Myeloma Patients: Joined Analysis of Two Prospective Randomized Phase III Trials. <i>Blood</i> , 2018, 132, 257-257.	1.4	20
320	Engraftment, clinical, and molecular follow-up of patients with multiple myeloma who were reinfused with highly purified CD34+ cells to support single or tandem high-dose chemotherapy. <i>Blood</i> , 2000, 95, 2234-9.	1.4	20
321	Release of IFN ^{Î³} by Acute Myeloid Leukemia Cells Remodels Bone Marrow Immune Microenvironment by Inducing Regulatory T Cells. <i>Clinical Cancer Research</i> , 2022, 28, 3141-3155.	7.0	20
322	Analysis of renal impairment in MM-003, a phase III study of pomalidomide + low - dose dexamethasone versus high - dose dexamethasone in refractory or relapsed and refractory multiple myeloma. <i>Haematologica</i> , 2016, 101, 872-878.	3.5	19
323	Saprochaete clavata infections in patients undergoing treatment for haematological malignancies: A report of a monocentric outbreak and review of the literature. <i>Mycoses</i> , 2019, 62, 1100-1107.	4.0	19
324	Role of Imaging in the Evaluation of Minimal Residual Disease in Multiple Myeloma Patients. <i>Journal of Clinical Medicine</i> , 2020, 9, 3519.	2.4	19

#	ARTICLE	IF	CITATIONS
325	Second primary malignancy in myelofibrosis patients treated with ruxolitinib. <i>British Journal of Haematology</i> , 2021, 193, 356-368.	2.5	19
326	A Phase III Study of Double Autotransplantation Incorporating Bortezomib-Thalidomide-Dexamethasone (VTD) or Thalidomide-Dexamethasone (TD) for Multiple Myeloma: Superior Clinical Outcomes with VTD Compared to TD.. <i>Blood</i> , 2009, 114, 351-351.	1.4	19
327	Meningeal Leukemia Complicating Polymphocytoid Transformation of B-Chronic Lymphocytic Leukemia. <i>Acta Haematologica</i> , 1985, 74, 205-207.	1.4	18
328	Autologous bone marrow transplantation with immunotoxinâ€urged marrow for advanced multiple myeloma. <i>European Journal of Haematology</i> , 1989, 43, 176-181.	2.2	18
329	Primary plasma cell leukemia in the era of new drugs: Has something changed?. <i>Critical Reviews in Oncology/Hematology</i> , 2012, 82, 141-149.	4.4	18
330	Retrospective Cohort Analysis of Liposomal Amphotericin B Nephrotoxicity in Patients with Hematological Malignancies. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	3.2	18
331	The relevance of a low <i>JAK2</i>V617F allele burden in clinical practice: a monocentric study. <i>Oncotarget</i>, 2017, 8, 37239-37249.</i>	1.8	18
332	Anti-CD38 and anti-SLAMF7: the future of myeloma immunotherapy. <i>Expert Review of Hematology</i> , 2018, 11, 423-435.	2.2	18
333	A Phase 3 Study of Venetoclax or Placebo in Combination with Bortezomib and Dexamethasone in Patients with Relapsed/Refractory Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e31.	0.4	18
334	Evolution of multiple myeloma treatment practices in Europe from 2014 to 2016. <i>British Journal of Haematology</i> , 2019, 185, 981-984.	2.5	18
335	Daratumumab Plus Bortezomib, Melphalan, and Prednisone Versus Bortezomib, Melphalan, and Prednisone in Patients with Transplant-Ineligible Newly Diagnosed Multiple Myeloma: Overall Survival in Alcyone. <i>Blood</i> , 2019, 134, 859-859.	1.4	18
336	Efficacy of daratumumab in combination with lenalidomide plus dexamethasone (DRd) or bortezomib plus dexamethasone (Dvd) in relapsed or refractory multiple myeloma (RRMM) based on cytogenetic risk status.. <i>Journal of Clinical Oncology</i> , 2017, 35, 8006-8006.	1.6	18
337	Revealing very small FLT3 ITD mutated clones by ultra-deep sequencing analysis has important clinical implications in AML patients. <i>Oncotarget</i> , 2015, 6, 31284-31294.	1.8	18
338	Incidental finding of an 11C-choline PET-positive solitary plasmacytoma lesion. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 1522-1522.	6.4	17
339	<i>In vitro</i> treatment with retinoids decreases bclâ€2 protein expression and enhances dexamethasoneâ€induced cytotoxicity and apoptosis in multiple myeloma cells. <i>European Journal of Haematology</i> , 1999, 62, 143-148.	2.2	17
340	Effectiveness of chemotherapy after antiâ€PDâ€1 blockade failure for relapsed and refractory Hodgkin lymphoma. <i>Cancer Medicine</i> , 2020, 9, 7830-7836.	2.8	17
341	Elotuzumab, lenalidomide, and dexamethasone as salvage therapy for patients with multiple myeloma: Italian, multicenter, retrospective clinical experience with 300 cases outside of controlled clinical trials. <i>Haematologica</i> , 2020, 106, 291-294.	3.5	17
342	Deepening responses associated with improved progression-free survival with ixazomib versus placebo as posttransplant maintenance in multiple myeloma. <i>Leukemia</i> , 2020, 34, 3019-3027.	7.2	17

#	ARTICLE	IF	CITATIONS
343	Greater treatment satisfaction in patients receiving daratumumab subcutaneous vs. intravenous for relapsed or refractory multiple myeloma: COLUMBA clinical trial results. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 619-631.	2.5	17
344	A Phase IB, Multicenter, Open-Label, Dose-Escalation Study of Oral Panobinostat (LBH589) and I.V. Bortezomib in Patients with Relapsed Multiple Myeloma. <i>Blood</i> , 2008, 112, 2781-2781.	1.4	17
345	A Phase III Study of Enoxaparin Versus Low-Dose Warfarin Versus Aspirin as Thromboprophylaxis for Patients with Newly Diagnosed Multiple Myeloma Treated up-Front with Thalidomide-Containing Regimens. <i>Blood</i> , 2008, 112, 3017-3017.	1.4	17
346	How I treat high-risk multiple myeloma. <i>Blood</i> , 2022, 139, 2889-2903.	1.4	17
347	Autoimmune mediated thrombocytopenia associated with the use of interferon-alpha in chronic myeloid leukemia. <i>Haematologica</i> , 1996, 81, 533-5.	3.5	17
348	Biologically defined risk groups can be used to define the impact of thalidomide maintenance therapy in newly diagnosed multiple myeloma. <i>Leukemia and Lymphoma</i> , 2013, 54, 1975-1981.	1.3	16
349	Clinical impact of low-burden BCR-ABL1 mutations detectable by amplicon deep sequencing in Philadelphia-positive acute lymphoblastic leukemia patients. <i>Leukemia</i> , 2016, 30, 1615-1619.	7.2	16
350	Radiologic findings of Fusarium pneumonia in neutropenic patients. <i>Mycoses</i> , 2017, 60, 73-78.	4.0	16
351	Inotuzumab ozogamicin is effective in relapsed/refractory extramedullary B acute lymphoblastic leukemia. <i>BMC Cancer</i> , 2018, 18, 1117.	2.6	16
352	Circulating megakaryocyte and platelet microvesicles correlate with response to ruxolitinib and distinct disease severity in patients with myelofibrosis. <i>British Journal of Haematology</i> , 2019, 185, 987-991.	2.5	16
353	Understanding how older age drives decision-making and outcome in Immune Thrombocytopenia. A single centre study on 465 adult patients. <i>British Journal of Haematology</i> , 2019, 184, 424-430.	2.5	16
354	Intrabone transplant provides full stemness of cord blood stem cells with fast hematopoietic recovery and low GVHD rate: results from a prospective study. <i>Bone Marrow Transplantation</i> , 2019, 54, 717-725.	2.4	16
355	Once- versus twice-weekly carfilzomib in relapsed and refractory multiple myeloma by select patient characteristics: phase 3 A.R.R.O.W. study subgroup analysis. <i>Blood Cancer Journal</i> , 2020, 10, 35.	6.2	16
356	Sunitinib Exerts In Vitro Immunomodulatory Activity on Sarcomas via Dendritic Cells and Synergizes With PD-1 Blockade. <i>Frontiers in Immunology</i> , 2021, 12, 577766.	4.8	16
357	Effect of age and frailty on the efficacy and tolerability of once-weekly selinexor, bortezomib, and dexamethasone in previously treated multiple myeloma. <i>American Journal of Hematology</i> , 2021, 96, 708-718.	4.1	16
358	Final Overall Survival Results from BELLINI, a Phase 3 Study of Venetoclax or Placebo in Combination with Bortezomib and Dexamethasone in Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2021, 138, 84-84.	1.4	16
359	M ² protocol for melphalan-resistant and relapsing multiple myeloma. <i>European Journal of Haematology</i> , 1988, 40, 168-173.	2.2	15
360	Bortezomib and dexamethasone as salvage therapy in patients with relapsed/refractory multiple myeloma: analysis of long-term clinical outcomes. <i>Annals of Hematology</i> , 2014, 93, 123-128.	1.8	15

#	ARTICLE	IF	CITATIONS
361	Incidence of second primary malignancies and related mortality in patients with imatinib-treated chronic myeloid leukemia. <i>Haematologica</i> , 2017, 102, 1530-1536.	3.5	15
362	Risk factors for progression to blast phase and outcome in 589 patients with myelofibrosis treated with ruxolitinib: Real-world data. <i>Hematological Oncology</i> , 2020, 38, 372-380.	1.7	15
363	Integrated genomic-metabolic classification of acute myeloid leukemia defines a subgroup with NPM1 and cohesin/DNA damage mutations. <i>Leukemia</i> , 2021, 35, 2813-2826.	7.2	15
364	Selinexor, bortezomib, and dexamethasone versus bortezomib and dexamethasone in previously treated multiple myeloma: Outcomes by cytogenetic risk. <i>American Journal of Hematology</i> , 2021, 96, 1120-1130.	4.1	15
365	Minimal Residual Disease Evaluation By Multiparameter Flow Cytometry and Next Generation Sequencing in the Forte Trial for Newly Diagnosed Multiple Myeloma Patients. <i>Blood</i> , 2019, 134, 4322-4322.	1.4	15
366	Impact of Cytogenetics on Outcomes of Transplant-Ineligible Patients with Newly Diagnosed Multiple Myeloma Treated with Continuous Lenalidomide Plus Low-Dose Dexamethasone in the First (MM-020) Trial. <i>Blood</i> , 2015, 126, 730-730.	1.4	15
367	Emerging Bone Marrow Microenvironment-Driven Mechanisms of Drug Resistance in Acute Myeloid Leukemia: Tangle or Chance?. <i>Cancers</i> , 2021, 13, 5319.	3.7	15
368	Allogeneic Bone Marrow Transplantation in Multiple Myeloma. <i>Hematology/Oncology Clinics of North America</i> , 1992, 6, 425-435.	2.2	14
369	Discrepancy between serological complete remission and concomitant new bone lytic lesions after infusion of escalating low doses of donor lymphocytes in multiple myeloma: a case report. <i>Bone Marrow Transplantation</i> , 1999, 24, 685-687.	2.4	14
370	European Myeloma Network: the 3rd Trialist Forum Consensus Statement from the European experts meeting on multiple myeloma. <i>Leukemia and Lymphoma</i> , 2010, 51, 2006-2011.	1.3	14
371	Cost of Illness in Patients with Multiple Myeloma in Italy: The CoMiM Study. <i>Tumori</i> , 2013, 99, e193-e202.	1.1	14
372	Initial treatment of transplant-eligible patients in multiple myeloma. <i>Expert Review of Hematology</i> , 2014, 7, 43-53.	2.2	14
373	Denatonium as a Bitter Taste Receptor Agonist Modifies Transcriptomic Profile and Functions of Acute Myeloid Leukemia Cells. <i>Frontiers in Oncology</i> , 2020, 10, 1225.	2.8	14
374	Bone complications in patients with multiple myeloma in five European countries: a retrospective patient chart review. <i>BMC Cancer</i> , 2020, 20, 170.	2.6	14
375	Telemedicine in patients with haematological diseases during the coronavirus disease 2019 (COVID-19) pandemic: selection criteria and patients' satisfaction. <i>British Journal of Haematology</i> , 2021, 192, e48-e51.	2.5	14
376	Ruxolitinib rechallenge in resistant or intolerant patients with myelofibrosis: Frequency, therapeutic effects, and impact on outcome. <i>Cancer</i> , 2021, 127, 2657-2665.	4.1	14
377	A Phase III Study of Enoxaparin vs Aspirin vs Low-Dose Warfarin as Thromboprophylaxis for Newly Diagnosed Myeloma Patients Treated with Thalidomide Based-Regimens. <i>Blood</i> , 2009, 114, 492-492.	1.4	14
378	Clonal and subclonal TP53 molecular impairment is associated with prognosis and progression in multiple myeloma. <i>Blood Cancer Journal</i> , 2022, 12, 15.	6.2	14

#	ARTICLE	IF	CITATIONS
379	Clinical and molecular follow-up by amplification of the CDR-III IgH region in multiple myeloma patients after autologous transplantation of hematopoietic CD34+ stem cells. <i>Haematologica</i> , 1999, 84, 397-404.	3.5	14
380	Ruxolitinib- but not fedratinib-induced extreme thrombocytosis: the combination therapy with hydroxyurea and ruxolitinib is effective in reducing platelet count and splenomegaly/constitutional symptoms. <i>Annals of Hematology</i> , 2015, 94, 1585-1587.	1.8	13
381	Role of serum free light chain assay in the detection of early relapse and prediction of prognosis after relapse in multiple myeloma patients treated upfront with novel agents. <i>Haematologica</i> , 2017, 102, e104-e107.	3.5	13
382	Superior Outcomes Associated with Complete Response: Analysis of the Phase III VISTA Study of Bortezomib Plus Melphalan+Prednisone Versus Melphalan+Prednisone. <i>Blood</i> , 2008, 112, 2778-2778.	1.4	13
383	Carfilzomib-lenalidomide-dexamethasone (KRd) vs carfilzomib-cyclophosphamide-dexamethasone (KCd) induction: Planned interim analysis of the randomized FORTE trial in newly diagnosed multiple myeloma (NDMM).. <i>Journal of Clinical Oncology</i> , 2017, 35, 8003-8003.	1.6	13
384	Novel mutation and RNA splice variant of fibroblast growth factor receptor 3 in multiple myeloma patients at diagnosis. <i>Haematologica</i> , 2002, 87, 1036-40.	3.5	13
385	Thalidomide Maintenance in Multiple Myeloma: Certainties and Controversies. <i>Journal of Clinical Oncology</i> , 2009, 27, e186-e187.	1.6	12
386	Results of a fludarabine induction and low-dose interferon maintenance protocol in pretreated patients with chronic lymphocytic leukemia and low-grade non-Hodgkin's lymphoma. <i>European Journal of Haematology</i> , 1997, 59, 82-88.	2.2	12
387	A third-generation IMiD for MM. <i>Blood</i> , 2011, 118, 2931-2932.	1.4	12
388	Bendamustine for the treatment of multiple myeloma in first-line and relapsed/refractory settings: a review of clinical trial data. <i>Leukemia and Lymphoma</i> , 2015, 56, 559-567.	1.3	12
389	Prognostic impact of serial measurements of serum-free light chain assay throughout the course of newly diagnosed multiple myeloma treated with bortezomib-based regimens. <i>Leukemia and Lymphoma</i> , 2016, 57, 2058-2064.	1.3	12
390	FOXO1 Transcription Factor: A New Component of Chronic Myeloid Leukemia Stem Cell Proliferation Advantage. <i>Journal of Cellular Biochemistry</i> , 2017, 118, 3968-3975.	2.6	12
391	The utility of contrast-enhanced hypodense sign for the diagnosis of pulmonary invasive mould disease in patients with haematological malignancies. <i>British Journal of Radiology</i> , 2018, 91, 20170220.	2.2	12
392	Association between response kinetics and outcomes in relapsed/refractory multiple myeloma: analysis from TOURMALINE-MM1. <i>Leukemia</i> , 2018, 32, 2032-2036.	7.2	12
393	Successful treatment of bilateral endogenous <i>Fusarium solani</i> endophthalmitis in a patient with acute lymphocytic leukaemia. <i>Mycoses</i> , 2018, 61, 53-60.	4.0	12
394	Carfilzomib, cyclophosphamide and dexamethasone for newly diagnosed, high-risk myeloma patients not eligible for transplant: a pooled analysis of two studies. <i>Haematologica</i> , 2021, 106, 1079-1085.	3.5	12
395	An IDO1-related immune gene signature predicts overall survival in acute myeloid leukemia. <i>Blood Advances</i> , 2021, . .	5.2	12
396	OP-106 Horizon + Melflufen Therapy for RRMM Patients Refractory to Daratumumab and/or Pomalidomide; Updated Results and First Report on PFS. <i>Blood</i> , 2018, 132, 600-600.	1.4	12

#	ARTICLE	IF	CITATIONS
397	A New Risk Stratification Model (R2-ISS) in Newly Diagnosed Multiple Myeloma: Analysis of Mature Data from 7077 Patients Collected By European Myeloma Network within Harmony Big Data Platform. <i>Blood</i> , 2020, 136, 34-37.	1.4	12
398	Superiority of Double over Single Autologous Stem Cell Transplantation as First-Line Therapy for Multiple Myeloma. <i>Blood</i> , 2004, 104, 536-536.	1.4	12
399	A Phase 3 Study Evaluating the Efficacy and Safety of Lenalidomide (Len) Combined with Melphalan and Prednisone Followed by Continuous Lenalidomide Maintenance (MPR-R) in Patients (Pts) ≥ 65 Years (Yrs) with Newly Diagnosed Multiple Myeloma (NDMM): Updated Results for Pts Aged 65-75 Yrs Enrolled in MM-015. <i>Blood</i> , 2011, 118, 475-475.	1.4	12
400	BCR-ABL Mutations in Chronic Myeloid Leukemia (CML) Patients (pts) with Failure and Warning to First- and Second-Line Tyrosine Kinase Inhibitor (TKI) Therapy: What Is the Advantage of Next-Generation Sequencing (NGS) over Conventional Sequencing?. <i>Blood</i> , 2015, 126, 346-346.	1.4	12
401	Monoclonal gammopathy of renal significance (MGRS): Real-world data on outcomes and prognostic factors. <i>American Journal of Hematology</i> , 2022, 97, 877-884.	4.1	12
402	Secondary Cutaneous Plasmacytoma. <i>Acta Haematologica</i> , 1983, 69, 287-288.	1.4	11
403	Phase II study of a new alkylating agent (PTT-119) in resistant-relapsed non-Hodgkin's lymphomas. <i>Cancer Chemotherapy and Pharmacology</i> , 1989, 23, 123-5.	2.3	11
404	EVIDENCE THAT LONG-TERM BONE MARROW CULTURE OF PATIENTS WITH MULTIPLE MYELOMA FAVORS NORMAL HEMOPOIETIC PROLIFERATION. <i>Transplantation</i> , 1989, 48, 1026-1030.	1.0	11
405	Long-term results of thalidomide and dexamethasone (thal+dex) as therapy of first relapse in multiple myeloma. <i>Annals of Hematology</i> , 2012, 91, 419-426.	1.8	11
406	Prevention and management of adverse events of Novel agents in multiple myeloma: A consensus of the european myeloma network. <i>Leukemia</i> , 2017, , .	7.2	11
407	Comparison of <i>JAK2</i> ^{V617F} -positive essential thrombocythaemia and early primary myelofibrosis: The impact of mutation burden and histology. <i>Hematological Oncology</i> , 2018, 36, 269-275.	1.7	11
408	A patient with plasmablastic lymphoma achieving long-term complete remission after thalidomide-dexamethasone induction and double autologous stem cell transplantation: a case report. <i>BMC Cancer</i> , 2018, 18, 645.	2.6	11
409	Hyper-activation of Aurora kinase a-polo-like kinase 1-FOXM1 axis promotes chronic myeloid leukemia resistance to tyrosine kinase inhibitors. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 216.	8.6	11
410	Bendamustine+rituximab regimen in untreated indolent marginal zone lymphoma: experience on 65 patients. <i>Hematological Oncology</i> , 2020, 38, 487-492.	1.7	11
411	Distinct profile of CD34+ cells and plasma-derived extracellular vesicles from triple-negative patients with Myelofibrosis reveals potential markers of aggressive disease. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 49.	8.6	11
412	Effect of prior treatments on selinexor, bortezomib, and dexamethasone in previously treated multiple myeloma. <i>Journal of Hematology and Oncology</i> , 2021, 14, 59.	17.0	11
413	The Role of Hypoxic Bone Marrow Microenvironment in Acute Myeloid Leukemia and Future Therapeutic Opportunities. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6857.	4.1	11
414	Outcome of Patients with Myelofibrosis after Ruxolitinib Failure: Role of Disease Status and Treatment Strategies in 214 Patients. <i>Blood</i> , 2018, 132, 4277-4277.	1.4	11

#	ARTICLE	IF	CITATIONS
415	A Phase IB, Multi-Center, Open-Label Dose-Escalation Study of Oral Panobinostat (LBH589) and I.V. Bortezomib in Patients with Relapsed Multiple Myeloma.. Blood, 2009, 114, 3852-3852.	1.4	11
416	Molecular Remission After Bortezomib-Thalidomide-Dexamethasone Compared with Thalidomide-Dexamethasone as Consolidation Therapy Following Double Autologous Transplantation for Multiple Myeloma: Results of a Qualitative and Quantitative Analysis. Blood, 2010, 116, 861-861.	1.4	11
417	Melphalan/Prednisone/Lenalidomide (MPR) Versus High-Dose Melphalan and Autologous Transplantation (MEL200) in Newly Diagnosed Multiple Myeloma (MM) Patients <65 Years: Results of a Randomized Phase III Study. Blood, 2011, 118, 3069-3069.	1.4	11
418	Superior PFS2 with VTD Vs TD for Newly Diagnosed, Transplant Eligible, Multiple Myeloma (MM) Patients: Updated Analysis of Gimema MMY-3006 Study. Blood, 2014, 124, 196-196.	1.4	11
419	Final Analysis of Overall Survival from the First Trial. Blood, 2016, 128, 241-241.	1.4	11
420	Thalidomide and Dexamethasone as Salvage Therapy after First Relapse in Multiple Myeloma: Analysis of Long-Term Outcomes.. Blood, 2009, 114, 4933-4933.	1.4	11
421	Allogeneic bone marrow transplantation for the treatment of multiple myeloma: An overview of published reports. Stem Cells, 1995, 13, 126-131.	3.2	10
422	Correlation between eight-gene expression profiling and response to therapy of newly diagnosed multiple myeloma patients treated with thalidomide+dexamethasone incorporated into double autologous transplantation. Annals of Hematology, 2013, 92, 1271-1280.	1.8	10
423	Role of Consolidation Therapy in Transplant Eligible Multiple Myeloma Patients. Seminars in Oncology, 2013, 40, 610-617.	2.2	10
424	Positron Emission Tomography With Computed Tomography-Based Diagnosis of Massive Extramedullary Progression in a Patient With High-Risk Multiple Myeloma. Clinical Lymphoma, Myeloma and Leukemia, 2014, 14, e101-e104.	0.4	10
425	Rotation of nilotinib and imatinib for first-line treatment of chronic phase chronic myeloid leukemia. American Journal of Hematology, 2016, 91, 617-622.	4.1	10
426	Impact of comorbidities and body mass index in patients with myelofibrosis treated with ruxolitinib. Annals of Hematology, 2019, 98, 889-896.	1.8	10
427	Efficacy of Daratumumab in Combination with Standard of Care Regimens in Lenalidomide-Exposed or -Refractory Patients with Relapsed/Refractory Multiple Myeloma (RRMM): Analysis of the Castor, Pollux, and MMY1001 Studies. Blood, 2018, 132, 3288-3288.	1.4	10
428	Updated Results from the Phase 2 Centaurus Study of Daratumumab (DARA) Monotherapy in Patients with Intermediate-Risk or High-Risk Smoldering Multiple Myeloma (SMM). Blood, 2018, 132, 1994-1994.	1.4	10
429	Bortezomib-Thalidomide-Dexamethasone Versus Thalidomide-Dexamethasone before and after Double Autologous Stem Cell Transplantation for Newly Diagnosed Multiple Myeloma: Final Analysis of Phase 3 Gimema-MMY-3006 Study and Prognostic Score for Survival Outcomes. Blood, 2018, 132, 125-125.	1.4	10
430	Up-Front Thalidomide-Dexamethasone (THAL) and Double Autologous Transplantation (Double TX) for Multiple Myeloma: Comparison with Double TX without Added Thalidomide and Prognostic Implications of Chromosome 13 Deletion and Translocation t(4;14).. Blood, 2006, 108, 3081-3081.	1.4	10
431	Final Analysis, Cytogenetics, Long-Term Treatment, and Long-Term Survival In MM-003, A Phase 3 Study Comparing Pomalidomide + Low-Dose Dexamethasone (POM + LoDEX) Vs High-Dose Dexamethasone (HiDEX) In Relapsed/Refractory Multiple Myeloma (RRMM). Blood, 2013, 122, 408-408.	1.4	10
432	Pomalidomide + Low-Dose Dexamethasone in Patients with Refractory or Relapsed and Refractory Multiple Myeloma and Renal Impairment: Analysis of Patients from the Phase 3b Stratus Trial (MM-010). Blood, 2014, 124, 4755-4755.	1.4	10

#	ARTICLE	IF	CITATIONS
433	Prognostic Value of BCR-ABL1 Transcript Type in Chronic Myeloid Leukemia Patients Treated Frontline with Nilotinib. <i>Blood</i> , 2016, 128, 3070-3070.	1.4	10
434	Impact of Bortezomib- or Lenalidomide-Based Induction Treatment on High Risk Cytogenetic Transplant-Ineligible Patients with Newly Diagnosed Multiple Myeloma Enrolled in the Gimema-MM-03-05 and EMN01 Trials. <i>Blood</i> , 2017, 130, 744-744.	1.4	10
435	Five-Year Outcome of 215 Newly Diagnosed Chronic Myeloid Leukemia Patients Treated Frontline with Nilotinib-Based Regimens: A Gimema CML Working Party Analysis. <i>Blood</i> , 2014, 124, 3141-3141.	1.4	10
436	Allogeneic peripheral blood stem cell transplantation in patients with early-phase hematologic malignancy: a retrospective comparison of short-term outcome with bone marrow transplantation. <i>Haematologica</i> , 1998, 83, 48-55.	3.5	10
437	Treatment Regimens for Transplant-Ineligible Patients With Newly Diagnosed Multiple Myeloma: A Systematic Literature Review and Network Meta-analysis. <i>Advances in Therapy</i> , 2022, 39, 1976-1992.	2.9	10
438	Current status of bortezomib in the treatment of multiple myeloma. <i>Current Hematologic Malignancy Reports</i> , 2007, 2, 128-137.	2.3	9
439	First-Line Treatment of Multiple Myeloma in Elderly Patients: the GIMEMA (Gruppo Italiano Malattie) Tj ETQq1 1 0.784314 rgBT /Overl 10, 906-922.	2.1	9
440	Patient with ataxia telangiectasia who developed acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2011, 52, 1818-1820.	1.3	9
441	14-3-3 Binding and Sumoylation Concur to the Down-Modulation of β^2 -catenin Antagonist chibby 1 in Chronic Myeloid Leukemia. <i>PLoS ONE</i> , 2015, 10, e0131074.	2.5	9
442	Opposite activation of the Hedgehog pathway in CD138+ plasma cells and CD138 ⁺ CD19+ B cells identifies two subgroups of patients with multiple myeloma and different prognosis. <i>Leukemia</i> , 2016, 30, 1869-1876.	7.2	9
443	Impact of comorbidities and body mass index on the outcome of polycythemia vera patients. <i>Hematological Oncology</i> , 2021, 39, 409-418.	1.7	9
444	Potential Disease-Modifying Activity of Imetelstat Demonstrated By Reduction in Cytogenetically Abnormal Clones and Mutation Burden Leads to Clinical Benefits in Relapsed/Refractory Myelofibrosis Patients. <i>Blood</i> , 2020, 136, 39-40.	1.4	9
445	Prognostic variables and clinical staging in multiple myeloma. <i>Blood</i> , 1989, 74, 1774-80.	1.4	9
446	Prognostic factors and survival in multiple myeloma. Analysis of 91 cases treated by melphalan and prednisone. <i>Haematologica</i> , 1980, 65, 437-45.	3.5	9
447	Safety of Rapid Daratumumab Infusion: A Retrospective, Multicenter, Real-Life Analysis on 134 Patients With Multiple Myeloma. <i>Frontiers in Oncology</i> , 2022, 12, 851864.	2.8	9
448	BONE MARROW PURGING FOR MULTIPLE MYELOMA BY AVIDIN-BIOTIN IMMUNOADSORPTION. <i>Transplantation</i> , 1989, 47, 385-387.	1.0	8
449	Relevance of cyclin D1 level in the pathogenesis of multiple myeloma. <i>Blood</i> , 2003, 102, 4245-4246.	1.4	8
450	Multiple myeloma: disease response assessment. <i>Expert Review of Hematology</i> , 2016, 9, 831-837.	2.2	8

#	ARTICLE	IF	CITATIONS
451	Hodgkin lymphoma presenting with paraneoplastic myasthenia: a case report. <i>Leukemia and Lymphoma</i> , 2018, 59, 2990-2993.	1.3	8
452	Low-Dose Anti-T Lymphoglobulin as Prophylaxis for Graft-versus-Host Disease in Unrelated Donor Transplantations for Acute Leukemias and Myelodysplastic Syndromes. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 2450-2458.	2.0	8
453	Successful Employment of Brentuximab Vedotin in a Patient Undergoing Hemodialysis: The First Real-life Experience. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e595-e596.	0.4	8
454	Expert Panel Consensus Statement for Proper Evaluation of First Relapse in Multiple Myeloma. <i>Current Hematologic Malignancy Reports</i> , 2019, 14, 187-196.	2.3	8
455	BCR-ABL1 compound mutants: prevalence, spectrum and correlation with tyrosine kinase inhibitor resistance in a consecutive series of Philadelphia chromosome-positive leukemia patients analyzed by NGS. <i>Leukemia</i> , 2021, 35, 2102-2107.	7.2	8
456	c-MYC expression and maturity phenotypes are associated with outcome benefit from addition of ixazomib to lenalidomide+dexamethasone in myeloma. <i>European Journal of Haematology</i> , 2020, 105, 35-46.	2.2	8
457	Health-related quality of life in patients with newly diagnosed multiple myeloma ineligible for stem cell transplantation: results from the randomized phase III ALCYONE trial. <i>BMC Cancer</i> , 2021, 21, 659.	2.6	8
458	The Power of Extracellular Vesicles in Myeloproliferative Neoplasms: "Crafting" a Microenvironment That Matters. <i>Cells</i> , 2021, 10, 2316.	4.1	8
459	The Use of ELTOS Long-Term Survival Score Instead of Sokal Score Is Strongly Advised in Elderly Chronic Myeloid Leukemia Patients. <i>Blood</i> , 2018, 132, 44-44.	1.4	8
460	Clinical Activity of Melflufen in Patients with Triple-Class Refractory Multiple Myeloma and Poor-Risk Features in an Updated Analysis of HORIZON (OP-106), a Phase 2 Study in Patients with Relapsed/Refractory Multiple Myeloma Refractory to Pomalidomide and/or Daratumumab. <i>Blood</i> , 2019, 134, 1883-1883.	1.4	8
461	MRD Evaluation By PET/CT According to Deauville Criteria Combined with Multiparameter Flow Cytometry in Newly Diagnosed Transplant Eligible Multiple Myeloma (MM) Patients Enrolled in the Phase II Randomized Forte Trial. <i>Blood</i> , 2019, 134, 4321-4321.	1.4	8
462	A Prospective, Randomized, Phase III Study of Enoxaparin Versus Aspirin Versus Low-Fixed-Dose of Warfarin in Newly Diagnosed Myeloma Patients Treated with Thalidomide-Containing Regimens.. <i>Blood</i> , 2007, 110, 310-310.	1.4	8
463	Impact of Bortezomib Incorporated Into Autotransplantation On Outcomes of Myeloma Patients with High-Risk Cytogenetics: An Integrated Analysis of 1894 Patients Enrolled in Four European Phase 3 Studies. <i>Blood</i> , 2012, 120, 749-749.	1.4	8
464	Alternative Overexpression of NRF2 or MYC Defines a Subgroup of Poor Prognosis Acute Myeloid Leukemia and Suggests a Novel Therapeutic Strategy By Combined Bromodomain Inhibition and Forced NRF2 Pathway Activation. <i>Blood</i> , 2018, 132, 2639-2639.	1.4	8
465	Accelerated hemopoietic recovery after chemotherapy and autologous bone marrow transplantation in hematological malignancies using recombinant GM-CSF: preliminary results obtained in 14 cases. <i>Haematologica</i> , 1990, 75, 551-4.	3.5	8
466	Peptichemio in multiple myeloma. (Preliminary results). <i>Haematologica</i> , 1981, 66, 208-15.	3.5	8
467	Plasma cell P170 expression and response to treatment in multiple myeloma. <i>Haematologica</i> , 1996, 81, 232-7.	3.5	8
468	Cost of illness in patients with multiple myeloma in Italy: the CoMiM study. <i>Tumori</i> , 2013, 99, e193-202.	1.1	8

#	ARTICLE	IF	CITATIONS
469	Lonidamine in the Treatment of Chronic Lymphoid Leukemia. <i>Oncology</i> , 1984, 41, 90-93.	1.9	7
470	The role of haematopoietic stem cell-supported myeloablative therapy for the management of multiple myeloma. <i>Best Practice and Research: Clinical Haematology</i> , 1995, 8, 795-813.	1.1	7
471	Myeloma Genetics International Consortium. <i>Leukemia and Lymphoma</i> , 2012, 53, 796-800.	1.3	7
472	Safety and efficacy of ruxolitinib in myelofibrosis patients without splenomegaly. <i>British Journal of Haematology</i> , 2016, 174, 160-162.	2.5	7
473	Retreatment and prolonged therapy with subcutaneous bortezomib in patients with relapsed multiple myeloma: A randomized, controlled, phase III study. <i>European Journal of Haematology</i> , 2018, 100, 10-19.	2.2	7
474	Ruxolitinib in elderly patients with myelofibrosis: impact of age and genotype. A multicentre study on 291 elderly patients. <i>British Journal of Haematology</i> , 2018, 183, 35-46.	2.5	7
475	Management of elderly patients with immune thrombocytopenia: Real-world evidence from 451 patients older than 60 years. <i>Thrombosis Research</i> , 2020, 185, 88-95.	1.7	7
476	Potential survival benefit for patients receiving autologous hematopoietic stem cell transplantation after checkpoint inhibitors for relapsed/refractory Hodgkin lymphoma: A real-life experience. <i>Hematological Oncology</i> , 2020, 38, 737-741.	1.7	7
477	Comparative Efficacy of Bortezomib, Melphalan, and Prednisone (VMP) With or Without Daratumumab Versus VMP Alone in the Treatment of Newly Diagnosed Multiple Myeloma: Propensity Score Matching of ALCYONE and VISTA Phase III Studies. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, 480-489.	0.4	7
478	Peripheral neuropathy symptoms, pain, and functioning in previously treated multiple myeloma patients treated with selinexor, bortezomib, and dexamethasone. <i>American Journal of Hematology</i> , 2021, 96, E383-E386.	4.1	7
479	Adhesion-Mediated Multiple Myeloma (MM) Disease Progression: Junctional Adhesion Molecule a Enhances Angiogenesis and Multiple Myeloma Dissemination and Predicts Poor Survival. <i>Blood</i> , 2019, 134, 855-855.	1.4	7
480	Reported outcomes in relapsed/refractory multiple myeloma treated with melflufen plus dexamethasone: analyses from the Phase II HORIZON study. <i>British Journal of Haematology</i> , 2022, 196, 639-648.	2.5	7
481	The Impact of Thalidomide Maintenance Therapy Varies Dependent Upon Biological Risk Grouping. <i>Blood</i> , 2012, 120, 199-199.	1.4	7
482	Functional behaviour and immunological phenotype of circulating B lymphocytes in multiple myeloma. Studies with pokeweed mitogen. <i>Clinical and Experimental Immunology</i> , 1984, 58, 625-30.	2.6	7
483	An Abnormal Host/Microbiomes Signature of Plasma-Derived Extracellular Vesicles Is Associated to Polycythemia Vera. <i>Frontiers in Oncology</i> , 2021, 11, 715217.	2.8	7
484	OAB-027: Idecabtagene vicleucel (ide-cel, bb2121), a BCMA-directed CAR T-cell therapy, for the treatment of patients with relapsed and refractory multiple myeloma (RRMM): updated results from KarMMa. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, S17-S18.	0.4	7
485	Management of infectious risk of daratumumab therapy in multiple myeloma: A consensus-based position paper from an ad hoc Italian expert panel. <i>Critical Reviews in Oncology/Hematology</i> , 2022, 172, 103623.	4.4	7
486	Peripheral blasts are associated with responses to ruxolitinib and outcomes in patients with chronic-phase myelofibrosis. <i>Cancer</i> , 2022, 128, 2449-2454.	4.1	7

#	ARTICLE	IF	CITATIONS
487	Long-term follow-up after autologous stem cell transplantation for light- and heavy-chain deposition disease. <i>Bone Marrow Transplantation</i> , 2012, 47, 1248-1249.	2.4	6
488	Peripheral neuropathy induced by subcutaneous bortezomib-based induction therapy for newly diagnosed multiple myeloma. <i>Haematologica</i> , 2014, 99, e242-e243.	3.5	6
489	The Human Mesenchymal Stromal Cell-Derived Osteocyte Capacity to Modulate Dendritic Cell Functions Is Strictly Dependent on the Culture System. <i>Journal of Immunology Research</i> , 2015, 2015, 1-10.	2.2	6
490	Improved Radiographic Imaging of Invasive Fungal Disease: The Cornerstone to Antifungal Stewardship in the Hematology Units?. <i>Current Fungal Infection Reports</i> , 2016, 10, 78-86.	2.6	6
491	A prospective observational study to assess clinical decision-making, prognosis, quality of life and satisfaction with care in patients with relapsed/refractory multiple myeloma: the CLARITY study protocol. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 127.	2.4	6
492	⁹⁰Yâ€³britumomab tiuxetan in patients with extraâ€³nodal marginal zone Bâ€³cell lymphoma of mucosaâ€³associated lymphoid tissue (MALT lymphoma) â€³ The Zeno Study. <i>British Journal of Haematology</i> , 2020, 189, e6-e9.	2.5	6
493	Pharmacological Inhibition of WIP1 Sensitizes Acute Myeloid Leukemia Cells to the MDM2 Inhibitor Nutlin-3a. <i>Biomedicines</i> , 2021, 9, 388.	3.2	6
494	Superior Rate of Complete Response with up-Front Velcade-Thalidomide-Dexamethasone Versus Thalidomide-Dexamethasone in Newly Diagnosed Multiple Myeloma Is Not Affected by Adverse Prognostic Factors, Including High-Risk Cytogenetic Abnormalities.. <i>Blood</i> , 2008, 112, 1662-1662.	1.4	6
495	Prognostic Impact of Cytogenetic Abnormalities On Outcomes of Newly Diagnosed Multiple Myeloma Patients Treated with Thalidomide-Dexamethasone Incorporated Into Double Autologous Stem-Cell Transplantation: An Analysis of 593 Patients. <i>Blood</i> , 2010, 116, 3562-3562.	1.4	6
496	Bortezomib-Thalidomide-Dexamethasone Compared with Thalidomide-Dexamethasone as Induction and Consolidation Therapy Before and After Double Autologous Transplantation In Newly Diagnosed Multiple Myeloma: Results From a Randomized Phase 3 Study. <i>Blood</i> , 2010, 116, 42-42.	1.4	6
497	Bortezomib-Based Induction Treatments Improve Outcomes of Newly Diagnosed Multiple Myeloma Patients with High-Risk Cytogenetic Abnormalities. <i>Blood</i> , 2010, 116, 781-781.	1.4	6
498	Persistent Improvement In Clinical Outcomes With Bortezomib-Thalidomide-Dexamethasone Vs Thalidomide-Dexamethasone Incorporated Into Double Autologous Transplantation For Multiple Myeloma: An Updated Analysis Of Phase 3 Gimema-MMY-3006 Study. <i>Blood</i> , 2013, 122, 2090-2090.	1.4	6
499	Second primary malignancies (SPM) in newly diagnosed myeloma (MM) patients treated with lenalidomide (Len): Meta-analysis of 6,383 individual patient data (IPD).. <i>Journal of Clinical Oncology</i> , 2013, 31, 8517-8517.	1.6	6
500	Azacitidine and Lenalidomide (Combined vs Sequential Treatment) in Higher-Risk Myelodysplastic Syndromes. Long-Term Results of a Randomized Phase II Multicenter Study. <i>Blood</i> , 2016, 128, 3169-3169.	1.4	6
501	Higher Expression of PALB2 Predict Poor Prognosis in AML Patients and Identifies Potential Targets of Synthetic Lethal Therapies. <i>Blood</i> , 2018, 132, 1507-1507.	1.4	6
502	Carfilzomib, Pomalidomide and Dexamethasone (KpD) in Patients with First Progression of Multiple Myeloma Refractory to Bortezomib and Lenalidomide. Final Report of the EMN011/HOVON114 Trial. <i>Blood</i> , 2021, 138, 1664-1664.	1.4	6
503	Overcoming Resistance to Kinase Inhibitors: The Paradigm of Chronic Myeloid Leukemia. <i>OncoTargets and Therapy</i> , 2022, Volume 15, 103-116.	2.0	6
504	Elotuzumab plus lenalidomide and dexamethasone in relapsed/refractory multiple myeloma: Extended 3â€³year followâ€³up of a multicenter, retrospective clinical experience with 319 cases outside of controlled clinical trials. <i>Hematological Oncology</i> , 2022, 40, 704-715.	1.7	6

#	ARTICLE	IF	CITATIONS
505	Isatuximab plus carfilzomib and dexamethasone versus carfilzomib and dexamethasone in elderly patients with relapsed multiple myeloma: IKEMA subgroup analysis. <i>Hematological Oncology</i> , 2022, 40, 1020-1029.	1.7	6
506	An update of prognostic factors for allogeneic bone marrow transplantation in multiple myeloma using matched sibling donors. <i>Stem Cells</i> , 1995, 13, 122-125.	3.2	5
507	Prevention of VTE in multiple myeloma patients. <i>Thrombosis Research</i> , 2007, 120, S133-S136.	1.7	5
508	Maintenance therapy in newly diagnosed multiple myeloma: current recommendations. <i>Expert Review of Anticancer Therapy</i> , 2014, 14, 581-594.	2.4	5
509	Complex chromosomal rearrangements leading to <i>MECOM</i> overexpression are recurrent in myeloid malignancies with various 3q abnormalities. <i>Genes Chromosomes and Cancer</i> , 2016, 55, 375-388.	2.8	5
510	Current and emerging triplet combination therapies for relapsed and refractory multiple myeloma. <i>Expert Review of Hematology</i> , 2016, 9, 315-323.	2.2	5
511	Efficacy and safety of ruxolitinib and hydroxyurea combination in patients with hyperproliferative myelofibrosis. <i>Annals of Hematology</i> , 2019, 98, 1933-1936.	1.8	5
512	PD-1 blockade as bridge to allogeneic stem cell transplantation in relapsed/refractory Hodgkin lymphoma patients: a retrospective single center case series. <i>Haematologica</i> , 2019, 104, e521-e522.	3.5	5
513	A Screening of Antineoplastic Drugs for Acute Myeloid Leukemia Reveals Contrasting Immunogenic Effects of Etoposide and Fludarabine. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6802.	4.1	5
514	Isatuximab plus carfilzomib and dexamethasone in relapsed multiple myeloma patients with high-risk cytogenetics: IKEMA subgroup analysis. <i>Journal of Clinical Oncology</i> , 2021, 39, 8042-8042.	1.6	5
515	BONE MARROW PLASMA CELL INFILTRATION IN MULTIPLE MYELOMA. <i>British Journal of Haematology</i> , 1984, 57, 352-353.	2.5	5
516	Detection of Actionable BCR-ABL1 Kinase Domain (KD) Mutations in Chronic Myeloid Leukemia (CML) Patients with Failure and Warning Response to Tyrosine Kinase Inhibitors (TKIs): Potential Impact of Next-Generation Sequencing (NGS) and Droplet Digital PCR (ddPCR) on Clinical Decision Making. <i>Blood</i> , 2019, 134, 661-661.	1.4	5
517	Superior Efficacy of VTD over VCD As Induction Therapy for Autotransplantation-Eligible, Newly Diagnosed, Myeloma Patients. <i>Blood</i> , 2014, 124, 197-197.	1.4	5
518	Chibby 1: a new component of β -catenin-signaling in chronic myeloid leukemia. <i>Oncotarget</i> , 2017, 8, 88244-88250.	1.8	5
519	Adjusted comparison between elotuzumab and carfilzomib in combination with lenalidomide and dexamethasone as salvage therapy for multiple myeloma patients. <i>European Journal of Haematology</i> , 2022, 108, 178-189.	2.2	5
520	Long-Term Outcome After Adoptive Immunotherapy With Natural Killer Cells: Alloreactive NK Cell Dose Still Matters. <i>Frontiers in Immunology</i> , 2021, 12, 804988.	4.8	5
521	Longer-term response to SARS-CoV-2 vaccine in MPN patients: Role of ruxolitinib and disease severity. <i>Leukemia Research</i> , 2022, 116, 106819.	0.8	5
522	Solitary Plasmacytoma of the Bone in a Case of Hodgkin's Disease. <i>Acta Haematologica</i> , 1986, 76, 178-180.	1.4	4

#	ARTICLE	IF	CITATIONS
523	Complete remission upon bortezomib+dexamethasone therapy in three heavily pretreated multiple myeloma patients relapsing after allogeneic stem cell transplantation. <i>Annals of Hematology</i> , 2006, 85, 549-551.	1.8	4
524	Evaluation of bone disease in multiple myeloma patients carrying the t(4;14) chromosomal translocation. <i>European Journal of Haematology</i> , 2007, 80, 071202152247002-???	2.2	4
525	Response and biological subtype of myeloma are independent prognostic factors and combine to define outcome after high-dose therapy. <i>British Journal of Haematology</i> , 2013, 161, 291-294.	2.5	4
526	Four phase 3 studies of the oral proteasome inhibitor (PI) ixazomib for multiple myeloma in the newly-diagnosed, relapsed/refractory, and maintenance settings: TOURMALINE-MM1, -MM2, -MM3, and -MM4. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, e174.	0.4	4
527	<scp>FGFR</scp>1 and <scp>KAT6A</scp> rearrangements in patients with hematological malignancies and chromosome 8p11 abnormalities: biological and clinical features. <i>American Journal of Hematology</i> , 2016, 91, E14-6.	4.1	4
528	Novel agent-based salvage autologous stem cell transplantation for relapsed multiple myeloma. <i>Annals of Hematology</i> , 2017, 96, 2071-2078.	1.8	4
529	Final Survival Analysis From the FIRST Trial: Lenalidomide Plus Low-Dose Dexamethasone Until Progression (Rd Cont) v Melphalan, Prednisone and Thalidomide (MPT), and Rd for 18 Cycles (Rd18) for Transplant-Ineligible (TNE) Patients (Pts) With Newly Diagnosed Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> . 2017, 17, e63-e64.	0.4	4
530	<p>BRAF V600E-positive monomorphic epitheliotropic intestinal T-cell lymphoma complicating the course of hairy cell leukemia</p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 4807-4812.	2.0	4
531	Spontaneous remission of follicular lymphoma. <i>Hematological Oncology</i> , 2019, 37, 626-627.	1.7	4
532	Facing lenalidomide-refractory myeloma. <i>Blood</i> , 2019, 134, 99-101.	1.4	4
533	Front-line treatment of multiple myeloma. <i>HemaSphere</i> , 2019, 3, 127-130.	2.7	4
534	Treatment and outcomes of primary mediastinal B cell lymphoma: a three-decade monocentric experience with 151 patients. <i>Annals of Hematology</i> , 2021, 100, 2261-2268.	1.8	4
535	Disease-Specific Derangement of Circulating Endocannabinoids and N-Acylethanolamines in Myeloproliferative Neoplasms. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3399.	4.1	4
536	MEC (mitoxantrone, etoposide, and cytarabine) induces complete remission and is an effective bridge to transplant in acute myeloid leukemia. <i>European Journal of Haematology</i> , 2020, 105, 47-55.	2.2	4
537	Management of central nervous system relapse in a young patient affected by primary mediastinal large B-cell lymphoma: A case report. <i>Clinical Case Reports (discontinued)</i> , 2020, 8, 933-937.	0.5	4
538	Maintenance therapy with bortezomib and dexamethasone after autotransplantation for high-risk multiple myeloma. <i>Bone Marrow Transplantation</i> , 2020, 55, 1865-1867.	2.4	4
539	Next-generation sequencing improves BCR&Abl1 mutation detection in Philadelphia chromosome&Apositive acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , 2021, 193, 271-279.	2.5	4
540	Case Report: A Novel Activating FLT3 Mutation in Acute Myeloid Leukemia. <i>Frontiers in Oncology</i> , 2021, 11, 728613.	2.8	4

#	ARTICLE	IF	CITATIONS
541	Early low-dose computed tomography with pulmonary angiography to improve the early diagnosis of invasive mould disease in patients with haematological malignancies: A pilot study. <i>Journal of Infection</i> , 2021, 83, 371-380.	3.3	4
542	Quality-of-Life Outcomes in Patients with Relapsed/Refractory Multiple Myeloma Treated with Elotuzumab Plus Pomalidomide and Dexamethasone: Results from the Phase 2 Randomized Eloquent-3 Study. <i>Blood</i> , 2018, 132, 2288-2288.	1.4	4
543	Gene Expression Profiling (GEP) of Myeloma (MM) Cells To Predict Attainment (near) Complete Response to Primary Therapy with Thalidomide-Dexamethasone (Thali-Dex) for Newly Diagnosed MM.. <i>Blood</i> , 2006, 108, 245-245.	1.4	4
544	Superior Complete Response Rate (CR) and Progression-Free Survival (PFS) with Bortezomib-Thalidomide-Dexamethasone (VTD) Versus Thalidomide-Dexamethasone (TD) As Consolidation Therapy After Autologous Stem-Cell Transplantation (ASCT) in Multiple Myeloma (MM). <i>Blood</i> , 2011, 118, 1871-1871.	1.4	4
545	Predictors for Response to Ruxolitinib in Real-Life: An Observational Independent Study on 408 Patients with Myelofibrosis. <i>Blood</i> , 2016, 128, 1128-1128.	1.4	4
546	Superiority of First-Line Thalidomide-Dexamethasone over Vincristine-Doxorubicin-Dexamethasone in Preparation for Autologous Stem Cell Transplantation for Multiple Myeloma.. <i>Blood</i> , 2004, 104, 1489-1489.	1.4	4
547	HORIZON (OP-106) Versus MAMMOTH: An Indirect Comparison of Efficacy Outcomes for Patients with Relapsed/Refractory Multiple Myeloma Refractory (RRMM) to Anti-CD38 Monoclonal Antibody Therapy Treated with Melflufen Plus Dexamethasone Versus Conventional Agents. <i>Blood</i> , 2020, 136, 2-4.	1.4	4
548	Allogeneic bone marrow transplantation in multiple myeloma. <i>Hematology/Oncology Clinics of North America</i> , 1992, 6, 425-35.	2.2	4
549	Peripheral blood stem cell transplantation for the treatment of multiple myeloma: biological and clinical implications. <i>Haematologica</i> , 1996, 81, 356-75.	3.5	4
550	HIGH-DOSE MELPHALAN FOR MULTIPLE MYELOMA. <i>Lancet, The</i> , 1983, 322, 1194.	18.7	3
551	BONE MARROW PLASMA CELL INFILTRATION IN MULTIPLE MYELOMA. <i>British Journal of Haematology</i> , 1984, 57, 352-353.	2.5	3
552	High-dose chemoradiotherapy and allogeneic bone marrow transplantation in multiple myeloma. <i>European Journal of Haematology</i> , 1989, 43, 191-195.	2.2	3
553	Cap dependent translation contributes to resistance of myeloma cells to bortezomib. <i>Translation</i> , 2013, 1, e27245.	2.9	3
554	Together for better?. <i>Blood</i> , 2016, 127, 375-376.	1.4	3
555	Chromothripsis in acute myeloid leukemia: Biological features and impact on survival. <i>Leukemia</i> , 2017, , .	7.2	3
556	A targeted proteomics approach to amyloidosis typing. <i>Clinical Mass Spectrometry</i> , 2018, 7, 18-28.	1.9	3
557	Mobilized Peripheral Blood versus Cord Blood: Insight into the Distinct Role of Proinflammatory Cytokines on Survival, Clonogenic Ability, and Migration of CD34+Cells. <i>Mediators of Inflammation</i> , 2018, 2018, 1-14.	3.0	3
558	Impact of 2016 WHO diagnosis of early and overt primary myelofibrosis on presentation and outcome of 232 patients treated with ruxolitinib. <i>Hematological Oncology</i> , 2019, 37, 418-423.	1.7	3

#	ARTICLE	IF	CITATIONS
559	A matching-adjusted indirect treatment comparison (MAIC) of daratumumabâ€“bortezomibâ€“melphalanâ€“prednisone (D-VMP) versus lenalidomideâ€“dexamethasone continuous (Rd continuous), lenalidomideâ€“dexamethasone 18 months (Rd 18), and melphalanâ€“prednisoneâ€“thalidomide (MPT). <i>Leukemia and Lymphoma</i> , 2020, 61, 714-720.	1.3	3
560	The timing of plerixafor addition to G-CSf and chemotherapy affects immunological recovery after autologous stem cell transplant in multiple myeloma. <i>Bone Marrow Transplantation</i> , 2020, 55, 946-954.	2.4	3
561	Comparison of efficacy from two different dosing regimens of bortezomib: an exposureâ€“response analysis. <i>British Journal of Haematology</i> , 2020, 189, 860-868.	2.5	3
562	Successful stem cell harvest and autologous transplantation in a patient with cold agglutinin syndrome and aggressive lymphoma. <i>Leukemia and Lymphoma</i> , 2021, 62, 1007-1009.	1.3	3
563	Safety profile and impact on survival of tyrosine kinase inhibitors versus conventional therapy in relapse or refractory FLT3 positive acute myeloid leukemia patients. <i>Leukemia Research</i> , 2021, 101, 106497.	0.8	3
564	Skeletal Survey in Multiple Myeloma: Role of Imaging. <i>Current Medical Imaging</i> , 2021, 17, 956-965.	0.8	3
565	Compound BCR-ABL1 Kinase Domain Mutants: Prevalence, Spectrum and Correlation with Tyrosine Kinase Inhibitor Resistance in a Prospective Series of Philadelphia Chromosome-Positive Leukemia Patients Analyzed By Next Generation Sequencing. <i>Blood</i> , 2018, 132, 789-789.	1.4	3
566	Outcome of 472 Chronic Myeloid Leukemia Patients Treated with Frontline Nilotinib: A Gimema CML WP Analysis. <i>Blood</i> , 2018, 132, 458-458.	1.4	3
567	Differential Effect of Upfront Intensification Treatment in Genetically Defined Myeloma Risk Groups - a Combined Analysis of ISS, Del17p and SKY92 Scores in the EMN-02/HOVON-95 MM Trial. <i>Blood</i> , 2018, 132, 3186-3186.	1.4	3
568	Impact of Elotuzumab Plus Pomalidomide and Dexamethasone on Health-Related Quality of Life in Patients with Relapsed/Refractory Multiple Myeloma Enrolled in the ELOQUENT-3 Study. <i>Blood</i> , 2019, 134, 3480-3480.	1.4	3
569	Integrative Analysis of Baseline Prognostic Features and Achievement of Minimal Residual Disease Negativity As Predictors of Early Relapse in Transplant-Eligible Multiple Myeloma Patients. <i>Blood</i> , 2019, 134, 605-605.	1.4	3
570	Ten-Year Follow-up of Patients with Chronic Myeloid Leukemia Treated with Nilotinib in First-Line: Final Results of the Gimema CML 0307 Trial. <i>Blood</i> , 2019, 134, 4145-4145.	1.4	3
571	Incorporation of Thalidomide into Up-Front Double Autologous Stem-Cell Transplantation (ASCT) for Multiple Myeloma Improves the Outcome in Comparison with Double ASCT without Thalidomide. Analysis of Baseline Factors Predictive of Outcome.. <i>Blood</i> , 2007, 110, 447-447.	1.4	3
572	Autologous Peripheral Blood Stem-Cell (PBSC) Collection Is Not Impaired by Bortezomib-Thalidomide-Dexamethasone (VTD) Induction Therapy in Newly Diagnosed Multiple Myeloma (MM). <i>Blood</i> , 2011, 118, 317-317.	1.4	3
573	The Presence of FDG PET/CT Focal, Not Osteolytic, Lesion(s) Identifies a Sub-Group of Patients with Smoldering Multiple Myeloma with High-Risk of Progression into Symptomatic Disease. <i>Blood</i> , 2014, 124, 3371-3371.	1.4	3
574	Addition of Lenalidomide (LEN) to Azacitidine (AZA) (Combined vs Sequential Treatment) in High-Risk Myelodysplastic Syndromes (MDS): A Randomized Phase II Multicenter Study. <i>Blood</i> , 2014, 124, 4648-4648.	1.4	3
575	Very Poor Outcome and Chemoresistance of Acute Myeloid Leukemia Patients with TP53 Mutations: Correlation with Complex Karyotype and Clinical Outcome. <i>Blood</i> , 2014, 124, 484-484.	1.4	3
576	An Updated Analysis of the Stratus Trial (MM-010): Safety and Efficacy of Pomalidomide Plus Low-Dose Dexamethasone (POM + LoDEX) in Patients (Pts) with Relapsed/Refractory Multiple Myeloma (RRMM). <i>Blood</i> , 2015, 126, 4225-4225.	1.4	3

#	ARTICLE	IF	CITATIONS
577	Higher c-MYC Expression Is Associated with Ixazomib-Lenalidomide-Dexamethasone (IRd) Progression-Free Survival (PFS) Benefit Versus Placebo-Rd: Biomarker Analysis of the Phase 3 Tourmaline-MM1 Study in Relapsed/Refractory Multiple Myeloma (RRMM). <i>Blood</i> , 2016, 128, 243-243.	1.4	3
578	Safety and efficacy of daratumumab-based regimens in elderly (>=75 y) patients (Pts) with relapsed or refractory multiple myeloma (RRMM): Subgroup analysis of POLLUX and CASTOR. <i>Journal of Clinical Oncology</i> , 2017, 35, 8033-8033.	1.6	3
579	Prognostic Role of Neutrophil to Lymphocyte Ratio (NLR) in Myelofibrosis Patients Treated with Ruxolitinib: A Multi-Center Experience. <i>Blood</i> , 2018, 132, 4303-4303.	1.4	3
580	Phase II study with a new alkylating agent (PTT-119) in lymphoid malignancies. <i>Haematologica</i> , 1988, 73, 503-8.	3.5	3
581	Assessment of liver stiffness measurement and ultrasound findings change during inotuzumab ozogamicin cycles for relapsed or refractory acute lymphoblastic leukemia. <i>Cancer Medicine</i> , 2022, 11, 618-629.	2.8	3
582	Baseline cluster of differentiation 22 fluorescent intensity correlates with patient outcome after Inotuzumab Ozogamicin treatment. <i>Hematological Oncology</i> , 2022, 40, 734-742.	1.7	3
583	Evidence for increased intracellular transport of m-sarcosine (alkylating moiety) when combined with two amino acid analogs (PTT-119). <i>Blut</i> , 1990, 61, 311-313.	1.2	2
584	Nonmyeloablative allotransplantation for myeloma: light and shade. <i>Blood</i> , 2007, 109, 3134-3135.	1.4	2
585	The impact of long-term lenalidomide exposure on the cellular composition of bone marrow. <i>Leukemia and Lymphoma</i> , 2014, 55, 2665-2668.	1.3	2
586	Patient Characteristics, Skeletal Related Events (SRE) And Renal Impairment (RI) In Patients With Multiple Myeloma (MM): A Patient Chart Audit In EU5. <i>Value in Health</i> , 2017, 20, A413.	0.3	2
587	The clonal evolution of two distinct T315I-positive BCR-ABL1 subclones in a Philadelphia-positive acute lymphoblastic leukemia failing multiple lines of therapy: a case report. <i>BMC Cancer</i> , 2017, 17, 523.	2.6	2
588	Treatment optimization for multiple myeloma: schedule-dependent synergistic cytotoxicity of pomalidomide and carfilzomib in <i>in vitro</i> and <i>ex vivo</i> models. <i>Haematologica</i> , 2018, 103, e602-e606.	3.5	2
589	HORIZON (OP-106) Study of Melflufen in Patients with Relapsed/Refractory Multiple Myeloma (RRMM) Refractory to Daratumumab and/or Pomalidomide: Updated Efficacy and Safety. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, S329-S330.	0.4	2
590	Greater Treatment Satisfaction in Patients Receiving Subcutaneous (SC) Versus Intravenous (IV) Daratumumab (DARA) for Relapsed or Refractory Multiple Myeloma (RRMM): COLUMBA. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e247-e248.	0.4	2
591	Idelalisib as a Bridge to Allogeneic Transplantation in Relapsed/Refractory Lymphoma With Renal Cancer: A Case Report. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, e15-e17.	0.4	2
592	Daratumumab Plus Bortezomib, Melphalan, and Prednisone Versus Standard of Care in Latin America for Transplant-Ineligible Newly Diagnosed Multiple Myeloma: Propensity Score Matching Analysis. <i>Advances in Therapy</i> , 2020, 37, 4996-5009.	2.9	2
593	Ponatinib treatment in chronic myeloid leukemia cell lines targets aurora kinase A/FOXM1 axis. <i>Hematological Oncology</i> , 2020, 38, 201-203.	1.7	2
594	SYSTEMIC MASTOCYTOSIS: MOLECULAR LANDSCAPE AND IMPLICATIONS FOR TREATMENT. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2021, 13, e2021046.	1.3	2

#	ARTICLE	IF	CITATIONS
595	Evaluation of Cardiac Repolarization in the Randomized Phase 2 Study of Intermediate- or High-Risk Smoldering Multiple Myeloma Patients Treated with Daratumumab Monotherapy. <i>Advances in Therapy</i> , 2021, 38, 1328-1341.	2.9	2
596	Treatment Regimens for Patients with Newly Diagnosed Multiple Myeloma Who Are Ineligible for Stem Cell Transplantation: A Systematic Literature Review and Network Meta-Analysis. <i>Blood</i> , 2018, 132, 4741-4741.	1.4	2
597	Quantitative Assessment of Indoleamine 2,3-Dioxygenase (IDO) Expression at Diagnosis Predicts Clinical Outcome in Patients with Acute Myeloid Leukemia Undergoing Allogeneic Stem Cell Transplantation. <i>Blood</i> , 2018, 132, 5261-5261.	1.4	2
598	Once Weekly Versus Twice Weekly Carfilzomib Dosing in Patients with Relapsed and Refractory Multiple Myeloma (A.R.R.O.W.): Efficacy and Safety Analyzed By Age Group. <i>Blood</i> , 2018, 132, 3277-3277.	1.4	2
599	Deep Vein Thrombosis in Myeloma: Estimate of Prevalence and Recommendations for Therapy Based upon a Survey of Members of the International Myeloma Working Group (IMWG).. <i>Blood</i> , 2006, 108, 3571-3571.	1.4	2
600	Clinical Outcomes According to Genomic Abnormalities in 566 Newly Diagnosed Multiple Myeloma Patients Treated with Bortezomib-Based Regimens.. <i>Blood</i> , 2009, 114, 1868-1868.	1.4	2
601	HIF 1 Alpha: A Suitable Target for Multiple Myeloma. <i>Blood</i> , 2011, 118, 2901-2901.	1.4	2
602	PET/CT Is a Useful Tool For Both Refining The Definition Of Complete Response (CR) In Multiple Myeloma (MM) and Detecting Otherwise Unrevealed Progression During The Follow-Up Of The Disease: A Single Centre Experience On 282 Patients. <i>Blood</i> , 2013, 122, 1936-1936.	1.4	2
603	Frontline Treatment With Imatinib Mesylate in Chronic Myeloid Leukemia Patients in Early Chronic Phase: a Very Long-Term Analysis by the GIMEMA CML Working Party. <i>Blood</i> , 2013, 122, 258-258.	1.4	2
604	MM-003 Phase 3 Study Of Pomalidomide In Combination With Low-Dose Dexamethasone (POM + LoDEX) Vs High-Dose Dexamethasone (HiDEX) In Relapsed/Refractory Multiple Myeloma (RRMM): POM + Lodex Is Beneficial For Elderly Patients (> 65 Years of Age). <i>Blood</i> , 2013, 122, 3198-3198.	1.4	2
605	Ultra Deep Sequencing (UDS) Allows More Sensitive Detection Of Tyrosine Kinase Inhibitor (TKI)-Resistant BCR-ABL Mutations That Would Influence Therapeutic Decision At The Time Of Switchover To Second- Or Third-Line Therapy. <i>Blood</i> , 2013, 122, 380-380.	1.4	2
606	Patient Outcomes By Prior Therapies and Depth Of Response: Analysis Of MM-003, a Phase 3 Study Comparing Pomalidomide + Low-Dose Dexamethasone (POM + LoDEX) Vs High-Dose Dexamethasone (HiDEX) In Relapsed/Refractory Multiple Myeloma (RRMM). <i>Blood</i> , 2013, 122, 686-686.	1.4	2
607	Bortezomib (BOR)-Thalidomide-Dexamethasone (VTD) and High-Dose Melphalan (HDM) As First Line Treatment for Multiple Myeloma (MM) Is Associated with a Lower Rate of Second Primary Malignancies (SPMs) Compared to TD Plus HDM. <i>Blood</i> , 2014, 124, 1182-1182.	1.4	2
608	Inactivation of the SETD2 Tumor Suppressor Gene in Mast Cell Leukemia. <i>Blood</i> , 2014, 124, 1881-1881.	1.4	2
609	Safety and Efficacy in the Stratus (MM-010) Trial, a Single-Arm Phase 3b Study Evaluating Pomalidomide + Low-Dose Dexamethasone in Patients with Refractory or Relapsed and Refractory Multiple Myeloma. <i>Blood</i> , 2014, 124, 80-80.	1.4	2
610	Risk Factors for Infections in Myelofibrosis: Role of Disease Status and Treatment. A Study on 507 Patients. <i>Blood</i> , 2015, 126, 1606-1606.	1.4	2
611	Long-Term Outcome to First-Line Imatinib according to 2013 European LeukemiaNet Response Criteria: a GIMEMA CML WP Analysis. <i>Blood</i> , 2015, 126, 2792-2792.	1.4	2
612	Demographics, Baseline Characteristics, and Disease Symptom Burden in RESPONSE-2: A Randomized, Phase 3 Study of Ruxolitinib in Polycythemia Vera Patients (pts) Who Are Resistant to or Intolerant of Hydroxyurea (HU). <i>Blood</i> , 2015, 126, 2807-2807.	1.4	2

#	ARTICLE	IF	CITATIONS
613	Genome-Wide Molecular Portrait of Aggressive Systemic Mastocytosis and Mast Cell Leukemia Depicted By Whole Exome Sequencing and Copy Number Variation Analysis. <i>Blood</i> , 2015, 126, 4085-4085.	1.4	2
614	Efficacy and Safety of Ruxolitinib in Elderly Patients (> 75 years) with Myelofibrosis. <i>Blood</i> , 2016, 128, 4251-4251.	1.4	2
615	Engraftment, clinical, and molecular follow-up of patients with multiple myeloma who were reinfused with highly purified CD34+ cells to support single or tandem high-dose chemotherapy. <i>Blood</i> , 2000, 95, 2234-2239.	1.4	2
616	The STRATUS trial (MM-010): A single-arm phase 3b study of pomalidomide plus low-dose dexamethasone (POM + LoDEX) in refractory or relapsed and refractory multiple myeloma.. <i>Journal of Clinical Oncology</i> , 2014, 32, TPS8625-TPS8625.	1.6	2
617	Daratumumab plus bortezomib-melphalan-prednisone (VMP) in elderly (≥75 y) patients (Pts) with newly diagnosed multiple myeloma (NDMM) ineligible for transplantation (ALCYONE).. <i>Journal of Clinical Oncology</i> , 2018, 36, 8031-8031.	1.6	2
618	Impact of baseline renal function on efficacy and safety of daratumumab plus bortezomib-melphalan-prednisone (VMP) in patients (Pts) with newly diagnosed multiple myeloma (NDMM) ineligible for transplantation (ALCYONE).. <i>Journal of Clinical Oncology</i> , 2018, 36, e20024-e20024.	1.6	2
619	The Poor Outcome of Multiple Myeloma (MM) Patients Carrying At Diagnosis Deleted TP53 and or Amplified MDM4 Might Be Related to the Deregulation of Genes Involved in Cell Cycle Control and DNA Damage Repair. <i>Blood</i> , 2012, 120, 1810-1810.	1.4	2
620	Newly Diagnosed Multiple Myeloma (MM) Patients Treated With Lenalidomide Induction and Maintenance Show a Low Incidence Of Second Primary Malignancies (SPMs). <i>Blood</i> , 2013, 122, 2074-2074.	1.4	2
621	Clinical Relevance of Low Burden BCR-ABL1 Mutations Detectable By Amplicon Deep Sequencing (DS) in Philadelphia-Positive (Ph+) Acute Lymphoblastic Leukemia (ALL) Patients (pts): The Type of Mutation Matters. <i>Blood</i> , 2015, 126, 2489-2489.	1.4	2
622	Association of Azacitidine and Lenalidomide (Combined vs Sequential Treatment) in High-Risk Myelodysplastic Syndromes. Final Results of a Randomized Phase II Multicenter Study. <i>Blood</i> , 2015, 126, 2871-2871.	1.4	2
623	Impact of Complete Response on Survival with Either Autologous Stem Cell Transplantation or Conventional Chemotherapy: Results of a Pooled Analysis of 5 Phase III Trials in Newly Diagnosed Multiple Myeloma Patients. <i>Blood</i> , 2015, 126, 927-927.	1.4	2
624	Mitoxantrone, Etoposide and Cytarabine (MEC) Can Induce Deep Complete Remission and Is an Effective Bridge Therapy to Allogeneic Transplantation (SCT) in Refractory/Relapsed Acute Myeloid Leukemia (AML) Patients. <i>Blood</i> , 2018, 132, 4036-4036.	1.4	2
625	Interferon-γ-Dependent Inflammatory Signature in Acute Myeloid Leukemia Cells Is Able to Shape Stromal and Immune Bone Marrow Microenvironment. <i>Blood</i> , 2019, 134, 1212-1212.	1.4	2
626	The Accuracy of the International Myeloma Working Group Frailty Score in Capturing Health-Related Quality of Life Profile of Patients with Relapsed Refractory Multiple Myeloma. <i>Blood</i> , 2021, 138, 115-115.	1.4	2
627	Impact of Elotuzumab Plus Pomalidomide/Dexamethasone on Health-Related Quality of Life for Patients with Relapsed/Refractory Multiple Myeloma (RRMM): Final Data from the Phase 2 ELOQUENT-3 Trial. <i>Blood</i> , 2021, 138, 1662-1662.	1.4	2
628	Normal myeloid progenitors (CFU-GM) in multiple myeloma: a preliminary study in view of autologous BMT. <i>Bone Marrow Transplantation</i> , 1989, 4, 373-7.	2.4	2
629	IgD myeloma in a young woman. <i>Haematologica</i> , 1982, 67, 760-4.	3.5	2
630	Improvement of human myeloma stem cell growth in a liquid culture system supplemented with phytohemagglutinin. <i>International Journal of Cell Cloning</i> , 1988, 6, 313-323.	1.6	1

#	ARTICLE	IF	CITATIONS
631	Myeloma therapy: the future is bright. <i>Blood</i> , 2005, 106, 4018-4019.	1.4	1
632	In vitro growth of myeloma cells*. <i>European Journal of Haematology</i> , 1989, 43, 43-46.	2.2	1
633	Improvement of Durie & Salmon staging for multiple myeloma by adding platelet count as a stratifying variable: A multivariate regression analysis of 163 untreated patients. <i>European Journal of Haematology</i> , 1989, 43, 99-104.	2.2	1
634	Single or Double Autologous Stem Cell Transplantation Before and After the Era of Novel Agents. <i>Clinical Lymphoma and Myeloma</i> , 2009, 9, S51-S52.	1.4	1
635	Update on the treatment of Ph-negative myeloproliferative neoplasms. <i>International Journal of Hematologic Oncology</i> , 2013, 2, 251-262.	1.6	1
636	Two randomized open-label studies of daratumumab (DARA) plus standard of care treatment versus standard of care alone in patients with previously untreated multiple myeloma (MM) ineligible for high-dose therapy: 54767414MMY3007 (Alcyone) and 54767414MMY3008 (Maia). <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, e294-e295.	0.4	1
637	Impact of Arterial Thrombotic Events on the Outcome of Chronic Myeloid Leukemia Patients Treated with Nilotinib First-Line: A GIMEMA CML WP Analysis. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, S313-S314.	0.4	1
638	Treatment of Transplant Eligible Patients with Multiple Myeloma. <i>Hematologic Malignancies</i> , 2018, , 29-60.	0.2	1
639	Clinical Features and Treatment Outcomes of Primary Cutaneous B-cell Lymphomas: A Thirty-year Experience. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2018, 18, 297-299.	0.4	1
640	The Berlin-Frankfurt-Amsterdam protocol for the upfront treatment of aggressive lymphomas: The Bologna experience. <i>American Journal of Hematology</i> , 2018, 93, E209.	4.1	1
641	Multiple Myeloma: Clinical Aspects. , 2019, , 1-13.		1
642	S1605 HORIZON (OP106): UPDATED EFFICACY AND SAFETY OF MELFLUFEN IN RELAPSED/REFRACTORY MULTIPLE MYELOMA (RRMM) REFRACTORY TO DARATUMUMAB (DARA) AND/OR POMALIDOMIDE (POM). <i>HemaSphere</i> , 2019, 3, 739.	2.7	1
643	PS1349 UPDATED RISK STRATIFICATION MODEL FOR SMOLDERING MULTIPLE MYELOMA (SMM) INCORPORATING THE REVISED IMWG DIAGNOSTIC CRITERIA. <i>HemaSphere</i> , 2019, 3, 616.	2.7	1
644	A case report of the long treatment experience of a Sézary syndrome responder patient: 16 years through all the systemic and innovative therapies. <i>Hematological Oncology</i> , 2019, 37, 202-204.	1.7	1
645	ALL-073: Inotuzumab Ozogamicin (IO) and Donor Lymphocyte Infusion (DLI) are a Safe and Promising Combination in Relapsed Acute Lymphoblastic Leukemia (ALL) After Allogeneic Hematopoietic Stem Cell Transplant (HSCT). <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, S161.	0.4	1
646	Elderly Non-GCB Diffuse Large B-Cell Lymphoma Patient Responding to Lenalidomide after Epicardial Relapse: A Case Report. <i>Acta Haematologica</i> , 2020, 143, 594-597.	1.4	1
647	Subcutaneous bortezomib-containing regimens as up-front treatment of newly diagnosed transplant-eligible multiple myeloma patients: a retrospective, non-interventional observational study. <i>Leukemia and Lymphoma</i> , 2021, 62, 1897-1906.	1.3	1
648	Clinical Efficacy of Ponatinib in Philadelphia-Positive T-Cell Acute Lymphoblastic Leukemia with Extramedullary Involvement. <i>Acta Haematologica</i> , 2021, 144, 688-692.	1.4	1

#	ARTICLE	IF	CITATIONS
649	PS1395 COMPARATIVE EFFECTIVENESS OF FRONT-LINE TREATMENTS FOR PATIENTS WITH NEWLY DIAGNOSED MULTIPLE MYELOMA WHO ARE TRANSPLANT INELIGIBLE. HemaSphere, 2019, 3, 640.	2.7	1
650	Abstract 2651: Deep hypoxia and the genomic background cooperate to shape the metabolic profile of acute myeloid leukemia cells. , 2019, , .		1
651	A Matching-Adjusted Indirect Treatment Comparison of Daratumumab-Bortezomib-Melphalan-Prednisone Versus Lenalidomide-Dexamethasone Continuous, Lenalidomide-Dexamethasone 18 Months, and Melphalan-Prednisone-Thalidomide. Blood, 2018, 132, 3551-3551.	1.4	1
652	Efficacy and Safety of Once-Weekly vs Twice-Weekly Carfilzomib Plus Dexamethasone: Subgroup Analysis of the Phase 3 A.R.R.O.W. Study (NCT02412878) By Prior Lines. Blood, 2018, 132, 3244-3244.	1.4	1
653	Next Generation Sequencing-Based BCR-ABL1 Kinase Domain Mutation Screening in De Novo and Tyrosine Kinase Inhibitor-Resistant Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia: Results of a Prospective Study. Blood, 2018, 132, 4078-4078.	1.4	1
654	Comparison of Two Different Therapeutic Regimens with Azacitidine and Lenalidomide (Combined) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Randomized Phase II Multicenter Study. Blood, 2018, 132, 4365-4365.	1.4	1
655	The Genomic and Transcriptomic Landscape of Double-Refractory Multiple Myeloma. Blood, 2019, 134, 3056-3056.	1.4	1
656	A Network Meta-Analysis (NMA) to Evaluate Comparative Effectiveness of Frontline Treatments for Patients (Pts) with Newly Diagnosed Multiple Myeloma (NDMM) Who Are Transplant-Ineligible (TIE). Blood, 2019, 134, 2144-2144.	1.4	1
657	Negative Selective Pressure Exerted By Maintenance Therapy Promotes the Extinction of Sub-Clones Carrying High-Risk Lesions in Multiple Myeloma. Blood, 2019, 134, 1778-1778.	1.4	1
658	Impact of Prior Therapies on the Safety and Efficacy of Once Weekly Selinexor, Bortezomib, and Dexamethasone Compared with Twice Weekly Bortezomib and Dexamethasone in Relapsed or Refractory Multiple Myeloma: Results from the Boston Study. Blood, 2020, 136, 50-52.	1.4	1
659	Correlation Analyses of Imetelstat Exposure with Pharmacodynamic Effect, Efficacy and Safety in a Phase 2 Study in Patients with Higher-Risk Myelofibrosis Refractory to Janus Kinase Inhibitor Identified an Optimal Dosing Regimen for Phase 3 Study. Blood, 2020, 136, 33-34.	1.4	1
660	Bortezomib (VEL) Based Regimens in Multiple Myeloma (MM) Patients with Renal Impairment (RI): A Preliminary Retrospective Italian Multicenter Study. Blood, 2008, 112, 3681-3681.	1.4	1
661	Bortezomib-Thalidomide-Dexamethasone as Primary Induction Therapy for Newly Diagnosed Multiple Myeloma Significantly Decreases Bone Resorption While Sparing Bone Formation as Compared to Thalidomide-Dexamethasone. Blood, 2008, 112, 5117-5117.	1.4	1
662	High Number of Copy Number Alterations and Over-Expression of Genes Involved in the Response Mechanisms to Genotoxic Stress Both Characterize Newly Diagnosed Multiple Myeloma (MM) Patients Carrying Amplified MDM4 and/or Deleted p53,. Blood, 2011, 118, 3935-3935.	1.4	1
663	Bortezomib-Thalidomide-Dexamethasone Incorporated Into Autotransplantation Is Associated with More Favorable Outcomes After Relapse in Comparison with Thalidomide-Dexamethasone Plus Autotransplantation in Multiple Myeloma. Blood, 2012, 120, 4210-4210.	1.4	1
664	Prognostic Impact Of Serum Free Light Chain (sFLC) Assay In Newly Diagnosed Multiple Myeloma (MM) Treated With Bortezomib. Blood, 2013, 122, 1859-1859.	1.4	1
665	Serum Free Light Chain Escape In Progression and Treatment Resistance In Multiple Myeloma: A Marker For The Impact Of Intra-Clonal Heterogeneity. Blood, 2013, 122, 752-752.	1.4	1
666	Rare Igh Translocations in Newly Diagnosed Multiple Myeloma (MM) Patients: Cytogenetic Characterization and Relevance on Prognosis. Blood, 2014, 124, 2042-2042.	1.4	1

#	ARTICLE	IF	CITATIONS
667	Impact of Age on Efficacy, Safety, and Long-Term Outcome of Chronic Myeloid Leukemia (CML) Patients Treated in First-Line with Nilotinib: An Analysis of the Gimema CML Working Party. <i>Blood</i> , 2016, 128, 3068-3068.	1.4	1
668	Evaluation of Experimental Retreatment and Prolonged Therapy with Subcutaneous (SC) Bortezomib in Patients (Pts) with Multiple Myeloma in First or Second Relapse, a Randomized, Controlled, Phase 3 Study. <i>Blood</i> , 2016, 128, 3328-3328.	1.4	1
669	Molecular monitoring of minimal residual disease in patients in long-term complete remission after allogeneic stem cell transplantation for multiple myeloma. <i>Blood</i> , 2000, 96, 355-357.	1.4	1
670	Efficacy and safety of daratumumab, bortezomib, and dexamethasone (D-Vd) in relapsed or refractory multiple myeloma (RRMM) based on cytogenetic risk: Updated subgroup analysis of CASTOR. <i>Journal of Clinical Oncology</i> , 2019, 37, 8040-8040.	1.6	1
671	Emerging and current treatment combinations for transplant-ineligible multiple myeloma patients. <i>Expert Review of Hematology</i> , 2021, , 1-14.	2.2	1
672	CKS1B Over-Expression Significantly Predicts for a Lower Rate of Response to Primary Therapy with Thalidomide-Dexamethasone (Thali-Dex) for Newly Diagnosed Multiple Myeloma (MM) Patients. <i>Blood</i> , 2006, 108, 371-371.	1.4	1
673	Baseline Thrombophilic Alterations and Risk of Venous Thromboembolism in 266 Multiple Myeloma Patients Primarily Treated with Thalidomide and High-Dose Dexamethasone. <i>Blood</i> , 2007, 110, 3997-3997.	1.4	1
674	Incorporation of Thalidomide-Dexamethasone (Thal-Dex) into up-Front Double Autologous Stem-Cell Transplantation (ASCT) for multiple Myeloma: Final analysis of phase II "Bologna 2002" Study. <i>Blood</i> , 2009, 114, 349-349.	1.4	1
675	Central Nervous System and Intracranial Myeloma: a Retrospective Italian Multicenter Study. <i>Blood</i> , 2009, 114, 1882-1882.	1.4	1
676	Prognostic Relevance of 18F-FDG PET/CT In Newly Diagnosed Multiple Myeloma Patients Treated with up-Front Autologous Transplantation: A Prospective Study. <i>Blood</i> , 2010, 116, 369-369.	1.4	1
677	Bortezomib- and Thalidomide-Induced Peripheral Neuropathy (PN) in Multiple Myeloma (MM): Clinical and Molecular Analysis of 474 Patients Treated with Thalidomide-Dexamethasone (TD) or Bortezomib-TD (VTD). <i>Blood</i> , 2011, 118, 1821-1821.	1.4	1
678	Outcomes for Older Patients in Stratus (MM-010), a Single-Arm, and Phase 3b Study of Pomalidomide + Low-Dose Dexamethasone in Refractory or Relapsed and Refractory Multiple Myeloma. <i>Blood</i> , 2014, 124, 4770-4770.	1.4	1
679	Donor Natural Killer (NK) Alloreactivity Predicts Long-Term Relapse-Free Survival in Acute Myeloid Leukemia Patients Undergoing Immunotherapy with NK Cells. <i>Blood</i> , 2014, 124, 624-624.	1.4	1
680	The Tissue Inhibitor of Metalloproteinases-1 (TIMP-1) Regulates the Function and Migration of Leukemic Blasts through CD63/PI3K/AKT/P21 Axis. <i>Blood</i> , 2015, 126, 2394-2394.	1.4	1
681	Long-Term Responders after Brentuximab Vedotin: Experience on 57 Patients with Relapsed and Refractory Hodgkin and Anaplastic Large Cell Lymphoma. <i>Blood</i> , 2015, 126, 2725-2725.	1.4	1
682	Abstract 90: A cell cycle-related genomic and transcriptomic signature distinguish aneuploid and euploid acute myeloid leukemia. <i>Cancer Research</i> , 2016, 76, 90-90.	0.9	1
683	A Branching Evolution Model at Relapse Characterizes Multiple Myeloma Patients Who Responded to up-Front Combination Therapy Including New Drugs. <i>Blood</i> , 2016, 128, 2080-2080.	1.4	1
684	The Genomic and Transcriptomic Landscape of Systemic Mastocytosis. <i>Blood</i> , 2016, 128, 3136-3136.	1.4	1

#	ARTICLE	IF	CITATIONS
685	Abstract 1229: Clonal hematopoiesis of indeterminate potential (CHIP), centenarians and age-related cardiovascular risk: Is TET2 the culprit. , 2018, , .		1
686	MDM2 and Aurora Kinase a Contribute to SETD2 Loss of Function in Advanced Systemic Mastocytosis: Implications for Pathogenesis and Treatment. Blood, 2018, 132, 1779-1779.	1.4	1
687	Validation and Improvement Opportunities of the Revised International Staging System for Multiple Myeloma: An Analysis on Mature Data from European Clinical Trials within the Harmony Big Data Platform. Blood, 2019, 134, 1773-1773.	1.4	1
688	Vascular and Parenchymal Alterations of the Liver and Liver Surveillance in Patients Who Received Inotuzumab Ozogamicin As the Standard of Care for Relapse/Refractory Acute Lymphoblastic Leukemia. Blood, 2019, 134, 1343-1343.	1.4	1
689	Impact of Comorbidities and Body Mass Index in Patients with Polycythemia Vera: A PV-NET Real World Study. Blood, 2019, 134, 4184-4184.	1.4	1
690	The Locomotion Study (MMY4001): A Prospective, Multinational Study of Real-Life Current Standards of Care in Patients with Relapsed and/or Refractory Multiple Myeloma Who Received at Least 3 Prior Lines of Therapy Including PI, IMiD, and CD38 Monoclonal Antibody Treatment and Documented Disease Progression. Blood, 2019, 134, 5549-5549.	1.4	1
691	LocoMMotion: A Prospective, Non-Interventional, Multinational Study of Real-Life Current Standards of Care in Patients With Relapsed/Refractory Multiple Myeloma Who Received ≥3 Prior Lines of Therapy. Blood, 2021, 138, 3057-3057.	1.4	1
692	Efficacy and Safety of Ruxolitinib in the Treatment of Elderly Patients with Polycythemia Vera Resistant/Intolerant to Hydroxyurea. Blood, 2021, 138, 2581-2581.	1.4	1
693	An Outpatient Management for First Cycle of Venetoclax and Hypomethylating Agents Results in Reduced Infection Rate and Hospitalizations in Acute Myeloid Leukemia Patients. Blood, 2021, 138, 2340-2340.	1.4	1
694	Effects of Cytogenetic Risk on Outcomes in Multiple Myeloma Treated with Selinexor, Bortezomib, and Dexamethasone (XVd). Blood, 2021, 138, 1634-1634.	1.4	1
695	High Humoral Response after Anti-Sars-Cov-2 mRNA-Based Vaccines in Patients with Active Multiple Myeloma (MM) and Relationship with Disease Status/Line of Therapy. Blood, 2021, 138, 4732-4732.	1.4	1
696	Circulating Extracellular Vesicles from Acute Myeloid Leukemia Patients Drive Distinct Metabolic Profile of Leukemic Cells and Reveal Crucial Lipidomic Biomarkers. Blood, 2021, 138, 3471-3471.	1.4	1
697	Efficacy and Safety of Daratumumab with Dexamethasone in Patients with Relapsed/Refractory Multiple Myeloma and Severe Renal Impairment or on Dialysis: Final Analysis of the Phase 2 Dare Study. Blood, 2021, 138, 2729-2729.	1.4	1
698	OAB-041: Epithelial-mesenchymal-transition regulated by Junctional Adhesion Molecule-A (JAM-A) associates with aggressive extramedullary multiple myeloma disease. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, S26-S27.	0.4	1
699	OAB-059: Towards a comprehensive multimodal minimal residual disease assessment in multiple myeloma: the role of circulating cell-free DNA to define the extent of disease spreading. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, S37.	0.4	1
700	Combined Inhibition of Polo-Like Kinase-1 and Wee1 as a New Therapeutic Strategy to Induce Apoptotic Cell Death in Neoplastic Mast Cells. Cancers, 2022, 14, 738.	3.7	1
701	Recent phase III trials in the frontline treatment of multiple myeloma: evaluating their impact on community practice. Clinical Advances in Hematology and Oncology, 2008, 6, s4-s10.	0.3	1
702	Immune thrombotic thrombocytopenic purpura: Personalized therapy using ADAMTS-13 activity and autoantibodies. Research and Practice in Thrombosis and Haemostasis, 2021, 5, e12606.	2.3	1

#	ARTICLE	IF	CITATIONS
703	Early Light Chains Removal and Albumin Levels with a Double Filter-Based Extracorporeal Treatment for Acute Myeloma Kidney. <i>Toxins</i> , 2022, 14, 391.	3.4	1
704	Septicaemia after Splenectomy for Hodgkin's Disease: Two Episodes in the Same Patient, 9 and 13 Years after Cure. <i>Acta Haematologica</i> , 1988, 80, 223-223.	1.4	0
705	A Randomized Study of MP versus Alternating VAD-VND(N=Mitoxantrone)/MP as Primary Therapy for Multiple Myeloma. <i>Leukemia and Lymphoma</i> , 1992, 7, 75-76.	1.3	0
706	New insights into the knowledge of graft-versus-myeloma. <i>Blood</i> , 2004, 103, 371-372.	1.4	0
707	The Activity of Spanish and Italian Myeloma Groups. <i>Clinical Lymphoma and Myeloma</i> , 2009, 9, S36-S39.	1.4	0
708	PCN49 COSTS AND QUALITY OF LIFE OF MULTIPLE MYELOMA (MM) IN ITALY: THE CO.MI.M. STUDY. <i>Value in Health</i> , 2009, 12, A265.	0.3	0
709	Una valutazione economica di due sequenze terapeutiche nel trattamento del mieloma multiplo ricaduto e/o refrattario. <i>Pharmacoeconomics Italian Research Articles</i> , 2013, 15, 1-8.	0.2	0
710	Outcome of first salvage therapy for multiple myeloma (MM) in real-world clinical practice: Results from the third interim analysis of the multinational, observational, non-interventional EMMOS study. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, e274-e275.	0.4	0
711	FP534EXTRACORPOREAL TREATMENTS FOR LIGHT CHAIN REMOVAL IN MYELOMA-INDUCED CAST NEPHROPATHY. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii251-iii251.	0.7	0
712	Rare High Risk IgH Translocations in Newly Diagnosed Multiple Myeloma (MM): Cytogenetic Characterization and Relevance on Prognosis. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, e46-e47.	0.4	0
713	Outcomes of Patients (Pts) With Refractory or Relapsed and Refractory Multiple Myeloma (RRMM) and Renal Impairment (RI) Treated With Pomalidomide (POM) + Low-Dose Dexamethasone (LoDEX) in the Phase 3b STRATUS(TM) Trial (MM-010). <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, e266.	0.4	0
714	Adverse Event (AE) Management With Pomalidomide (POM) + Low-Dose Dexamethasone (LoDEX) in the STRATUS(TM) Trial: A Phase 3b Study Evaluating Safety and Efficacy in Patients (Pts) With Refractory or Relapsed and Refractory Multiple Myeloma (RRMM). <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, e264.	0.4	0
715	Addition of Lenalidomide to Azacitidine in Higher Risk Myelodysplastic Syndromes. Long-Term Results of a Randomized Phase II Multicenter Study. <i>Leukemia Research</i> , 2017, 55, S50-S51.	0.8	0
716	Evolutionary Fitness of Relapsed Multiple Myeloma Patients Who Responded to Upfront Combination Therapy Including New Drugs. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, e12.	0.4	0
717	Heavy+Light Chain and Free Light Chain Assays at Baseline and During Follow-up in EMN02/HO95 Multiple Myeloma Clinical Trial. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, e47.	0.4	0
718	Understanding Mortality In Multiple Myeloma (MM): Findings From An Observational Chart Review of Deceased Patients In The UK, France, Germany, Italy And Spain. <i>Value in Health</i> , 2017, 20, A420.	0.3	0
719	PSY17 - TREATMENT REGIMENS FOR PATIENTS WITH NEWLY DIAGNOSED MULTIPLE MYELOMA WHO ARE INELIGIBLE FOR STEM CELL TRANSPLANTATION: A SYSTEMATIC LITERATURE REVIEW AND NETWORK META-ANALYSIS. <i>Value in Health</i> , 2018, 21, S438.	0.3	0
720	PB1699 A SCREENING OF ANTINEOPLASTIC DRUGS FOR ACUTE MYELOID LEUKEMIA REVEALS THAT FLUDARABINE AND CYTARABINE HAVE WEAK CAPACITY AS INDUCERS OF IMMUNOGENIC CELL DEATH. <i>HemaSphere</i> , 2019, 3, 782-783.	2.7	0

#	ARTICLE	IF	CITATIONS
721	PS1420 RESULTS FROM A POST-AUTHORIZATION SAFETY STUDY COMPARING LENALIDOMIDE-BASED WITH NON-LENALIDOMIDE-BASED TREATMENT IN TRANSPLANT-INELIGIBLE NEWLY DIAGNOSED MULTIPLE MYELOMA PATIENTS. <i>HemaSphere</i> , 2019, 3, 653-654.	2.7	0
722	Rare, but complex chromosomal rearrangements, defined "Chromoanagenesis", caused by single-step or stepwise catastrophic genomic events, significantly impact on Multiple Myeloma patients. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e78-e79.	0.4	0
723	Post-Authorization Safety Study of Lenalidomide-Based vs Non-Lenalidomide-Based Treatment in Transplant-Ineligible Newly Diagnosed Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e226-e227.	0.4	0
724	Analysis of the genomic and transcriptomic landscape of chemoresistant multiple myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e58-e59.	0.4	0
725	VarianThinker: a classification method to confidently approach the mutation heterogeneity in Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e72-e73.	0.4	0
726	PF172-PROSPECTIVE COMPARISON OF SANGER SEQUENCING VS NEXT GENERATION SEQUENCING FOR ROUTINE BCR-ABL1 KINASE DOMAIN MUTATION SCREENING IN PHILADELPHIA-POSITIVE ACUTE LYMPHOBLASTIC LEUKEMIA PATIENTS. <i>HemaSphere</i> , 2019, 3, 37-38.	0.4	0
727	PB1726 DOUBLE FLUDARABINE-BASED INDUCTION AND INFECTIVE RISK: THE BOLOGNA EXPERIENCE.. <i>HemaSphere</i> , 2019, 3, 794.	2.7	0
728	A Maturation Index defines Newly Diagnosed Multiple Myeloma Patients with advanced immunophenotypic and Molecular Differentiation profiles associated with poor prognosis. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e69-e70.	0.4	0
729	P1693LONG-TERM OUTCOME OF KIDNEY TRANSPLANTATION IN PLASMA CELLS DYSCRASIAS. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
730	CML-206: ReSETting SETD2/H3K36Me3 Deficiency as a New Therapeutic Strategy in Blast Crisis Chronic Myeloid Leukemia Patients. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, S236-S237.	0.4	0
731	MM-133: HORIZON (OP-106): Melflufen Plus Dexamethasone in Relapsed/Refractory Multiple Myeloma (RRMM) Refractory to Pomalidomide and/or an Anti-CD38 Monoclonal Antibody (mAb) - Final Primary Analysis. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, S295-S296.	0.4	0
732	The diagnostic role of Next Generation Sequencing in uncovering isolated splenomegaly: A case report. <i>Hematology Reports</i> , 2021, 13, 8814.	0.8	0
733	Expanding CD38-targeting triplets for relapsed or refractory multiple myeloma. <i>Lancet, The</i> , 2021, 397, 2311-2313.	13.7	0
734	MM-171: Melflufen Plus Dexamethasone in Patients with Relapsed/Refractory Multiple Myeloma (RRMM) Exposed or Refractory to Prior Alkylators: A Pooled Analysis of the O-12-M1 and HORIZON Studies. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, S426-S427.	0.4	0
735	A Specific Host/Microbial Signature of Plasma-Derived Extracellular Vesicles Is Associated to Thrombosis and Marrow Fibrosis in Polycythemia Vera. <i>Cancers</i> , 2021, 13, 4968.	3.7	0
736	Thalidomide-Induced Peripheral Neuropathy in Newly Diagnosed and Pre-Treated Multiple Myeloma Patients.. <i>Blood</i> , 2004, 104, 4898-4898.	1.4	0
737	Superior Complete Remission/Very Good Partial Remission Rate with Peri-Transplant Administration of Thalidomide-Dexamethasone for Newly Diagnosed Multiple Myeloma.. <i>Blood</i> , 2005, 106, 5474-5474.	1.4	0
738	Prognostic Relevance of t(4;14) and Expression of FGFR3 and TACC3 in Newly Diagnosed Patients with Multiple Myeloma.. <i>Blood</i> , 2005, 106, 5072-5072.	1.4	0

#	ARTICLE	IF	CITATIONS
739	Role of 18f-FDG PET/CT in the Management of Multiple Myeloma.. Blood, 2005, 106, 3492-3492.	1.4	0
740	Insuline-Like Growth Factor 1 Is over Expressed in Multiple Myeloma Plasma Cells and Regulates the Expression of the Insuline-Like Growth Factor 1 Receptor.. Blood, 2005, 106, 4363-4363.	1.4	0
741	Bone Involvement in Multiple Myeloma Patients Carrying the T (4;14) Chromosomal Translocation.. Blood, 2006, 108, 4996-4996.	1.4	0
742	Superiority of Double over Single Autologous Stem-Cell Transplantation for Newly Diagnosed Multiple Myeloma and Prognostic Impact of Complete Response: Final Analysis of "Bologna 96" Study.. Blood, 2007, 110, 730-730.	1.4	0
743	Clinical and Prognostic Relevance of Magnetic Resonance Imaging of the Spine in Newly Diagnosed Multiple Myeloma Patients Receiving Autologous Stem Cell Transplantation.. Blood, 2007, 110, 4728-4728.	1.4	0
744	Economic and Social Burden of Multiple Myeloma in Italy: The Co.Mi.M. Study. Blood, 2008, 112, 2393-2393.	1.4	0
745	Dietary Supplement Vitamin C Significantly Abrogates Bortezomib-Induced Multiple Myeloma (MM) Cell Growth Inhibition. Blood, 2008, 112, 3687-3687.	1.4	0
746	Clinical and Prognostic Relevance of Magnetic Resonance Imaging of the Spine in Newly Diagnosed Multiple Myeloma Patients Receiving Autologous Stem Cell Transplantation.. Blood, 2009, 114, 4885-4885.	1.4	0
747	Complete Response to First-Line Bortezomib-Thalidomide-Dexamethasone Therapy in Multiple Myeloma Patients with t(4;14): Analysis of Gene Expression Profile.. Blood, 2009, 114, 2811-2811.	1.4	0
748	A Pilot Study of Lenalidomide and Dexamethasone as First Line Therapy in Patients with Primary Plasma Cell Leukemia.. Blood, 2009, 114, 4951-4951.	1.4	0
749	Abstract B53: Evaluation of HIF-1 α mRNA inhibitor as antimultiple myeloma agent. , 2011, , .		0
750	Post-Approval Safety Study (PASS) of Lenalidomide Compared with Other Treatments in Patients with Relapsed or Refractory Multiple Myeloma. Blood, 2011, 118, 1867-1867.	1.4	0
751	Conventionally-Defined and PET/CT-Defined Complete Response (CR) to Novel Agent-Based Induction Therapy and Autologous Stem-Cell Transplantation (ASCT) In Multiple Myeloma (MM): A Prospective Study of Clinical and Prognostic Implications. Blood, 2011, 118, 826-826.	1.4	0
752	A Score Model for Predicting Unsuccessful or Sub-Optimal Peripheral Blood Stem Cell Collections in Multiple Myeloma Based on a Retrospective Analysis of 1,039 Patients Receiving Novel Agents As Induction Therapy and Cyclophosphamide Plus G-CSF As Mobilizing Regimen,. Blood, 2011, 118, 4044-4044.	1.4	0
753	A 41-Gene Signature Predicts Complete Response (CR) to Bortezomib-Thalidomide-Dexamethasone (VTD) As Induction Therapy Prior to Autologous Stem-Cell Transplantation (ASCT) in Multiple Myeloma (MM). Blood, 2011, 118, 805-805.	1.4	0
754	Abstract 1873: Gene expression analysis of newly diagnosed Multiple Myeloma (MM) patients carrying amplifiedMDM4and/or deletedp53. , 2012, , .		0
755	Ten Year-Long Term Survival After up-Front Autologous Stem Cell Transplantation in Multiple Myeloma: Results From Two Prospective Clinical Trials. Blood, 2012, 120, 594-594.	1.4	0
756	SIRT Regulates the Molecular Interaction Between c-MYC and HIF-1 α in Multiple Myeloma. Blood, 2012, 120, 574-574.	1.4	0

#	ARTICLE	IF	CITATIONS
757	Abstract 3749: Genomic characterization of the putative myeloma stem cells clone reveals alterations possibly correlated with the origin of disease.. , 2013, , .		0
758	Abstract 3415: SIRT regulates the molecular interaction between c-MYC and HIF-1 α in multiple myeloma.. , 2013, , .		0
759	Abstract 4700: Clinical outcome of T-acute lymphoblastic leukemia/lymphoma (T-ALL/T-LBL): the Bologna experience.. , 2013, , .		0
760	Abstract 4051: Loss of nuclear beta catenin, following chibby enforced expression, activates endoplasmic reticulum stress in cells expressing the BCR-ABL1 fusion gene of chronic myeloid leukemia.. , 2013, , .		0
761	The e13a2 BCR-ABL1 Fusion Transcript Is a Candidate Adverse Prognostic Factor In Chronic Myeloid Leukemia Patients Treated Frontline With Imatinib Mesylate. Blood, 2013, 122, 1486-1486.	1.4	0
762	4-Year Outcome Of 215 Patients With Newly Diagnosed Chronic Myeloid Leukemia (CML) Treated Frontline With Nilotinib In Investigator-Sponsored Studies. A Report From The Gimema CML Working Party. Blood, 2013, 122, 4000-4000.	1.4	0
763	Impact Of p53 Impaired Function On Outcomes Of Multiple Myeloma Patients Carrying Deleted TP53 and/Or Amplified MDM4. Blood, 2013, 122, 1855-1855.	1.4	0
764	Single-Cell Genetic Analysis Reveals The Genetic Composition Of Founder Clones, Phylogenetic Patterns Of Branching and Parallel Evolution, and Clonal Fluctuations Following Patient Treatment In Multiple Myeloma. Blood, 2013, 122, 398-398.	1.4	0
765	Efficacy and Safety Of Pomalidomide Plus Low-Dose Dexamethasone In Advanced Multiple Myeloma: Results Of Randomized Phase 2 and 3 Trials (MM-002/MM-003). Blood, 2013, 122, 3185-3185.	1.4	0
766	Minor Subclones Harboring Small Insertions and Deletions Probably Due To Aberrant Splicing Can Frequently Be Detected By Deep Sequencing Of The BCR-ABL Kinase Domain. Blood, 2013, 122, 3986-3986.	1.4	0
767	Abstract 3608: HIF-1 α inhibition blocks the cross talk between multiple myeloma plasmacells and tumour microenvironment. , 2014, , .		0
768	Abstract 3884: Gene expression profiling and copy number alterations of circulating clonotypic B cells of multiple myeloma newly diagnosed patients reveals pathways potentially involved in the development and in the disease persistence. , 2014, , .		0
769	Abstract 5595: Impact of p53 impaired function on outcomes of multiple myeloma patients carrying deleted TP53 and/or amplified MDM4. , 2014, , .		0
770	Deep Molecular Response to Nilotinib As First-Line Treatment of BCR-ABL+ CML in Early Chronic Phase: A Phase 3b Multicenter Study of the Gimema CML Working Party. Blood, 2014, 124, 4532-4532.	1.4	0
771	Backtracking BCR-ABL1 Mutants in Philadelphia-Positive Acute Lymphoblastic Leukemia Patients Relapsing on Tyrosine Kinase Inhibitors with Deep Sequencing: Implications for Routine Mutation Testing. Blood, 2014, 124, 2259-2259.	1.4	0
772	High-Throughput Molecular Profiling of Multiple Myeloma (MM) Clonotypic CD19+ B Cells Highlights Pathways Potentially Involved in the Disease Endurance. Blood, 2014, 124, 2054-2054.	1.4	0
773	Virtual Karyotype Reconstruction By SNPs Array of Newly Diagnosed Multiple Myeloma (MM) Patients Enrolled in the EMN02 Clinical Trial. Blood, 2014, 124, 2033-2033.	1.4	0
774	Ultra-Deep Sequencing (UDS) Allows More Sensitive Detection of the D816V and Other Kit Gene Mutations in Systemic Mastocytosis. Blood, 2014, 124, 1856-1856.	1.4	0

#	ARTICLE	IF	CITATIONS
775	Mutations and Long-Term Outcome of 217 Young Patients with Essential Thrombocythemia or Early Primary Myelofibrosis. Blood, 2014, 124, 3190-3190.	1.4	0
776	In Chronic Myeloid Leukemia Patients on 2nd-Line Tyrosine Kinase Inhibitor Therapy, Deep Sequencing at the Time of Warning May Allow Sensitive Detection of Emerging BCR-ABL1 Mutants. Blood, 2014, 124, 815-815.	1.4	0
777	A Long Tail of Sub-Clonal TP53 Mutations Emerged By Ultra-Deep Sequencing of Newly Diagnosed Multiple Myeloma (MM). Blood, 2014, 124, 3400-3400.	1.4	0
778	Abstract 4248: A long tail of sub-clonal TP53 mutations emerged by ultra-deep sequencing of newly diagnosed multiple myeloma (MM). , 2015, , .		0
779	Abstract 4848: SNP array reveals a new deletion of JAK2 in AML patients. , 2015, , .		0
780	Abstract 4835: A new biomarker of response to 5-azacitidine therapy in MDS and AML patients: SIRPB1. , 2015, , .		0
781	Abstract 1521: High-throughput molecular profiling of Multiple Myeloma clonotypic CD19+ B cells highlights pathways potentially involved in the disease endurance. , 2015, , .		0
782	Abstract 3957: Integrated molecular characterization of mast cell leukemia reveals recurrent inactivation of the SETD2 tumor suppressor gene. , 2015, , .		0
783	Two or More Chemotherapy Consolidation Courses, Followed By Autologous Bone Marrow Transplantation, and MRD Negativity, Give Long Term Overall Survival in Acute Myeloid Leukemia Patients. Blood, 2015, 126, 3198-3198.	1.4	0
784	Genomic-Wide Analysis By High Resolution SNP Array Identifies Novel Genomic Alteration in Acute Myeloid Leukemia. Blood, 2015, 126, 2600-2600.	1.4	0
785	Novel Genomic Patterns of Metabolic Remodeling in Acute Myeloid Leukemia. Blood, 2015, 126, 3837-3837.	1.4	0
786	Safety and Efficacy of Pomalidomide Plus Low-Dose Dexamethasone (POM + LoDEX) in Patients (Pts) with Relapsed/Refractory Multiple Myeloma (RRMM) in Italy: A Subanalysis of the Stratus Trial (MM-010). Blood, 2015, 126, 5376-5376.	1.4	0
787	JAK2V617F-Positive Patients with Essential Thrombocythemia or Early Primary Myelofibrosis: The Impact of Histological Diagnosis on Outcome. Blood, 2015, 126, 1614-1614.	1.4	0
788	P2X7 Receptor Activation By ATP As Target of Novel Therapies in Acute Myeloid Leukemia. Blood, 2015, 126, 3684-3684.	1.4	0
789	Gemtuzumab-Ozogamicin Containing Regimens As Induction Therapy Give the Highest Complete Remission Rate and the Longest Overall Survival Compared with Other Induction Regimens in Patients with Newly Diagnosed Acute Myeloid Leukemia. Blood, 2015, 126, 2513-2513.	1.4	0
790	Analysis of Patient (Pt) Outcomes By Prior Treatment and Depth of Response in Stratus (MM-010), a Phase 3b Study of Pomalidomide + Low-Dose Dexamethasone (POM + LoDEX) in Patients (Pts) with Relapsed/Refractory Multiple Myeloma (RRMM). Blood, 2015, 126, 1834-1834.	1.4	0
791	18F-Fluorothymidine Positron Emission Tomography in Patients with Suspect Lymphoma Relapse. Blood, 2015, 126, 5009-5009.	1.4	0
792	Long-Term Clinical Outcomes of Allogeneic Stem Cell Transplantation in Multiple Myeloma. Blood, 2015, 126, 1968-1968.	1.4	0

#	ARTICLE	IF	CITATIONS
793	Crucial Factors of the Inflammatory Microenvironment (IL-1 beta/TNF-alpha/TIMP-1) Promote Maintenance of the Malignant Hemopoietic Clone of Myelofibrosis By Stimulating the in Vitro Survival/Proliferation/Migration of Circulating CD34+ stem/Progenitor Cells. Blood, 2015, 126, 4094-4094.	1.4	0
794	The Induction of Inhibitory Pathways in Dendritic Cells May Hamper the Efficient Activation of Anti-Leukemia T Cells within Chemotherapy-Induced Immunogenic Cell Death. Blood, 2015, 126, 1019-1019.	1.4	0
795	A Specific Pattern of Somatic Mutations Associates with Poor Prognosis Aneuploid Acute Myeloid Leukemia: Results from the European NGS-PTL Consortium. Blood, 2015, 126, 3840-3840.	1.4	0
796	Aurora Kinase a: A New Component of Imatinib Resistance in Chronic Myeloid Leukemia. Blood, 2015, 126, 1573-1573.	1.4	0
797	The Inhibition of Checkpoint Kinase 1 As a Promising Strategy to Increase the Effectiveness of Different Treatments in Acute Lymphoblastic Leukemia. Blood, 2015, 126, 2478-2478.	1.4	0
798	An Amplicon-Targeted Ultra-Deep Sequencing Approach Reveals the Presence at the Onset of Multiple Myeloma and the Selection over Time of TP53 Sub-Clonal Variants, Which Adversely Influence Patients' Overall Survival. Blood, 2015, 126, 24-24.	1.4	0
799	Upregulation of Indoleamine 2,3-Dioxygenase Enzymes in Leukemic Mesenchymal Stromal Cells (MSCs) Can Influence MSC/Acute Myeloid Leukemia Cell Cross Talk. Blood, 2015, 126, 1191-1191.	1.4	0
800	Abstract 3582: Chromothripsis in AML patients: A new mechanism of cancer initiation and progression. , 2016, , .		0
801	Abstract 4077: Crucial factors of the inflammatory microenvironment (IL-1 β /TNF- α /TIMP-1) promote the selection of highly malignant hemopoietic clone of myelofibrosis. , 2016, , .		0
802	Abstract 3189: The alternate activation of hedgehog pathway, either in CD138+ or in CD138-CD19+ multiple myeloma primary cells, impacts on disease outcome. , 2016, , .		0
803	Abstract 5022: The selection of TP53 sub-clonal variants over time identifies MM patients with adverse clinical outcome. , 2016, , .		0
804	The 'Next-in-Cml' Study: A Prospective Multicenter Study of Deep Sequencing of the BCR-ABL1 Kinase Domain in Philadelphia Chromosome-Positive Patients with Non-Optimal Responses to Tyrosine Kinase Inhibitor Therapy. Blood, 2016, 128, 3097-3097.	1.4	0
805	Chemotherapy-Dependent ATP Release from Leukemia Dying Cells Induces Indoleamine 2,3-Dioxygenase 1 in Dendritic Cells. Blood, 2016, 128, 3711-3711.	1.4	0
806	Longer Time to Best Response and Depth of Response Are Associated with Improved Duration of Best Achieved Response and Progression-Free Survival (PFS): Post-Hoc Analysis of Phase 3 Tourmaline-MM1 Trial in Relapsed/Refractory Multiple Myeloma (RRMM). Blood, 2016, 128, 2134-2134.	1.4	0
807	Prospective Evaluation of 18F-FDG PET/CT As Predictor of Prognosis in Newly Diagnosed Transplant Eligible Multiple Myeloma (MM) Patients: Results from the Imaging Sus-Study of the EMN02/HO95 MM Randomized Phase III Trial. Blood, 2016, 128, 992-992.	1.4	0
808	Impact of Comorbidities and Body Mass Index in Myelofibrosis Patients Treated with Ruxolitinib: A Retrospective Analysis. Blood, 2016, 128, 5464-5464.	1.4	0
809	An Integrated Analysis of Cardio-Vascular Adverse Events of Carfilzomib, Cyclophosphamide and Dexamethasone in Elderly Newly Diagnosed Myeloma Patients Enrolled in 3 Phase I/II Trials. Blood, 2016, 128, 3336-3336.	1.4	0
810	Impact of Treatment Intensification According to Patient Prognosis: A Pooled Analysis of 3 Randomized Phase III Trials. Blood, 2016, 128, 995-995.	1.4	0

#	ARTICLE	IF	CITATIONS
811	Natural History of Relapsed Myeloma, Refractory to Immunomodulatory Drugs and Proteasome Inhibitors: A Multicenter IMWG Study. <i>Blood</i> , 2016, 128, 4414-4414.	1.4	0
812	Hevylite and Freelite Tests in Newly Diagnosed Multiple Myeloma: Clinical Utility and Correlations with Clinical Features. <i>Blood</i> , 2016, 128, 5625-5625.	1.4	0
813	Bone Marrow Reticulin Fibrosis in 579 Patients with Polycythemia Vera and Essential Thrombocythemia: Effect on Clinical Outcome. <i>Blood</i> , 2016, 128, 3130-3130.	1.4	0
814	A Population-Based Study of Chronic Myeloid Leukemia Treated with Imatinib in First Line. <i>Blood</i> , 2016, 128, 3076-3076.	1.4	0
815	Prognostic Implication of Somatic Mutations By Next Generation Sequencing: An Analysis from the Mmrf Compass Study in Newly Diagnosed Multiple Myeloma Patients. <i>Blood</i> , 2016, 128, 2079-2079.	1.4	0
816	Signals of the Inflammatory Microenvironment Promote a Mutation-Associated Functional Dysregulation of the Circulating Megakaryocyte Progenitors of Myelofibrosis. <i>Blood</i> , 2016, 128, 3142-3142.	1.4	0
817	Abstract 3936: A branching evolution model at relapse characterizes multiple myeloma patients who responded to upfront combination therapy including new drugs. , 2017, , .		0
818	Abstract 1758: A more mature immunophenotypic makeup of multiple myeloma clone(s) at diagnosis correlates with a higher genomic instability. , 2017, , .		0
819	Abstract 2539: Antiapoptotic gene expression signature reveals a combined talk to prevent apoptosis: A model to choose the proper BH-3 mimetic drug. , 2018, , .		0
820	Abstract 2176: Whole-genome analysis of CNAs identifies four main evolution trajectories in multiple myeloma (MM) patients front-line treated with PI-based regimens. , 2018, , .		0
821	Abstract 1872: Pharmacological inhibition of WIP1 sensitizes AML cells to MDM2 inhibitors. , 2018, , .		0
822	Abstract 3387: The pliancy of plasma cell differentiation status conceals a gradient of chromosomal instability in newly diagnosed multiple myeloma patients. , 2018, , .		0
823	Abstract 2951: Gene expression profiling identifies new adult "triple-negative" acute lymphoblastic leukemia (ALL) subgroups. , 2018, , .		0
824	Abstract 656: Distinct pattern of alterations in TP53 mutated/deleted and wild-type high risk acute myeloid leukemia (AML) patients: Identification of new "targetable" genes/pathways. , 2018, , .		0
825	Abstract 3788: Antigen presentation by MHC-I molecule and immune escape in acute myeloid leukemia with high burden of genomic aberrations. , 2018, , .		0
826	Extramedullary metastatic plasmacytoma in multiple myeloma. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2018, 153, 741-743.	0.8	0
827	Real-Life Management of Immune Thrombocytopenia in the Elderly: A Multicentre Study on 526 Patients. <i>Blood</i> , 2018, 132, 2433-2433.	1.4	0
828	Presentation and Outcome of 199 Patients with 2016 Who Diagnosis of Early and Overt Primary Myelofibrosis Treated with Ruxolitinib. <i>Blood</i> , 2018, 132, 3052-3052.	1.4	0

#	ARTICLE	IF	CITATIONS
829	A New Gene Expression Profile Signature CRLF2 Overexpression Based Identifies Novel Adult "Triple Negative" Acute Lymphoblastic Leukemia Subgroups. <i>Blood</i> , 2018, 132, 5284-5284.	1.4	0
830	Aurora Kinase α /MDM2-Mediated SETD2 Loss of Function in Chronic Myeloid Leukemia Patients in Blast Crisis Induces Genetic Instability and Can be Therapeutically Targeted. <i>Blood</i> , 2018, 132, 1726-1726.	1.4	0
831	Biology of Acute Myeloid Leukemia (AML) with Monosomy of Chromosome 7 or Loss of 7q. a Study on 487 Patients Analyzed By Gene Expression Profile (GEP), Single Nucleotide Polymorphism (SNP) Arrays and Metabolomics. <i>Blood</i> , 2018, 132, 2748-2748.	1.4	0
832	Bitter Taste Receptors System Is Expressed and Functional in Both HSCs and Leukemic Cells. <i>Blood</i> , 2018, 132, 2560-2560.	1.4	0
833	Negative Prognostic Relevance of a Specific 3-Gene Cluster in Myelodysplastic Syndromes during Azacitidine and Lenalidomide Therapy. <i>Blood</i> , 2018, 132, 4347-4347.	1.4	0
834	The Malignant Hemopoietic Clone of Triple Negative Patients with Myelofibrosis Shows in Vitro Functional Defects but Is Highly Responsive to the Pro-Survival Signals of Circulating Autologous Microvesicles. <i>Blood</i> , 2018, 132, 4334-4334.	1.4	0
835	Up-Regulation of Immune Tolerance Genes in Leukemic Mesenchymal Stromal Cells Is Induced By Acute Myeloid Leukemia Cells through an IFN-Gamma-Dependent Inflammatory Signaling. <i>Blood</i> , 2018, 132, 2579-2579.	1.4	0
836	Outcome of Soft-Tissue Plasmocytomas in Newly Diagnosed Multiple Myeloma Patients Treated with New Drugs. <i>Blood</i> , 2018, 132, 3235-3235.	1.4	0
837	Comparative Efficacy and Safety of Daratumumab in Combination with Bortezomib, Melphalan, and Prednisone (D-VMP) in Alcyone Versus Bortezomib, Melphalan, and Prednisone (VMP) in Vista in Newly Diagnosed Multiple Myeloma (NDMM) Patients Using Propensity Score Matching (PSM). <i>Blood</i> , 2018, 132, 3550-3550.	1.4	0
838	Once Weekly Versus Twice Weekly Carfilzomib in Combination with Cyclophosphamide and Dexamethasone in Newly Diagnosed Multiple Myeloma: A Pooled Analysis of Two Phase 1/2 Studies. <i>Blood</i> , 2018, 132, 1990-1990.	1.4	0
839	Long-Term Carfilzomib for High-Risk Patients with Newly Diagnosed Multiple Myeloma: A Pooled Analysis of Two Phase 1/2 Studies. <i>Blood</i> , 2018, 132, 3240-3240.	1.4	0
840	Transient Elastography Anticipates the Diagnosis of VOD/SOS after Adult Allogeneic Stem Cell Transplant: Results from a Prospective Study. <i>Blood</i> , 2018, 132, 2098-2098.	1.4	0
841	PS1437 SETD2-GENOMIC LOSS OF FUNCTION IN ADVANCED SYSTEMIC MASTOCYTOSIS (SM): PATHOGENETIC AND THERAPEUTIC IMPLICATIONS. <i>HemaSphere</i> , 2019, 3, 662-663.	2.7	0
842	PB2324-LONG TERM OUTCOME OF AUTOLOGOUS STEM CELL TRANSPLANTATION IN ADULT ACUTE MYELOID LEUKEMIA PATIENTS: THE ROLE OF MINIMAL RESIDUAL DISEASE. <i>HemaSphere</i> , 2019, 3, 1036.	2.7	0
843	PF602 OUTCOME OF EXTRA-MEDULLARY DISEASE IN NEWLY DIAGNOSED MULTIPLE MYELOMA PATIENTS TREATED WITH NEW DRUGS. <i>HemaSphere</i> , 2019, 3, 254-255.	2.7	0
844	PS1382 DEEPENING RESPONSES SEEN WITH IXAZOMIB MAINTENANCE POST-AUTOLOGOUS STEM CELL TRANSPLANTATION (ASCT) ARE ASSOCIATED WITH PROLONGED PROGRESSION-FREE SURVIVAL ANALYSIS FROM THE TOURMALINE-MM3 STUDY. <i>HemaSphere</i> , 2019, 3, 632-633.	2.7	0
845	Abstract 473: Higher levels of genomic complexity correlates with an advanced plasma cell differentiation status in newly diagnosed multiple myeloma patients. , 2019, , .		0
846	Abstract CT154: Melflufen in patients (pts) with relapsed/refractory multiple myeloma (RRMM) refractory to daratumumab (dara) and/or pomalidomide (pom) (OP-106). , 2019, , .		0

#	ARTICLE	IF	CITATIONS
847	Abstract 470: Chromosomal instability and bad prognosis both connote a multiple myeloma (MM) sub-type carrying 13qCN loss and 1qCN gain. , 2019, , .		0
848	Abstract 2964: Pharmacological inhibition of WIP1 by GSK2830371 sensitizes AML cells to MDM2 inhibitor Nutlin-3a. , 2019, , .		0
849	A Maturation Index Defines Newly Diagnosed Multiple Myeloma Patients with Advanced Immunophenotypic and Molecular Differentiation Profiles Associated with Poor Prognosis. Blood, 2019, 134, 1797-1797.	1.4	0
850	Efficacy of Daratumumab with Dexamethasone in Patients with Relapsed/Refractory Multiple Myeloma and Severe Renal Impairment: An Interim Analysis of a Phase 2 Study (the DARE Study). Blood, 2019, 134, 1881-1881.	1.4	0
851	Comparison of Daratumumab Plus Bortezomib, Melphalan, and Prednisone (D-VMP) with Standard of Care for Patients from Latin America with Newly Diagnosed Multiple Myeloma (NDMM) Who Were Transplant Ineligible: A Propensity Score Matching Analysis. Blood, 2019, 134, 2143-2143.	1.4	0
852	Safety Profile for Lenalidomide-Based and Non-Lenalidomide-Based First-Line Therapy for Multiple Myeloma in Transplant Ineligible Patients: Real-World Evidence from a European Post-Authorization Safety Study. Blood, 2019, 134, 5580-5580.	1.4	0
853	Serum Free Light Chain Assay As an Additional Tool for Defining Response and Progressive Disease in Immunoglobulin Secretory Multiple Myeloma. Blood, 2019, 134, 1796-1796.	1.4	0
854	The Use of Venetoclax for Acute Myeloid Leukemia in a Real-Life Setting: A Multicenter National Experience. Blood, 2019, 134, 5098-5098.	1.4	0
855	Risk Factors for Progression to Blast Phase and Outcome in 589 Patients with Myelofibrosis Treated with Ruxolitinib: Real-World Evidence. Blood, 2019, 134, 4166-4166.	1.4	0
856	In Systemic Masocytosis, Midostaurin Targets Both Kit and Aurora Kinase a Reverting H3K36Me3 Deficiency and Synergizes with Second-Generation Tyrosine Kinase Inhibitors. Blood, 2019, 134, 4204-4204.	1.4	0
857	Physical Function, Pain Severity, and Fatigue in Patients with Relapsed/Refractory Multiple Myeloma: Health-Related Quality of Life Results in Patients Receiving Venetoclax or Placebo in Combination with Bortezomib and Dexamethasone. Blood, 2019, 134, 3177-3177.	1.4	0
858	The Treatment of Hairy Cell Leukemia with a Focus on Long Lasting Responders to Cladribine: A Thirty-Year Experience from the Institute of Hematology of Bologna. Blood, 2019, 134, 4005-4005.	1.4	0
859	Mechanisms of Tolerance Induction through T Regulatory Cells during Chemotherapy-Mediated Immunogenic Cell Death in Acute Myeloid Leukemia. Blood, 2019, 134, 2332-2332.	1.4	0
860	The Infection-Driven Production/Secretion of Inflammatory Cytokines By Circulating Monocytes of Myelofibrosis Is Defective and Is Reactivated after In Vivo JAK1/2 Inhibition. Blood, 2019, 134, 1686-1686.	1.4	0
861	AML-CM Score Predicts Prognosis in Hemato-Geriatric Patients with New-Onset Acute Myeloid Leukemia (AML) Who Receive Hypomethylating Agents (HMA). Blood, 2019, 134, 2617-2617.	1.4	0
862	Inter-Cell Networking Profiling Enables Comprehensive Characterization of Immune-Mediated Activity of Anti-CD38 Therapy through Ex-Vivo Analysis of Multiple Myeloma Patients. Blood, 2019, 134, 3372-3372.	1.4	0
863	Aurora Kinase a/MDM2-Mediated SETD2 Loss of Function in Chronic Myeloid Leukemia Patients in Blast Crisis Can be Therapeutically Targeted Inducing Apoptotic Cell Death in a Caspase-Dependent Way. Blood, 2019, 134, 4142-4142.	1.4	0
864	An IDO1-Related 3-Gene Signature Predicts Overall Survival in Intermediate-Risk Acute Myeloid Leukemia. Blood, 2019, 134, 5193-5193.	1.4	0

#	ARTICLE	IF	CITATIONS
865	P-053: BoBafit: a Copy Number-clustering tool to refit and recalibrate the diploid region of Multiple Myeloma genomic profiles. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, S67.	0.4	0
866	Prediction of Early Death and Severe Infections during Novel Agent-Based Induction Therapy in Newly-Diagnosed Multiple Myeloma: An Intergroup Analysis from the German Speaking Myeloma Multicenter Group, the Dutch-Belgian Cooperative Trial Group for Hematology Oncology Foundation and the European Myeloma Network. <i>Blood</i> , 2021, 138, 3792-3792.	1.4	0
867	IDH1/2 Mutations Are Maintained in a Subset of Patients with Acute Myeloid Leukemia in Complete Remission and Do Not Correlate with Residual Disease. <i>Blood</i> , 2021, 138, 4446-4446.	1.4	0
868	Impact of Comorbidities on Prognosis of Elderly Patients with Acute Myeloid Leukemia Who Receive Hypomethylating Agents. <i>Blood</i> , 2021, 138, 3373-3373.	1.4	0
869	Spleen and Liver Fibrosis Is Associated to Treatment Response and Prognosis in Philadelphia-Negative Chronic Myeloproliferative Neoplasms. <i>Blood</i> , 2021, 138, 3626-3626.	1.4	0
870	Role of Mir-192-5p during Response to Azacitidine and Lenalidomide Therapy in Myelodysplastic Syndromes. <i>Blood</i> , 2021, 138, 3673-3673.	1.4	0
871	Safety of Daratumumab Combined with Bortezomib, Cyclophosphamide and Dexamethasone for the Treatment of Patients with Multiple Myeloma Presenting with Extramedullary Disease during the COVID-19 Pandemic. <i>Blood</i> , 2021, 138, 1657-1657.	1.4	0
872	Sequential Analysis of miRNA Profiling during Azacitidine and Lenalidomide Therapy in Myelodysplastic Syndromes. <i>Blood</i> , 2020, 136, 6-7.	1.4	0
873	Azacitidine and Lenalidomide in Higher-Risk Myelodysplastic Syndromes. Long-Term Results of a Randomized Phase II Multicenter Study and Impact of Cytogenetic Scores and Mutational Status on Long-Lasting Responses. <i>Blood</i> , 2020, 136, 45-45.	1.4	0
874	A Screening of Antineoplastic Drugs for Acute Myeloid Leukemia Reveals That Fludarabine Has Weak Immunogenic Capacity and Induces T Regulatory Cells. <i>Blood</i> , 2020, 136, 5-5.	1.4	0
875	OAB-006: A novel algorithm to identify, characterize and define the prognostic impact of complex catastrophic events in Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, S4-S5.	0.4	0
876	P-164: Safety of lenalidomide (LEN)-based therapy vs non-LEN-based therapy for transplant-ineligible newly diagnosed multiple myeloma (TNE NDMM): update from the post-authorization study MM-034. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, S125-S126.	0.4	0
877	OAB-057: Temporal-weight estimation of the copy number alterations of 1384 Multiple Myeloma patients defines an ancestry index impacting patients survival. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, S35-S36.	0.4	0
878	Acceleration of autologous hematopoietic recovery by GM-CSF after allograft rejection. <i>Haematologica</i> , 1989, 74, 627-8.	3.5	0
879	Multiple myeloma in young patients. <i>Haematologica</i> , 1985, 70, 464.	3.5	0
880	Long-term survival in adult acute leukemia. A multicenter study of 56 patients. <i>Haematologica</i> , 1982, 67, 368-83.	3.5	0
881	Application of the hydraulic shaking system method to isolation of human pancreatic islets. <i>Transplantation Proceedings</i> , 1994, 26, 3436-7.	0.6	0
882	Prof. Sante Tura: Father of modern Italian haematology 20 May, 1929-12 October, 2021. <i>Leukemia</i> , 2022, 36, 1446-1447.	7.2	0

#	ARTICLE	IF	CITATIONS
883	Prof. Sante Tura: father of modern Italian Haematology 20 May, 1929 to 12 October, 2021. Bone Marrow Transplantation, 2022, , .	2.4	0
884	: A copy number clustering tool designed to refit and recalibrate the baseline region of tumorsâ€™ profiles. Computational and Structural Biotechnology Journal, 2022, 20, 3718-3728.	4.1	0