

Daniel M Moreira

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9344178/publications.pdf>

Version: 2024-02-01

150
papers

4,576
citations

94433

37
h-index

123424

61
g-index

153
all docs

153
docs citations

153
times ranked

5622
citing authors

#	ARTICLE	IF	CITATIONS
1	The impact of smoking on sexual function. BJU International, 2022, 130, 186-192.	2.5	4
2	Prostate Cancer Disparities in Hispanics Using the National Cancer Database. Urology, 2022, 165, 218-226.	1.0	2
3	The association of cancer-specific anxiety with disease aggressiveness in men on active surveillance of prostate cancer. Prostate Cancer and Prostatic Diseases, 2021, 24, 335-340.	3.9	13
4	Chronic Baseline Prostate Inflammation is Associated with Lower Tumor Grade in Men with Prostate Cancer on Repeat Biopsy: Results from the REDUCE Study. Journal of Urology, 2021, 205, 755-760.	0.4	2
5	Smoking Is Associated With Basal Cell Hyperplasia on Prostate Biopsy Specimens. American Journal of Clinical Pathology, 2021, 156, 934-938.	0.7	0
6	Association between environmental quality and prostate cancer stage at diagnosis. Prostate Cancer and Prostatic Diseases, 2021, 24, 1129-1136.	3.9	9
7	Dutasteride Improves Nocturia but Does Not Lead to Better Sleep: Results from the REDUCE Clinical Trial. Journal of Urology, 2021, 205, 1733-1739.	0.4	5
8	Helping Men Find Their Way: Improving Prostate Cancer Clinic Attendance via Patient Navigation. Journal of Community Health, 2020, 45, 561-568.	3.8	4
9	Diagnostic Properties of Total and Free Prostate-Specific Antigen to Predict Overall and Clinically Significant Prostate Cancer Among Men With Low Testosterone and Prior Negative Biopsy. Urology, 2020, 137, 97-101.	1.0	4
10	Statin use and longitudinal changes in prostate volume; results from the REduction by DUtasteride of prostate Cancer Events (<scp>REDUCE)</scp> trial. BJU International, 2020, 125, 226-233.	2.5	5
11	Sleep quality and prostate cancer aggressiveness: Results from the REDUCE trial. Prostate, 2020, 80, 1304-1313.	2.3	8
12	Both acute and chronic inflammation are associated with less perineural invasion in men with prostate cancer on repeat biopsy. BJU International, 2019, 123, 91-97.	2.5	11
13	Implementation of multiparametric magnetic resonance imaging technology for evaluation of patients with suspicion for prostate cancer in the clinical practice setting. BJU International, 2019, 123, 239-245.	2.5	5
14	Fosfomycin trometamol vs ciprofloxacin for antibiotic prophylaxis before transrectal ultrasonography-guided prostate biopsy: A meta-analysis of clinical studies. Arab Journal of Urology Arab Association of Urology, 2019, 17, 114-119.	1.5	16
15	Left Kidney Within a Large Left Inguinal Hernia. Urology, 2019, 128, 5-7.	1.0	3
16	Nocturia and associated mortality: observational data from the REDUCE trial. Prostate Cancer and Prostatic Diseases, 2019, 22, 77-83.	3.9	14
17	Constructing and Pilot Testing a Novel Prostate Magnetic Resonance Imaging/Ultrasound Fusion Biopsy Phantom. Urology, 2019, 124, 33-37.	1.0	6
18	Prostate cancer disparities in Hispanics by country of origin: a nationwide population-based analysis. Prostate Cancer and Prostatic Diseases, 2019, 22, 159-167.	3.9	17

#	ARTICLE	IF	CITATIONS
19	Geographic Differences in Baseline Prostate Inflammation and Relationship with Subsequent Prostate Cancer Risk: Results from the Multinational REDUCE Trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 783-789.	2.5	1
20	Inflammation on Prostate Needle Biopsy is Associated with Lower Prostate Cancer Risk: A Meta-Analysis. <i>Journal of Urology</i> , 2018, 199, 1174-1181.	0.4	31
21	Serum cholesterol and risk of high-grade prostate cancer: results from the REDUCE study. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 252-259.	3.9	71
22	Determinants of Clinic Absenteeism: A Novel Method of Examining Distance from Clinic and Transportation. <i>Journal of Community Health</i> , 2018, 43, 19-26.	3.8	14
23	Sleep Problems are Associated with Development and Progression of Lower Urinary Tract Symptoms: Results from REDUCE. <i>Journal of Urology</i> , 2018, 199, 536-542.	0.4	19
24	Baseline prostate atrophy is associated with lower tumor volume in men with prostate cancer on repeat biopsy. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 106-112.	3.9	2
25	Perioperative Morbidity of Lymph Node Dissection for Renal Cell Carcinoma: A Propensity Score-based Analysis. <i>European Urology</i> , 2018, 73, 469-475.	1.9	10
26	The Association of Previous Prostate Biopsy Related Complications and the Type of Complication with Patient Compliance with Rebiopsy Scheme. <i>Journal of Urology</i> , 2018, 200, 1062-1067.	0.4	1
27	PSA predicts development of incident lower urinary tract symptoms: results from the REDUCE study. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 238-244.	3.9	12
28	The association of lymph node dissection with 30-day perioperative morbidity among men undergoing minimally invasive radical prostatectomy: analysis of the National Surgical Quality Improvement Program (NSQIP). <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 245-251.	3.9	6
29	Impact of Prostate-specific Antigen (PSA) Screening Trials and Revised PSA Screening Guidelines on Rates of Prostate Biopsy and Postbiopsy Complications. <i>European Urology</i> , 2017, 71, 55-65.	1.9	43
30	Chronic Prostate Inflammation Predicts Symptom Progression in Patients with Chronic Prostatitis/Chronic Pelvic Pain. <i>Journal of Urology</i> , 2017, 198, 122-128.	0.4	43
31	Serum cholesterol and risk of lower urinary tract symptoms progression: Results from the Reduction by Dutasteride of Prostate Cancer Events study. <i>International Journal of Urology</i> , 2017, 24, 151-156.	1.0	8
32	Renal Cell Carcinoma with Isolated Lymph Node Involvement: Long-term Natural History and Predictors of Oncologic Outcomes Following Surgical Resection. <i>European Urology</i> , 2017, 72, 300-306.	1.9	69
33	Redefining and Contextualizing the Hospital Volume-Outcome Relationship for Robot-Assisted Radical Prostatectomy: Implications for Centralization of Care. <i>Journal of Urology</i> , 2017, 198, 92-99.	0.4	55
34	Partial Nephrectomy is Associated with Higher Risk of Relapse Compared with Radical Nephrectomy for Clinical Stage T1 Renal Cell Carcinoma Pathologically Up Staged to T3a. <i>Journal of Urology</i> , 2017, 198, 289-296.	0.4	58
35	Does Peak Urine Flow Rate Predict the Development of Incident Lower Urinary Tract Symptoms in Men with Mild to No Current Symptoms? Results from REDUCE. <i>Journal of Urology</i> , 2017, 198, 650-656.	0.4	3
36	Statin Use, Serum Lipids, and Prostate Inflammation in Men with a Negative Prostate Biopsy: Results from the REDUCE Trial. <i>Cancer Prevention Research</i> , 2017, 10, 319-326.	1.5	23

#	ARTICLE	IF	CITATIONS
37	Thresholds for <scp>PSA</scp> doubling time in men with nonâ€metastatic castrationâ€resistant prostate cancer. BJU International, 2017, 120, E80-E86.	2.5	46
38	Extent of Baseline Prostate Atrophy Is Associated With Lower Incidence of Low- and High-grade Prostate Cancer on Repeat Biopsy. Urology, 2017, 103, 161-166.	1.0	10
39	Association of Obesityâ€Related Hemodilution of Prostateâ€Specific Antigen, Dihydrotestosterone, and Testosterone. Prostate, 2017, 77, 466-470.	2.3	25
40	Timing of Prostate-specific Antigen Nadir After Radical Prostatectomy and Risk of Biochemical Recurrence. Urology, 2017, 108, 129-134.	1.0	17
41	Predictors of operative time during radical retropubic prostatectomy and robotâ€assisted laparoscopic prostatectomy. International Journal of Urology, 2017, 24, 618-623.	1.0	16
42	Biopsy Detected Gleason Pattern 5 is Associated with Recurrence, Metastasis and Mortality in a Cohort of Men with High Risk Prostate Cancer. Journal of Urology, 2017, 198, 1309-1315.	0.4	15
43	Dutasteride is associated with reduced risk of transrectal prostate biopsy-associated urinary tract infection and related hospitalizations. World Journal of Urology, 2017, 35, 1525-1530.	2.2	1
44	Active surveillance for incidental renal mass in the octogenarian. World Journal of Urology, 2017, 35, 1089-1094.	2.2	12
45	Predictors of Complications After Percutaneous Image-Guided Renal Cryoablation for T1a Renal Cortical Neoplasms. Journal of Endourology, 2017, 31, 7-13.	2.1	13
46	Lymph Node Dissection is Not Associated with Improved Survival among Patients Undergoing Cytoreductive Nephrectomy for Metastatic Renal Cell Carcinoma: A Propensity Score Based Analysis. Journal of Urology, 2017, 197, 574-579.	0.4	41
47	Radical Nephrectomy With or Without Lymph Node Dissection for Nonmetastatic Renal Cell Carcinoma: A Propensity Score-based Analysis. European Urology, 2017, 71, 560-567.	1.9	58
48	Predicting Time From Metastasis to Overall Survival in Castration-Resistant Prostate Cancer: Results From SEARCH. Clinical Genitourinary Cancer, 2017, 15, 60-66.e2.	1.9	79
49	Identification of Site-specific Recurrence Following Primary Radiation Therapy for Prostate Cancer Using C-11 Choline Positron Emission Tomography/Computed Tomography: A Nomogram for Predicting Extrapelvic Disease. European Urology, 2017, 71, 340-348.	1.9	51
50	Racial differences in prostate inflammation: results from the REDUCE study. Oncotarget, 2017, 8, 71393-71399.	1.8	10
51	Evaluation of <scp>pT</scp>0 prostate cancer in patients undergoing radical prostatectomy. BJU International, 2016, 118, 379-383.	2.5	7
52	Radiographic size of retroperitoneal lymph nodes predicts pathological nodal involvement for patients with renal cell carcinoma: development of a risk prediction model. BJU International, 2016, 118, 742-749.	2.5	32
53	Validation of a bone scan positivity risk table in nonâ€metastatic castrationâ€resistant prostate cancer. BJU International, 2016, 118, 570-577.	2.5	8
54	Chronic Prostate Inflammation is Associated with Severity and Progression of Benign Prostatic Hyperplasia, Lower Urinary Tract Symptoms and Risk of Acute Urinary Retention. Journal of Urology, 2016, 196, 1493-1498.	0.4	59

#	ARTICLE	IF	CITATIONS
55	To clamp or not to clamp? Long-term functional outcomes for elective off-clamp laparoscopic partial nephrectomy. <i>BJU International</i> , 2016, 117, 293-299.	2.5	37
56	Salvage Percutaneous Cryoablation for Locally Recurrent Renal-Cell Carcinoma After Primary Cryoablation. <i>Journal of Endourology</i> , 2016, 30, 632-637.	2.1	27
57	The Association between Phosphodiesterase Type 5 Inhibitors and Prostate Cancer: Results from the REDUCE Study. <i>Journal of Urology</i> , 2016, 196, 715-720.	0.4	11
58	Positive Surgical Margins Increase Risk of Recurrence after Partial Nephrectomy for High Risk Renal Tumors. <i>Journal of Urology</i> , 2016, 196, 327-334.	0.4	136
59	Does Prostate Size Predict the Development of Incident Lower Urinary Tract Symptoms in Men with Mild to No Current Symptoms? Results from the REDUCE Trial. <i>European Urology</i> , 2016, 69, 885-891.	1.9	26
60	Paraneoplastic syndromes are associated with adverse prognosis among patients with renal cell carcinoma undergoing nephrectomy. <i>World Journal of Urology</i> , 2016, 34, 1465-1472.	2.2	19
61	Predictors of Time to Metastasis in Castration-resistant Prostate Cancer. <i>Urology</i> , 2016, 96, 171-176.	1.0	55
62	Outcomes of Laparoscopic Partial Nephrectomy in Patients Continuing Aspirin Therapy. <i>Journal of Urology</i> , 2016, 195, 859-864.	0.4	16
63	The association of ABO blood type with disease recurrence and mortality among patients with urothelial carcinoma of the bladder undergoing radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 4.e1-4.e9.	1.6	19
64	Association of estimated glomerular filtration rate with 24-h urinalysis and stone composition. <i>Urolithiasis</i> , 2016, 44, 319-325.	2.0	7
65	Comprehensive Characterization of the Perioperative Morbidity of Cytoablative Nephrectomy. <i>European Urology</i> , 2016, 69, 84-91.	1.9	47
66	Metabolic syndrome-like components and prostate cancer risk: results from the Reduction by Dutasteride of Prostate Cancer Events (<sc>REDUCE</sc>) study. <i>BJU International</i> , 2015, 115, 736-743.	2.5	35
67	Clinicopathologic characteristics and survival for adult renal sarcoma: A population-based study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 505.e15-505.e20.	1.6	7
68	Chronic baseline prostate inflammation is associated with lower tumor volume in men with prostate cancer on repeat biopsy: Results from the REDUCE study. <i>Prostate</i> , 2015, 75, 1492-1498.	2.3	20
69	Does Obesity Modify the Ability of Prebiopsy Prostate Specific Antigen to Detect Prostate Cancer on Repeat Biopsy? Results from the REDUCE Study. <i>Journal of Urology</i> , 2015, 194, 52-57.	0.4	3
70	Baseline Perineural Invasion is Associated with Shorter Time to Progression in Men with Prostate Cancer Undergoing Active Surveillance: Results from the REDEEM Study. <i>Journal of Urology</i> , 2015, 194, 1258-1263.	0.4	34
71	Association of serum biochemical metabolic panel with stone composition. <i>International Journal of Urology</i> , 2015, 22, 195-199.	1.0	12
72	Smoking Is Associated with Acute and Chronic Prostatic Inflammation: Results from the REDUCE Study. <i>Cancer Prevention Research</i> , 2015, 8, 312-317.	1.5	27

#	ARTICLE	IF	CITATIONS
73	Does Hypertension Impact 24-Hour Urine Parameters in Patients With Nephrolithiasis?. <i>Urology</i> , 2015, 85, 539-543.	1.0	15
74	Aspirin, NSAIDs, and Risk of Prostate Cancer: Results from the REDUCE Study. <i>Clinical Cancer Research</i> , 2015, 21, 756-762.	7.0	91
75	Baseline Prostate Atrophy is Associated with Reduced Risk of Prostate Cancer in Men Undergoing Repeat Prostate Biopsy. <i>Journal of Urology</i> , 2015, 194, 1241-1246.	0.4	15
76	Metformin Use and Risk of Prostate Cancer: Results from the REDUCE Study. <i>Cancer Prevention Research</i> , 2015, 8, 1055-1060.	1.5	28
77	Practice Patterns and Predictors of Followup Imaging after a Negative Bone Scan in Men with Castration Resistant Prostate Cancer: Results from the SEARCH Database. <i>Journal of Urology</i> , 2015, 193, 1232-1238.	0.4	11
78	Editorial Comment. <i>Urology</i> , 2015, 86, 995-996.	1.0	0
79	Differences in 24h urine composition between nephrolithiasis patients with and without diabetes mellitus. <i>BJU International</i> , 2015, 115, 619-624.	2.5	21
80	Evaluation and Comparison of Urolithiasis Scoring Systems Used in Percutaneous Kidney Stone Surgery. <i>Journal of Urology</i> , 2015, 193, 154-159.	0.4	345
81	Utility of EUS following endoscopic polypectomy of high-risk rectosigmoid lesions. <i>Endoscopic Ultrasound</i> , 2015, 4, 137.	1.5	6
82	Evaluation of post-operative complications and prolonged length of stay following cytoreductive nephrectomy.. <i>Journal of Clinical Oncology</i> , 2015, 33, 420-420.	1.6	0
83	Predicting bone scan positivity after biochemical recurrence following radical prostatectomy in both hormone-naive men and patients receiving androgen-deprivation therapy: results from the SEARCH database. <i>Prostate Cancer and Prostatic Diseases</i> , 2014, 17, 91-96.	3.9	12
84	Second Prize: Continuing Aspirin Therapy During Percutaneous Nephrolithotomy: Unsafe or Under-Utilized?. <i>Journal of Endourology</i> , 2014, 28, 1399-1403.	2.1	16
85	The surgical spectacle: a survey of urologists viewing live case demonstrations. <i>BJU International</i> , 2014, 113, 674-678.	2.5	18
86	Aggressive Renal Angiomyolipoma of the Lipomatous Variant With Inferior Vena Cava Thrombus: A Case Report and Review of the Literature. <i>Urology Case Reports</i> , 2014, 2, 9-11.	0.3	7
87	Evaluating the Prostate Cancer Prevention Trial High Grade prostate cancer risk calculator in 10 international biopsy cohorts: results from the prostate biopsy collaborative group. <i>World Journal of Urology</i> , 2014, 32, 185-191.	2.2	28
88	Cigarette smoking is associated with an increased risk of biochemical disease recurrence, metastasis, castration-resistant prostate cancer, and mortality after radical prostatectomy. <i>Cancer</i> , 2014, 120, 197-204.	4.1	69
89	A Systematic Review and Meta-analysis of Tobacco Use and Prostate Cancer Mortality and Incidence in Prospective Cohort Studies. <i>European Urology</i> , 2014, 66, 1054-1064.	1.9	156
90	Percutaneous Nephrolithotomy During Uninterrupted Aspirin Therapy in High-cardiovascular Risk Patients: Preliminary Report. <i>Urology</i> , 2014, 84, 1034-1038.	1.0	7

#	ARTICLE	IF	CITATIONS
91	Obesity Increases the Risk for High-Grade Prostate Cancer: Results from the REDUCE Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2936-2942.	2.5	84
92	Monthly Variations in Urolithiasis Presentations and Their Association with Meteorologic Factors in New York City. <i>Journal of Endourology</i> , 2014, 28, 599-604.	2.1	29
93	Baseline prostate inflammation is associated with a reduced risk of prostate cancer in men undergoing repeat prostate biopsy: Results from the REDUCE study. <i>Cancer</i> , 2014, 120, 190-196.	4.1	65
94	Comparison of the Metabolic Profile of Mixed Calcium Oxalate/Uric Acid Stone Formers to That of Pure Calcium Oxalate and Pure Uric Acid Stone Formers. <i>Urology</i> , 2014, 84, 289-294.	1.0	11
95	Acute Bladder and Small Bowel Perforation as a Complication of Foley Catheterization. <i>Urology</i> , 2014, 83, e5-e6.	1.0	5
96	Use of a Preoperative Checklist Reduces Risk of Penile Prosthesis Infection. <i>Journal of Urology</i> , 2014, 192, 130-135.	0.4	26
97	Age-Related Changes in 24-Hour Urine Composition Must be Considered in the Medical Management of Nephrolithiasis. <i>Journal of Endourology</i> , 2014, 28, 871-876.	2.1	19
98	Contemporary Perspectives on Laparoendoscopic Single-Site Surgery in Urologic Training and Practice. <i>Journal of Endourology</i> , 2013, 27, 727-731.	2.1	11
99	Obesity Is Associated with Increased Prostate Growth and Attenuated Prostate Volume Reduction by Dutasteride. <i>European Urology</i> , 2013, 63, 1115-1121.	1.9	49
100	Differences in 24-Hour Urine Composition Between Apatite and Brushite Stone Formers. <i>Urology</i> , 2013, 82, 768-772.	1.0	7
101	Using 24-Hour Urinalysis to Predict Stone Type. <i>Journal of Urology</i> , 2013, 190, 2106-2111.	0.4	31
102	S.T.O.N.E. Nephrolithometry: Novel Surgical Classification System for Kidney Calculi. <i>Urology</i> , 2013, 81, 1154-1160.	1.0	465
103	Tandem Ureteral Stents for the Decompression of Malignant and Benign Obstructive Uropathy. <i>Journal of Endourology</i> , 2013, 27, 1297-1302.	2.1	30
104	Image-guided percutaneous renal cryoablation: preoperative risk factors for recurrence and complications. <i>BJU International</i> , 2013, 111, E181-5.	2.5	54
105	Statin use and risk of prostate cancer and high-grade prostate cancer: results from the REDUCE study. <i>Prostate Cancer and Prostatic Diseases</i> , 2013, 16, 254-259.	3.9	53
106	High serum folate is associated with reduced biochemical recurrence after radical prostatectomy: Results from the SEARCH Database. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2013, 39, 312-319.	1.5	5
107	Combined use of EUS-guided FNA and immunocytochemical stains discloses metastatic and unusual diseases in the evaluation of mediastinal lymphadenopathy of unknown etiology. <i>Annals of Thoracic Medicine</i> , 2012, 7, 84.	1.8	11
108	Prostate Cancer Risk in Men with Baseline History of Coronary Artery Disease: Results from the REDUCE Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 576-581.	2.5	43

#	ARTICLE	IF	CITATIONS
109	Evaluating the PCPT risk calculator in ten international biopsy cohorts: results from the Prostate Biopsy Collaborative Group. <i>World Journal of Urology</i> , 2012, 30, 181-187.	2.2	66
110	Serum Testosterone and Dihydrotestosterone and Prostate Cancer Risk in the Placebo Arm of the Reduction by Dutasteride of Prostate Cancer Events Trial. <i>European Urology</i> , 2012, 62, 757-764.	1.9	116
111	159 PROSTATE CANCER RISK IN MEN WITH PROSTATE AND BREAST CANCER FAMILY HISTORY: RESULTS FROM THE REDUCE STUDY. <i>Journal of Urology</i> , 2012, 187, .	0.4	0
112	1931 IS THE ASSOCIATION BETWEEN DUTASTERIDE USE AND PROSTATE CANCER RISK DIFFERENT IN MEN WITH A FAMILY HISTORY OF BREAST OR PROSTATE CANCERS?. <i>Journal of Urology</i> , 2012, 187, .	0.4	0
113	Editorial Comment. <i>Urology</i> , 2012, 79, 1334-1335.	1.0	0
114	Biopsy accuracy in identifying unilateral prostate cancer depends on prostate weight. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012, 30, 21-25.	1.6	14
115	Editorial Comment. <i>Journal of Urology</i> , 2012, 188, 735-735.	0.4	0
116	R.E.N.A.L. Nephrometry Score Accurately Predicts Complications Following Laparoscopic Renal Cryoablation. <i>Journal of Urology</i> , 2012, 188, 1796-1800.	0.4	37
117	Editorial Comment. <i>Journal of Urology</i> , 2012, 188, 2188-2188.	0.4	0
118	Effect of race and socioeconomic status on surgical margins and biochemical outcomes in an equal access health care setting. <i>Cancer</i> , 2012, 118, 4999-5007.	4.1	49
119	Importance of prostate volume in the European Randomised Study of Screening for Prostate Cancer (ERSPC) risk calculators: results from the prostate biopsy collaborative group. <i>World Journal of Urology</i> , 2012, 30, 149-155.	2.2	101
120	Prostate cancer risk in men with prostate and breast cancer family history: results from the REDUCE study (R1). <i>Journal of Internal Medicine</i> , 2012, 272, 85-92.	6.0	27
121	Association of prostate-specific antigen doubling time and cancer in men undergoing repeat prostate biopsy. <i>International Journal of Urology</i> , 2012, 19, 741-747.	1.0	5
122	Heavy ethanol intake and elevated prostate cancer risk among men with previous negative biopsies in the REDUCE trial.. <i>Journal of Clinical Oncology</i> , 2012, 30, 187-187.	1.6	0
123	Editorial Comment. <i>Journal of Urology</i> , 2011, 186, 2238-2238.	0.4	0
124	A natural history of weight change in men with prostate cancer on androgen deprivation therapy (ADT): results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>BJU International</i> , 2011, 107, 924-928.	2.5	37
125	The association of diabetes mellitus and high-grade prostate cancer in a multiethnic biopsy series. <i>Cancer Causes and Control</i> , 2011, 22, 977-983.	1.8	47
126	Cigarette Smoking Is Associated With Advanced Renal Cell Carcinoma. <i>Journal of Clinical Oncology</i> , 2011, 29, 2027-2031.	1.6	75

#	ARTICLE	IF	CITATIONS
127	Prostate biopsies from black men express higher levels of aggressive disease biomarkers than prostate biopsies from white men. <i>Prostate Cancer and Prostatic Diseases</i> , 2011, 14, 262-265.	3.9	49
128	Predictive value of digital rectal examination for prostate cancer detection is modified by obesity. <i>Prostate Cancer and Prostatic Diseases</i> , 2011, 14, 346-353.	3.9	29
129	Preoperative weight change and risk of adverse outcome following radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital database. <i>Prostate Cancer and Prostatic Diseases</i> , 2011, 14, 361-366.	3.9	17
130	On-demand use of erectile aids in men with preoperative erectile dysfunction treated by whole gland prostate cryoablation. <i>International Journal of Impotence Research</i> , 2011, 23, 49-55.	1.8	6
131	Predictors of malignancy in EUS-guided FNA for mediastinal lymphadenopathy in patients without history of lung cancer. <i>Annals of Thoracic Medicine</i> , 2011, 6, 126.	1.8	3
132	Diabetes and prostate cancer risk in the REDUCE trial. <i>Prostate Cancer and Prostatic Diseases</i> , 2011, 14, 326-331.	3.9	52
133	Smoking and prostate cancer survival and recurrence. <i>Asian Journal of Andrology</i> , 2011, 13, 787-788.	1.6	2
134	Predicting Occult Multifocality of Renal Cell Carcinoma. <i>European Urology</i> , 2010, 58, 118-126.	1.9	26
135	Predictors of secondary treatment following biochemical recurrence after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital database. <i>BJU International</i> , 2010, 105, 28-33.	2.5	21
136	The Shared Equal Access Regional Cancer Hospital (SEARCH) nomogram for risk stratification in intermediate risk group of men with prostate cancer: validation in the Duke Prostate Center database. <i>BJU International</i> , 2010, 105, 180-184.	2.5	6
137	Definition and preoperative predictors of persistently elevated prostate-specific antigen after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital (SEARCH) database. <i>BJU International</i> , 2010, 105, 1541-1547.	2.5	20
138	Postoperative prostate-specific antigen nadir improves accuracy for predicting biochemical recurrence after radical prostatectomy: Results from the Shared Equal Access Regional Cancer Hospital (SEARCH) and Duke Prostate Center databases. <i>International Journal of Urology</i> , 2010, 17, 914-922.	1.0	9
139	The Relationship between Prostate-Specific Antigen and Prostate Cancer Risk: The Prostate Biopsy Collaborative Group. <i>Clinical Cancer Research</i> , 2010, 16, 4374-4381.	7.0	86
140	The effect of race on the discriminatory accuracy of models to predict biochemical recurrence after radical prostatectomy: results from the Shared Equal Access Regional Cancer Hospital and Duke Prostate Center databases. <i>Prostate Cancer and Prostatic Diseases</i> , 2010, 13, 87-93.	3.9	13
141	Editorial Comment. <i>Journal of Urology</i> , 2010, 183, 1796-1796.	0.4	3
142	Analysis of Urinary Function Using Validated Instruments and Uroflowmetry After Primary and Salvage Prostate Cryoablation. <i>Urology</i> , 2010, 76, 1258-1265.	1.0	18
143	Association of Cigarette Smoking With Interval to Biochemical Recurrence After Radical Prostatectomy: Results from the SEARCH Database. <i>Urology</i> , 2010, 76, 1218-1223.	1.0	28
144	Validation of a nomogram to predict disease progression following salvage radiotherapy after radical prostatectomy: results from the SEARCH database. <i>BJU International</i> , 2009, 104, 1452-1456.	2.5	38

#	ARTICLE	IF	CITATIONS
145	Natural History of Persistently Elevated Prostate Specific Antigen After Radical Prostatectomy: Results From the SEARCH Database. Journal of Urology, 2009, 182, 2250-2256.	0.4	47
146	NATURAL HISTORY OF PERSISTENTLY ELEVATED PSA AFTER RADICAL PROSTATECTOMY: RESULTS FROM THE SEARCH DATABASE. Journal of Urology, 2009, 181, 291-291.	0.4	0
147	PREDICTORS OF CASTRATION RESISTANT PROSTATE CANCER IN MEN UNDERGOING SALVAGE ANDROGEN DEPRIVATION THERAPY - RESULTS FROM THE SEARCH DATABASE. Journal of Urology, 2009, 181, 292-292.	0.4	0
148	THE SHARED EQUAL ACCESS REGIONAL CANCER HOSPITAL (SEARCH) NOMOGRAM FOR RISK STRATIFICATION IN INTERMEDIATE RISK GROUP OF MEN WITH PROSTATE CANCER: VALIDATION IN THE DUKE PROSTATE CENTER (DPC) DATABASE. Journal of Urology, 2009, 181, 272-272.	0.4	0
149	PREDICTORS OF SECONDARY TREATMENT FOLLOWING BIOCHEMICAL RECURRENCE AFTER RADICAL PROSTATECTOMY: RESULTS FROM THE SEARCH DATABASE. Journal of Urology, 2009, 181, 270-271.	0.4	0
150	Recurrent priapism in the young patient treated with baclofen. Journal of Pediatric Urology, 2006, 2, 590-591.	1.1	6