

Xiaojun Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9346181/publications.pdf>

Version: 2024-02-01

82
papers

1,559
citations

430874

18
h-index

345221

36
g-index

88
all docs

88
docs citations

88
times ranked

1668
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Identification of APOBEC3DE as Another Antiretroviral Factor from the Human APOBEC Family. <i>Journal of Virology</i> , 2006, 80, 10522-10533. | 3.4 | 231 |
| 2 | Human Cytidine Deaminase APOBEC3H Restricts HIV-1 Replication. <i>Journal of Biological Chemistry</i> , 2008, 283, 11606-11614. | 3.4 | 103 |
| 3 | Moloney Leukemia Virus 10 (MOV10) Protein Inhibits Retrovirus Replication. <i>Journal of Biological Chemistry</i> , 2010, 285, 14346-14355. | 3.4 | 102 |
| 4 | Analysis of Human APOBEC3H Haplotypes and Anti-Human Immunodeficiency Virus Type 1 Activity. <i>Journal of Virology</i> , 2011, 85, 3142-3152. | 3.4 | 99 |
| 5 | Identification of a Novel WxSLVK Motif in the N Terminus of Human Immunodeficiency Virus and Simian Immunodeficiency Virus Vif That Is Critical for APOBEC3G and APOBEC3F Neutralization. <i>Journal of Virology</i> , 2009, 83, 8544-8552. | 3.4 | 84 |
| 6 | Fundamental Contribution and Host Range Determination of ANP32A and ANP32B in Influenza A Virus Polymerase Activity. <i>Journal of Virology</i> , 2019, 93, . | 3.4 | 63 |
| 7 | Biochemical Differentiation of APOBEC3F and APOBEC3G Proteins Associated with HIV-1 Life Cycle. <i>Journal of Biological Chemistry</i> , 2007, 282, 1585-1594. | 3.4 | 49 |
| 8 | Identification of Molecular Determinants from Moloney Leukemia Virus 10 Homolog (MOV10) Protein for Virion Packaging and Anti-HIV-1 Activity. <i>Journal of Biological Chemistry</i> , 2012, 287, 1220-1228. | 3.4 | 49 |
| 9 | Encephalomyocarditis Virus 3C Protease Relieves TRAF Family Member-associated NF- κ B Activator (TANK) Inhibitory Effect on TRAF6-mediated NF- κ B Signaling through Cleavage of TANK. <i>Journal of Biological Chemistry</i> , 2015, 290, 27618-27632. | 3.4 | 45 |
| 10 | Equine Tetherin Blocks Retrovirus Release and Its Activity Is Antagonized by Equine Infectious Anemia Virus Envelope Protein. <i>Journal of Virology</i> , 2014, 88, 1259-1270. | 3.4 | 40 |
| 11 | Characteristics of Human Endometrium-Derived Mesenchymal Stem Cells and Their Tropism to Endometriosis. <i>Stem Cells International</i> , 2017, 2017, 1-9. | 2.5 | 35 |
| 12 | Identification of a Critical T(Q/D/E)x ₅ ADx ₂ (I/L) Motif from Primate Lentivirus Vif Proteins That Regulate APOBEC3G and APOBEC3F Neutralizing Activity. <i>Journal of Virology</i> , 2010, 84, 8561-8570. | 3.4 | 33 |
| 13 | Equine Viperin Restricts Equine Infectious Anemia Virus Replication by Inhibiting the Production and/or Release of Viral Gag, Env, and Receptor via Distortion of the Endoplasmic Reticulum. <i>Journal of Virology</i> , 2014, 88, 12296-12310. | 3.4 | 32 |
| 14 | A unique feature of swine ANP32A provides susceptibility to avian influenza virus infection in pigs. <i>PLoS Pathogens</i> , 2020, 16, e1008330. | 4.7 | 32 |
| 15 | APOBEC3G and APOBEC3F Require an Endogenous Cofactor to Block HIV-1 Replication. <i>PLoS Pathogens</i> , 2008, 4, e1000095. | 4.7 | 28 |
| 16 | Equine schlafen 11 restricts the production of equine infectious anemia virus via a codon usage-dependent mechanism. <i>Virology</i> , 2016, 495, 112-121. | 2.4 | 27 |
| 17 | Core-Binding Factor Subunit Beta Is Not Required for Non-Primate Lentiviral Vif-Mediated APOBEC3 Degradation. <i>Journal of Virology</i> , 2014, 88, 12112-12122. | 3.4 | 25 |
| 18 | Genetic Evolution during the development of an attenuated EIAV vaccine. <i>Retrovirology</i> , 2016, 13, 9. | 2.0 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Selective usage of ANP32 proteins by influenza B virus polymerase: Implications in determination of host range. <i>PLoS Pathogens</i> , 2020, 16, e1008989. | 4.7 | 20 |
| 20 | Complete Genomic Sequence of an Equine Herpesvirus Type 8 Wh Strain Isolated from China. <i>Journal of Virology</i> , 2012, 86, 5407-5407. | 3.4 | 19 |
| 21 | Structural and Functional Study of Apoptosis-linked Gene-2-Heme-binding Protein 2 Interactions in HIV-1 Production. <i>Journal of Biological Chemistry</i> , 2016, 291, 26670-26685. | 3.4 | 19 |
| 22 | Equine Influenza Virus in Asia: Phylogeographic Pattern and Molecular Features Reveal Circulation of an Autochthonous Lineage. <i>Journal of Virology</i> , 2019, 93, . | 3.4 | 18 |
| 23 | A novel HIV-1 restriction factor that is biologically distinct from APOBEC3 cytidine deaminases in a human T cell line CEM.NKR. <i>Retrovirology</i> , 2009, 6, 31. | 2.0 | 17 |
| 24 | Development of antigen capture ELISA for the quantification of EIAV p26 protein. <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 9073-9081. | 3.6 | 16 |
| 25 | ANP32A and ANP32B are key factors in the Rev-dependent CRM1 pathway for nuclear export of HIV-1 unspliced mRNA. <i>Journal of Biological Chemistry</i> , 2019, 294, 15346-15357. | 3.4 | 16 |
| 26 | A multivalent vaccine candidate targeting enterotoxigenic <i>Escherichia coli</i> fimbriae for broadly protecting against porcine post-weaning diarrhea. <i>Veterinary Research</i> , 2020, 51, 93. | 3.0 | 16 |
| 27 | Proteomic alteration of equine monocyte-derived macrophages infected with equine infectious anemia virus. <i>Proteomics</i> , 2015, 15, 1843-1858. | 2.2 | 15 |
| 28 | Demonstration of a Novel HIV-1 Restriction Phenotype from a Human T Cell Line. <i>PLoS ONE</i> , 2008, 3, e2796. | 2.5 | 14 |
| 29 | The nucleolar protein GLTSCR2 is required for efficient viral replication. <i>Scientific Reports</i> , 2016, 6, 36226. | 3.3 | 13 |
| 30 | Equine Myxovirus Resistance Protein 2 Restricts Lentiviral Replication by Blocking Nuclear Uptake of Capsid Protein. <i>Journal of Virology</i> , 2018, 92, . | 3.4 | 13 |
| 31 | <i>Env</i> diversity-dependent protection of the attenuated equine infectious anaemia virus vaccine. <i>Emerging Microbes and Infections</i> , 2020, 9, 1309-1320. | 6.5 | 13 |
| 32 | Genetic analysis of the PB1-F2 gene of equine influenza virus. <i>Virus Genes</i> , 2013, 47, 250-258. | 1.6 | 12 |
| 33 | Epidemiological Investigation of Equine Piroplasmiasis in China by Enzyme-Linked Immunosorbent Assays. <i>Journal of Veterinary Medical Science</i> , 2014, 76, 549-552. | 0.9 | 12 |
| 34 | Double-stranded RNA-specific adenosine deaminase 1 (ADAR1) promotes EIAV replication and infectivity. <i>Virology</i> , 2015, 476, 364-371. | 2.4 | 12 |
| 35 | Overexpression of microRNA gga-miR-1650 decreases the replication of avian leukosis virus subgroup J in infected cells. <i>Journal of General Virology</i> , 2013, 94, 2287-2296. | 2.9 | 11 |
| 36 | Development of a single-tube duplex EvaGreen real-time PCR for the detection and identification of EHV-1 and EHV-4. <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 4179-4186. | 3.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Infection of equine monocyte-derived macrophages with an attenuated equine infectious anemia virus (EIAV) strain induces a strong resistance to the infection by a virulent EIAV strain. <i>Veterinary Research</i> , 2014, 45, 82. | 3.0 | 10 |
| 38 | Identification and characterization of a common B-cell epitope on EIAV capsid proteins. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 10531-10542. | 3.6 | 10 |
| 39 | Equine Infectious Anemia Virus Gag Assembly and Export Are Directed by Matrix Protein through trans-Golgi Networks and Cellular Vesicles. <i>Journal of Virology</i> , 2016, 90, 1824-1838. | 3.4 | 10 |
| 40 | Genetic variation in the long terminal repeat associated with the transition of Chinese equine infectious anemia virus from virulence to avirulence. <i>Virus Genes</i> , 2009, 38, 285-288. | 1.6 | 9 |
| 41 | Comprehensive analysis of the overall codon usage patterns in equine infectious anemia virus. <i>Virology Journal</i> , 2013, 10, 356. | 3.4 | 9 |
| 42 | Equine Mx1 Restricts Influenza A Virus Replication by Targeting at Distinct Site of its Nucleoprotein. <i>Viruses</i> , 2019, 11, 1114. | 3.3 | 9 |
| 43 | Double-stranded-RNA-specific adenosine deaminase 1 (ADAR1) is proposed to contribute to the adaptation of equine infectious anemia virus from horses to donkeys. <i>Archives of Virology</i> , 2016, 161, 2667-2672. | 2.1 | 8 |
| 44 | Equine lentivirus counteracts SAMHD1 restriction by Rev-mediated degradation of SAMHD1 via the BECN1-dependent lysosomal pathway. <i>Autophagy</i> , 2021, 17, 2800-2817. | 9.1 | 8 |
| 45 | Characterization of Equine Infectious Anemia Virus Integration in the Horse Genome. <i>Viruses</i> , 2015, 7, 3241-3260. | 3.3 | 7 |
| 46 | Characterization of Equine Infectious Anemia Virus Long Terminal Repeat Quasispecies In Vitro and In Vivo. <i>Journal of Virology</i> , 2018, 92, . | 3.4 | 7 |
| 47 | Development and Application of an Indirect ELISA for the Detection of gp45 Antibodies to Equine Infectious Anemia Virus. <i>Journal of Equine Veterinary Science</i> , 2018, 62, 76-80. | 0.9 | 7 |
| 48 | Strain-Specific Antagonism of the Human H1N1 Influenza A Virus against Equine Tetherin. <i>Viruses</i> , 2018, 10, 264. | 3.3 | 7 |
| 49 | High-Efficiency Rescue of Equine Infectious Anemia Virus from a CMV-Driven Infectious Clone. <i>Virologica Sinica</i> , 2019, 34, 725-728. | 3.0 | 7 |
| 50 | The N-glycosylation of Equine Tetherin Affects Antiviral Activity by Regulating Its Subcellular Localization. <i>Viruses</i> , 2020, 12, 220. | 3.3 | 7 |
| 51 | Keap1 recognizes EIAV early accessory protein Rev to promote antiviral defense. <i>PLoS Pathogens</i> , 2022, 18, e1009986. | 4.7 | 7 |
| 52 | Rhesus monkey TRIM5 α protein SPRY domain contributes to AP-1 activation. <i>Journal of Biological Chemistry</i> , 2018, 293, 2661-2674. | 3.4 | 6 |
| 53 | TRIMe7-CypA, an alternative splicing isoform of TRIMCyp in rhesus macaque, negatively modulates TRIM5 α activity. <i>Biochemical and Biophysical Research Communications</i> , 2014, 446, 470-474. | 2.1 | 5 |
| 54 | Mice transgenic for equine cyclin T1 and ELR1 are susceptible to equine infectious anemia virus infection. <i>Retrovirology</i> , 2015, 12, 36. | 2.0 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Structural and functional characterization of EIAV gp45 fusion peptide proximal region and asparagine-rich layer. <i>Virology</i> , 2016, 491, 64-72. | 2.4 | 5 |
| 56 | Characterization of EIAV env Quasispecies during Long-Term Passage In Vitro: Gradual Loss of Pathogenicity. <i>Viruses</i> , 2019, 11, 380. | 3.3 | 5 |
| 57 | KPNA6 is a Cofactor of ANP32A/B in Supporting Influenza Virus Polymerase Activity. <i>Microbiology Spectrum</i> , 2022, 10, e0207321. | 3.0 | 5 |
| 58 | Development of a Test Card Based on Colloidal Gold Immunochromatographic Strips for Rapid Detection of Antibodies against <i>Theileria equi</i> and <i>Babesia caballi</i> . <i>Microbiology Spectrum</i> , 2022, 10, e0241121. | 3.0 | 4 |
| 59 | Inhibition of virus replication and induction of human tetherin gene expression by equine IFN- β 1. <i>Veterinary Immunology and Immunopathology</i> , 2013, 156, 107-113. | 1.2 | 3 |
| 60 | Attenuation of Equine Lentivirus Alters Mitochondrial Protein Expression Profile from Inflammation to Apoptosis. <i>Journal of Virology</i> , 2019, 93, . | 3.4 | 3 |
| 61 | Development of an EvaGreen-based real-time PCR assay for detection of Aleutian mink disease virus. <i>Journal of Virological Methods</i> , 2020, 275, 113751. | 2.1 | 3 |
| 62 | Truncation of the Cytoplasmic Tail of Equine Infectious Anemia Virus Increases Virion Production by Improving Env Cleavage and Plasma Membrane Localization. <i>Journal of Virology</i> , 2021, 95, e0108721. | 3.4 | 3 |
| 63 | A Unique Evolution of the S2 Gene of Equine Infectious Anemia Virus in Hosts Correlated with Particular Infection Statuses. <i>Viruses</i> , 2014, 6, 4265-4279. | 3.3 | 2 |
| 64 | Antiviral potency and functional analysis of tetherin orthologues encoded by horse and donkey. <i>Virology Journal</i> , 2014, 11, 151. | 3.4 | 2 |
| 65 | Infection with equine infectious anemia virus vaccine strain EIAVDLV121 causes no visible histopathological lesions in target organs in association with restricted viral replication and unique cytokine response. <i>Veterinary Immunology and Immunopathology</i> , 2016, 170, 30-40. | 1.2 | 2 |
| 66 | A pilot study on interaction between donkey tetherin and EIAV stains with different virulent and replication characteristics. <i>Microbial Pathogenesis</i> , 2017, 106, 65-68. | 2.9 | 2 |
| 67 | Development of an antigen-capture ELISA for the quantitation of equine arteritis virus in culture supernatant. <i>Archives of Virology</i> , 2018, 163, 1469-1478. | 2.1 | 2 |
| 68 | Optimization and application of a DNA-launched infectious clone of equine arteritis virus. <i>Applied Microbiology and Biotechnology</i> , 2018, 102, 413-423. | 3.6 | 2 |
| 69 | Clues for two-step virion infectivity factor regulation by core binding factor beta. <i>Journal of General Virology</i> , 2017, 98, 1113-1121. | 2.9 | 2 |
| 70 | Prevalence and molecular epidemiology of equine piroplasmiasis in China: a neglected tick-borne disease. <i>Science China Life Sciences</i> , 2022, 65, 445-447. | 4.9 | 2 |
| 71 | Regulation of Rev expression by the equine infectious anaemia virus tat-rev mRNA Kozak sequence and its potential influence on viral replication. <i>Journal of General Virology</i> , 2016, 97, 2421-2426. | 2.9 | 1 |
| 72 | The integration of a macrophage-adapted live vaccine strain of equine infectious anaemia virus (EIAV) in the horse genome. <i>Journal of General Virology</i> , 2017, 98, 2596-2606. | 2.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Development of a duplex real-time PCR assay for simultaneous detection and differentiation of <i>Theileria equi</i> and <i>Babesia caballi</i> . <i>Transboundary and Emerging Diseases</i> , 2022, , . | 3.0 | 1 |
| 74 | Multiple RNA virus matrix proteins interact with SLD5 to manipulate host cell cycle. <i>Journal of General Virology</i> , 2021, 102, . | 2.9 | 1 |
| 75 | Identification of APOBEC3DE as Another Antiretroviral Factor from the Human APOBEC Family. <i>Journal of Virology</i> , 2011, 85, 5243-5243. | 3.4 | 0 |
| 76 | Similar regulation of two distinct UL24 promoters by regulatory proteins of equine herpesvirus type 1 (EHV-1). <i>FEBS Letters</i> , 2015, 589, 1467-1475. | 2.8 | 0 |
| 77 | Title is missing!. , 2020, 16, e1008989. | | 0 |
| 78 | Title is missing!. , 2020, 16, e1008989. | | 0 |
| 79 | Title is missing!. , 2020, 16, e1008989. | | 0 |
| 80 | Title is missing!. , 2020, 16, e1008989. | | 0 |
| 81 | Title is missing!. , 2020, 16, e1008989. | | 0 |
| 82 | Title is missing!. , 2020, 16, e1008989. | | 0 |