Christopher J Earley

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9348818/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Toward a better definition of the restless legs syndrome. Movement Disorders, 1995, 10, 634-642.	3.9	1,004
2	Restless Legs Syndrome. Journal of Clinical Neurophysiology, 2001, 18, 128-147.	1.7	474
3	Augmentation of the Restless Legs Syndrome With Carbidopa/Levodopa. Sleep, 1996, 19, 205-213.	1.1	424
4	Iron and The Restless Legs Syndrome. Sleep, 1998, 21, 381-387.	1.1	324
5	Restless Legs Syndrome. New England Journal of Medicine, 2003, 348, 2103-2109.	27.0	300
6	Altered dopaminergic profile in the putamen and substantia nigra in restless leg syndrome. Brain, 2009, 132, 2403-2412.	7.6	299
7	An Algorithm for the Management of Restless Legs Syndrome. Mayo Clinic Proceedings, 2004, 79, 916-922.	3.0	287
8	An Update on the Dopaminergic Treatment of Restless Legs Syndrome and Periodic Limb Movement Disorder. Sleep, 2004, 27, 560-583.	1.1	283
9	Diagnostic Standards for Dopaminergic Augmentation of Restless Legs Syndrome: Report from a World Association of Sleep Medicine – International Restless Legs Syndrome Study Group Consensus Conference at the Max Planck Institute. Sleep Medicine, 2007, 8, 520-530.	1.6	264
10	Evaluating the quality of life of patients with restless legs syndrome. Clinical Therapeutics, 2004, 26, 925-935.	2.5	263
11	The long-term treatment of restless legs syndrome/Willis–Ekbom disease: evidence-based guidelines and clinical consensus best practice guidance: a report from the International Restless Legs Syndrome Study Group. Sleep Medicine, 2013, 14, 675-684.	1.6	260
12	Altered Brain iron homeostasis and dopaminergic function in Restless Legs Syndrome (Willis–Ekbom) Tj ETQq(0.0 rgBT 1.6	/Oygrlock 10
13	The four diagnostic criteria for Restless Legs Syndrome are unable to exclude confounding conditions ("mimicsâ€). Sleep Medicine, 2009, 10, 976-981.	1.6	246
14	The role of iron in restless legs syndrome. Movement Disorders, 2007, 22, S440-S448.	3.9	243

15	Evidence-based and consensus clinical practice guidelines for the iron treatment of restless legs syndrome/Willis-Ekbom disease in adults and children: an IRLSSG task force report. Sleep Medicine, 2018, 41, 27-44.	1.6	228
16	MRI-determined regional brain iron concentrations in early- and late-onset restless legs syndrome. Sleep Medicine, 2006, 7, 458-461.	1.6	219
17	Defining the phenotype of the restless legs syndrome (RLS) using age-of-symptom-onset. Sleep Medicine, 2000, 1, 11-19.	1.6	211
18	Insight into the pathophysiology of restless legs syndrome. Journal of Neuroscience Research, 2000,	2.9	209

62, 623-628.

#	Article	IF	CITATIONS
19	Profile of altered brain iron acquisition in restless legs syndrome. Brain, 2011, 134, 959-968.	7.6	203
20	Cognitive deficits associated with restless legs syndrome (RLS). Sleep Medicine, 2006, 7, 25-30.	1.6	193
21	Identification of novel risk loci for restless legs syndrome in genome-wide association studies in individuals of European ancestry: a meta-analysis. Lancet Neurology, The, 2017, 16, 898-907.	10.2	191
22	The treatment of restless legs syndrome with intravenous iron dextran. Sleep Medicine, 2004, 5, 231-235.	1.6	190
23	The prevalence and impact of restless legs syndrome on patients with iron deficiency anemia. American Journal of Hematology, 2013, 88, 261-264.	4.1	189
24	Pergolide and Carbidopa/Levodopa Treatment of the Restless Legs Syndrome and Periodic Leg Movements in Sleep in a Consecutive Series of Patients. Sleep, 1996, 19, 801-810.	1.1	184
25	Restless legs syndrome: Understanding its consequences and the need for better treatment. Sleep Medicine, 2010, 11, 807-815.	1.6	165
26	Validation of the Johns Hopkins restless legs severity scale. Sleep Medicine, 2001, 2, 239-242.	1.6	162
27	A 10-year, longitudinal assessment of dopamine agonists and methadone in the treatment of restless legs syndrome. Sleep Medicine, 2011, 12, 440-444.	1.6	159
28	Thalamic glutamate/glutamine in restless legs syndrome. Neurology, 2013, 80, 2028-2034.	1.1	156
29	Willis-Ekbom Disease Foundation Revised Consensus Statement on the Management of Restless Legs Syndrome. Mayo Clinic Proceedings, 2013, 88, 977-986.	3.0	131
30	Clinical efficacy and safety of IV ferric carboxymaltose (FCM) treatment of RLS: A multi-centred, placebo-controlled preliminary clinical trial. Sleep Medicine, 2011, 12, 906-913.	1.6	126
31	The Dopamine Transporter is Decreased in the Striatum of Subjects with Restless Legs Syndrome. Sleep, 2011, 34, 341-347.	1.1	126
32	Epidemiology of Restless Legs Syndrome in Korean Adults. Sleep, 2008, 31, 219-223.	1.1	119
33	A randomized, double-blind, placebo-controlled trial of intravenous iron sucrose in restless legs syndrome. Sleep Medicine, 2009, 10, 206-211.	1.6	114
34	Validation of the Restless Legs Syndrome Quality of Life Questionnaire. Value in Health, 2005, 8, 157-167.	0.3	105
35	Ferritin Levels in the Cerebrospinal Fluid and Restless Legs Syndrome: Effects of Different Clinical Phenotypes. Sleep, 2005, 28, 1069-1075.	1.1	104
36	Repeated IV doses of iron provides effective supplemental treatment of restless legs syndrome. Sleep Medicine, 2005, 6, 301-305.	1.6	101

#	Article	IF	CITATIONS
37	Validation of the Hopkins telephone diagnostic interview for restless legs syndrome. Sleep Medicine, 2008, 9, 283-289.	1.6	100
38	Increased Synaptic Dopamine in the Putamen in Restless Legs Syndrome. Sleep, 2013, 36, 51-57.	1.1	93
39	Restless legs syndrome augmentation associated with tramadol. Sleep Medicine, 2006, 7, 592-593.	1.6	92
40	Pregnancy accounts for most of the gender difference in prevalence of familial RLS. Sleep Medicine, 2010, 11, 310-313.	1.6	90
41	The Johns Hopkins telephone diagnostic interview for the restless legs syndrome: preliminary investigation for validation in a multi-center patient and control population. Sleep Medicine, 2003, 4, 137-141.	1.6	86
42	Circadian changes in CSF dopaminergic measures in restless legs syndrome. Sleep Medicine, 2006, 7, 263-268.	1.6	85
43	Abnormally increased CSF 3-Ortho-methyldopa (3-OMD) in untreated restless legs syndrome (RLS) patients indicates more severe disease and possibly abnormally increased dopamine synthesis. Sleep Medicine, 2009, 10, 123-128.	1.6	85
44	New Insights into the Neurobiology of Restless Legs Syndrome. Neuroscientist, 2019, 25, 113-125.	3.5	85
45	Augmentation as a treatment complication of restless legs syndrome: Concept and management. Movement Disorders, 2007, 22, S476-S484.	3.9	81
46	Iron deficiency alters dopamine uptake and response to <scp>L</scp> â€DOPA injection in Sprague–Dawley rats. Journal of Neurochemistry, 2008, 106, 205-215.	3.9	76
47	The dopaminergic neurons of the A11 system in RLS autopsy brains appear normal. Sleep Medicine, 2009, 10, 1155-1157.	1.6	75
48	Is ferroportin–hepcidin signaling altered in restless legs syndrome?. Journal of the Neurological Sciences, 2006, 247, 173-179.	0.6	73
49	Postmortem and imaging based analyses reveal CNS decreased myelination in restless legs syndrome. Sleep Medicine, 2011, 12, 614-619.	1.6	72
50	Ferritin subunits in CSF are decreased in restless legs syndrome. Translational Research, 2006, 147, 67-73.	2.3	70
51	Brain iron deficiency in idiopathic restless legs syndrome measured by quantitative magnetic susceptibility at 7 tesla. Sleep Medicine, 2016, 22, 75-82.	1.6	70
52	CSF dopamine, serotonin, and biopterin metabolites in patients with restless legs syndrome. Movement Disorders, 2001, 16, 144-149.	3.9	69
53	Thy1 expression in the brain is affected by iron and is decreased in Restless Legs Syndrome. Journal of the Neurological Sciences, 2004, 220, 59-66.	0.6	69
54	Mitochondrial Ferritin in the Substantia Nigra in Restless Legs Syndrome. Journal of Neuropathology and Experimental Neurology, 2009, 68, 1193-1199.	1.7	68

#	Article	IF	CITATIONS
55	The Management of Restless Legs Syndrome: An Updated Algorithm. Mayo Clinic Proceedings, 2021, 96, 1921-1937.	3.0	67
56	Pivotal Role of Adenosine Neurotransmission in Restless Legs Syndrome. Frontiers in Neuroscience, 2017, 11, 722.	2.8	64
57	Functional connectivity alternation of the thalamus in restless legs syndrome patients during the asymptomatic period: a resting-state connectivity study using functional magnetic resonance imaging. Sleep Medicine, 2014, 15, 289-294.	1.6	63
58	Response to intravenous iron in patients with iron deficiency anemia (IDA) and restless leg syndrome (Willis–Ekbom disease). Sleep Medicine, 2014, 15, 1473-1476.	1.6	55
59	Lower molecular weight intravenous iron dextran for restless legs syndrome. Sleep Medicine, 2013, 14, 274-277.	1.6	54
60	Low brain iron effects and reversibility on striatal dopamine dynamics. Experimental Neurology, 2014, 261, 462-468.	4.1	52
61	Targeting hypersensitive corticostriatal terminals in restless legs syndrome. Annals of Neurology, 2017, 82, 951-960.	5.3	52
62	The Appropriate Use of Opioids in the Treatment of Refractory Restless Legs Syndrome. Mayo Clinic Proceedings, 2018, 93, 59-67.	3.0	47
63	The effects of dietary iron deprivation on murine circadian sleep architecture. Sleep Medicine, 2006, 7, 634-640.	1.6	46
64	Clinical efficacy of ferric carboxymaltose treatment in patients with restless legs syndrome. Sleep Medicine, 2016, 25, 16-23.	1.6	46
65	Connectome and molecular pharmacological differences in the dopaminergic system in restless legs syndrome (RLS): plastic changes and neuroadaptations that may contribute to augmentation. Sleep Medicine, 2017, 31, 71-77.	1.6	46
66	Adenosine receptors as markers of brain iron deficiency: Implications for Restless Legs Syndrome. Neuropharmacology, 2016, 111, 160-168.	4.1	45
67	Diurnal cycle influences peripheral and brain iron levels in mice. Journal of Applied Physiology, 2009, 106, 187-193.	2.5	38
68	Systems genetic analysis of the effects of iron deficiency in mouse brain. Neurogenetics, 2012, 13, 147-157.	1.4	36
69	Gray matter alteration in patients with restless legs syndrome: a voxel-based morphometry study. Clinical Imaging, 2015, 39, 20-25.	1.5	36
70	Segregation Analysis of Restless Legs Syndrome: Possible Evidence for a Major Gene in a Family Study Using Blinded Diagnoses. Human Heredity, 2006, 62, 157-164.	0.8	35
71	Altered Iron Metabolism in Lymphocytes from Subjects with Restless Legs Syndrome. Sleep, 2008, 31, 847-852.	1.1	35
72	In search of alternatives to dopaminergic ligands for the treatment of restless legs syndrome: iron, glutamate, and adenosine. Sleep Medicine, 2017, 31, 86-92.	1.6	34

#	Article	IF	CITATIONS
73	Prevalence and clinical characteristics of patients with restless legs syndrome with painful symptoms. Sleep Medicine, 2015, 16, 775-778.	1.6	33
74	Proteomic analysis of the cerebrospinal fluid of patients with restless legs syndrome/Willis-Ekbom disease. Fluids and Barriers of the CNS, 2013, 10, 20.	5.0	32
75	Iron Deficiency Alters the Dayâ€Night Variation in Monoamine Levels in Mice. Chronobiology International, 2009, 26, 447-463.	2.0	31
76	Diurnal variation of default mode network in patients with restless legs syndrome. Sleep Medicine, 2018, 41, 1-8.	1.6	29
77	Altered white matter integrity in primary restless legs syndrome patients: diffusion tensor imaging study. Neurological Research, 2014, 36, 769-774.	1.3	28
78	Up-regulation of striatal adenosine A2A receptors with iron deficiency in rats. Experimental Neurology, 2010, 224, 292-298.	4.1	27
79	Association of Restless Legs Syndrome Variants in Korean Patients with Restless Legs Syndrome. Sleep, 2013, 36, 1787-1791.	1.1	27
80	Default mode network disturbances in restless legs syndrome/Willis–Ekbom disease. Sleep Medicine, 2016, 23, 6-11.	1.6	27
81	Systems genetic analysis of peripheral iron parameters in the mouse. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2007, 293, R116-R124.	1.8	25
82	RLS and blood donation. Sleep Medicine, 2009, 10, 844-849.	1.6	24
83	Systems genetic analysis of multivariate response to iron deficiency in mice. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2012, 302, R1282-R1296.	1.8	24
84	A direct interaction between two Restless Legs Syndrome predisposing genes: MEIS1 and SKOR1. Scientific Reports, 2018, 8, 12173.	3.3	23
85	Diminished iron concentrations increase adenosine A2A receptor levels in mouse striatum and cultured human neuroblastoma cells. Experimental Neurology, 2009, 215, 236-242.	4.1	22
86	We need to do better: A systematic review and meta-analysis of diagnostic test accuracy of restless legs syndrome screening instruments. Sleep Medicine Reviews, 2021, 58, 101461.	8.5	22
87	Restless legs syndrome and periodic leg movements in sleep. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2011, 99, 913-948.	1.8	21
88	MATPLM1, A MATLAB script for scoring of periodic limb movements: preliminary validation with visual scoring. Sleep Medicine, 2015, 16, 1541-1549.	1.6	18
89	Investigation into the correlation between sensation and leg movement in restless legs syndrome. Movement Disorders, 2005, 20, 1097-1103.	3.9	17
90	Dissociative Changes in the B _{max} and K _D of Dopamine D ₂ /D ₃ Receptors with Aging Observed in Functional Subdivisions of the Striatum: A Revisit with an Improved Data Analysis Method. Journal of Nuclear Medicine, 2012, 53, 805-812.	5.0	17

#	Article	IF	CITATIONS
91	Efficacy of ferric carboxymaltose (FCM) 500Âmg dose for the treatment of Restless Legs Syndrome. Sleep Medicine, 2018, 42, 7-12.	1.6	16
92	Brain-iron deficiency models of restless legs syndrome. Experimental Neurology, 2022, 356, 114158.	4.1	16
93	Moderate to severe but not mild RLS is associated with greater sleep-related sympathetic autonomic activation than healthy adults without RLS. Sleep Medicine, 2020, 68, 89-95.	1.6	15
94	Iron-deficiency and dopaminergic treatment effects on RLS-Like behaviors of an animal model with the brain iron deficiency pattern of the restless legs syndrome. Sleep Medicine, 2020, 71, 141-148.	1.6	15
95	Extracellular vesicles reveal abnormalities in neuronal iron metabolism in restless legs syndrome. Sleep, 2019, 42, .	1.1	13
96	Brain Iron Deficiency Changes the Stoichiometry of Adenosine Receptor Subtypes in Cortico-Striatal Terminals: Implications for Restless Legs Syndrome. Molecules, 2022, 27, 1489.	3.8	11
97	A comparison of MRI tissue relaxometry and ROI methods used to determine regional brain iron concentrations in restless legs syndrome. Medical Devices: Evidence and Research, 2015, 8, 341.	0.8	9
98	Co-registration of magnetic resonance spectroscopy and transcranial magnetic stimulation. Journal of Neuroscience Methods, 2015, 242, 52-57.	2.5	9
99	Resting-state connectivity and the effects of treatment in restless legs syndrome. Sleep Medicine, 2020, 67, 33-38.	1.6	9
100	Akathisia and Restless Legs Syndrome. Sleep Medicine Clinics, 2021, 16, 249-267.	2.6	9
101	Inter-movement interval as a primary stable measure of periodic limb movements of sleep. Sleep Medicine, 2016, 17, 138-143.	1.6	8
102	Latest Guidelines and Advances for Treatment of Restless Legs Syndrome. Journal of Clinical Psychiatry, 2014, 75, e08.	2.2	8
103	Randomized, placebo-controlled trial of ferric carboxymaltose in restless legs syndrome patients with iron deficiency anemia. Sleep Medicine, 2021, 84, 179-186.	1.6	7
104	Evidence for communication of peripheral iron status to cerebrospinal fluid: clinical implications for therapeutic strategy. Fluids and Barriers of the CNS, 2020, 17, 28.	5.0	6
105	Defining morphology of periodic leg movements in sleep: an evidence-based definition of a minimum window of sustained activity. Sleep and Breathing, 2016, 20, 1293-1299.	1.7	5
106	Response to Clinical Corners case (Sleep Medicine 6/2: 83–4): Pregnancy associated with daytime sleepiness and nighttime restlessness. Sleep Medicine, 2005, 6, 475.	1.6	4
107	Allocating provider resources to diagnose and treat restless legs syndrome: a cost-utility analysis. Sleep Medicine, 2017, 38, 44-49.	1.6	4
108	Assessment of change in restless legs syndrome symptoms during the acute drug-withdrawal period. Sleep Medicine, 2018, 52, 80-87.	1.6	4

#	ARTICLE	IF	CITATIONS
109	Developing a behavioral model of Restless Legs Syndrome utilizing mice with natural variances in ventral midbrain iron. Sleep Medicine, 2020, 71, 135-140.	1.6	4
110	Pilot study: can machine learning analyses of movement discriminate between leg movements in sleep (LMS) with vs. without cortical arousals?. Sleep and Breathing, 2021, 25, 373-379.	1.7	4
111	Developing a biomarker for restless leg syndrome using genome wide DNA methylation data. Sleep Medicine, 2021, 78, 120-127.	1.6	4
112	Intervening Leg Movements Disrupt PLMS Sequences. Sleep, 2017, 40, .	1.1	3
113	Neuroimaging in Restless Legs Syndrome. , 2009, , 78-82.		3
114	The Safety and Efficacy of Pregabalin Add-on Therapy in Restless Legs Syndrome Patients. Frontiers in Neurology, 2021, 12, 786408.	2.4	2
115	RestEaze: An Emerging Technology to Characterize Leg Movements During Sleep. Journal of Medical Devices, Transactions of the ASME, 2022, 16, .	0.7	2
116	Iron Dysregulation in Restless Legs Syndrome. , 2009, , 61-68.		1
117	Another dopamine agonist for treatment of restless legs syndrome. Lancet Neurology, The, 2011, 10, 675-677.	10.2	1
118	Response to the letter "Characterization of the painful restless legs syndrome― Sleep Medicine, 2015, 16, 1448.	1.6	1
119	Insight into the pathophysiology of restless legs syndrome. Journal of Neuroscience Research, 2000, 62, 623-628.	2.9	1
120	Role of Striatal A2A Receptor Subpopulations in Neurological Disorders. , 2013, , 179-197.		1
121	Response to "Characterization of the painful restless legs syndromeâ€: Sleep Medicine, 2015, 16, 898.	1.6	0
122	Altered expression of ironâ€management proteins in the brain microvasculature of Restless Legs Syndrome. FASEB Journal, 2008, 22, 1191.5.	0.5	0