## **Carlos Daniel Cadena**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9350461/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Reexpedición Colombia: Entender el pasado para empoderar acciones que fortalezcan el conocimiento y conservación de las aves. Biota Colombiana, 2022, 23, e984.	0.3	3
2	Variation in insulative feather structure in songbirds replacing each other along a tropical elevation gradient. Ecology and Evolution, 2022, 12, e8698.	1.9	1
3	Territorial males do not discriminate between local and novel plumage phenotypes in a tropical songbird species complex: implications for the role of social selection in trait evolution. Behavioral Ecology and Sociobiology, 2021, 75, 1.	1.4	9
4	The genomic revolution and species delimitation in birds (and other organisms): Why phenotypes should not be overlooked. Auk, 2021, 138, .	1.4	23
5	Change in avian functional fingerprints of a Neotropical montane forest over 100 years as an indicator of ecosystem integrity. Conservation Biology, 2021, 35, 1552-1563.	4.7	10
6	Migratory connectivity then and now: a northward shift in breeding origins of a long-distance migratory bird wintering in the tropics. Proceedings of the Royal Society B: Biological Sciences, 2021, 288, 20210188.	2.6	3
7	Plumage convergence resulting from social mimicry in birds? A tetrachromatic view. Animal Behaviour, 2021, 180, 337-361.	1.9	2
8	Extensive hybridization between two Andean warbler species with shallow divergence in mtDNA. Auk, 2021, 138, .	1.4	8
9	Evolutionary conservatism will limit responses to climate change in the tropics. Biology Letters, 2021, 17, 20210363.	2.3	15
10	Taxonomic evaluation of the Grallaria rufula (Rufous Antpitta) complex (Aves:) Tj ETQq0 0 0 rgBT /O	verlock 10	Tf 50 382 Td
11	Systematics, biogeography, and diversification of Scytalopus tapaculos (Rhinocryptidae), an enigmatic radiation of Neotropical montane birds. Auk, 2020, 137, .	1.4	26
12	Untangling cryptic diversity in the High Andes: Revision of the Scytalopus [magellanicus] complex (Rhinocryptidae) in Peru reveals three new species. Auk, 2020, 137, .	1.4	20
13	Speciation Associated with Shifts in Migratory Behavior in an Avian Radiation. Current Biology, 2020, 30, 1312-1321.e6.	3.9	45
14	<i>De Novo</i> Assembly of a High-Quality Reference Genome for the Horned Lark ( <i>Eremophila) Tj ETQq0 0</i>	0 rgBT /Ov	verlock 10 Tf 5
15	Origin of Elevational Replacements in a Clade of Nearly Flightless Birds: Most Diversity in Tropical Mountains Accumulates via Secondary Contact Following Allopatric Speciation. Fascinating Life Sciences, 2020, , 635-659.	0.9	14
16	Molecular and morphological differentiation among Torrent Duck ( Merganetta armata ) populations in the Andes. Zoologica Scripta, 2019, 48, 589-604.	1.7	4
17	Shallow genetic divergence and distinct phenotypic differences between two Andean hummingbirds: Speciation with gene flow?. Auk, 2019, 136, .	1.4	18

```
18Homeâ€range size of an Andean bird: Assessing the role of physical condition. Biotropica, 2019, 51,<br/>591-599.1.611
```

#	Article	IF	CITATIONS
19	Extreme genetic structure and dynamic range evolution in a montane passerine bird: implications for tropical diversification. Biological Journal of the Linnean Society, 2019, 126, 487-506.	1.6	28
20	Rangeâ€wide populations of a longâ€distance migratory songbird converge during stopover in the tropics. Ecological Monographs, 2019, 89, e01349.	5.4	11
21	Migratory birds as vehicles for parasite dispersal? Infection by avian haemosporidians over the year and throughout the range of a longâ€distance migrant. Journal of Biogeography, 2019, 46, 83-96.	3.0	32
22	Hybridization in brushfinches (Atlapetes, Emberizidae) from the southeast Andes of Colombia: a consequence of habitat disturbance?. Journal of Ornithology, 2018, 159, 713-722.	1.1	4
23	Host species, and not environment, predicts variation in blood parasite prevalence, distribution, and diversity along a humidity gradient in northern South America. Ecology and Evolution, 2018, 8, 3800-3814.	1.9	41
24	Assessing seasonal changes in animal diets with stable-isotope analysis of amino acids: a migratory boreal songbird switches diet over its annual cycle. Oecologia, 2018, 187, 1-13.	2.0	40
25	Display behaviour, social organization and vocal repertoire of Blueâ€backed Manakin Chiroxiphia pareola napensis in northwest Amazonia. Ibis, 2018, 160, 269-282.	1.9	6
26	lssues and Perspectives in Species Delimitation using Phenotypic Data: Atlantean Evolution in Darwin's Finches. Systematic Biology, 2018, 67, 181-194.	5.6	48
27	Neutral and functionally important genes shed light on phylogeography and the history of highâ€altitude colonization in a widespread New World duck. Ecology and Evolution, 2018, 8, 6515-6528.	1.9	3
28	A new species of tapaculo (Rhinocryptidae: <i>Scytalopus</i> ) from the Western Andes of Colombia. Auk, 2017, 134, 377-392.	1.4	10
29	Fuel loads acquired at a stopover site influence the pace of intercontinental migration in a boreal songbird. Scientific Reports, 2017, 7, 3405.	3.3	87
30	On the importance of geographic and taxonomic sampling in phylogeography: A reevaluation of diversification and species limits in a Neotropical thrush (Aves, Turdidae). Molecular Phylogenetics and Evolution, 2017, 111, 87-97.	2.7	23
31	Is the largest river valley west of the Andes a driver of diversification in Neotropical lowland birds?. Auk, 2017, 134, 168-180.	1.4	9
32	Origin and cross-century dynamics of an avian hybrid zone. BMC Evolutionary Biology, 2017, 17, 257.	3.2	20
33	The Yellow-green Bush-tanager is neither a bush-tanager nor a sparrow: Molecular phylogenetics reveals that Chlorospingus flavovirens is a tanager (Aves: Passeriformes; Thraupidae). Zootaxa, 2016, 4136, 373-81.	0.5	2
34	Toxic metals and associated sporulated bacteria on Andean hummingbird feathers. Environmental Science and Pollution Research, 2016, 23, 22968-22979.	5.3	5
35	Niche-tracking migrants and niche-switching residents: evolution of climatic niches in New World warblers (Parulidae). Proceedings of the Royal Society B: Biological Sciences, 2016, 283, 20152458.	2.6	83
36	Molecular systematics of the new world screech-owls (Megascops: Aves, Strigidae): biogeographic and taxonomic implications. Molecular Phylogenetics and Evolution, 2016, 94, 626-634.	2.7	29

#	Article	IF	CITATIONS
37	Climate, habitat associations and the potential distributions of Neotropical birds: Implications for diversification across the Andes. Revista De La Academia Colombiana De Ciencias Exactas, Fisicas Y Naturales, 2016, 40, 275.	0.2	35
38	A new species of tapaculo (Rhinocryptidae: <i>Scytalopus</i> ) from the SerranÃa de PerijÃ; of Colombia and Venezuela. Auk, 2015, 132, 450-466.	1.4	20
39	Phylogeography of the Critically Endangered Brown Spider Monkey (Ateles hybridus): Testing the Riverine Barrier Hypothesis. International Journal of Primatology, 2015, 36, 530-547.	1.9	19
40	Genetic Differentiation, Niche Divergence, and the Origin and Maintenance of the Disjunct Distribution in the Blossomcrown Anthocephala floriceps (Trochilidae). PLoS ONE, 2014, 9, e108345.	2.5	10
41	The validity of ecogeographical rules is context-dependent: testing for Bergmann's and Allen's rules by latitude and elevation in a widespread Andean duck. Biological Journal of the Linnean Society, 2014, 111, 850-862.	1.6	42
42	Reassessment of the systematics of the widespread Neotropical genus <i>Cercomacra</i> (Aves:) Tj ETQq0 0 0 rg	gBT_/Qverlo 2.3	ock 10 Tf 50 5
43	The influence of the complex topography and dynamic history of the montane Neotropics on the evolutionary differentiation of a cloud forest bird ( <i>Premnoplex brunnescens</i> , Furnariidae). Journal of Biogeography, 2014, 41, 1533-1546.	3.0	55
44	Taxonomy and conservation: a tale of two tinamou species groups (Tinamidae, <i>Crypturellus</i> ). Journal of Avian Biology, 2014, 45, 484-492.	1.2	11
45	Asynchrony of Seasons: Genetic Differentiation Associated with Geographic Variation in Climatic Seasonality and Reproductive Phenology. American Naturalist, 2014, 184, 352-363.	2.1	40
46	The drivers of tropical speciation. Nature, 2014, 515, 406-409.	27.8	452
47	The origin and maintenance of montane diversity: integrating evolutionary and ecological processes. Ecography, 2014, 37, 711-719.	4.5	182
48	Ecological speciation along an elevational gradient in a tropical passerine bird?. Journal of Evolutionary Biology, 2013, 26, 357-374.	1.7	92
49	Phylogeny and Classification ofAutomolusFoliage-gleaners and Allies (Furnariidae). Condor, 2013, 115, 375-385.	1.6	14
50	Latitude, elevational climatic zonation and speciation in New World vertebrates. Proceedings of the Royal Society B: Biological Sciences, 2012, 279, 194-201.	2.6	186
51	Non-monophyly and deep genetic differentiation across low-elevation barriers in a Neotropical montane bird (Basileuterus tristriatus; Aves: Parulidae). Molecular Phylogenetics and Evolution, 2012, 64, 156-165.	2.7	89
52	Sensitivity of Metrics of Phylogenetic Structure to Scale, Source of Data and Species Pool of Hummingbird Assemblages along Elevational Gradients. PLoS ONE, 2012, 7, e35472.	2.5	18
53	A new species of wren (Troglodytidae: <i>Thryophilus</i> ) from the dry Cauca River Canyon, northwestern Colombia. Auk, 2012, 129, 537-550.	1.4	25
54	Novel tetranucleotide microsatellite DNA markers for members of the Henicorhina Wood-wren species complex (Aves, Troglodytidae). Conservation Genetics Resources, 2012, 4, 419-421.	0.8	3

#	Article	IF	CITATIONS
55	Testing the molecular and evolutionary causes of a â€~leapfrog' pattern of geographical variation in coloration. Journal of Evolutionary Biology, 2011, 24, 402-414.	1.7	33
56	Reconstructing the phylogeny of "Buarremon―brush-finches and near relatives (Aves, Emberizidae) from individual gene trees. Molecular Phylogenetics and Evolution, 2011, 58, 297-303.	2.7	15
57	No evidence for widespread bird declines in protected South American forests. Climatic Change, 2011, 108, 383-386.	3.6	6
58	No population genetic structure in a widespread aquatic songbird from the Neotropics. Molecular Phylogenetics and Evolution, 2011, 58, 540-545.	2.7	38
59	A phylogenetic approach to disentangling the role of competition and habitat filtering in community assembly of Neotropical forest birds. Journal of Animal Ecology, 2010, 79, 1181-1192.	2.8	140
60	A taxonomic revision of the Paramo Tapaculo Scytalopus canus Chapman (Aves: Rhinocryptidae), with description of a new subspecies from Ecuador and Peru. Zootaxa, 2010, 2354, 56.	0.5	20
61	Revising Species Limits in a Group of <i>Myrmeciza</i> Antbirds Reveals a Cryptic Species Within <i>M. Laemosticta</i> (Thamnophilidae). Condor, 2010, 112, 718-730.	1.6	20
62	Molecules, ecology, morphology, and songs in concert: how many species is Arremon torquatus (Aves: Emberizidae)?. Biological Journal of the Linnean Society, 2009, 99, 152-176.	1.6	65
63	Paraphyly of Cinclodes fuscus (Aves: Passeriformes: Furnariidae): Implications for taxonomy and biogeography. Molecular Phylogenetics and Evolution, 2009, 53, 547-555.	2.7	29
64	Hidden generic diversity in Neotropical birds: Molecular and anatomical data support a new genus for the "Scytalopus―indigoticus species-group (Aves: Rhinocryptidae). Molecular Phylogenetics and Evolution, 2008, 49, 125-135.	2.7	25
65	Limits to elevational distributions in two species of emberizine finches: disentangling the role of interspecific competition, autoecology, and geographic variation in the environment. Ecography, 2007, 30, 491-504.	4.5	47
66	Evolutionary differentiation in the Neotropical montane region: Molecular phylogenetics and phylogeography of Buarremon brush-finches (Aves, Emberizidae). Molecular Phylogenetics and Evolution, 2007, 44, 993-1016.	2.7	124
67	Limits to elevational distributions in two species of emberizine finches: disentangling the role of interspecific competition, autoecology, and geographic variation in the environment. Ecography, 2007, 30, 491-504.	4.5	9
68	Lifespan is unrelated to investment in reproduction in populations of mammals and birds in captivity. Ecology Letters, 2007, 10, 867-872.	6.4	84
69	A rare case of interspecific hybridization in the tracheophone suboscines: Chestnut-naped Antpitta Grallaria nuchalisÂ×ÂChestnut-crowned Antpitta G.Âruficapilla in a fragmented Andean landscape. Ibis, 2007, 149, 814-825.	1.9	11
70	TESTING THE ROLE OF INTERSPECIFIC COMPETITION IN THE EVOLUTIONARY ORIGIN OF ELEVATIONAL ZONATION: AN EXAMPLE WITHBUARREMONBRUSH-FINCHES (AVES, EMBERIZIDAE) IN THE NEOTROPICAL MOUNTAINS. Evolution; International Journal of Organic Evolution, 2007, 61, 1120-1136.	2.3	47
71	Is speciation driven by species diversity?. Nature, 2005, 438, E1-E2.	27.8	48
72	Scytalopus Stilesi, A New Species of Tapaculo (Rhinocryptidae) From the Cordillera Central of Colombia. Auk, 2005, 122, 445-463.	1.4	40

#	Article	IF	CITATIONS
73	SCYTALOPUS STILESI, A NEW SPECIES OF TAPACULO (RHINOCRYPTIDAE) FROM THE CORDILLERA CENTRAL OF COLOMBIA. Auk, 2005, 122, 445.	1.4	33
74	Phylogenetic Relationships of the Red-Bellied Grackle (Icteridae: Hypopyrrhus Pyrohypogaster) Inferred From Mitochondrial DNA Sequence Data. Condor, 2004, 106, 664-670.	1.6	8
75	PHYLOGENETIC RELATIONSHIPS OF THE RED-BELLIED GRACKLE (ICTERIDAE: HYPOPYRRHUS) TJ ETQq1 1 0.78431	4 rgBT /O <sup>.</sup> 1.0	verlock 10
76	THE NEST AND EGGS OF THE CINEREOUS MOURNER (LANIOCERA HYPOPYRRA). The Wilson Bulletin, 2003, 115, 115-118.	0.5	5
77	Efficiency, bias, and consistency of visual and aural surveys of curassows (Cracidae) in tropical forests. Journal of Field Ornithology, 2003, 74, 210-216.	0.5	15
78	NESTING RECORDS OF FIVE ANTBIRD SPECIES FROM THE COLOMBIAN AMAZON. The Wilson Bulletin, 2000, 112, 313-317.	0.5	13
79	Vocal behavior and microgeographic variation in song types in a Neotropical songbird. Journal of Ornithology, 0, , 1.	1.1	5