
Hsin-Fu Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/935617/publications.pdf Version: 2024-02-01



HSIN-FULLEE

#	Article	IF	CITATIONS
1	Thromboembolic, Bleeding, and MortalityÂRisks of Rivaroxaban and Dabigatran in Asians With NonvalvularÂAtrial Fibrillation. Journal of the American College of Cardiology, 2016, 68, 1389-1401.	2.8	148
2	Efficacy and Safety of Apixaban, Dabigatran, Rivaroxaban, and Warfarin in Asians With Nonvalvular Atrial Fibrillation. Journal of the American Heart Association, 2018, 7, .	3.7	113
3	Effectiveness and Safety of Four Direct OralÂAnticoagulants in Asian Patients WithÂNonvalvular Atrial Fibrillation. Chest, 2019, 156, 529-543.	0.8	94
4	Cardiovascular, Bleeding, and Mortality Risks of Dabigatran in Asians With Nonvalvular Atrial Fibrillation. Stroke, 2016, 47, 441-449.	2.0	81
5	Acute Kidney Injury in AsiansÂWithÂAtrialÂFibrillation TreatedÂWithÂDabigatranÂor Warfarin. Journal of the American College of Cardiology, 2016, 68, 2272-2283.	2.8	64
6	Off-label dosing of non–vitamin K antagonist oral anticoagulants and clinical outcomes in Asian patients with atrial fibrillation. Heart Rhythm, 2020, 17, 2102-2110.	0.7	62
7	Effectiveness and Safety of Non–Vitamin K Antagonist Oral Anticoagulant and Warfarin in Cirrhotic Patients With Nonvalvular Atrial Fibrillation. Journal of the American Heart Association, 2019, 8, e011112.	3.7	54
8	Dipeptidyl peptidase-4 inhibitor decreases the risk of atrial fibrillation in patients with type 2 diabetes: a nationwide cohort study in Taiwan. Cardiovascular Diabetology, 2017, 16, 159.	6.8	44
9	Incremental prognostic value of global myocardial work over ejection fraction and global longitudinal strain in patients with heart failure and reduced ejection fraction. European Heart Journal Cardiovascular Imaging, 2021, 22, 348-356.	1.2	42
10	Prognostic value of global left ventricular strain for conservatively treated patients with symptomatic aortic stenosis. Journal of Cardiology, 2013, 62, 301-306.	1.9	31
11	The effectiveness and safety of low-dose rivaroxaban in Asians with non-valvular atrial fibrillation. International Journal of Cardiology, 2018, 261, 78-83.	1.7	31
12	Association of Blood Group A with Coronary Artery Disease in Young Adults in Taiwan. Internal Medicine, 2012, 51, 1815-1820.	0.7	27
13	Ratio of transmitral early filling velocity to early diastolic strain rate predicts outcomes in patients with systolic heart failure. European Heart Journal Cardiovascular Imaging, 2017, 18, 79-85.	1.2	26
14	Effectiveness, safety, and major adverse limb events in atrial fibrillation patients with concomitant diabetes mellitus treated with non-vitamin K antagonist oral anticoagulants. Cardiovascular Diabetology, 2020, 19, 63.	6.8	26
15	Prognostic significance of dilated inferior vena cava in advanced decompensated heart failure. International Journal of Cardiovascular Imaging, 2014, 30, 1289-1295.	1.5	25
16	Real-world Comparisons of Direct Oral Anticoagulants for Stroke Prevention in Asian Patients with Non-valvular Atrial Fibrillation: a Systematic Review and Meta-analysis. Cardiovascular Drugs and Therapy, 2019, 33, 701-710.	2.6	24
17	Major adverse cardiovascular and limb events in patients with diabetes and concomitant peripheral artery disease treated with sodium glucose cotransporter 2 inhibitor versus dipeptidyl peptidase-4 inhibitor. Cardiovascular Diabetology, 2020, 19, 160.	6.8	20
18	Effectiveness and Safety of Direct Oral Anticoagulants in an Asian Population with Atrial Fibrillation Undergoing Dialysis: A Population-Based Cohort Study and Meta-Analysis. Cardiovascular Drugs and Therapy, 2021, 35, 975-986.	2.6	20

Hsin-Fu Lee

#	Article	IF	CITATIONS
19	Clinical Outcomes in Atrial Fibrillation Patients With a History of Cancer Treated With Non-Vitamin K Antagonist Oral Anticoagulants. Stroke, 2021, 52, 3132-3141.	2.0	20
20	Comparisons of Rivaroxaban Following Different Dosage Criteria (ROCKET AF or Jâ€ROCKET AF Trials) in Asian Patients With Atrial Fibrillation. Journal of the American Heart Association, 2019, 8, e013053.	3.7	19
21	Non-vitamin K antagonist oral anticoagulants and warfarin in atrial fibrillation patients with concomitant peripheral artery disease. European Heart Journal - Cardiovascular Pharmacotherapy, 2021, 7, 50-58.	3.0	18
22	Young Male Patients with Atrial Fibrillation and CHA2DS2-VASc Score of 1 May Not Need Anticoagulants: A Nationwide Population-Based Study. PLoS ONE, 2016, 11, e0151485.	2.5	17
23	Balloon-expandable versus self-expanding transcatheter aortic valve replacement for bioprosthetic dysfunction: A systematic review and meta-analysis. PLoS ONE, 2020, 15, e0233894.	2.5	16
24	Glycemic status and risks of thromboembolism and major bleeding in patients with atrial fibrillation. Cardiovascular Diabetology, 2020, 19, 30.	6.8	16
25	A comparison between angiotensin converting enzyme inhibitors and angiotensin receptor blockers on end stage renal disease and major adverse cardiovascular events in diabetic patients: a population-based dynamic cohort study in Taiwan. Cardiovascular Diabetology, 2016, 15, 56.	6.8	13
26	Crusade Microcatheter-Facilitated Reverse Wire Technique for Revascularization of Bifurcation Lesions of Coronary Arteries. Acta Cardiologica Sinica, 2018, 34, 31-36.	0.2	13
27	Dialysis Patients with Implanted Drug-Eluting Stents Have Lower Major Cardiac Events and Mortality than Those with Implanted Bare-Metal Stents: A Taiwanese Nationwide Cohort Study. PLoS ONE, 2016, 11, e0146343.	2.5	10
28	Direct Oral Anticoagulants in Atrial Fibrillation Patients With Concomitant Hyperthyroidism. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 2893-2904.	3.6	7
29	Intravenous iron supplementation does not increase infectious disease risk in hemodialysis patients: a nationwide cohort-based case-crossover study. BMC Nephrology, 2019, 20, 327.	1.8	6
30	Low bone mineral density may be associated with long-term risk of cancer in the middle-aged population: A retrospective observational study from a single center. Journal of the Formosan Medical Association, 2018, 117, 339-345.	1.7	5
31	High Nighttime Heart Rate is Associated with Increased Risk of All-Cause Mortality in Patients with Heart Failure and Reduced Ejection Fraction. International Heart Journal, 2020, 61, 289-294.	1.0	5
32	Endâ€stage renal disease patients using angiotensinâ€converting enzyme inhibitors and angiotensin receptor blockers may reduce the risk of mortality: a Taiwanese Nationwide cohort study. Internal Medicine Journal, 2018, 48, 1123-1132.	0.8	4
33	Microenvironment of saphenous vein graft preservation prior to coronary artery bypass grafting. Interactive Cardiovascular and Thoracic Surgery, 2019, 28, 71-78.	1.1	4
34	Impact of Chronic Kidney Disease on Long-Term Outcome in Coronary Bypass Candidates Treated with Percutaneous Coronary Intervention. Korean Circulation Journal, 2017, 47, 50.	1.9	3
35	Oral Anticoagulants and Antiplatelet Agents in Patients With Atrial Fibrillation and Concomitant Critical Limb Ischemia: A Nationwide Cohort Study. Canadian Journal of Cardiology, 2021, 37, 113-121.	1.7	3
36	Impact of chronic kidney disease on long-term outcomes for coronary in-stent restenosis after drug-coated balloon angioplasty. Journal of Cardiology, 2021, 78, 564-570.	1.9	2

Hsin-Fu Lee

#	Article	IF	CITATIONS
37	Using Rivaroxaban as Thrombolytic Treatment for a Patient of Pedal Arch Arterial Thrombosis with Suboptimal Result of Endovascular Therapy. Acta Cardiologica Sinica, 2016, 32, 623-626.	0.2	2
38	Postoperative Stroke After Type A Aortic Dissection Repair: Hemorrhage Versus Ischemia. World Journal of Surgery, 2022, 46, 690-700.	1.6	2
39	Response to Letter to the Editor. Journal of the Formosan Medical Association, 2018, 117, 456.	1.7	0
40	Title is missing!. , 2020, 15, e0233894.		0
41	Title is missing!. , 2020, 15, e0233894.		0
42	Title is missing!. , 2020, 15, e0233894.		0
43	Title is missing!. , 2020, 15, e0233894.		0