

M Naimuddin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9356191/publications.pdf>

Version: 2024-02-01

191
papers

8,139
citations

66343
42
h-index

56724
83
g-index

193
all docs

193
docs citations

193
times ranked

7659
citing authors

#	ARTICLE	IF	CITATIONS
1	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	6
2	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	5
3	Search for long-lived particles decaying to leptons with large impact parameter in proton+proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2022, 82, 153.	3.9	14
4	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	1
5	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton+proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2022, 82, 290.	3.9	18
6	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	13
7	Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV collected with a dedicated high-rate data stream. <i>Journal of High Energy Physics</i> , 2022, 2022, .	4.7	5
8	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	12
9	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	2
10	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	6
11	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	5
12	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	5
13	Measurement of the inclusive $t\bar{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	2
14	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, .	4.7	2
15	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, .	4.7	4
16	Observation of $B \rightarrow D^* \pi^- \rightarrow (D^* \rightarrow K^* \pi^+) \pi^-$ and $B \rightarrow D^* \pi^- \rightarrow (D^* \rightarrow K^* \pi^+) \pi^-$ decays. <i>European Physical Journal C</i> , 2022, 82, .	3.9	1
17	Search for dark matter produced in association with a leptonically decaying Z boson in proton+proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2021, 81, 13.	3.9	33
18	Search for top squark pair production using dilepton final states in $\sqrt{s}=13$ TeV collision data collected at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2021, 81, 3.	3.9	33

#	ARTICLE	IF	CITATIONS
19	Measurements of $\mathrm{pp} \rightarrow \mathrm{Z}\mathrm{Z}$ production cross sections and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 200.	3.9	24
20	Development and validation of HERWIG ⁷ tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	3.9	12
21	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 378.	3.9	40
22	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 488.	3.9	35
23	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\sqrt{s} = 13\text{TeV}$. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
24	MUSiC: a model-unspecific search for new physics in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 629.	3.9	18
25	Search for a heavy vector resonance decaying to a $Z\chi_1^0$ boson and a Higgs boson in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 688.	3.9	9
26	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 723.	3.9	19
27	Measurements of angular distance and momentum ratio distributions in three-jet and two-jet final states in pp collisions. European Physical Journal C, 2021, 81, 852.	3.9	2
28	Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	3.9	123
29	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 970.	3.9	18
30	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	2.9	21
31	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. Journal of Instrumentation, 2020, 15, P02027-P02027.	1.2	27
32	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. European Physical Journal C, 2020, 80, 752.	3.9	23
33	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. Journal of Instrumentation, 2020, 15, P10017-P10017.	1.2	84
34	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	4.7	21
35	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
36	Search for direct pair production of supersymmetric partners to the $\mathrm{up}\tau\mathrm{down}$ lepton in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. European Physical Journal C, 2020, 80, 189.	3.9	22

#	ARTICLE	IF	CITATIONS
37	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in PbPb collisions at $\sqrt{s} = 2.76 \text{ TeV}$ and 5.02 TeV . European Physical Journal C, 2020, 80, 534.	3.9	14
38	Evidence for W production from double-parton interactions in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2020, 80, 1.	3.9	10
39	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. European Physical Journal C, 2020, 80, 75.	3.9	78
40	Searches for physics beyond the standard model with the M_{T2} variable in hadronic final states with and without disappearing tracks in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. European Physical Journal C, 2020, 80, 3.	3.9	70
41	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	3.9	198
42	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
43	A multi-dimensional search for new heavy resonances decaying to boosted W bosons, or Z boson pairs in the dijet final state at 13 TeV . European Physical Journal C, 2020, 80, 237.	3.9	31
44	Measurement of single-diffractive dijet production in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	3.9	5
45	Measurement of $t\bar{t}$ normalised multi-differential cross sections in $p\bar{p}$ collisions at $\sqrt{s}=13 \text{ TeV}$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C, 2020, 80, 1.	3.9	33
46	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	17
47	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in $p\bar{p}$ collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	9
48	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\sqrt{s}=13 \text{ TeV}$. European Physical Journal C, 2019, 79, 564.	3.9	50
49	Measurement of the top quark mass in the all-jets final state at $\sqrt{s}=13 \text{ TeV}$ and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	3.9	40
50	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $p\bar{p}$ collisions at $\sqrt{s}=13 \text{ TeV}$. European Physical Journal C, 2019, 79, 773.	3.9	8
51	Search for the pair production of light top squarks in the $e^{\pm}\mu^{\mp}$ final state in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
52	Combined measurements of Higgs boson couplings in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. European Physical Journal C, 2019, 79, 421.	3.9	355
53	Measurements of the $p\bar{p}$ WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
54	Measurement of the $t\bar{t}$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in $p\bar{p}$ collisions at $\sqrt{s}=13 \text{ TeV}$. European Physical Journal C, 2019, 79, 368.	3.9	68

#	ARTICLE	IF	CITATIONS
55	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in protonâ“proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 280.	3.9	29
56	Search for vector-like quarks in events with two oppositely charged leptons and jets in protonâ“proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 364.	3.9	48
57	Study of the underlying event in top quark pair production in $p\bar{p}$ collisions at 13 TeV . European Physical Journal C, 2019, 79, 123.	3.9	11
58	Search for $t\bar{t}$ production in the $H\rightarrow b\bar{b}$ decay channel with leptonic $t\bar{t}$ decays in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
59	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV . Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
60	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
61	Measurements of differential Z boson production cross sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
62	Study of dijet events with a large rapidity gap between the two leading jets in $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2018, 78, 242.	3.9	10
63	Pseudorapidity distributions of charged hadrons in proton-lead collisions at $s_{NN} = 5.02 \text{ TeV}$ and 8.16 TeV . Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
64	Search for resonant and nonresonant Higgs boson pair production in the $b\bar{b}\rightarrow Z^+Z^-$ final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	36
65	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in protonâ“proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 291.	3.9	27
66	Measurements of the $Z \rightarrow l^+l^-$ production cross section and the $Z \rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 165.	3.9	52
67	Measurement of associated Z + charm production in protonâ“proton collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2018, 78, 287.	3.9	16
68	Measurement of the inclusive $t\bar{t}$ cross section in $p\bar{p}$ collisions at $\sqrt{s} = 5.02 \text{ TeV}$ using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
69	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in $p\bar{p}$ collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
70	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	6
71	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
72	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63

#	ARTICLE	IF	CITATIONS
73	Measurement of differential cross sections in the kinematic angular variable \tilde{t}^* for inclusive Z boson production in pp collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	4
74	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	12
75	Measurement of normalized differential $\overline{t}\overline{t}$ cross sections in the dilepton channel from pp collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	18
76	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
77	Search for ZZ resonances in the $2\tilde{l}^{1/2}$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	4
78	Search for $t\bar{t}H$ production in the all-jet final state in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	20
79	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	11
80	Search for natural and split supersymmetry in proton-proton collisions at $\sqrt{s}=13$ TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	43
81	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	12
82	Measurement of the top quark mass with lepton+jets final states using p_T collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 891.	3.9	34
83	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	57
84	Search for $Z\tilde{l}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
85	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	14
86	Measurement of differential cross sections for Z boson production in association with jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 965.	3.9	39
87	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\tilde{q}$ final states at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	8
88	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 697.	3.9	17
89	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\tilde{l}^{1/4}$ final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	9
90	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	25

#	ARTICLE	IF	CITATIONS
91	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
92	Search for dark matter produced in association with a Higgs boson decaying to $\tilde{l}^3\tilde{l}^3$ or $\tilde{l}_+ \tilde{l}_- \tilde{\chi}$ at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
93	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
94	Search for a heavy resonance decaying into a Z boson and a vector boson in the $u\bar{u}$ final state. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
95	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying \tilde{l}_+ , leptons at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
96	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
97	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
98	Measurement of the inelastic proton-proton cross section at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
99	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	86
100	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
101	Jet properties in PbPb and pp collisions at $\sqrt{s_{NN}}=5.02$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
102	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 140.	3.9	44
103	Measurements of the (p_T) production cross section and the ($Z \rightarrow 4\ell$) branching fraction, and constraints on anomalous triple gauge couplings at $(\sqrt{s} = 13)$. European Physical Journal C, 2018, 78, 1.	3	
104	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $s = 8$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	54
105	Charged-particle nuclear modification factors in PbPb and pPb collisions at $s_{NN} = 5.02$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	103
106	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
107	Searches for pair production of third-generation squarks in $\sqrt{s}=13$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	3.9	32
108	Searches for invisible decays of the Higgs boson in pp collisions at $s = 7, 8,$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	95

#	ARTICLE	IF	CITATIONS
109	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	22
110	Search for top squark pair production in pp collisions at $s = 13 \text{ TeV}$ using single lepton events. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
111	Measurement of the $t\bar{t}\bar{\chi}^0$ production cross section using events with one lepton and at least one jet in pp collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	15
112	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 578.	3.9	57
113	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	29
114	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	62
115	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 636.	3.9	38
116	Measurement of the triple-differential dijet cross section in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017, 77, 746.	3.9	23
117	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	10
118	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	101
119	Measurements of the associated production of a Z boson and b jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 751.	3.9	30
120	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	23
121	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 451.	3.9	55
122	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	7
123	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
124	Search for new physics in same-sign dilepton events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 439.	3.9	64
125	Measurement of dijet azimuthal decorrelation in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 536.	3.9	16
126	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV . <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	19

#	ARTICLE	IF	CITATIONS
127	Measurement of the $t\bar{t}$ channel production cross section in the $e^{\pm}\gamma$ channel in proton-proton collisions at $s = 7$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
128	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	3.9	499
129	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into \tilde{l}_α leptons in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
130	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 13.	3.9	62
131	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	37
132	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	4.7	92
133	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV. European Physical Journal C, 2015, 75, 212.	3.9	541
134	Measurements of the $Z\bar{Z}$ production cross sections in the $2\mu \pm 2\gamma$ channel in proton-proton collisions at $\sqrt{s} = 7$ and 8 TeV. European Physical Journal C, 2015, 75, 511.	3.9	32
135	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 235.	3.9	320
136	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at $\sqrt{s} = 8$ TeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	3.9	49
137	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. European Physical Journal C, 2014, 74, 3036.	3.9	241
138	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	3.9	342
139	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	4.7	51
140	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	17
141	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	43
142	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. Journal of High Energy Physics, 2014, 2014, 1.	4.7	169
143	Measurement of associated W + charm production in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	55
144	Probing color coherence effects in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2014, 74, 2901.	3.9	17

#	ARTICLE	IF	CITATIONS
145	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.	6	
146	Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	320
147	Study of the underlying event at forward rapidity in pp collisions at $\sqrt{s}=0.9, 2.76, \text{and } 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1. Measurement of the combined rapidity and $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ altimg="si1.gif" overflow="scroll" $\langle \text{mml:msub} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle$ $\langle / \text{mml:mrow} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle T \langle / \text{mml:mi} \rangle$ $\langle / \text{mml:mrow} \rangle$ $\langle / \text{mml:math} \rangle$	4.7	50
148	dependence of dijet azimuthal decorrelations in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ altimg="si2.gif" overflow="scroll" $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle$ $\langle \text{mml:mover}$ accent="true" $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle$ $\langle \text{mml:mo} \rangle \hat{\wedge} \langle / \text{mml:math} \rangle$	4.1	11
149			

#	ARTICLE	IF	CITATIONS
163	Measurement of the ratio of differential cross sections $\frac{f(pp\bar{A} \rightarrow Z + b\text{-jet})}{f(pp\bar{A} \rightarrow Z + \text{jet})}$ in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$. Physical Review D, 2013, 87, . Search for $Z \rightarrow H$ in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$. Physical Review D, 2013, 87, .	4.7	14
164	Search for the standard model Higgs boson in $Z \rightarrow l^+l^-$ final states in 9.7 fb^{-1} of $p\bar{p}$ collisions with the D0 detector. Physical Review D, 2013, 88, .	4.7	6
165	Combined search for the Higgs boson with the D0 experiment. Physical Review D, 2013, 88, .	4.7	9
166	Measurement of the Semileptonic Charge Asymmetry using $B_s \rightarrow D_s^+ \chi_1^0$ Decays. Physical Review Letters, 2013, 110, 011801.	7.8	38
167	Search for charged massive long-lived particles at $s=1.96\text{ TeV}$. Physical Review D, 2013, 87, .	4.7	7
168	Observation of a narrow mass state decaying into $\psi(1S) \rightarrow l^+l^-$ in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$. Physical Review D, 2012, 86, .	4.7	38
169	Search for $Z \rightarrow l^+l^-$ events with large missing transverse energy in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$. Physical Review D, 2012, 86, .	4.7	7
170	Search for the Standard Model Higgs Boson in Associated WH Production in 9.7 fb^{-1} of $p\bar{p}$ Collisions with the D0 Detector. Physical Review Letters, 2012, 109, 121804.	7.8	14
171	Search for the Standard Model Higgs Boson in $ZH \rightarrow b\bar{b}$ Production with the D0 Detector in 9.7 fb^{-1} of $p\bar{p}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2012, 109, 121803.	7.8	16
172	Measurement of the semileptonic charge asymmetry in B_s meson mixing with the D0 detector. Physical Review D, 2012, 86, .	4.7	41
173	Study of the decay $B_s \rightarrow J/\psi f_2(1525)$ in $\ell^+\ell^-$ final states. Physical Review D, 2012, 86, . Search for Higgs boson production in oppositely charged dilepton and missing energy events in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$. Physical Review D, 2012, 86, .	4.7	10
174	Combined Search for the Standard Model Higgs Boson Decaying to $b\bar{b}$ Using the D0 Run II Data Set. Physical Review Letters, 2012, 109, 121802.	7.8	32
175	Measurement of the $b\bar{b}$ lifetime in the exclusive decay $b\bar{b} \rightarrow J/\psi \ell^+\ell^-$ in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$. Physical Review D, 2012, 85, .	4.7	19
176	Measurement of the $Z \rightarrow l^+l^-$ cross section in $p\bar{p}$ collisions at $\sqrt{s}=7\text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
177	Shape, transverse size, and charged-hadron multiplicity of jets in $p\bar{p}$ collisions at $\sqrt{s}=7\text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	31
178	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34

#	ARTICLE	IF	CITATIONS
181	Article of searches for anomalous top quark couplings with $\langle \text{mml:math altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mm="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:cc="http://www.elsevier.com/xml/common/citation/dtd" />$	4.1	23
182	Search for the standard model Higgs boson in tau lepton final states. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 237-245.	4.1	9
183	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, Search for the standard model Higgs boson in the $\langle \text{mml:math altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mm="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:cc="http://www.elsevier.com/xml/common/citation/dtd" />$	3.9	26
184	$\langle \text{mml:math altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mm="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:cc="http://www.elsevier.com/xml/common/citation/dtd" />$	4.1	21
185	$\langle \text{mml:math altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mm="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:cc="http://www.elsevier.com/xml/common/citation/dtd" />$	4.1	38
186	$\langle \text{mml:math altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mm="http://www.w3.org/1998/Math/MathML" altimg="si2.gif" />$	4.1	33
187	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	16
188	Measurement of the underlying event activity at the LHC with $\sqrt{s} = 7 \text{ TeV}$ and comparison with $\sqrt{s} = 0.9 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	97
189	Measurement of the inclusive W and Z production cross sections in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the CMS experiment. Journal of High Energy Physics, 2011, 2011, 1.	4.7	158
190	Measurement of energy flow at large pseudorapidities in pp collisions at $\sqrt{s} = 0.9 \text{ TeV}$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	25
191	Measurement of energy flow at large pseudorapidities in pp collisions at $(\sqrt{s} = 0.9 \text{ TeV})$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	5	