

# Won Bae Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9357040/publications.pdf>

Version: 2024-02-01

256  
papers

8,694  
citations

36303

51  
h-index

62596

80  
g-index

261  
all docs

261  
docs citations

261  
times ranked

6784  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ultrasonography-guided fine-needle aspiration of thyroid incidentaloma: correlation with pathological findings. <i>Clinical Endocrinology</i> , 2004, 60, 21-28.	2.4	425
2	The BRAF mutation is useful for prediction of clinical recurrence in low-risk patients with conventional papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2006, 65, 364-368.	2.4	225
3	Serum Thyroglobulin Levels at the Time of <sup>131</sup> I Remnant Ablation Just after Thyroidectomy Are Useful for Early Prediction of Clinical Recurrence in Low-Risk Patients with Differentiated Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 1440-1445.	3.6	218
4	<sup>18</sup> F-Fluorodeoxyglucose Uptake in Thyroid from Positron Emission Tomogram (PET) for Evaluation in Cancer Patients: High Prevalence of Malignancy in Thyroid PET Incidentaloma. <i>Laryngoscope</i> , 2005, 115, 1074-1078.	2.0	216
5	The BRAF <sup>V600E</sup> mutation is not associated with poor prognostic factors in Korean patients with conventional papillary thyroid microcarcinoma. <i>Clinical Endocrinology</i> , 2005, 63, 588-593.	2.4	209
6	Metastasis to the thyroid diagnosed by fine-needle aspiration biopsy. <i>Clinical Endocrinology</i> , 2005, 62, 236-241.	2.4	184
7	Change of Serum Antithyroglobulin Antibody Levels Is Useful for Prediction of Clinical Recurrence in Thyroglobulin-Negative Patients with Differentiated Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 4683-4689.	3.6	179
8	Active Surveillance for Patients With Papillary Thyroid Microcarcinoma: A Single Center's Experience in Korea. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1917-1925.	3.6	164
9	Coexistence of chronic lymphocytic thyroiditis is associated with lower recurrence rates in patients with papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2009, 71, 581-586.	2.4	151
10	Active Surveillance of Low-Risk Papillary Thyroid Microcarcinoma: A Multi-Center Cohort Study in Korea. <i>Thyroid</i> , 2018, 28, 1587-1594.	4.5	141
11	Complications encountered in ultrasonography-guided radiofrequency ablation of benign thyroid nodules and recurrent thyroid cancers. <i>European Radiology</i> , 2017, 27, 3128-3137.	4.5	121
12	Radiofrequency Ablation for Autonomously Functioning Thyroid Nodules: A Multicenter Study. <i>Thyroid</i> , 2015, 25, 112-117.	4.5	120
13	The Outcomes of First Reoperation for Locoregionally Recurrent/Persistent Papillary Thyroid Carcinoma in Patients Who Initially Underwent Total Thyroidectomy and Remnant Ablation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 2049-2056.	3.6	105
14	Efficacy and safety of radiofrequency ablation for treating locoregional recurrence from papillary thyroid cancer. <i>European Radiology</i> , 2015, 25, 163-170.	4.5	101
15	Cystic versus predominantly cystic thyroid nodules: efficacy of ethanol ablation and analysis of related factors. <i>European Radiology</i> , 2012, 22, 1573-1578.	4.5	100
16	Obesity is a risk factor for thyroid cancer in a large, ultrasonographically screened population. <i>European Journal of Endocrinology</i> , 2013, 168, 879-886.	3.7	98
17	<sup>18</sup> F-Fluorodeoxyglucose Positron Emission Tomography Does Not Predict Malignancy in Thyroid Nodules Cytologically Diagnosed as Follicular Neoplasm. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1630-1634.	3.6	94
18	Prognostic factors for Korean patients with anaplastic thyroid carcinoma. <i>Head and Neck</i> , 2007, 29, 765-772.	2.0	93

#	ARTICLE	IF	CITATIONS
19	Prognostic parameters for recurrence of papillary thyroid microcarcinoma. <i>BMC Cancer</i> , 2008, 8, 296.	2.6	93
20	Completion thyroidectomy in patients with thyroid cancer who initially underwent unilateral operation. <i>Clinical Endocrinology</i> , 2004, 61, 145-148.	2.4	92
21	Features Predictive of Distant Metastasis in Papillary Thyroid Microcarcinomas. <i>Thyroid</i> , 2016, 26, 161-168.	4.5	91
22	Ultrasonographic screening for detection of thyroid cancer in patients with Graves' disease. <i>Clinical Endocrinology</i> , 2004, 60, 719-725.	2.4	89
23	Clinicopathological Significance of Minimal Extrathyroid Extension in Solitary Papillary Thyroid Carcinomas. <i>Annals of Surgical Oncology</i> , 2015, 22, 728-733.	1.5	89
24	Relationship between serum free T4 (FT4) levels and metabolic syndrome (MS) and its components in healthy euthyroid subjects. <i>Clinical Endocrinology</i> , 2009, 70, 152-160.	2.4	86
25	Clinical Features and Prognostic Factors for Survival in Patients with Poorly Differentiated Thyroid Carcinoma and Comparison to the Patients with the Aggressive Variants of Papillary Thyroid Carcinoma. <i>Endocrine Journal</i> , 2007, 54, 265-274.	1.6	84
26	Thyroid Stimulating Hormone Reference Range and Prevalence of Thyroid Dysfunction in the Korean Population: Korea National Health and Nutrition Examination Survey 2013 to 2015. <i>Endocrinology and Metabolism</i> , 2017, 32, 106.	3.0	84
27	Comparison of the Seventh and Eighth Editions of the American Joint Committee on Cancer/Union for International Cancer Control Tumor-Node-Metastasis Staging System for Differentiated Thyroid Cancer. <i>Thyroid</i> , 2017, 27, 1149-1155.	4.5	83
28	Development of thyroid dysfunction is associated with clinical response to PD-1 blockade treatment in patients with advanced non-small cell lung cancer. <i>Oncolmmunology</i> , 2018, 7, e1375642.	4.6	83
29	A comparison of lobectomy and total thyroidectomy in patients with papillary thyroid microcarcinoma: a retrospective individual risk factor-matched cohort study. <i>European Journal of Endocrinology</i> , 2017, 176, 371-378.	3.7	81
30	2016 Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>International Journal of Thyroidology</i> , 2016, 9, 59.	0.1	80
31	Quality of Life in Patients with Papillary Thyroid Microcarcinoma Managed by Active Surveillance or Lobectomy: A Cross-Sectional Study. <i>Thyroid</i> , 2019, 29, 956-962.	4.5	80
32	The prognostic value of the metastatic lymph node ratio and maximal metastatic tumor size in pathological N1a papillary thyroid carcinoma. <i>European Journal of Endocrinology</i> , 2013, 168, 219-225.	3.7	76
33	High Basal Levels of Functional Toll-Like Receptor 3 (TLR3) and Noncanonical Wnt5a Are Expressed in Papillary Thyroid Cancer and Are Coordinately Decreased by Phenylmethimazole Together with Cell Proliferation and Migration. <i>Endocrinology</i> , 2007, 148, 4226-4237.	2.8	74
34	Dynamic Risk Stratification for Predicting Recurrence in Patients with Differentiated Thyroid Cancer Treated Without Radioactive Iodine Remnant Ablation Therapy. <i>Thyroid</i> , 2017, 27, 524-530.	4.5	74
35	Young Age and Male Sex Are Predictors of Large-Volume Central Neck Lymph Node Metastasis in Clinical NO Papillary Thyroid Microcarcinomas. <i>Thyroid</i> , 2017, 27, 1285-1290.	4.5	73
36	Low Levels of Serum Vitamin D3 Are Associated with Autoimmune Thyroid Disease in Pre-Menopausal Women. <i>Thyroid</i> , 2014, 24, 655-661.	4.5	71

#	ARTICLE	IF	CITATIONS
37	Thyroid nodules with initially non-diagnostic, fine-needle aspiration results: comparison of core-needle biopsy and repeated fine-needle aspiration. <i>European Radiology</i> , 2014, 24, 2819-2826.	4.5	70
38	Modified dynamic risk stratification for predicting recurrence using the response to initial therapy in patients with differentiated thyroid carcinoma. <i>European Journal of Endocrinology</i> , 2014, 170, 23-30.	3.7	69
39	Clinical Characteristics of Primary Thyroid Lymphoma in Koreans. <i>Endocrine Journal</i> , 2009, 56, 399-405.	1.6	68
40	Current Status and Future Perspectives in Differentiated Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2014, 29, 217.	3.0	68
41	<i>NRAS</i> Codon 61 Mutation Is Associated with Distant Metastasis in Patients with Follicular Thyroid Carcinoma. <i>Thyroid</i> , 2014, 24, 1275-1281.	4.5	67
42	Genomic Alterations of Anaplastic Thyroid Carcinoma Detected by Targeted Massive Parallel Sequencing in a <i>BRAF</i> <sup>V600E</sup> Mutation-Prevalent Area. <i>Thyroid</i> , 2016, 26, 683-690.	4.5	66
43	Serum Antithyroglobulin Antibodies Interfere with Thyroglobulin Detection in Fine-Needle Aspirates of Metastatic Neck Nodes in Papillary Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 153-160.	3.6	65
44	Effects of therapeutic doses of <sup>131</sup> I in thyroid papillary carcinoma patients with elevated thyroglobulin level and negative <sup>131</sup> I whole-body scan: comparative study. <i>Clinical Endocrinology</i> , 2003, 58, 421-427.	2.4	63
45	Changes in Serum Thyroglobulin Levels After Lobectomy in Patients with Low-Risk Papillary Thyroid Cancer. <i>Thyroid</i> , 2018, 28, 997-1003.	4.5	63
46	Concurrent occurrence of medullary thyroid carcinoma and papillary thyroid carcinoma in the same thyroid should be considered as coincidental. <i>Clinical Endocrinology</i> , 2010, 72, 256-263.	2.4	59
47	Long-Term Clinical Outcome of Differentiated Thyroid Cancer Patients with Undetectable Stimulated Thyroglobulin Level One Year After Initial Treatment. <i>Thyroid</i> , 2012, 22, 784-790.	4.5	58
48	Effects of Low-Dose and High-Dose Postoperative Radioiodine Therapy on the Clinical Outcome in Patients with Small Differentiated Thyroid Cancer Having Microscopic Extrathyroidal Extension. <i>Thyroid</i> , 2014, 24, 820-825.	4.5	56
49	Systemic Inflammatory Syndrome and Hepatic Inflammatory Cell Infiltration Caused by an Interleukin-6 Producing Pheochromocytoma. <i>Endocrine Journal</i> , 2005, 52, 193-198.	1.6	55
50	Papillary thyroid carcinoma arising from a thyroglossal duct cyst: a single institution experience. <i>Endocrine Journal</i> , 2013, 60, 665-670.	1.6	54
51	Diagnosis of Thyroid Follicular Neoplasm: Fine-Needle Aspiration Versus Core-Needle Biopsy. <i>Thyroid</i> , 2014, 24, 1612-1617.	4.5	54
52	Core needle biopsy can minimise the non-diagnostic results and need for diagnostic surgery in patients with calcified thyroid nodules. <i>European Radiology</i> , 2014, 24, 1403-1409.	4.5	54
53	Features of papillary thyroid microcarcinoma associated with lateral cervical lymph node metastasis. <i>Clinical Endocrinology</i> , 2017, 86, 845-851.	2.4	53
54	Familial history of non-medullary thyroid cancer is an independent prognostic factor for tumor recurrence in younger patients with conventional papillary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , 2014, 109, 168-173.	1.7	49

#	ARTICLE	IF	CITATIONS
55	Core needle biopsy could reduce diagnostic surgery in patients with anaplastic thyroid cancer or thyroid lymphoma. <i>European Radiology</i> , 2016, 26, 1031-1036.	4.5	49
56	Empiric High-Dose 131-Iodine Therapy Lacks Efficacy for Treated Papillary Thyroid Cancer Patients with Detectable Serum Thyroglobulin, but Negative Cervical Sonography and 18F-Fluorodeoxyglucose Positron Emission Tomography Scan. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1169-1173.	3.6	48
57	Excessive Iodine Intake and Thyrotropin Reference Interval: Data from the Korean National Health and Nutrition Examination Survey. <i>Thyroid</i> , 2017, 27, 967-972.	4.5	48
58	Postoperative Findings and Risk for Malignancy in Thyroid Nodules with Cytological Diagnosis of the so-called. <i>Korean Journal of Internal Medicine</i> , 2003, 18, 94-97.	1.7	48
59	Technical and Oncologic Safety of Robotic Thyroid Surgery. <i>Annals of Surgical Oncology</i> , 2013, 20, 1927-1933.	1.5	46
60	Thyrotropin Suppressive Therapy for Low-Risk Small Thyroid Cancer: A Propensity Score-Matched Cohort Study. <i>Thyroid</i> , 2017, 27, 1164-1170.	4.5	46
61	Changes in Epitopes for Thyroid-Stimulating Antibodies in Graves' Disease Sera During Treatment of Hyperthyroidism: Therapeutic Implications. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 1953-1959.	3.6	45
62	Redifferentiation Therapy with 13-cis Retinoic Acids in Radioiodine-Resistant Thyroid Cancer. <i>Endocrine Journal</i> , 2009, 56, 105-112.	1.6	45
63	Recent Changes in the Clinical Outcome of Papillary Thyroid Carcinoma With Cervical Lymph Node Metastasis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3470-3477.	3.6	45
64	Lobectomy Is Feasible for 1-4cm Papillary Thyroid Carcinomas: A 10-Year Propensity Score Matched-Pair Analysis on Recurrence. <i>Thyroid</i> , 2019, 29, 64-70.	4.5	45
65	A Case of ACTH-Producing Pheochromocytoma Associated with Pregnancy. <i>Endocrine Journal</i> , 2003, 50, 739-744.	1.6	44
66	Do aggressive variants of papillary thyroid carcinoma have worse clinical outcome than classic papillary thyroid carcinoma?. <i>European Journal of Endocrinology</i> , 2018, 179, 135-142.	3.7	44
67	Tumor Volume Doubling Time in Active Surveillance of Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2019, 29, 642-649.	4.5	44
68	Optimal cut-off age in the TNM Staging system of differentiated thyroid cancer: is 55 years better than 45 years?. <i>Clinical Endocrinology</i> , 2017, 86, 438-443.	2.4	43
69	Tertiary Care Experience of Sorafenib in the Treatment of Progressive Radioiodine-Refractory Differentiated Thyroid Carcinoma: A Korean Multicenter Study. <i>Thyroid</i> , 2018, 28, 340-348.	4.5	42
70	<i>BRAF</i> and <i>RAS</i> Mutational Status in Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features and Invasive Subtype of Encapsulated Follicular Variant of Papillary Thyroid Carcinoma in Korea. <i>Thyroid</i> , 2018, 28, 504-510.	4.5	40
71	Influence of coexistent Hashimoto's thyroiditis on the extent of cervical lymph node dissection and prognosis in papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2018, 88, 123-128.	2.4	40
72	Thyroglobulin regulates follicular function and heterogeneity by suppressing thyroid-specific gene expression. <i>Biochimie</i> , 1999, 81, 329-340.	2.6	39

#	ARTICLE	IF	CITATIONS
73	Lymphovascular Invasion is Associated With Lateral Cervical Lymph Node Metastasis in Papillary Thyroid Carcinoma. <i>Laryngoscope</i> , 2006, 116, 2081-2085.	2.0	39
74	Thyroglobulin Level in Fine-Needle Aspirates for Preoperative Diagnosis of Cervical Lymph Node Metastasis in Patients with Papillary Thyroid Carcinoma: Two Different Cutoff Values According to Serum Thyroglobulin Level. <i>Thyroid</i> , 2015, 25, 410-416.	4.5	39
75	Practical Initial Risk Stratification Based on Lymph Node Metastases in Pediatric and Adolescent Differentiated Thyroid Cancer. <i>Thyroid</i> , 2018, 28, 193-200.	4.5	38
76	A Relook at the T Stage of Differentiated Thyroid Carcinoma with a Focus on Gross Extrathyroidal Extension. <i>Thyroid</i> , 2019, 29, 202-208.	4.5	37
77	Standardized Thyroid Cancer Mortality in Korea between 1985 and 2010. <i>Endocrinology and Metabolism</i> , 2014, 29, 530.	3.0	36
78	Epitope Heterogeneity of Thyroid-Stimulating Antibodies Predicts Long-Term Outcome in Graves' Disease Patients Treated with Antithyroid Drugs. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 117-124.	3.6	35
79	Well-Differentiated Epithelial Thyroid Cancer Management in the Asia Pacific Region: A Report and Clinical Practice Guideline. <i>Thyroid</i> , 2006, 16, 461-469.	4.5	35
80	Ultrasound Elastography for Thyroid Nodules: A Reliable Study?. <i>Ultrasound in Medicine and Biology</i> , 2012, 38, 1508-1513.	1.5	35
81	Active Surveillance of Papillary Thyroid Microcarcinoma: Where Do We Stand?. <i>European Thyroid Journal</i> , 2019, 8, 298-306.	2.4	35
82	The Prevalence and Clinical Significance of Blocking Thyrotropin Receptor Antibodies in Untreated Hyperthyroid Graves' Disease. <i>Thyroid</i> , 2000, 10, 579-586.	4.5	34
83	A Closer Look at Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2015, 30, 1.	3.0	34
84	Alpha lipoic acid inhibits proliferation and epithelial mesenchymal transition of thyroid cancer cells. <i>Molecular and Cellular Endocrinology</i> , 2016, 419, 113-123.	3.2	34
85	Effects of different doses of radioactive iodine for remnant ablation on successful ablation and on long-term recurrences in patients with differentiated thyroid carcinoma. <i>Nuclear Medicine Communications</i> , 2011, 32, 954-959.	1.1	33
86	Adjuvant Radioactive Therapy after Reoperation for Locoregionally Recurrent Papillary Thyroid Cancer in Patients Who Initially Underwent Total Thyroidectomy and High-Dose Remnant Ablation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 3695-3700.	3.6	33
87	Low Lymphocyte-to-Monocyte Ratios Are Associated with Poor Overall Survival in Anaplastic Thyroid Carcinoma Patients. <i>Thyroid</i> , 2019, 29, 824-829.	4.5	33
88	Disease-Specific Mortality of Differentiated Thyroid Cancer Patients in Korea: A Multicenter Cohort Study. <i>Endocrinology and Metabolism</i> , 2017, 32, 434.	3.0	31
89	Time trend in tumour size and characteristics of anaplastic thyroid carcinoma. <i>Clinical Endocrinology</i> , 2012, 77, 459-464.	2.4	30
90	Clinical course and prognostic factors in patients with malignant pheochromocytoma and paraganglioma: A single institution experience. <i>Journal of Surgical Oncology</i> , 2015, 112, 815-821.	1.7	29

#	ARTICLE	IF	CITATIONS
91	Serial Neck Ultrasonographic Evaluation of Changes in Papillary Thyroid Carcinoma During Pregnancy. <i>Thyroid</i> , 2017, 27, 773-777.	4.5	29
92	Preoperative Clinical and Sonographic Predictors for Lateral Cervical Lymph Node Metastases in Sporadic Medullary Thyroid Carcinoma. <i>Thyroid</i> , 2018, 28, 362-368.	4.5	29
93	Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>Journal of Korean Endocrine Society</i> , 2007, 22, 157.	0.1	29
94	Follicular and Hurthle cell carcinoma of the thyroid in iodine-sufficient area: retrospective analysis of Korean multicenter data. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 325.	1.7	29
95	Prognostic Implication of N1b Classification in the Eighth Edition of the Tumor-Node-Metastasis Staging System of Differentiated Thyroid Cancer. <i>Thyroid</i> , 2018, 28, 496-503.	4.5	28
96	Lenvatinib for Radioactive Iodine-Refractory Differentiated Thyroid Carcinoma and Candidate Biomarkers Associated with Survival: A Multicenter Study in Korea. <i>Thyroid</i> , 2020, 30, 732-738.	4.5	28
97	Association between thyroid autoimmunity and <i>Helicobacter pylori</i> infection. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 309-313.	1.7	28
98	Diminished Quality of Life and Increased Brain Functional Connectivity in Patients with Hypothyroidism After Total Thyroidectomy. <i>Thyroid</i> , 2016, 26, 641-649.	4.5	27
99	Serum thyroid-stimulating hormone levels and smoking status: Data from the Korean National Health and Nutrition Examination Survey. <i>Clinical Endocrinology</i> , 2018, 88, 969-976.	2.4	26
100	Excess iodide decreases transcription of NIS and VEGF genes in rat FRTL-5 thyroid cells. <i>Biochemical and Biophysical Research Communications</i> , 2010, 393, 286-290.	2.1	25
101	Metformin Is Associated with a Favorable Outcome in Diabetic Patients with Cervical Lymph Node Metastasis of Differentiated Thyroid Cancer. <i>European Thyroid Journal</i> , 2015, 4, 181-188.	2.4	25
102	The influence of the BRAF V600E mutation in thyroid cancer cell lines on the anticancer effects of 5-aminoimidazole-4-carboxamide-ribonucleoside. <i>Journal of Endocrinology</i> , 2011, 211, 79-85.	2.6	24
103	Usefulness of Measuring Thyroid Stimulating Antibody at the Time of Antithyroid Drug Withdrawal for Predicting Relapse of Graves Disease. <i>Endocrinology and Metabolism</i> , 2016, 31, 300.	3.0	24
104	High prevalence and little change in TSH receptor blocking antibody titres with thyroxine and antithyroid drug therapy in patients with non-toxic goitrous autoimmune thyroiditis. <i>Clinical Endocrinology</i> , 1995, 43, 465-471.	2.4	23
105	Long-Term Consequence of Elevated Thyroglobulin in Differentiated Thyroid Cancer. <i>Thyroid</i> , 2013, 23, 58-63.	4.5	23
106	Association Between Expression of X-Linked Inhibitor of Apoptosis Protein and the Clinical Outcome in a BRAF <sup>V600E</sup> -Prevalent Papillary Thyroid Cancer Population. <i>Thyroid</i> , 2014, 24, 689-694.	4.5	23
107	The Korean guideline for thyroid cancer screening. <i>Journal of the Korean Medical Association</i> , 2015, 58, 302.	0.3	23
108	Dynamic risk stratification for medullary thyroid cancer according to the response to initial therapy. <i>Endocrine</i> , 2016, 53, 174-181.	2.3	23

#	ARTICLE	IF	CITATIONS
109	Changes in standardized mortality rates from thyroid cancer in Korea between 1985 and 2015: Analysis of Korean national data. <i>Cancer</i> , 2017, 123, 4808-4814.	4.1	23
110	Impact of Reclassification on Thyroid Nodules with Architectural Atypia: From Non-Invasive Encapsulated Follicular Variant Papillary Thyroid Carcinomas to Non-Invasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features. <i>PLoS ONE</i> , 2016, 11, e0167756.	2.5	22
111	Genetic profile of advanced thyroid cancers in relation to distant metastasis. <i>Endocrine-Related Cancer</i> , 2020, 27, 285-293.	3.1	22
112	Reference interval for thyrotropin in a ultrasonography screened Korean population. <i>Korean Journal of Internal Medicine</i> , 2015, 30, 335.	1.7	22
113	Overexpression of Wnt-1 in thyrocytes enhances cellular growth but suppresses transcription of the thyroperoxidase gene via different signaling mechanisms. <i>Journal of Endocrinology</i> , 2007, 193, 93-106.	2.6	20
114	Vitamin D deficiency affects thyroid autoimmunity and dysfunction in iodine-replete area: Korea national health and nutrition examination survey. <i>Endocrine</i> , 2017, 58, 332-339.	2.3	20
115	Comparison of Immunohistochemistry and Direct Sanger Sequencing for Detection of the <i>BRAF</i> <sup>V600E</sup> Mutation in Thyroid Neoplasm. <i>Endocrinology and Metabolism</i> , 2018, 33, 62.	3.0	20
116	Association Between Thyroid Dysfunction and Lipid Profiles Differs According to Age and Sex: Results from the Korean National Health and Nutrition Examination Survey. <i>Thyroid</i> , 2018, 28, 849-856.	4.5	20
117	A cutoff value of basal serum calcitonin for detecting macroscopic medullary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2015, 82, 598-603.	2.4	19
118	Changing trends in the clinicopathological features and clinical outcomes of medullary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , 2016, 113, 152-158.	1.7	19
119	Serum vitamin D3 levels are not associated with thyroid cancer prevalence in euthyroid subjects without autoimmune thyroid disease. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 102-108.	1.7	19
120	Characteristic Ultrasound Feature of Traumatic Neuromas After Neck Dissection: Direct Continuity with the Cervical Plexus. <i>Thyroid</i> , 2012, 22, 820-826.	4.5	18
121	The role of Slit2 as a tumor suppressor in thyroid cancer. <i>Molecular and Cellular Endocrinology</i> , 2019, 483, 87-96.	3.2	18
122	Alpha-lipoic acid induces sodium iodide symporter expression in TPC-1 thyroid cancer cell line. <i>Nuclear Medicine and Biology</i> , 2012, 39, 1275-1280.	0.6	17
123	Differentiating the location of cervical lymph node metastasis is very useful for estimating the risk of distant metastases in papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2014, 81, 593-599.	2.4	17
124	Lack of Efficacy of Radioiodine Remnant Ablation for Papillary Thyroid Microcarcinoma: Verification Using Inverse Probability of Treatment Weighting. <i>Annals of Surgical Oncology</i> , 2017, 24, 2596-2602.	1.5	17
125	Ultrasonography features of medullary thyroid cancer as predictors of its biological behavior. <i>Acta Radiologica</i> , 2017, 58, 414-422.	1.1	17
126	A Follow-Up Strategy for Patients with an Excellent Response to Initial Therapy for Differentiated Thyroid Carcinoma: Less Is Better. <i>Thyroid</i> , 2018, 28, 187-192.	4.5	17



#	ARTICLE	IF	CITATIONS
127	Extended Real-World Observation of Patients Treated with Sorafenib for Radioactive Iodine-Refractory Differentiated Thyroid Carcinoma and Impact of Lenvatinib Salvage Treatment: A Korean Multicenter Study. <i>Thyroid</i> , 2019, 29, 1804-1810.	4.5	17
128	Immune Profiling of Advanced Thyroid Cancers Using Fluorescent Multiplex Immunohistochemistry. <i>Thyroid</i> , 2021, 31, 61-67.	4.5	17
129	Protocol for a Korean Multicenter Prospective Cohort Study of Active Surveillance or Surgery (KoMPASS) in Papillary Thyroid Microcarcinoma. <i>Endocrinology and Metabolism</i> , 2021, 36, 359-364.	3.0	17
130	Tumor Volume Doubling Time in Active Surveillance of Papillary Thyroid Microcarcinoma: A Multicenter Cohort Study in Korea. <i>Thyroid</i> , 2021, 31, 1494-1501.	4.5	17
131	High Phosphoglycerate Dehydrogenase Expression Induces Stemness and Aggressiveness in Thyroid Cancer. <i>Thyroid</i> , 2020, 30, 1625-1638.	4.5	17
132	Trends Analysis of Characteristics of Thyroid Cancer Patients in One Medical Center. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 35.	0.1	17
133	Lenvatinib Compared with Sorafenib as a First-Line Treatment for Radioactive Iodine-Refractory, Progressive, Differentiated Thyroid Carcinoma: Real-World Outcomes in a Multicenter Retrospective Cohort Study. <i>Thyroid</i> , 2023, 33, 91-99.	4.5	17
134	Low Prevalence of Somatic TERT Promoter Mutations in Classic Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2016, 31, 100.	3.0	16
135	Mitofusin-2 modulates the epithelial to mesenchymal transition in thyroid cancer progression. <i>Scientific Reports</i> , 2021, 11, 2054.	3.3	16
136	A New Point Mutation (3426, A to G) in Mitochondrial NADH Dehydrogenase Gene in Korean Diabetic Patients Which Mimics 3243 Mutation by Restriction Fragment Length Polymorphism Pattern.. <i>Endocrine Journal</i> , 1998, 45, 105-110.	1.6	15
137	Diagnostic Accuracy of Ultrasound and 18-F-FDG PET or PET/CT for Patients with Suspected Recurrent Papillary Thyroid Carcinoma. <i>Ultrasound in Medicine and Biology</i> , 2010, 36, 1608-1615.	1.5	15
138	Association between neck ultrasonographic findings and clinicopathological features in the follicular variant of papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2015, 83, 968-976.	2.4	15
139	Lack of Associations between Body Mass Index and Clinical Outcomes in Patients with Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2015, 30, 305.	3.0	15
140	Molecular Diagnosis Using Residual Liquid-Based Cytology Materials for Patients with Nondiagnostic or Indeterminate Thyroid Nodules. <i>Endocrinology and Metabolism</i> , 2016, 31, 586.	3.0	15
141	The value of preoperative antithyroidperoxidase antibody as a novel predictor of recurrence in papillary thyroid carcinoma. <i>International Journal of Cancer</i> , 2019, 144, 1414-1420.	5.1	15
142	Mutational profile of papillary thyroid microcarcinoma with extensive lymph node metastasis. <i>Endocrine</i> , 2019, 64, 130-138.	2.3	15
143	Genetic Profiles of Aggressive Variants of Papillary Thyroid Carcinomas. <i>Cancers</i> , 2021, 13, 892.	3.7	15
144	Increased Prevalence of Autoimmune Thyroid Disease in Patients with Type 1 Diabetes. <i>Korean Journal of Internal Medicine</i> , 2000, 15, 202-210.	1.7	15

#	ARTICLE	IF	CITATIONS
145	Arg16Gly polymorphism in beta2-adrenergic receptor gene is not associated with thyrotoxic periodic paralysis in Korean male patients with Graves' disease. <i>Clinical Endocrinology</i> , 2005, 62, 585-589.	2.4	14
146	Usefulness of NRAS codon 61 mutation analysis and core needle biopsy for the diagnosis of thyroid nodules previously diagnosed as atypia of undetermined significance. <i>Endocrine</i> , 2016, 52, 305-312.	2.3	14
147	Prognostic Value of the Number of Retrieved Lymph Nodes in Pathological Nx or NO Classical Papillary Thyroid Carcinoma. <i>World Journal of Surgery</i> , 2016, 40, 2043-2050.	1.6	14
148	Initial Size of Metastatic Lesions Is Best Prognostic Factor in Patients with Metastatic Differentiated Thyroid Carcinoma Confined to the Lung. <i>Thyroid</i> , 2017, 27, 49-58.	4.5	14
149	When should antithyroid drug therapy to reduce the relapse rate of hyperthyroidism in Graves' disease be discontinued?. <i>Endocrine</i> , 2019, 65, 348-356.	2.3	14
150	Long-term clinical outcomes of papillary thyroid carcinoma patients with biochemical incomplete response. <i>Endocrine</i> , 2020, 67, 623-629.	2.3	14
151	Unusual metastases from differentiated thyroid cancers: A multicenter study in Korea. <i>PLoS ONE</i> , 2020, 15, e0238207.	2.5	14
152	Real-world experience of lenvatinib in patients with advanced anaplastic thyroid cancer. <i>Endocrine</i> , 2021, 71, 427-433.	2.3	14
153	Negative Expression of CPSF2 Predicts a Poorer Clinical Outcome in Patients with Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2015, 25, 1020-1025.	4.5	13
154	Age-specific reference interval of serum TSH levels is high in adolescence in an iodine excess area: Korea national health and nutrition examination survey data. <i>Endocrine</i> , 2017, 57, 445-454.	2.3	13
155	Myxoid and Sarcomatoid Variants of Adrenocortical Carcinoma: Analysis of Rare Variants in Single Tertiary Care Center. <i>Journal of Korean Medical Science</i> , 2017, 32, 764.	2.5	13
156	Decreasing Disease-Specific Mortality of Differentiated Thyroid Cancer in Korea: A Multicenter Cohort Study. <i>Thyroid</i> , 2018, 28, 1121-1127.	4.5	13
157	Risk of Malignancy According to the Sub-classification of Atypia of Undetermined Significance and Suspicious Follicular Neoplasm Categories in Thyroid Core Needle Biopsies. <i>Endocrine Pathology</i> , 2019, 30, 146-154.	9.0	13
158	Prevalence of Ultrasonographically-Detected Thyroid Nodules in Adults without Previous History of Thyroid Disease. <i>Journal of Korean Endocrine Society</i> , 2006, 21, 389.	0.1	13
159	Preoperative clinicopathological characteristics of patients with solitary encapsulated follicular variants of papillary thyroid carcinomas. <i>Journal of Surgical Oncology</i> , 2017, 116, 746-755.	1.7	12
160	Eighth edition of tumor-node-metastasis staging system improve survival predictability for papillary, but not follicular thyroid carcinoma: A multicenter cohort study. <i>Oral Oncology</i> , 2018, 87, 97-103.	1.5	12
161	Individualized Follow-Up Strategy for Patients with an Indeterminate Response to Initial Therapy for Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2019, 29, 209-215.	4.5	12
162	Prognostic role of the lymphocyte-to-monocyte ratio for clinical outcomes of patients with progressive radioiodine-refractory differentiated thyroid carcinoma treated by sorafenib. <i>Clinical Endocrinology</i> , 2020, 92, 71-76.	2.4	12

#	ARTICLE	IF	CITATIONS
163	Clinical Significance of Classification of Graves` Disease According to the Characteristics of TSH receptor Antibodies. Korean Journal of Internal Medicine, 2001, 16, 187-200.	1.7	12
164	Clinical Characteristics and Prognosis of Coexisting Thyroid Cancer in Patients with Gravesâ€™ Disease: A Retrospective Multicenter Study. Endocrinology and Metabolism, 2021, 36, 1268-1276.	3.0	12
165	Sub-Classification of Lateral Cervical Lymph Node Metastasis in Papillary Thyroid Carcinoma by Pathologic Criteria. PLoS ONE, 2015, 10, e0133625.	2.5	11
166	Oncologic Safety of Robot Thyroid Surgery for Papillary Thyroid Carcinoma: A Comparative Study of Robot versus Open Thyroid Surgery Using Inverse Probability of Treatment Weighting. PLoS ONE, 2016, 11, e0157345.	2.5	11
167	Prognostic Impact of Further Treatments on Distant Metastasis in Patients With Minimally Invasive Follicular Thyroid Carcinoma: Verification Using Inverse Probability of Treatment Weighting. World Journal of Surgery, 2017, 41, 138-145.	1.6	11
168	Association between urinary sodium levels and iodine status in Korea. Korean Journal of Internal Medicine, 2020, 35, 392-399.	1.7	11
169	Two Graves' Disease Patients Who Spontaneously Developed Hypothyroidism After Antithyroid Drug Treatment: Characteristics of Epitopes for Thyrotropin Receptor Antibodies. Thyroid, 1999, 9, 393-399.	4.5	10
170	Intramedullary Spinal Cord Metastasis from Papillary Thyroid Carcinoma. Thyroid, 2011, 21, 1269-1271.	4.5	10
171	Positive Cytology Findings and a Negative Histological Diagnosis of Papillary Thyroid Carcinoma in the Thyroid: Is It a False-Positive Cytology or a Disappearing Tumor. European Thyroid Journal, 2013, 2, 203-10.	2.4	10
172	Long-Term Survival of a Patient with Pulmonary Artery Intimal Sarcoma after Sequential Metastasectomies of the Thyroid and Adrenal Glands. Endocrinology and Metabolism, 2013, 28, 46.	3.0	10
173	Management of cystic or predominantly cystic thyroid nodules: role of simple aspiration of internal fluid. Endocrine Research, 2015, 40, 215-219.	1.2	10
174	Determining Whether Tumor Volume Doubling Time and Growth Rate Can Predict Malignancy After Delayed Diagnostic Surgery of Follicular Neoplasm. Thyroid, 2019, 29, 1418-1424.	4.5	10
175	Clinical Significance of Gross Invasion of Strap Muscles in Patients With 1- to 4-cm-Sized Papillary Thyroid Carcinoma Undergoing Lobectomy. Annals of Surgical Oncology, 2019, 26, 4466-4471.	1.5	10
176	Tumor Growth Rate Does Not Predict Malignancy in Surgically Resected Thyroid Nodules Classified as Bethesda Category III with Architectural Atypia. Thyroid, 2019, 29, 216-221.	4.5	10
177	Comparison of Different Staging Systems for Predicting Recurrence of Papillary Thyroid Carcinoma. Endocrinology and Metabolism, 2011, 26, 53.	3.0	10
178	Quality of Life in Patients with Papillary Thyroid Microcarcinoma According to Treatment: Total Thyroidectomy with or without Radioactive Iodine Ablation. Endocrinology and Metabolism, 2020, 35, 115.	3.0	10
179	Unmet Clinical Needs in the Treatment of Patients with Thyroid Cancer. Endocrinology and Metabolism, 2020, 35, 14.	3.0	10
180	Clinical Implication of World Health Organization Classification in Patients with Follicular Thyroid Carcinoma in South Korea: A Multicenter Cohort Study. Endocrinology and Metabolism, 2020, 35, 618-627.	3.0	10

#	ARTICLE	IF	CITATIONS
181	Solitary Skin Metastasis of Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2014, 29, 579.	3.0	9
182	Comparison of Thyroglobulin Measurements Using Three Different Immunoassay Kits: A BRAMHS Tg-Plus RIA Kit, a BRAMHS hTg Sensitive Kryptor Kit, and a Beckman Coulter ACCESS Immunoassay Kit. <i>Endocrinology and Metabolism</i> , 2016, 31, 462.	3.0	9
183	Impact of delayed radioiodine therapy in intermediate- to high-risk papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2019, 91, 449-455.	2.4	9
184	Identification of Continuity of Transected Nerve on Sonography After Neck Dissection: Direct Sign of Traumatic Neuroma. <i>Thyroid</i> , 2011, 21, 1385-1387.	4.5	8
185	Korean Thyroid Association Guidelines for Patients Undergoing Radioiodine Therapy for Differentiated Thyroid Cancers (First Edition, 2012). <i>Journal of Korean Thyroid Association</i> , 2013, 6, 12.	0.2	8
186	Association between STAT1 activity and BRAF mutations in papillary thyroid carcinomas. <i>Journal of Surgical Oncology</i> , 2012, 106, 719-723.	1.7	7
187	Changes in the Pulmonary Function Test after Radioactive Iodine Treatment in Patients with Pulmonary Metastases of Differentiated Thyroid Cancer. <i>PLoS ONE</i> , 2015, 10, e0125114.	2.5	7
188	Initial clinical experience with BRAF <sup>V600E</sup> mutation analysis of core-needle biopsy specimens from thyroid nodules. <i>Clinical Endocrinology</i> , 2016, 84, 607-613.	2.4	7
189	Growth Kinetics of Macronodular Lung Metastases and Survival in Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2017, 27, 915-922.	4.5	7
190	Clinical Outcomes after Early and Delayed Radioiodine Remnant Ablation in Patients with Low-Risk Papillary Thyroid Carcinoma: Propensity Score Matching Analysis. <i>Endocrinology and Metabolism</i> , 2020, 35, 830-837.	3.0	7
191	Mutation in Genes Encoding Key Functional Groups Additively Increase Mortality in Patients with BRAFV600E-Mutant Advanced Papillary Thyroid Carcinoma. <i>Cancers</i> , 2021, 13, 5846.	3.7	7
192	Effect of TSH levels during active surveillance of PTMC according to age. <i>Endocrine-Related Cancer</i> , 2022, 29, 191-200.	3.1	7
193	Effects of dabrafenib and erlotinib combination treatment on anaplastic thyroid carcinoma. <i>Endocrine-Related Cancer</i> , 2022, 29, 307-319.	3.1	7
194	Modification of the eight-edition tumor-node-metastasis staging system with N1b for papillary thyroid carcinoma: A multi-institutional cohort study. <i>Oral Oncology</i> , 2018, 86, 48-52.	1.5	6
195	Time trends of thyroglobulin antibody in ablated papillary thyroid carcinoma patients: Can we predict the rate of negative conversion?. <i>Oral Oncology</i> , 2019, 91, 29-34.	1.5	6
196	Expression of <i>NF2</i> Modulates the Progression of <i>BRAF</i> <sup>V600E</sup> Mutated Thyroid Cancer Cells. <i>Endocrinology and Metabolism</i> , 2019, 34, 203.	3.0	6
197	Differences in Physicians' and Patients' Perception of Acute Hypothyroid Symptoms Induced by Thyroid Hormone Withdrawal in Thyroid Cancer Patients: A Multicenter Survey in Korea. <i>European Thyroid Journal</i> , 2015, 4, 48-54.	2.4	5
198	Association of KCNJ2 Genetic Variants with Susceptibility to Thyrotoxic Periodic Paralysis in Patients with Graves' Disease. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2017, 125, 75-78.	1.2	5

#	ARTICLE	IF	CITATIONS
199	Refining the tumor-node-metastasis staging system for individualized treatment of differentiated thyroid carcinoma. <i>Oral Oncology</i> , 2019, 89, 8-13.	1.5	5
200	Gender-Dependent Reference Range of Serum Calcitonin Levels in Healthy Korean Adults. <i>Endocrinology and Metabolism</i> , 2021, 36, 365-373.	3.0	5
201	Modification of the Tumor-Node-Metastasis Staging System for Differentiated Thyroid Carcinoma by Considering Extra-Thyroidal Extension and Lateral Cervical Lymph Node Metastasis. <i>Endocrinology and Metabolism</i> , 2020, 35, 149.	3.0	5
202	Clinicopathological Characteristics and Disease-Free Survival in Patients with H <sup>14</sup> trhle Cell Carcinoma: A Multicenter Cohort Study in South Korea. <i>Endocrinology and Metabolism</i> , 2021, 36, 1078-1085.	3.0	5
203	Comparison of 99mTc Pertechnetate Thyroid Uptake Rates by Gamma Probe and Gamma Camera Methods for Differentiating Gravesâ€™ Disease and Thyroiditis. <i>Nuclear Medicine and Molecular Imaging</i> , 2022, 56, 42-51.	1.0	5
204	Clinical Outcomes of Persistent Radioiodine Uptake in the Neck Shown by Diagnostic Whole Body Scan in Patients with Differentiated Thyroid Carcinoma after Initial Surgery and Remnant Ablation. <i>Clinical Endocrinology</i> , 2010, 73, 257-63.	2.4	4
205	Postoperative Findings of the Cytological Diagnosis of Follicular Neoplasm or H <sup>14</sup> trhle Cell Neoplasm and the Risk of Malignancy. <i>Endocrinology and Metabolism</i> , 2010, 25, 316.	3.0	4
206	Four Cases of Malignant Pleural Effusion in Patients with Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2011, 26, 330.	3.0	4
207	Expression of X-linked Inhibitor of Apoptosis Protein in Neoplastic Thyroid Disorder. <i>Journal of Korean Medical Science</i> , 2011, 26, 1191.	2.5	4
208	Prediction of treatment response to 131I therapy by diffuse hepatic uptake intensity on post-therapy whole-body scan in patients with distant metastases of differentiated thyroid cancer. <i>Annals of Nuclear Medicine</i> , 2015, 29, 603-612.	2.2	4
209	Thyrotoxic Periodic Paralysis and Polymorphisms of the <i>ADRB2</i> , <i>AR</i> , and <i>GABRA3</i> Genes in Men with Graves Disease. <i>Endocrinology and Metabolism</i> , 2016, 31, 142.	3.0	4
210	Clinical Outcomes of Differentiated Thyroid Cancer Patients with Local Recurrence or Distant Metastasis Detected in Old Age. <i>Endocrinology and Metabolism</i> , 2018, 33, 459.	3.0	4
211	Modified risk stratification based on cervical lymph node metastases following lobectomy for papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2020, 92, 358-365.	2.4	4
212	Clinical implications of age and excellent response to therapy in patients with high-risk differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2021, 95, 882-890.	2.4	4
213	The effect of 5-aminoimidazole-4-carboxamide-ribonucleoside was mediated by p38 mitogen activated protein kinase signaling pathway in FRO thyroid cancer cells. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 474.	1.7	4
214	Death-Associated Protein Kinase 1 Inhibits Progression of Thyroid Cancer by Regulating Stem Cell Markers. <i>Cells</i> , 2021, 10, 2994.	4.1	4
215	Sex-Dependent Association between Weight Change and Thyroid Dysfunction: Population-Level Analysis Using the Korean National Health and Nutrition Examination Survey. <i>European Thyroid Journal</i> , 2019, 8, 202-207.	2.4	3
216	Estimating the Growth Rate of Lung Metastases in Differentiated Thyroid Carcinoma: Response Evaluation Criteria in Solid Tumors or Doubling Time?. <i>Thyroid</i> , 2020, 30, 418-424.	4.5	3

#	ARTICLE	IF	CITATIONS
217	Active Surveillance as an Effective Management Option for Low-Risk Papillary Thyroid Microcarcinoma. <i>Endocrinology and Metabolism</i> , 2021, 36, 717-724.	3.0	3
218	Clinical Applications of Thyrotropin Binding Inhibitor Immunoglobulin (TBII) Assays. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 174.	0.1	3
219	Association between Cigarette Smoking and Thyroid Function in Adults without Previous History of Thyroid Disease. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 123.	0.1	3
220	CAG Repeats in the Androgen Receptor Polymorphism do not Correlate with Thyrotoxic Periodic Paralysis. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 117.	0.1	3
221	Time Trends Analysis of Characteristics of Patients with Thyroid Cancer in a Single Medical Center. <i>Journal of Korean Thyroid Association</i> , 2014, 7, 159.	0.2	2
222	Prognostic Impact of Further Treatments on Distant Metastasis in Patients with Minimally Invasive Follicular Thyroid Carcinoma: Verification Using Inverse Probability of Treatment Weighting. <i>World Journal of Surgery</i> , 2017, 41, 1144-1144.	1.6	2
223	Comparison of Thyroid Hormones in Euthyroid Athyreotic Patients Treated with Levothyroxine and Euthyroid Healthy Subjects. <i>International Journal of Thyroidology</i> , 2019, 12, 28.	0.1	2
224	Abstract 1709: The effect of a XIAP inhibitor, embelin, on apoptosis of thyroid cancer cell lines. , 2012, , .		2
225	A Case of Carcinoma Showing Thymus-Like Differentiation (CASTLE) in the Thyroid. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 272.	0.1	2
226	Role of 5-aminoimidazole-4-carboxamide-1-beta-D-ribofuranoside in the Growth Regulation of Anaplastic Thyroid Cancer Cells Lines. <i>Journal of Korean Endocrine Society</i> , 2006, 21, 125.	0.1	1
227	Effects of Simvastatin on the Growth and Invasion of Anaplastic Thyroid Cancer Cells Lines. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 238.	0.1	1
228	Limitations of fine-needle aspiration and core needle biopsies in the diagnosis of tall cell variant of papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2023, 98, 110-116.	2.4	1
229	Diagnosis of Impalpable Thyroid Nodule Detected by High-resolution Ultrasonography. <i>Journal of Korean Endocrine Society</i> , 2005, 20, 200.	0.1	0
230	Alpha-Lipoic Acid Decreases Iodine Uptake in the Rat Thyroid Cell Line FRTL-5. <i>Journal of Korean Thyroid Association</i> , 2012, 5, 39.	0.2	0
231	Papillary Thyroid Carcinoma Hidden behind the Hot Nodule. <i>Journal of Korean Thyroid Association</i> , 2012, 5, 78.	0.2	0
232	Management of Recurrent Differentiated Thyroid Carcinoma. <i>Journal of Korean Thyroid Association</i> , 2014, 7, 40.	0.2	0
233	Association between Serum Gamma-Glutamyl Transferase and Thyroid Cancer in an Ultrasonographically Screened Population. <i>Journal of Korean Thyroid Association</i> , 2015, 8, 75.	0.2	0
234	Ectopic ACTH Syndrome Due to Pheochromocytoma: A case report. <i>The Korean Journal of Endocrine Surgery</i> , 2002, 2, 116.	0.1	0

#	ARTICLE	IF	CITATIONS
235	Postoperative Findings and Risk for Malignancy in Thyroid Nodules with Cytological Diagnosis of the so-called "Follicular Neoplasm". The Korean Journal of Endocrine Surgery, 2002, 2, 105.	0.1	0
236	Ultrasonography-guided Fine Needle Aspirations of Thyroid Incidentaloma: Correlation with Pathologic Findings. The Korean Journal of Endocrine Surgery, 2003, 3, 127.	0.1	0
237	Clinical Characteristics of Poorly Differentiated Carcinoma of the Thyroid and Comparison of Its Survival to the Tall Cell and Columnar Cell Variants of Papillary Carcinoma. Journal of Korean Endocrine Society, 2006, 21, 132.	0.1	0
238	Effects of Wnt-1 on the Growth and Apoptosis of FRTL-5 Cells. Journal of Korean Endocrine Society, 2007, 22, 35.	0.1	0
239	A Case of Painful Graves' Disease. Journal of Korean Endocrine Society, 2008, 23, 337.	0.1	0
240	Effects of Peroxisome Proliferator-Activated Receptor (PPAR) Delta on the Growth and Invasion of a Thyroid Cancer Cell Line. Journal of Korean Endocrine Society, 2009, 24, 25.	0.1	0
241	Effects of $\alpha$ -lipoic Acid on Differentiation of Thyroid Cancer Cells. Journal of Korean Endocrine Society, 2010, 25, 28.	0.1	0
242	Response: Effects of $\alpha$ -lipoic Acid on Differentiation of Thyroid Cancer Cells. Endocrinology and Metabolism, 2010, 25, 246.	3.0	0
243	Factors Influencing Peripheral Conversion of Thyroxine to Tri-Iodothyronine in Athyreotic Individuals during Levothyroxine Replacement. Endocrinology and Metabolism, 2010, 25, 119.	3.0	0
244	Response: Postoperative Findings of the Cytological Diagnosis of Follicular Neoplasm or Hürthle Cell Neoplasm and the Risk of Malignancy. Endocrinology and Metabolism, 2011, 26, 277.	3.0	0
245	Calcification in Thyroid Nodule and Thyroid Cancer. Korean Journal of Medicine, 2012, 83, 319.	0.3	0
246	Problems in Diagnosis and Management of Follicular Neoplasm. Journal of Korean Thyroid Association, 2012, 5, 114.	0.2	0
247	The long-term clinical outcome of differentiated thyroid cancer patients with undetectable stimulated thyroglobulin level at one year after initial treatment. Thyroid, 0, , 120328072216008.	4.5	0
248	A Case Report of Papillary Thyroid Carcinoma Presenting as Elevated Serum CA 19-9. Korean Journal of Medicine, 2013, 84, 111.	0.3	0
249	Abstract 1498: Alpha-Lipoic acid suppresses migration and invasiveness of thyroid cancer cells through inhibition of epithelial-mesenchymal transition .. , 2013, , .		0
250	MON-494 Quality of Life in Patients with Papillary Thyroid Microcarcinoma According to the Treatment: Total Thyroidectomy Versus Total Thyroidectomy with Radioactive Iodine Remnant Ablation. Journal of the Endocrine Society, 2020, 4, .	0.2	0
251	Clinical Outcomes of N1b Papillary Thyroid Cancer Patients Treated with Two Different Doses of Radioiodine Ablation Therapy. Endocrinology and Metabolism, 2020, 35, 602-609.	3.0	0
252	Graves' disease diagnosed in remnant thyroid after lobectomy for thyroid cancer. PLoS ONE, 2022, 17, e0265332.	2.5	0

#	ARTICLE	IF	CITATIONS
253	Unusual metastases from differentiated thyroid cancers: A multicenter study in Korea. , 2020, 15, e0238207.		0
254	Unusual metastases from differentiated thyroid cancers: A multicenter study in Korea. , 2020, 15, e0238207.		0
255	Unusual metastases from differentiated thyroid cancers: A multicenter study in Korea. , 2020, 15, e0238207.		0
256	Unusual metastases from differentiated thyroid cancers: A multicenter study in Korea. , 2020, 15, e0238207.		0