## Kimi Sato

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9359721/publications.pdf

Version: 2024-02-01

687363 526287 41 765 13 27 citations h-index g-index papers 42 42 42 1273 docs citations citing authors all docs times ranked

#	Article	IF	CITATIONS
1	Cardiac Tamponade as a Recurrence of Angioimmunoblastic T-Cell Lymphoma with the Detection of a p.Gly17Val RHOA Mutation in the Pericardial Effusion. Internal Medicine, 2023, 62, 595-600.	0.7	1
2	Physical and physiological effects of dobutamine stress echocardiography in low-gradient aortic stenosis. American Journal of Physiology - Heart and Circulatory Physiology, 2022, 322, H94-H104.	3.2	3
3	Echocardiography image quality of global longitudinal strain in cardio-oncology: a prospective real-world investigation. Journal of Echocardiography, 2022, 20, 159-165.	0.8	2
4	Acute Myocardial Infarction Associated With Diffuse Coronary Lesions With Takayasu Arteritis in a Teenager. JACC: Cardiovascular Interventions, 2022, 15, 673-674.	2.9	1
5	Pathophysiological role of right ventricular function and interventricular functional mismatch in the development of pulmonary edema in acute heart failure. Journal of Cardiology, 2022, 79, 711-718.	1.9	2
6	Utility of Updated Japanese Circulation Society Guidelines to Diagnose Isolated Cardiac Sarcoidosis. Journal of the American Heart Association, 2022, 11, .	3.7	12
7	Cardiac sarcoidosis complicated by ventricular septal perforation after multiple radiofrequency ablations for ventricular tachycardia. European Heart Journal Cardiovascular Imaging, 2022, 23, e329-e329.	1.2	2
8	Clinical Characteristics of Non-Valvular Atrial Fibrillation Patients With a Large Left Atrial Appendage Ostium-Limiting Percutaneous Closure. Circulation Journal, 2022, , .	1.6	0
9	Impact of baseline conduction abnormalities on outcomes after transcatheter aortic valve replacement with ⟨scp⟩SAPIEN⟨ scp⟩â€3. Catheterization and Cardiovascular Interventions, 2021, 98, E127-E138.	1.7	6
10	Prognostic Impact of Changes in Intrarenal Venous Flow Pattern in Patients With Heart Failure. Journal of Cardiac Failure, 2021, 27, 20-28.	1.7	27
11	Right versus left heart reverse remodelling after treating ischaemic mitral and tricuspid regurgitation. European Journal of Cardio-thoracic Surgery, 2021, 59, 442-450.	1.4	4
12	Improvement in left ventricular mechanics following medical treatment of constrictive pericarditis. Heart, 2021, 107, 828-835.	2.9	7
13	Anti-PL-7 antibody positive antisynthetase syndrome diagnosed after the onset of pulmonary hypertension and right-sided heart failure. Rheumatology, 2021, 60, e277-e279.	1.9	1
14	Comparison of Soluble ST2, Pentraxin-3, Galectin-3, and High-Sensitivity Troponin T of Cardiovascular Outcomes in Patients With Acute Decompensated Heart Failure. Journal of Cardiac Failure, 2021, 27, 1240-1250.	1.7	10
15	Depressed right ventricular systolic function in heart failure due to constrictive pericarditis. ESC Heart Failure, 2021, 8, 3119-3129.	3.1	2
16	Left atrial regional strain assessed by novel dedicated three-dimensional speckle tracking echocardiography. Journal of Cardiology, 2021, 78, 517-523.	1.9	2
17	Successful treatment of pulmonary hypertension with immunosuppressive therapy in a case of antiâ€synthetase syndrome. Journal of Dermatology, 2021, 48, e545-e546.	1.2	2
18	Erlotinib-Induced Cardiomyopathy in a Patient with Metastatic Non-Small Cell Lung Cancer. International Heart Journal, 2021, 62, 1171-1175.	1.0	6

#	Article	IF	CITATIONS
19	Right bundle branch block and risk of cardiovascular mortality: the Ibaraki Prefectural Health Study. Heart and Vessels, $2021$ , , $1$ .	1.2	4
20	The determinants of plasma brain natriuretic peptide level in severe aortic valve stenosis patients undergoing transcatheter aortic valve implantation. Journal of Cardiology, 2021, 78, 413-422.	1.9	0
21	The impact of right bundle branch block on right ventricular size and function assessed by three-dimensional speckle-tracking echocardiography. Heart and Vessels, 2020, 35, 576-585.	1.2	2
22	Comparison of Outcomes in Patients With Heart Failure With Versus Without Lead-Induced Tricuspid Regurgitation After Cardiac Implantable Electronic Devices Implantations. American Journal of Cardiology, 2020, 130, 85-93.	1.6	6
23	Features of Lead-Induced Tricuspid Regurgitation in Patients With Heart Failure Events After Cardiac Implantation of Electronic Devices ― A Three-Dimensional Echocardiographic Study ―. Circulation Journal, 2020, 84, 2302-2311.	1.6	3
24	Regional Variability in Longitudinal Strain Across Vendors in Patients With Cardiomyopathy Due to Increased Left Ventricular Wall Thickness. Circulation: Cardiovascular Imaging, 2019, 12, e008973.	2.6	25
25	Clinical utility of the 2016 ASE/EACVI recommendations for the evaluation of left ventricular diastolic function in the stratification of post-discharge prognosis in patients with acute heart failure. European Heart Journal Cardiovascular Imaging, 2019, 20, 1129-1137.	1.2	17
26	Different Impact of Changes in Left Ventricular Ejection Fraction Between Heart Failure Classifications in Patients With Acute Decompensated Heart Failure. Circulation Journal, 2019, 83, 584-594.	1.6	13
27	Geriatric nutritional risk index predicts allâ€cause deaths in heart failure with preserved ejection fraction. ESC Heart Failure, 2019, 6, 396-405.	3.1	68
28	Contemporary Outcomes in Lowâ€Gradient Aortic Stenosis Patients Who Underwent Dobutamine Stress Echocardiography. Journal of the American Heart Association, 2019, 8, e011168.	3.7	37
29	Bâ€type natriuretic peptide is associated with remodeling and exercise capacity after transcatheter aortic valve replacement for aortic stenosis. Clinical Cardiology, 2019, 42, 270-276.	1.8	9
30	Distribution and Prognostic Significance of Left Ventricular Global Longitudinal Strain in Asymptomatic Significant AorticâStenosis. JACC: Cardiovascular Imaging, 2019, 12, 84-92.	<b>5.</b> 3	178
31	Is universal grading of diastolic function by echocardiography feasible?. Cardiovascular Diagnosis and Therapy, 2018, 8, 18-28.	1.7	15
32	Current Society of Thoracic Surgeons Model Reclassifies Mortality Risk in Patients Undergoing Transcatheter Aortic Valve Replacement. Circulation: Cardiovascular Interventions, 2018, 11, e006664.	3.9	36
33	Incremental Prognostic Value of Right Ventricular Strain in Patients With Acute Decompensated Heart Failure. Circulation: Cardiovascular Imaging, 2018, 11, e007249.	2.6	74
34	Utility of Nutritional Screening in Predicting Short-Term Prognosis of Heart Failure Patients. International Heart Journal, 2018, 59, 354-360.	1.0	25
35	Prognostic implications in patients with symptomatic aortic stenosis and preserved ejection fraction: Japanese multicenter aortic stenosis, retrospective (JUST-R) registry. Journal of Cardiology, 2017, 69, 110-118.	1.9	7
36	Uremic pericarditis, pericardial effusion, and constrictive pericarditis in endâ€stage renal disease: Insights and pathophysiology. Clinical Cardiology, 2017, 40, 839-846.	1.8	40

Reversibility of Cardiac Function Predicts Outcome After Transcatheter Aortic Valve Replacement in Patients With Severe Aortic Stenosis. Journal of the American Heart Association, 2017, 6, .  Effect of Dipeptidyl Peptidase-4 Inhibitors on Cardiovascular Outcome and Cardiac Function in Patients With Diabetes and Heart Failureã∈€â€• Insights From the Ibaraki Cardiac Assessment Study-Heart Failure (ICAS-HF) Registry ―. Circulation Journal, 2017, 81, 1662-1669.  Nutritional screening based on the controlling nutritional status (CONUT) score at the time of admission is useful for long-term prognostic prediction in patients with heart failure requiring hospitalization. Heart and Vessels, 2017, 32, 1337-1349.  Reliability of Aortic Stenosis Severity Classified by 3-Dimensional Echocardiography in the Prediction of Cardiovascular Events. American Journal of Cardiology, 2016, 118, 410-417.  1.6 9	#	Article	IF	CITATIONS
Patients With Diabete's and Heart Failure ― Insights From the Ibaraki Cardiac Assessment Study-Heart Failure (ICAS-HF) Registry ―. Circulation Journal, 2017, 81, 1662-1669.  Nutritional screening based on the controlling nutritional status (CONUT) score at the time of admission is useful for long-term prognostic prediction in patients with heart failure requiring hospitalization. Heart and Vessels, 2017, 32, 1337-1349.  Reliability of Aortic Stenosis Severity Classified by 3-Dimensional Echocardiography in the Prediction	37		3.7	57
admission is useful for long-term prognostic prediction in patients with heart failure requiring 1.2 31 hospitalization. Heart and Vessels, 2017, 32, 1337-1349.  Reliability of Aortic Stenosis Severity Classified by 3-Dimensional Echocardiography in the Prediction	38	Patients With Diabete's and Heart Failure ― Insights From the Ibaraki Cardiac Assessment Study-Heart	1.6	9
Reliability of Aortic Stenosis Severity Classified by 3-Dimensional Echocardiography in the Prediction of Cardiovascular Events. American Journal of Cardiology, 2016, 118, 410-417.	39	admission is useful for long-term prognostic prediction in patients with heart failure requiring	1.2	31
	40	Reliability of Aortic Stenosis Severity Classified by 3-Dimensional Echocardiography in the Prediction of Cardiovascular Events. American Journal of Cardiology, 2016, 118, 410-417.	1.6	9
Strain-time curve analysis by speckle tracking echocardiography in cardiac resynchronization therapy: 41 Insight into the pathophysiology of responders vs. non-responders. Cardiovascular Ultrasound, 2015, 1.6 10 14, 14.	41		1.6	10