

Misari Oe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9359833/publications.pdf>

Version: 2024-02-01

31
papers

663
citations

687363

13
h-index

610901

24
g-index

31
all docs

31
docs citations

31
times ranked

599
citing authors

#	ARTICLE	IF	CITATIONS
1	Mental Health Consequences and Social Issues After the Fukushima Disaster. <i>Asia-Pacific Journal of Public Health</i> , 2017, 29, 36S-46S.	1.0	104
2	Three-year trend survey of psychological distress, post-traumatic stress, and problem drinking among residents in the evacuation zone after the Fukushima Daiichi Nuclear Power Plant accident [The Fukushima Health Management Survey]. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 245-252.	1.8	74
3	Culture-sensitive psychotraumatology. <i>HÅrre Utbildning</i> , 2016, 7, 31179.	3.0	61
4	Screening for consequences of trauma – an update on the global collaboration on traumatic stress. <i>HÅrre Utbildning</i> , 2020, 11, 1752504.	3.0	56
5	Workplace Violence and Its Effects on Burnout and Secondary Traumatic Stress among Mental Healthcare Nurses in Japan. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2747.	2.6	54
6	Predictors of severe psychological distress trajectory after nuclear disaster: evidence from the Fukushima Health Management Survey. <i>BMJ Open</i> , 2016, 6, e013400.	1.9	42
7	Perception of Radiation Risk as a Predictor of Mid-Term Mental Health after a Nuclear Disaster: The Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1067.	2.6	32
8	Diagnostic interview study of the prevalence of depression among public employees engaged in long-term relief work in Fukushima. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 413-420.	1.8	24
9	Social Functioning in Individuals Affected by Childhood Maltreatment: Establishing a Research Agenda to Inform Interventions. <i>Psychotherapy and Psychosomatics</i> , 2022, 91, 238-251.	8.8	23
10	The Great East Japan Earthquake: Tsunami and Nuclear Disaster. , 2015, , 71-90.		21
11	Changes of Posttraumatic Stress Responses in Evacuated Residents and Their Related Factors. <i>Asia-Pacific Journal of Public Health</i> , 2017, 29, 182S-192S.	1.0	21
12	The global collaboration on traumatic stress. <i>HÅrre Utbildning</i> , 2017, 8, 1403257.	3.0	21
13	Trajectories of Emotional Symptoms and Peer Relationship Problems in Children after Nuclear Disaster: Evidence from the Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 82.	2.6	15
14	Screening for psychotrauma related symptoms: Japanese translation and pilot testing of the Global Psychotrauma Screen. <i>HÅrre Utbildning</i> , 2020, 11, 1810893.	3.0	15
15	Mental Health Consequences of the Three Mile Island, Chernobyl, and Fukushima Nuclear Disasters: A Scoping Review. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7478.	2.6	14
16	Fukushima, mental health and suicide. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 843-844.	3.7	12
17	Global Psychotrauma Screen (GPS): psychometric properties in two Internet-based studies. <i>HÅrre Utbildning</i> , 2021, 12, 1881725.	3.0	12
18	Collagenase gene (colA) is located in the 3'-flanking region of the perfringolysin O (pfoA) locus in <i>Clostridium perfringens</i> . <i>FEMS Microbiology Letters</i> , 2006, 146, 155-159.	1.8	11

#	ARTICLE	IF	CITATIONS
19	Does trait anxiety influence effects of oxytocin on eye-blink startle reactivity? A randomized, double-blind, placebo-controlled crossover study. PLoS ONE, 2018, 13, e0190809.	2.5	10
20	Startle reactivity in the long-term after severe accidental injury: Preliminary data. Psychiatry Research, 2013, 210, 570-574.	3.3	8
21	Burnout, Psychological Symptoms, and Secondary Traumatic Stress Among Midwives Working on Perinatal Wards: A Cross-Cultural Study Between Japan and Switzerland. Frontiers in Psychiatry, 2018, 9, 387.	2.6	8
22	Parental Recognition of Bullying and Associated Factors Among Children After the Fukushima Nuclear Disaster: A 3-Year Follow-Up Study From the Fukushima Health Management Survey. Frontiers in Psychiatry, 2019, 10, 283.	2.6	6
23	Prevalence and comorbidity of the ICD-11 and DSM-5 for PTSD caseness with previous diagnostic manuals among the Japanese population. HÅgre Utbildning, 2020, 11, 1753938.	3.0	5
24	Discriminative evaluative conditioning in the long-term after severe accidental injury. Psychiatry Research, 2016, 240, 144-150.	3.3	3
25	Clinical Utility of Semistructured Interview and Scales to Assess Withdrawal Syndromes With Dose Reduction or Discontinuation of Selective Serotonin Reuptake Inhibitors or Serotonin Norepinephrine Reuptake Inhibitors. Journal of Clinical Psychopharmacology, 2022, 42, 17-22.	1.4	3
26	Fukushima Nuclear Disaster: Multidimensional Psychosocial Issues and Challenges to Overcome Them. , 2019, , 121-131.		2
27	Trajectories of peer relationship problems and emotional symptoms in children 5Âyears after a nuclear disaster: Fukushima Health Management Survey. Journal of Radiation Research, 2021, 62, i114-i121.	1.6	2
28	Genomic Diversity in the <i>pfoA</i> Region of Thetaâ€Toxinâ€Deficient Strains of <i>Clostridium perfringens</i>. Microbiology and Immunology, 1997, 41, 629-631.	1.4	1
29	Longitudinal Psychological Effects of the Garuda Indonesia Air Disaster in Japan. Kurume Medical Journal, 2008, 55, 1-6.	0.1	1
30	Lower Plasma Dehydroepiandrosterone Concentration in the Long Term after Severe Accidental Injury. Psychotherapy and Psychosomatics, 2012, 81, 121-123.	8.8	1
31	Why some depressive patients perform suicidal acts and others do not. Psychiatry and Clinical Neurosciences, 2019, 73, 660-661.	1.8	1