Jose-Angel Hernandez-Rivas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9360172/publications.pdf

Version: 2024-02-01

60 1,932 20 41 g-index
63 63 63 63 3080

times ranked

citing authors

docs citations

all docs

#	Article	IF	Citations
1	Hypermetabolic abdominal and cervical lymph nodes mimicking Hodgkin lymphoma relapse on FDG PET/CT after adenovirus-vectored COVID-19 vaccine. Human Vaccines and Immunotherapeutics, 2024, 17, 5129-5132.	3.3	10
2	<scp>SARSâ€CoV</scp> â€2â€reactive antibody detection after <scp>SARSâ€CoV</scp> â€2 vaccination in hematopoietic stem cell transplant recipients: Prospective survey from the Spanish Hematopoietic Stem Cell Transplantation and Cell Therapy Group. American Journal of Hematology, 2022, 97, 30-42.	4.1	52
3	Spanish Society of Hematology and Hemotherapy expert consensus opinion for SARS-CoV-2 vaccination in onco-hematological patients. Leukemia and Lymphoma, 2022, 63, 538-550.	1.3	8
4	COVID-19 in vaccinated adult patients with hematological malignancies: preliminary results from EPICOVIDEHA. Blood, 2022, 139, 1588-1592.	1.4	70
5	The changing landscape of relapsed and/or refractory multiple myeloma (MM): fundamentals and controversies. Biomarker Research, 2022, 10, 1.	6.8	22
6	A simple score to predict early severe infections in patients with newly diagnosed multiple myeloma. Blood Cancer Journal, 2022, 12, 68.	6.2	8
7	<i>TRAF3</i> alterations are frequent in delâ€3′ <scp>IGH</scp> chronic lymphocytic leukemia patients and define a specific subgroup with adverse clinical features. American Journal of Hematology, 2022, 97, 903-914.	4.1	3
8	SARS-CoV-2 vaccine response and rate of breakthrough infection in patients with hematological disorders. Journal of Hematology and Oncology, 2022, 15, 54.	17.0	26
9	IBRORS-MCL study: a Spanish retrospective and observational study of relapsed/refractory mantle-cell lymphoma treated with ibrutinib in routine clinical practice. International Journal of Hematology, 2022, , .	1.6	0
10	Applicability of probabilistic graphical models for early detection of SARS-CoV-2 reactive antibodies after SARS-CoV-2 vaccination in hematological patients. Annals of Hematology, 2022, 101, 2053-2067.	1.8	7
11	Blood transfusion activity in a general hospital during the COVIDâ€19 pandemic. Vox Sanguinis, 2021, 116, 574-580.	1.5	9
12	Râ€COMP versus Râ€CHOP as firstâ€line therapy for diffuse large Bâ€cell lymphoma in patients ≥60Âyears: Results of a randomized phase 2 study from the Spanish GELTAMO group. Cancer Medicine, 2021, 10, 1314-1326.	2.8	13
13	Risk Factors and Mortality of COVID-19 in Patients With Lymphoma: A Multicenter Study. HemaSphere, 2021, 5, e538.	2.7	52
14	Dissecting the role of $\langle i \rangle$ TP53 $\langle i \rangle$ alterations in del(11q) chronic lymphocytic leukemia. Clinical and Translational Medicine, 2021, 11, e304.	4.0	7
15	Systemic thrombosis in a large cohort of COVID-19 patients despite thromboprophylaxis: A retrospective study. Thrombosis Research, 2021, 199, 132-142.	1.7	29
16	From Biomarkers to Models in the Changing Landscape of Chronic Lymphocytic Leukemia: Evolve or Become Extinct. Cancers, 2021, 13, 1782.	3.7	10
17	The Evolving Landscape of Chronic Lymphocytic Leukemia on Diagnosis, Prognosis and Treatment. Diagnostics, 2021, 11, 853.	2.6	15
18	Pomalidomide, Cyclophosphamide, and Dexamethasone for the Treatment of Relapsed/Refractory Multiple Myeloma: Real-World Analysis of the Pethema-GEM Experience. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, 413-420.	0.4	6

#	Article	IF	CITATIONS
19	Biological significance of monoallelic and biallelic BIRC3 loss in $del(11q)$ chronic lymphocytic leukemia progression. Blood Cancer Journal, 2021, 11, 127.	6.2	12
20	COVID-19 in patients with CLL: improved survival outcomes and update on management strategies. Blood, 2021, 138, 1768-1773.	1.4	53
21	Real-World Characteristics and Outcome of Patients Treated With Single-Agent Ibrutinib for Chronic Lymphocytic Leukemia in Spain (IBRORS-LLC Study). Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, e985-e999.	0.4	13
22	Treatment patterns and outcomes among nontransplant newly diagnosed multiple myeloma patients in Spain. Future Oncology, 2021, 17, 3465-3476.	2.4	1
23	Long-term efficacy and safety of CT-P10 or rituximab in untreated advanced follicular lymphoma: a randomized phase 3 study. Blood Advances, 2021, 5, 3354-3361.	5.2	6
24	Severe infections in patients with lymphoproliferative diseases treated with new targeted drugs: A multicentric realâ€world study. Cancer Medicine, 2021, 10, 7629-7640.	2.8	13
25	Restoration of the immune function as a complementary strategy to treat Chronic Lymphocytic Leukemia effectively. Journal of Experimental and Clinical Cancer Research, 2021, 40, 321.	8.6	15
26	COVID-19 severity and mortality in patients with CLL: an update of the international ERIC and Campus CLL study. Leukemia, 2021, 35, 3444-3454.	7.2	57
27	Severity of Covid-19 Clinical Outcomes and Mortality in Multiple Myeloma Patients over Year 1 of the Pandemic. Blood, 2021, 138, 2719-2719.	1.4	1
28	Use of eltrombopag for patients 65Âyears old or older with immune thrombocytopenia. European Journal of Haematology, 2020, 104, 259-270.	2.2	9
29	La realidad asistencial del tratamiento del mieloma múltiple de alto riesgo en España. Medicina ClÃnica, 2020, 154, 315-319.	0.6	0
30	Composite Lymphoma Containing Mantle Cell and Peripheral T-cell Lymphoma, Not Otherwise Specified: A Report of 2 Cases Treated With Up-front Autologous Stem Cell Transplantation. Applied Immunohistochemistry and Molecular Morphology, 2020, 28, e94-e98.	1.2	2
31	Impact of hematologic malignancy and type of cancer therapy on COVID-19 severity and mortality: lessons from a large population-based registry study. Journal of Hematology and Oncology, 2020, 13, 133.	17.0	171
32	Outcomes of COVID-19 in patients with CLL: a multicenter international experience. Blood, 2020, 136, 1134-1143.	1.4	248
33	Chronic lymphocytic leukemia patients with <scp><i>IGH</i></scp> translocations are characterized by a distinct genetic landscape with prognostic implications. International Journal of Cancer, 2020, 147, 2780-2792.	5.1	19
34	COVIDâ€19 in patients with hematological malignancies: A retrospective case series. International Journal of Laboratory Hematology, 2020, 42, e256-e259.	1.3	19
35	Multiple myeloma and SARS-CoV-2 infection: clinical characteristics and prognostic factors of inpatient mortality. Blood Cancer Journal, 2020, 10, 103.	6.2	57
36	Clinical characteristics and outcome of SARS-CoV-2 infection in admitted patients with chronic lymphocytic leukemia from a single European country. Experimental Hematology and Oncology, 2020, 9, 37.	5.0	9

#	Article	IF	Citations
37	COVID-19 severity and mortality in patients with chronic lymphocytic leukemia: a joint study by ERIC, the European Research Initiative on CLL, and CLL Campus. Leukemia, 2020, 34, 2354-2363.	7.2	198
38	Worldwide Examination of Patients with CLL Hospitalized for COVID-19. Blood, 2020, 136, 45-49.	1.4	2
39	DIFFERENCES IN EX-VIVO CHEMOSENSITIVITY TO ANTHRACYCLINES IN FIRST LINE ACUTE MYELOID LEUKEMIA. Mediterranean Journal of Hematology and Infectious Diseases, 2019, 11, e2019016.	1.3	3
40	DNA damage response-related alterations define the genetic background of patients with chronic lymphocytic leukemia and chromosomal gains. Experimental Hematology, 2019, 72, 9-13.	0.4	9
41	Ibrutinib for the treatment of relapsed/refractory mantle cell lymphoma: extended 3.5-year follow up from a pooled analysis. Haematologica, 2019, 104, e211-e214.	3.5	122
42	The International Prognostic Index for Patients with Chronic Lymphocytic Leukemia Has the Higher Value in Predicting Overall Outcome Compared with the Barcelona-Brno Biomarkers Only Prognostic Model and the MD Anderson Cancer Center Prognostic Index. BioMed Research International, 2018, 2018, 1-8.	1.9	18
43	Drug-to-drug interactions of tyrosine kinase inhibitors in chronic myeloid leukemia patients. Is it a real problem?. Annals of Hematology, 2018, 97, 2089-2098.	1.8	18
44	Alteraciones moleculares en leucemia mieloide aguda y sus implicaciones clÃnicas y terapéuticas. Medicina ClÃnica, 2018, 151, 362-367.	0.6	21
45	Risk of thrombosis according to need of phlebotomies in patients with polycythemia vera treated with hydroxyurea. Haematologica, 2017, 102, 103-109.	3.5	52
46	Genetic Heterogeneity in Chronic Lymphocytic Leukemia: What Can Conventional Cytogenetics Add?. Acta Haematologica, 2017, 138, 31-32.	1.4	4
47	Efficacy, pharmacokinetics, and safety of the biosimilar CT-P10 compared with rituximab in patients with previously untreated advanced-stage follicular lymphoma: a randomised, double-blind, parallel-group, non-inferiority phase 3 trial. Lancet Haematology,the, 2017, 4, e362-e373.	4.6	70
48	Linfomas con reordenamiento de MYC distintos del linfoma de Burkitt: comparaci $ ilde{A}^3$ n entre R-CHOP y la inmunoquimioterapia tipo Burkitt. Medicina Cl $ ilde{A}$ nica, 2017, 149, 339-342.	0.6	2
49	Efficacy and safety of eltrombopag in persistent and newly diagnosed ITP in clinical practice. International Journal of Hematology, 2017, 106, 508-516.	1.6	39
50	Eltrombopag safety and efficacy for primary chronic immune thrombocytopenia in clinical practice. European Journal of Haematology, 2016, 97, 297-302.	2.2	34
51	Real Life Long-Term Survival Analysis in Patients with Chronic Myeloid Leukemia Treated with Tkis in Spain. Blood, 2016, 128, 3074-3074.	1.4	O
52	Switching to secondâ€generation tyrosine kinase inhibitor improves the response and outcome of frontline imatinibâ€treated patients with chronic myeloid leukemia with more than 10% of BCRâ€ABL/ABL ratio at 3Âmonths. Cancer Medicine, 2015, 4, 995-1002.	2.8	8
53	Chronic Lymphocytic Leukemia: A Paradigm of Innate Immune Cross-Tolerance. Journal of Immunology, 2015, 194, 719-727.	0.8	33
54	Successful discontinuation of eltrombopag after complete remission in patients with primary immune thrombocytopenia. American Journal of Hematology, 2015, 90, E40-3.	4.1	121

#	Article	IF	Citations
55	Do chronic myeloid leukemia patients with late "warning―responses benefit from "watch and wait― or switching therapy to a second generation tyrosine kinase inhibitor?. American Journal of Hematology, 2014, 89, E206-11.	4.1	6
56	Doseâ€intensive chemotherapy including rituximab in Burkitt's leukemia or lymphoma regardless of human immunodeficiency virus infection status. Cancer, 2013, 119, 1660-1668.	4.1	63
57	Lymphomas With MYC-Translocation Other Than Burkitt's Have An Aggressive Presentation and Poor Response To Immunochemotherapy: Study Of 34 Cases. Blood, 2013, 122, 5083-5083.	1.4	1
58	Primary laryngeal T/NK-cell lymphoma, nasal-type: an unusual location for an aggressive subtype of extranodal lymphoma. European Archives of Oto-Rhino-Laryngology, 2008, 265, 705-708.	1.6	21
59	Prognostic impact of highly active antiretroviral therapy in HIV-related Hodgkin's disease. Aids, 2002, 16, 1973-1976.	2.2	32
60	New Insights in Prognosis and Therapy of Chronic Lymphocytic Leukaemia. , 0, , .		0