

Edward J Auerbach

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9361312/publications.pdf>

Version: 2024-02-01

80
papers

19,273
citations

76326

40
h-index

62596

80
g-index

83
all docs

83
docs citations

83
times ranked

15793
citing authors

#	ARTICLE	IF	CITATIONS
1	The WU-Minn Human Connectome Project: An overview. <i>NeuroImage</i> , 2013, 80, 62-79.	4.2	4,282
2	The Human Connectome Project: A data acquisition perspective. <i>NeuroImage</i> , 2012, 62, 2222-2231.	4.2	1,978
3	Resting-state fMRI in the Human Connectome Project. <i>NeuroImage</i> , 2013, 80, 144-168.	4.2	1,367
4	Multiband multislice GE-EPI at 7 tesla, with 16-fold acceleration using partial parallel imaging with application to high spatial and temporal whole-brain fMRI. <i>Magnetic Resonance in Medicine</i> , 2010, 63, 1144-1153.	3.0	1,329
5	Multiplexed Echo Planar Imaging for Sub-Second Whole Brain FMRI and Fast Diffusion Imaging. <i>PLoS ONE</i> , 2010, 5, e15710.	2.5	1,164
6	ICA-based artefact removal and accelerated fMRI acquisition for improved resting state network imaging. <i>NeuroImage</i> , 2014, 95, 232-247.	4.2	1,148
7	Advances in diffusion MRI acquisition and processing in the Human Connectome Project. <i>NeuroImage</i> , 2013, 80, 125-143.	4.2	851
8	The Human Connectome Project's neuroimaging approach. <i>Nature Neuroscience</i> , 2016, 19, 1175-1187.	14.8	825
9	Pushing spatial and temporal resolution for functional and diffusion MRI in the Human Connectome Project. <i>NeuroImage</i> , 2013, 80, 80-104.	4.2	769
10	Temporally-independent functional modes of spontaneous brain activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 3131-3136.	7.1	696
11	Analysis of fMRI and finger tracking training in subjects with chronic stroke. <i>Brain</i> , 2002, 125, 773-788.	7.6	505
12	Evaluation of slice accelerations using multiband echo planar imaging at 3T. <i>NeuroImage</i> , 2013, 83, 991-1001.	4.2	442
13	Electrical stimulation driving functional improvements and cortical changes in subjects with stroke. <i>Experimental Brain Research</i> , 2004, 154, 450-460.	1.5	271
14	T1 weighted brain images at 7 Tesla unbiased for Proton Density, T2 contrast and RF coil receive B1 sensitivity with simultaneous vessel visualization. <i>NeuroImage</i> , 2009, 46, 432-446.	4.2	260
15	Heritability of fractional anisotropy in human white matter: A comparison of Human Connectome Project and ENIGMA-DTI data. <i>NeuroImage</i> , 2015, 111, 300-311.	4.2	227
16	A geometrically adjustable 16-channel transmit/receive transmission line array for improved RF efficiency and parallel imaging performance at 7 Tesla. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 590-597.	3.0	181
17	Evaluation of 2D multiband EPI imaging for high-resolution, whole-brain, task-based fMRI studies at 3T: Sensitivity and slice leakage artifacts. <i>NeuroImage</i> , 2016, 124, 32-42.	4.2	170
18	Effects of image reconstruction on fiber orientation mapping from multichannel diffusion MRI: Reducing the noise floor using SENSE. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 1682-1689.	3.0	169

#	ARTICLE	IF	CITATIONS
19	High resolution whole brain diffusion imaging at 7 T for the Human Connectome Project. <i>NeuroImage</i> , 2015, 122, 318-331.	4.2	166
20	Left and right basal ganglia and frontal activity during language generation: Contributions to lexical, semantic, and phonological processes. <i>Journal of the International Neuropsychological Society</i> , 2003, 9, 1061-1077.	1.8	157
21	Relative Shift in Activity from Medial to Lateral Frontal Cortex During Internally Versus Externally Guided Word Generation. <i>Journal of Cognitive Neuroscience</i> , 2001, 13, 272-283.	2.3	140
22	Multiband accelerated spin-echo echo planar imaging with reduced peak RF power using time-shifted RF pulses. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 1261-1267.	3.0	126
23	Localized ¹ H NMR spectroscopy in different regions of human brain <i>in vivo</i> at 7T: ² relaxation times and concentrations of cerebral metabolites. <i>NMR in Biomedicine</i> , 2012, 25, 332-339.	2.8	117
24	Tradeoffs in pushing the spatial resolution of fMRI for the 7T Human Connectome Project. <i>NeuroImage</i> , 2017, 154, 23-32.	4.2	117
25	Regional neurochemical profiles in the human brain measured by ¹ H MRS at 7T using local ¹ shimming. <i>NMR in Biomedicine</i> , 2012, 25, 152-160.	2.8	104
26	Study protocol: the Whitehall II imaging sub-study. <i>BMC Psychiatry</i> , 2014, 14, 159.	2.6	82
27	A 32-channel lattice transmission line array for parallel transmit and receive MRI at 7 tesla. <i>Magnetic Resonance in Medicine</i> , 2010, 63, 1478-1485.	3.0	80
28	Toward imaging the body at 10.5 tesla. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 434-443.	3.0	79
29	Dose-dependent effect of isoflurane on regional cerebral blood flow in anesthetized macaque monkeys. <i>Neuroscience Letters</i> , 2013, 541, 58-62.	2.1	74
30	Simultaneous multislice multiband parallel radiofrequency excitation with independent slice-specific transmit B1 homogenization. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 630-638.	3.0	63
31	fMRI analysis of ankle movement tracking training in subject with stroke. <i>Experimental Brain Research</i> , 2004, 154, 281-290.	1.5	59
32	Cardiac imaging at 7 tesla: Single- and two-spoke radiofrequency pulse design with 16-channel parallel excitation. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 1210-1219.	3.0	58
33	Dynamically applied ¹ ⁺ shimming solutions for non-contrast enhanced renal angiography at 7.0 tesla. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 114-126.	3.0	57
34	Brain dynamic neurochemical changes in dystonic patients: A magnetic resonance spectroscopy study. <i>Movement Disorders</i> , 2013, 28, 201-209.	3.9	56
35	Left-hemisphere processing of emotional connotation during word generation. <i>NeuroReport</i> , 1999, 10, 2449-2455.	1.2	54
36	Brain imaging with improved acceleration and SNR at 7 Tesla obtained with 64-channel receive array. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 495-509.	3.0	53

#	ARTICLE	IF	CITATIONS
37	First in vivo human imaging at 10.5T: Imaging the body at 447 MHz. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 289-303.	3.0	53
38	Semantic monitoring of words with emotional connotation during fMRI: Contribution of anterior left frontal cortex. <i>Journal of the International Neuropsychological Society</i> , 2002, 8, 607-622.	1.8	43
39	In vivo 1H magnetic resonance spectroscopy in young-adult daily marijuana users. <i>NeuroImage: Clinical</i> , 2013, 2, 581-589.	2.7	42
40	In Vivo Noninvasive Detection of Brown Adipose Tissue through Intermolecular Zero-Quantum MRI. <i>PLoS ONE</i> , 2013, 8, e74206.	2.5	42
41	Mitigating transmit B1 inhomogeneity in the liver at 7T using multi-spoke parallel transmit RF pulse design. <i>Quantitative Imaging in Medicine and Surgery</i> , 2014, 4, 4-10.	2.0	38
42	Simultaneous multislice imaging in dynamic cardiac MRI at 7T using parallel transmission. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 1010-1020.	3.0	37
43	Primary Motor Area Activation during Precision-Demanding versus Simple Finger Movement. <i>Neurorehabilitation and Neural Repair</i> , 2006, 20, 361-370.	2.9	36
44	Theoretical and experimental evaluation of multi-band EPI for high-resolution whole brain pCASL Imaging. <i>NeuroImage</i> , 2015, 106, 170-181.	4.2	36
45	Contrast enhancement in TOF cerebral angiography at 7 T using saturation and MT pulses under SAR constraints: Impact of VERSE and sparse pulses. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 188-197.	3.0	35
46	A Comparison of Methods for High-Spatial-Resolution Diffusion-weighted Imaging in Breast MRI. <i>Radiology</i> , 2020, 297, 304-312.	7.3	33
47	Quantitative basal CBF and CBF fMRI of rhesus monkeys using three-coil continuous arterial spin labeling. <i>NeuroImage</i> , 2007, 34, 1074-1083.	4.2	32
48	Cerebral TOF angiography at 7T: Impact of B_1 shimming with a 16-channel transceiver array. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 966-977.	3.0	32
49	Simultaneous multislice imaging for native myocardial T_1 mapping: Improved spatial coverage in a single breath-hold. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 462-471.	3.0	32
50	High-resolution whole-brain diffusion MRI at 7T using radiofrequency parallel transmission. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 1857-1870.	3.0	31
51	Mental maze solving: directional fMRI tuning and population coding in the superior parietal lobule. <i>Experimental Brain Research</i> , 2005, 165, 273-282.	1.5	30
52	Ultra-high field (10.5 T) resting state fMRI in the macaque. <i>NeuroImage</i> , 2020, 223, 117349.	4.2	30
53	Seven-Tesla Time-of-Flight Angiography Using a 16-Channel Parallel Transmit System With Power-Constrained 3-dimensional Spoke Radiofrequency Pulse Design. <i>Investigative Radiology</i> , 2014, 49, 314-325.	6.2	29
54	Toward understanding transverse relaxation in human brain through its field dependence. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 947-953.	3.0	25

#	ARTICLE	IF	CITATIONS
55	Theoretical and experimental evaluation of continuous arterial spin labeling techniques. <i>Magnetic Resonance in Medicine</i> , 2010, 63, 438-446.	3.0	24
56	Single-voxel ¹ H spectroscopy in the human hippocampus at 3 T using the LASER sequence: characterization of neurochemical profile and reproducibility. <i>NMR in Biomedicine</i> , 2015, 28, 1209-1217.	2.8	24
57	C6-Carbon Cluster Anion: An Infrared Absorption and Resonance Raman Isotopic Study. <i>Journal of Physical Chemistry A</i> , 1997, 101, 9296-9301.	2.5	22
58	A generalized slab-wise framework for parallel transmit multiband RF pulse design. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 1444-1456.	3.0	22
59	Human Connectome Project-style resting-state functional MRI at 7 Tesla using radiofrequency parallel transmission. <i>NeuroImage</i> , 2019, 184, 396-408.	4.2	22
60	Empirical transmit field bias correction of T1w/T2w myelin maps. <i>NeuroImage</i> , 2022, 258, 119360.	4.2	20
61	Multi-modal Brain MRI in Subjects with PD and iRBD. <i>Frontiers in Neuroscience</i> , 2017, 11, 709.	2.8	18
62	Apparent diffusion coefficients of the five major metabolites measured in the human brain in vivo at 3T. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 2896-2901.	3.0	17
63	Transverse relaxation time constants of the five major metabolites in human brain measured in vivo using LASER and PRESS at 3 T. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 1260-1265.	3.0	16
64	Self-navigation for 3D multishot EPI with data-reference. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 1747-1762.	3.0	16
65	Validation and optimization of adiabatic $T_{1\rho}$ and $T_{2\rho}$ for quantitative imaging of articular cartilage at 3T. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 1265-1275.	3.0	15
66	Prospective motion and B_0 shim correction for MR spectroscopy in human brain at 7T. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 1984-1992.	3.0	15
67	In vivo diffusion-weighted MRS using semi-LASER in the human brain at 3T: Methodological aspects and clinical feasibility. <i>NMR in Biomedicine</i> , 2021, 34, e4206.	2.8	14
68	Short echo-time 3D radial gradient-echo MRI using concurrent dephasing and excitation. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 428-436.	3.0	13
69	A field-monitoring-based approach for correcting eddy-current-induced artifacts of up to the 2nd spatial order in human-connectome-project-style multiband diffusion MRI experiment at 7T: A pilot study. <i>NeuroImage</i> , 2020, 216, 116861.	4.2	13
70	Quantitative single breath-hold renal arterial spin labeling imaging at 7T. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 815-825.	3.0	12
71	Designing 3D selective adiabatic radiofrequency pulses with single and parallel transmission. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 701-710.	3.0	11
72	Changes in the intracellular microenvironment in the aging human brain. <i>Neurobiology of Aging</i> , 2020, 95, 168-175.	3.1	11

#	ARTICLE	IF	CITATIONS
73	A selfâ€decoupled 32â€channel receive array for humanâ€brain MRI at 10.5 T. Magnetic Resonance in Medicine, 2021, 86, 1759-1772.	3.0	11
74	Progress in Imaging the Human Torso at the Ultrahigh Fields of 7 and 10.5ÂT. Magnetic Resonance Imaging Clinics of North America, 2021, 29, e1-e19.	1.1	10
75	Nyquist ghost correction of breast diffusion weighted imaging using referenceless methods. Magnetic Resonance in Medicine, 2019, 81, 2624-2631.	3.0	7
76	Bilateral Multiband 4D Flow MRI of the Carotid Arteries at 7T. Magnetic Resonance in Medicine, 2020, 84, 1947-1960.	3.0	7
77	Plugâ€andâ€play advanced magnetic resonance spectroscopy. Magnetic Resonance in Medicine, 2022, 87, 2613-2620.	3.0	5
78	Quantification of <scp>NAD</scp>⁺ in human brain with <scp>¹H MR</scp> spectroscopy at 3 T: Comparison of three localization techniques with different handling of water magnetization. Magnetic Resonance in Medicine, 2022, 88, 1027-1038.	3.0	4
79	Parallel transmit optimized 3D composite adiabatic spectralâ€spatial pulse for spectroscopy. Magnetic Resonance in Medicine, 2021, 86, 17-32.	3.0	3
80	Broadband selective excitation radiofrequency pulses for optimized localization in vivo. Magnetic Resonance in Medicine, 2022, 87, 2111-2119.	3.0	2