Thomas Suslow

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9364565/publications.pdf

Version: 2024-02-01

145 papers	7,757 citations	49 h-index	5	83 g-index
149 all docs	149 docs citations	149 times ranked		9369 citing authors

#	Article	IF	Citations
1	Experiences of maltreatment in childhood and attention to facial emotions in healthy young women. Scientific Reports, 2022, 12, 4317.	3.3	3
2	Coping With Anxiety: Brain Structural Correlates of Vigilance and Cognitive Avoidance. Frontiers in Psychiatry, 2022, 13, 869367.	2.6	5
3	Efficient visual search for facial emotions in patients with major depression. BMC Psychiatry, 2021, 21, 92.	2.6	2
4	Case of Asperger's Syndrome and Lesion of the Right Amygdala: Deficits in Implicit and Explicit Fearful Face Recognition. Frontiers in Psychology, 2021, 12, 677549.	2.1	0
5	Alexithymia Is Associated With Deficits in Visual Search for Emotional Faces in Clinical Depression. Frontiers in Psychiatry, 2021, 12, 668019.	2.6	3
6	Beyond Face and Voice: A Review of Alexithymia and Emotion Perception in Music, Odor, Taste, and Touch. Frontiers in Psychology, 2021, 12, 707599.	2.1	4
7	Criterion Validity of the Implicit Positive and Negative Affect Test: Prediction of Facial Affect Perception. Frontiers in Psychology, 2021, 12, 635368.	2.1	O
8	Attentional processes during emotional face perception in social anxiety disorder: A systematic review and meta-analysis of eye-tracking findings. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 111, 110353.	4.8	22
9	Individual differences in anxiety and automatic amygdala response to fearful faces: A replication and extension of Etkin et al. (2004). Neurolmage: Clinical, 2020, 28, 102441.	2.7	7
10	Alexithymia and automatic processing of facial emotions: behavioral and neural findings. BMC Neuroscience, 2020, 21, 23.	1.9	12
11	Attentional biases to emotional information in clinical depression: A systematic and meta-analytic review of eye tracking findings. Journal of Affective Disorders, 2020, 274, 632-642.	4.1	70
12	The relationship between dispositional attention to feelings and visual attention to emotion. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 100, 109882.	4.8	5
13	Face perception without subjective awareness – Emotional expressions guide early gaze behavior in clinically depressed and healthy individuals. Journal of Affective Disorders, 2020, 265, 91-98.	4.1	3
14	Revised short screening version of the attachment questionnaire for couples from the German general population. PLoS ONE, 2020, 15, e0230864.	2.5	5
15	Effects of Briefly Presented Masked Emotional Facial Expressions on Gaze Behavior: An Eye-Tracking Study. Psychological Reports, 2019, 122, 1432-1448.	1.7	13
16	Gray matter volume reductions in patients with schizophrenia: A replication study across two cultural backgrounds. Psychiatry Research - Neuroimaging, 2019, 292, 32-40.	1.8	7
17	Implicit Affect and Autonomous Nervous System Reactions: A Review of Research Using the Implicit Positive and Negative Affect Test. Frontiers in Psychology, 2019, 10, 1634.	2.1	11
18	Implicit and explicit self-concept of neuroticism in borderline personality disorder. Nordic Journal of Psychiatry, 2019, 73, 159-168.	1.3	5

#	Article	IF	Citations
19	Attentional bias and childhood maltreatment in clinical depression - An eye-tracking study. Journal of Psychiatric Research, 2019, 112, 83-88.	3.1	28
20	Implicitly and explicitly assessed anxiety: No relationships with recognition of and brain response to facial emotions. Neuroscience, 2019, 408, 1-13.	2.3	13
21	Implicit affectivity in clinically depressed patients during acute illness and recovery. BMC Psychiatry, 2019, 19, 376.	2.6	6
22	Ruminative response style is associated with a negative bias in the perception of emotional facial expressions in healthy women without a history of clinical depression. Journal of Behavior Therapy and Experimental Psychiatry, 2019, 62, 125-132.	1.2	11
23	Implicit negative affect predicts attention to sad faces beyond self-reported depressive symptoms in healthy individuals: An eye-tracking study. Psychiatry Research, 2018, 265, 48-54.	3.3	16
24	Volumetric Associations Between Amygdala, Nucleus Accumbens, and Socially Anxious Tendencies in Healthy Women. Neuroscience, 2018, 374, 25-32.	2.3	29
25	Associations between trait emotional awareness and automatic emotion processing. Nordic Psychology, 2018, 70, 160-175.	0.8	0
26	Alexithymia and automatic processing of emotional stimuli: a systematic review. Reviews in the Neurosciences, 2017, 28, 247-264.	2.9	57
27	Automatic processing of emotional facial expressions as a function of social anhedonia. Psychiatry Research - Neuroimaging, 2017, 270, 46-53.	1.8	14
28	Brain response to masked and unmasked facial emotions as a function of implicit and explicit personality self-concept of extraversion. Neuroscience, 2017, 340, 464-476.	2.3	8
29	Deployment of attention to emotional pictures varies as a function of externally-oriented thinking: An eye tracking investigation. Journal of Behavior Therapy and Experimental Psychiatry, 2017, 55, 1-5.	1.2	25
30	Alexithymia Components Are Differentially Related to Explicit Negative Affect But Not Associated with Explicit Positive Affect or Implicit Affectivity. Frontiers in Psychology, 2017, 8, 1758.	2.1	26
31	Implicit affectivity in patients with borderline personality disorder. Rivista Di Psichiatria, 2017, 52, 83-89.	0.6	3
32	Amygdalar Gray Matter Volume and Social Relating in Schizophrenia. Neuropsychobiology, 2016, 74, 139-143.	1.9	5
33	Borderline Personality Disorder and Automatic Processing of Valence and Self-Other Relevance Information. Psychopathology, 2016, 49, 116-123.	1.5	2
34	Predicting symptoms in major depression after inpatient treatment: the role of alexithymia. Nordic Journal of Psychiatry, 2016, 70, 392-398.	1.3	32
35	Pro- and anti-inflammatory cytokines, but not CRP, are inversely correlated with severity and symptoms of major depression. Psychiatry Research, 2016, 239, 85-91.	3.3	59
36	Disadvantage of Social Sensitivity: Interaction of Oxytocin Receptor Genotype and Child Maltreatment on Brain Structure. Biological Psychiatry, 2016, 80, 398-405.	1.3	69

3

#	Article	IF	CITATIONS
37	Alexithymia is associated with attenuated automatic brain response to facial emotion in clinical depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 65, 194-200.	4.8	10
38	Alexithymia and the implicit self-concept of extraversion in women. Personality and Individual Differences, 2016, 88, 21-25.	2.9	3
39	Affective Flattening in Patients with Schizophrenia: Differential Association with Amygdala Response to Threat-Related Facial Expression under Automatic and Controlled Processing Conditions. Psychiatry Investigation, 2016, 13, 102.	1.6	11
40	Observer-Rated Alexithymia and its Relationship with the Five-Factor-Model of Personality. Psychologica Belgica, 2016, 56, 118-134.	1.9	16
41	Implicit affectivity and rapid processing of affective body language: AnÂ <scp>fMRI</scp> study. Scandinavian Journal of Psychology, 2015, 56, 545-552.	1.5	15
42	Automatic processing of facial affects in patients with borderline personality disorder: associations with symptomatology and comorbid disorders. Annals of General Psychiatry, 2015, 14, 20.	2.7	12
43	<i>RGS2</i> genetic variation: Association analysis with panic disorder and dimensional as well as intermediate phenotypes of anxiety. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2015, 168, 211-222.	1.7	26
44	Alexithymia and memory for facial emotions. Universitas Psychologica, 2015, 14, .	0.6	1
45	Associations between childhood maltreatment and emotion processing biases in major depression: results from a dot-probe task. BMC Psychiatry, 2015, 15, 123.	2.6	43
46	Attachment anxiety and implicit self-concept of neuroticism: Associations in women but not men. Personality and Individual Differences, 2015, 72, 208-213.	2.9	8
47	Automatic emotion processing as a function of trait emotional awareness: an fMRI study. Social Cognitive and Affective Neuroscience, 2015, 10, 680-689.	3.0	28
48	Are you gonna leave me? Separation anxiety is associated with increased amygdala responsiveness and volume. Social Cognitive and Affective Neuroscience, 2015, 10, 278-284.	3.0	57
49	NCAN Cross-Disorder Risk Variant Is Associated With Limbic Gray Matter Deficits in Healthy Subjects and Major Depression. Neuropsychopharmacology, 2015, 40, 2510-2516.	5.4	56
50	Adult attachment orientation and automatic processing of emotional information on a semantic level: A masked affective priming study. Psychiatry Research, 2015, 229, 174-180.	3.3	8
51	Multimodal imaging of a tescalcin (TESC)-regulating polymorphism (rs7294919)-specific effects on hippocampal gray matter structure. Molecular Psychiatry, 2015, 20, 398-404.	7.9	43
52	Insular and Hippocampal Gray Matter Volume Reductions in Patients with Major Depressive Disorder. PLoS ONE, 2014, 9, e102692.	2.5	138
53	Influence of Repressive Coping Style on Cortical Activation during Encoding of Angry Faces. PLoS ONE, 2014, 9, e112398.	2.5	5
54	Alexithymic features and the labeling of brief emotional facial expressions – An fMRI study. Neuropsychologia, 2014, 64, 289-299.	1.6	44

#	Article	IF	Citations
55	Alexithymia and perception of emotional information: A review of experimental psychological findings. Universitas Psychologica, 2014, 13, .	0.6	11
56	Amygdala excitability to subliminally presented emotional faces distinguishes unipolar and bipolar depression: An fMRI and pattern classification study. Human Brain Mapping, 2014, 35, 2995-3007.	3.6	99
57	Alexithymia and the labeling of facial emotions: response slowing and increased motor and somatosensory processing. BMC Neuroscience, 2014, 15, 40.	1.9	25
58	Assessing alexithymia and emotional awareness: Relations between measures in a German non-clinical sample. Comprehensive Psychiatry, 2014, 55, 952-959.	3.1	14
59	Using Implicit Association Tests for the assessment of implicit personality self-concepts of extraversion and neuroticism in schizophrenia. Psychiatry Research, 2014, 218, 272-276.	3.3	50
60	Serotonin transporter gene methylation is associated with hippocampal gray matter volume. Human Brain Mapping, 2014, 35, 5356-5367.	3.6	53
61	Social Alienation in Schizophrenia Patients: Association with Insula Responsiveness to Facial Expressions of Disgust. PLoS ONE, 2014, 9, e85014.	2.5	30
62	Childhood maltreatment is associated with an automatic negative emotion processing bias in the amygdala. Human Brain Mapping, 2013, 34, 2899-2909.	3.6	207
63	Discriminating unipolar and bipolar depression by means of fMRI and pattern classification: a pilot study. European Archives of Psychiatry and Clinical Neuroscience, 2013, 263, 119-131.	3.2	88
64	Neural correlates of affective priming effects based on masked facial emotion: An fMRI study. Psychiatry Research - Neuroimaging, 2013, 211, 239-245.	1.8	50
65	Automatic amygdala response to facial expression in schizophrenia: initial hyperresponsivity followed by hyporesponsivity. BMC Neuroscience, 2013, 14, 140.	1.9	21
66	Alexithymia is related to differences in gray matter volume: A voxel-based morphometry study. Brain Research, 2013, 1491, 60-67.	2.2	56
67	Dopamine D3 receptor gene variation: impact on electroconvulsive therapy response and ventral striatum responsiveness in depression. International Journal of Neuropsychopharmacology, 2013, 16, 1443-1459.	2.1	26
68	Mood-congruent amygdala responses to subliminally presented facial expressions in major depression: associations with anhedonia. Journal of Psychiatry and Neuroscience, 2013, 38, 249-258.	2.4	88
69	A Between-Subjects Test of the Lower-Identification/Higher-Priming Paradox. Perception, 2013, 42, 271-281.	1.2	0
70	High responsivity to threat during the initial stage of perception in repression: a 3 T fMRI study. Social Cognitive and Affective Neuroscience, 2012, 7, 980-990.	3.0	9
71	Adult attachment anxiety is associated with enhanced automatic neural response to positive facial expression. Neuroscience, 2012, 220, 149-157.	2.3	44
72	Interleukin-6 gene (IL-6): a possible role in brain morphology in the healthy adult brain. Journal of Neuroinflammation, 2012, 9, 125.	7.2	70

#	Article	IF	Citations
73	Limbic Scars: Long-Term Consequences of Childhood Maltreatment Revealed by Functional and Structural Magnetic Resonance Imaging. Biological Psychiatry, 2012, 71, 286-293.	1.3	789
74	Tumor Necrosis Factor Gene Variation Predicts Hippocampus Volume in Healthy Individuals. Biological Psychiatry, 2012, 72, 655-662.	1.3	64
75	Catechol-O-methyltransferase gene variation: Impact on amygdala response to aversive stimuli. Neurolmage, 2012, 60, 2222-2229.	4.2	63
76	Women's Greater Ability to Perceive Happy Facial Emotion Automatically: Gender Differences in Affective Priming. PLoS ONE, 2012, 7, e41745.	2.5	118
77	Neuropeptide-S (NPS) Receptor Genotype Modulates Basolateral Amygdala Responsiveness to Aversive Stimuli. Neuropsychopharmacology, 2011, 36, 1879-1885.	5.4	85
78	Neuropeptide S receptor gene — converging evidence for a role in panic disorder. Molecular Psychiatry, 2011, 16, 938-948.	7.9	157
79	Facial emotion processing in major depression: a systematic review of neuroimaging findings. Biology of Mood $\&$ Anxiety Disorders, 2011, 1, 10.	4.7	337
80	Adult attachment avoidance and automatic affective response to sad facial expressions. Australian Journal of Psychology, 2010, 62, 181-187.	2.8	19
81	Increased amygdala activation during automatic processing of facial emotion in schizophrenia. Psychiatry Research - Neuroimaging, 2010, 182, 200-206.	1.8	55
82	Effect of gender on processing threat-related stimuli in patients with panic disorder: sex does matter. Depression and Anxiety, 2010, 27, 1034-1043.	4.1	32
83	Validation of a Blood-Based Laboratory Test to Aid in the Confirmation of a Diagnosis of Schizophrenia. Biomarker Insights, 2010, 5, BMI.S4877.	2.5	137
84	Neural correlates of set-shifting: decomposing executive functions in schizophrenia. Journal of Psychiatry and Neuroscience, 2010, 35, 321-329.	2.4	50
85	Automatic Mood-Congruent Amygdala Responses to Masked Facial Expressions in Major Depression. Biological Psychiatry, 2010, 67, 155-160.	1.3	283
86	The Interleukin 1 Beta (IL1B) Gene Is Associated with Failure to Achieve Remission and Impaired Emotion Processing in Major Depression. Biological Psychiatry, 2010, 67, 543-549.	1.3	169
87	Theory of Mind in first-episode schizophrenia patients: Correlations with cognition and personality traits. Schizophrenia Research, 2010, 119, 115-123.	2.0	119
88	Individual differences in alexithymia and brain response to masked emotion faces. Cortex, 2010, 46, 658-667.	2.4	170
89	The Reelin (RELN) gene is associated with executive function in healthy individuals. Neurobiology of Learning and Memory, 2010, 94, 446-451.	1.9	24
90	Neuropeptide Y (NPY) gene: Impact on emotional processing and treatment response in anxious depression. European Neuropsychopharmacology, 2010, 20, 301-309.	0.7	95

#	Article	IF	Citations
91	Emotion specific modulation of automatic amygdala responses by 5-HTTLPR genotype. NeuroImage, 2010, 53, 893-898.	4.2	77
92	Neurobiologische Grundlagen von Psychotherapie., 2010,, 563-575.		0
93	Estimating verbal intelligence in unipolar depression: Comparison of word definition and word recognition. Nordic Journal of Psychiatry, 2009, 63, 120-123.	1.3	12
94	Neural Activation Underlying Acute Grief in Women After the Loss of an Unborn Child. American Journal of Psychiatry, 2009, 166, 1402-1410.	7.2	55
95	Reduced amygdala–prefrontal coupling in major depression: association with MAOA genotype and illness severity. International Journal of Neuropsychopharmacology, 2009, 12, 11.	2.1	195
96	Complicated grief in patients with unipolar depression. Journal of Affective Disorders, 2009, 118, 201-204.	4.1	42
97	Attachment avoidance modulates neural response to masked facial emotion. Human Brain Mapping, 2009, 30, 3553-3562.	3.6	75
98	Psychological impact on women after second and third trimester termination of pregnancy due to fetal anomalies versus women after preterm birthâ€"a 14-month follow up study. Archives of Women's Mental Health, 2009, 12, 193-201.	2.6	99
99	Implicit and explicit procedural learning in patients recently remitted from severe major depression. Psychiatry Research, 2009, 169, 1-6.	3.3	18
100	Erratum to "Finding of abnormal scanning behavior in the Span of Apprehension task in schizophrenia but diagnostic non-specificity of sum scores―[Eur Psychiatry 23 (2008) 29–32]. European Psychiatry, 2009, 24, 63-63.	0.2	0
101	Influence of the catechol-O-methyltransferase vall 58met genotype on amygdala and prefrontal cortex emotional processing in panic disorder. Psychiatry Research - Neuroimaging, 2008, 163, 13-20.	1.8	93
102	Reduced implicit and explicit sequence learning in first-episode schizophrenia. Neuropsychologia, 2008, 46, 186-195.	1.6	31
103	Learning potential on the WCST in schizophrenia is related to the neuronal integrity of the anterior cingulate cortex as measured by proton magnetic resonance spectroscopy. Schizophrenia Research, 2008, 106, 156-163.	2.0	63
104	Alexithymic features and automatic amygdala reactivity to facial emotion. Neuroscience Letters, 2008, 435, 40-44.	2.1	89
105	Memory impairment correlates with increased S100B serum concentrations in patients with chronic schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 1789-1792.	4.8	44
106	Cannabinoid receptor 1 (CNR1) gene: Impact on antidepressant treatment response and emotion processing in Major Depression. European Neuropsychopharmacology, 2008, 18, 751-759.	0.7	158
107	Finding of abnormal scanning behavior in the Span of Apprehension task in schizophrenia but diagnostic non-specificity of sum scores. European Psychiatry, 2008, 23, 29-32.	0.2	0
108	5-HTTLPR Biases Amygdala Activity in Response to Masked Facial Expressions in Major Depression. Neuropsychopharmacology, 2008, 33, 418-424.	5.4	156

#	Article	IF	CITATIONS
109	Difficulty Identifying Feelings and Automatic Activation in the Fusiform Gyrus in Response to Facial Emotion. Perceptual and Motor Skills, 2008, 107, 915-922.	1.3	26
110	Cognitive Coping Style Modulates Neural Responses to Emotional Faces in Healthy Humans: A 3-T fMRI Study. Cerebral Cortex, 2007, 17, 2526-2535.	2.9	33
111	Glial cell activation in a subgroup of patients with schizophrenia indicated by increased S100B serum concentrations and elevated myo-inositol. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 361-364.	4.8	72
112	Deployment of attention in clinical depression during symptom remission. Scandinavian Journal of Psychology, 2007, 48, 1-5.	1.5	14
113	Amygdala reactivity predicts automatic negative evaluations for facial emotions. Psychiatry Research - Neuroimaging, 2007, 154, 13-20.	1.8	103
114	The relationship between psychological dimensions of depressive symptoms and cognitive functioning in the elderly – The MEMO-Study. Journal of Psychiatric Research, 2007, 41, 247-254.	3.1	41
115	Cognitive impairment and in vivo metabolites in first-episode neuroleptic-naive and chronic medicated schizophrenic patients: A proton magnetic resonance spectroscopy study. Journal of Psychiatric Research, 2007, 41, 625-634.	3.1	94
116	Threat sensitivity as assessed by automatic amygdala response to fearful faces predicts speed of visual search for facial expression. Experimental Brain Research, 2007, 183, 51-59.	1.5	32
117	Amygdala reactivity to masked negative faces is associated with automatic judgmental bias in major depression: a 3 T fMRI study. Journal of Psychiatry and Neuroscience, 2007, 32, 423-9.	2.4	93
118	Amygdala activation during masked presentation of emotional faces predicts conscious detection of threat-related faces. Brain and Cognition, 2006, 61, 243-248.	1.8	45
119	Subliminal affective priming in clinical depression and comorbid anxiety: A longitudinal investigation. Psychiatry Research, 2006, 143, 63-75.	3.3	30
120	Association of the functional [minus sign] 1019C/G 5-HT 1A polymorphism with prefrontal cortex and amygdala activation measured with 3 T fMRI in panic disorder. International Journal of Neuropsychopharmacology, 2006, 9, 349.	2.1	116
121	Masked facial affect priming is associated with therapy response in clinical depression. European Archives of Psychiatry and Clinical Neuroscience, 2006, 256, 215-221.	3.2	41
122	Unimpaired automatic processing of verbal information in the course of clinical depression. Depression and Anxiety, 2006, 23, 325-330.	4.1	10
123	Test-Retest Reliability of Subliminal Facial Affective Priming. Psychological Reports, 2006, 98, 153-158.	1.7	12
124	The Association between Depressive Mood and Cognitive Performance in an Elderly General Population – The MEMO Study. Dementia and Geriatric Cognitive Disorders, 2006, 22, 142-149.	1.5	50
125	Reduced Awareness of Others' Emotions in Unipolar Depressed Patients. Journal of Nervous and Mental Disease, 2005, 193, 331-337.	1.0	84
126	Disengagement of attention from facial emotion in unipolar depression. Psychiatry and Clinical Neurosciences, 2005, 59, 723-729.	1.8	49

#	Article	IF	Citations
127	Automatic processing of facial emotion in schizophrenia with and without affective negative symptoms. Cognitive Neuropsychiatry, 2005, 10, 35-56.	1.3	14
128	Evidence for glutamatergic neuronal dysfunction in the prefrontal cortex in chronic but not in first-episode patients with schizophrenia: a proton magnetic resonance spectroscopy study. Schizophrenia Research, 2005, 73, 153-157.	2.0	92
129	Visual backward masking: Deficits in locating targets are specific to schizophrenia and not related to intellectual decline. Schizophrenia Research, 2005, 78, 261-268.	2.0	18
130	Spatial processing of facial emotion in patients with unipolar depression: a longitudinal study. Journal of Affective Disorders, 2004, 83, 59-63.	4.1	93
131	Proton magnetic resonance spectroscopy in anorexia nervosa: correlations with cognition. NeuroReport, 2004, 15, 549-553.	1.2	67
132	Affective priming in schizophrenia with and without affective negative symptoms. European Archives of Psychiatry and Clinical Neuroscience, 2003, 253, 292-300.	3.2	49
133	Detection of facial expressions of emotions in schizophrenia. Schizophrenia Research, 2003, 64, 137-145.	2.0	30
134	The experience of basic emotions in schizophrenia with and without affective negative symptoms. Comprehensive Psychiatry, 2003, 44, 303-310.	3.1	41
135	Automatic processing of verbal emotion stimuli in schizophrenia. Psychiatry Research, 2003, 120, 131-144.	3.3	22
136	Alexithymia and Incidental Learning of Emotional Words. Psychological Reports, 2003, 93, 1003-1012.	1.7	24
137	DISSOCIATIVE DISORDERS AND TRAUMATIC CHILDHOOD EXPERIENCES IN TRANSSEXUALS. Journal of Nervous and Mental Disease, 2003, 191, 182-189.	1.0	40
138	Detection of Facial Expressions of Emotions in Depression. Perceptual and Motor Skills, 2001, 92, 857-868.	1.3	123
139	Ausgestaltung sogenannter affektiver Voraktivierungseffekte in der evaluativen Entscheidungsaufgabe: Hinweise auf automatische Vigilanz fżr negative Informationen1. Zeitschrift Fuer Psychologie Mit Zeitschrift Fuer Angewandte Psychologie, 2001, 209, 137-152.	1.0	6
140	DETECTION OF FACIAL EXPRESSIONS OF EMOTIONS IN DEPRESSION. Perceptual and Motor Skills, 2001, 92, 857.	1.3	27
141	20â€Item Toronto Alexithymia Scale: Do difficulties describing feelings assess proneness to shame instead of difficulties symbolizing emotions?. Scandinavian Journal of Psychology, 2000, 41, 329-334.	1.5	48
142	Alexithymia and automatic affective processing. European Journal of Personality, 1998, 12, 433-443.	3.1	31
143	Backward masking in schizophrenia: time course of visual processing deficits during task performance. Schizophrenia Research, 1998, 33, 79-86.	2.0	17
144	Relations between Neuropsychological Vulnerability Markers and Negative Symptoms in Schizophrenia. Psychopathology, 1998, 31, 178-187.	1.5	18

#	Article	lF	CITATIONS
145	Paranoid schizophrenia: non-specificity of neuropsychological vulnerability markers. Psychiatry Research, 1997, 72, 103-114.	3.3	17