

Donald W Brown

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9367313/publications.pdf>

Version: 2024-02-01

81
papers

6,328
citations

126907

33
h-index

64796

79
g-index

85
all docs

85
docs citations

85
times ranked

3758
citing authors

#	ARTICLE	IF	CITATIONS
1	In-situ high-energy X-ray diffraction and crystal plasticity modeling to predict the evolution of texture, twinning, lattice strains and strength during loading and reloading of beryllium. <i>International Journal of Plasticity</i> , 2022, 150, 103217.	8.8	19
2	Data-driven analysis of neutron diffraction line profiles: application to plastically deformed Ta. <i>Scientific Reports</i> , 2022, 12, 5628.	3.3	0
3	The nature of the metamagnetic transition in Heusler alloy Ni ₄₄ Mn ₄₃ In _{12.1} studied for magnetic refrigeration application. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2022, 283, 115796.	3.5	2
4	Tailoring Microstructure and Mechanical Properties of Additively-Manufactured Ti6Al4V Using Post Processing. <i>Materials</i> , 2021, 14, 658.	2.9	26
5	Evolution of Texture and Deformation Mechanisms During Repeated Deformation and Heat Treating Cycles of U-6Nb. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2021, 52, 2195-2207.	2.2	1
6	Effect of the scanning strategy on the formation of residual stresses in additively manufactured Ti-6Al-4V. <i>Additive Manufacturing</i> , 2021, 45, 102003.	3.0	26
7	Residual stress analysis of in situ surface layer heating effects on laser powder bed fusion of 316L stainless steel. <i>Additive Manufacturing</i> , 2021, 47, 102252.	3.0	8
8	Complementary Measurements of Residual Stresses Before and After Base Plate Removal in an Intricate Additively-Manufactured Stainless-Steel Valve Housing. <i>Additive Manufacturing</i> , 2020, 36, 101555.	3.0	7
9	Effects of heat treatment and build orientation on the evolution of $\bar{\mu}$ and $\hat{\epsilon}^2$ martensite and strength during compressive loading of additively manufactured 304L stainless steel. <i>Acta Materialia</i> , 2020, 195, 59-70.	7.9	29
10	Predicting deformation behavior of $\hat{\epsilon}$ -uranium during tension, compression, load reversal, rolling, and sheet forming using elasto-plastic, multi-level crystal plasticity coupled with finite elements. <i>Journal of the Mechanics and Physics of Solids</i> , 2020, 138, 103924.	4.8	34
11	Experimental determination of precision, resolution, accuracy and trueness of time-of-flight neutron diffraction strain measurements. <i>Journal of Applied Crystallography</i> , 2020, 53, 494-511.	4.5	5
12	Elastic Residual Strain and Stress Measurements and Corresponding Part Deflections of 3D Additive Manufacturing Builds of IN625 AM-Bench Artifacts Using Neutron Diffraction, Synchrotron X-Ray Diffraction, and Contour Method. <i>Integrating Materials and Manufacturing Innovation</i> , 2019, 8, 318-334.	2.6	45
13	Directional and oscillating residual stress on the mesoscale in additively manufactured Ti-6Al-4V. <i>Acta Materialia</i> , 2019, 168, 299-308.	7.9	62
14	An analysis of phase stresses in additively manufactured 304L stainless steel using neutron diffraction measurements and crystal plasticity finite element simulations. <i>International Journal of Plasticity</i> , 2019, 121, 201-217.	8.8	51
15	In Situ Time-Resolved Phase Evolution and Phase Transformations in U-6WtPct Nb. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2019, 50, 2619-2628.	2.2	12
16	Evaluation of a thermomechanical model for prediction of residual stress during laser powder bed fusion of Ti-6Al-4V. <i>Additive Manufacturing</i> , 2019, 27, 489-502.	3.0	93
17	Structural representation of additively manufactured 316L austenitic stainless steel. <i>International Journal of Plasticity</i> , 2019, 118, 70-86.	8.8	99
18	The Shear Response of Beryllium as a Function of Temperature and Strain Rate. <i>EPJ Web of Conferences</i> , 2018, 183, 02017.	0.3	2

#	ARTICLE	IF	CITATIONS
19	Signatures of the unique microstructure of additively manufactured steel observed via diffraction. Scripta Materialia, 2018, 155, 16-20.	5.2	34
20	Coupled experimental and computational study of residual stresses in additively manufactured Ti-6Al-4V components. Materials Letters, 2018, 231, 221-224.	2.6	69
21	Equation of state, phase stability, and phase transformations of uranium-6 wt.% niobium under high pressure and temperature. Journal of Applied Physics, 2018, 123, .	2.5	9
22	Deformation behavior of additively manufactured GP1 stainless steel. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2017, 696, 331-340.	5.6	37
23	The influence of impurities on the crystal structure and mechanical properties of additive manufactured U-14 at.% Nb. Scripta Materialia, 2017, 130, 59-63.	5.2	16
24	Using Neutron Diffraction to Investigate Texture Evolution During Consolidation of Deuterated Triaminotrinitrobenzene (d-TATB) Explosive Powder. Crystals, 2017, 7, 138.	2.2	13
25	Neutron Diffraction Measurements and Micromechanical Modelling of Temperature-Dependent Variations in TATB Lattice Parameters. Propellants, Explosives, Pyrotechnics, 2016, 41, 514-525.	1.6	15
26	High energy X-ray diffraction study of the relationship between the macroscopic mechanical properties and microstructure of irradiated HT-9 steel. Journal of Nuclear Materials, 2016, 475, 46-56.	2.7	9
27	Neutron diffraction measurements of residual stress in additively manufactured stainless steel. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2016, 678, 291-298.	5.6	78
28	Neutron diffraction measurement of residual stresses, dislocation density and texture in Zr-bonded U-10Mo fuel foils and plates. Journal of Nuclear Materials, 2016, 482, 63-74.	2.7	16
29	The effect of low-temperature aging on the microstructure and deformation of uranium-6 wt.% niobium: An in-situ neutron diffraction study. Journal of Nuclear Materials, 2016, 481, 164-175.	2.7	23
30	Neutron diffraction measurement of residual stresses in Al-clad U-10Mo fuel plates. Journal of Nuclear Materials, 2016, 474, 8-18.	2.7	11
31	Tailored thermal expansion alloys. Acta Materialia, 2016, 102, 333-341.	7.9	92
32	High Pressure Phase-Transformation Induced Texture Evolution and Strengthening in Zirconium Metal: Experiment and Modeling. Scientific Reports, 2015, 5, 12552.	3.3	21
33	Isothermal annealing of shocked zirconium: Stability of the two-phase β/β' microstructure. Acta Materialia, 2015, 91, 101-111.	7.9	12
34	An Experimental Investigation into Additive Manufacturing-Induced Residual Stresses in 316L Stainless Steel. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2014, 45, 6260-6270.	2.2	473
35	Crystallographic changes in lead zirconate titanate due to neutron irradiation. AIP Advances, 2014, 4, .	1.3	16
36	Stability of the two-phase (β/β') microstructure of shocked zirconium. Acta Materialia, 2014, 67, 383-394.	7.9	31

#	ARTICLE	IF	CITATIONS
37	In situ neutron diffraction study on temperature dependent deformation mechanisms of ultrafine grained austenitic Fe-14Cr-16Ni alloy. <i>International Journal of Plasticity</i> , 2014, 53, 125-134.	8.8	10
38	Incrementally objective implicit integration of hypoelastic-viscoplastic constitutive equations based on the mechanical threshold strength model. <i>Computational Mechanics</i> , 2014, 53, 941-955.	4.0	12
39	Thermal residual strains in depleted δ -U. <i>Scripta Materialia</i> , 2013, 69, 566-569.	5.2	18
40	A polycrystal plasticity model for predicting mechanical response and texture evolution during strain-path changes: Application to beryllium. <i>International Journal of Plasticity</i> , 2013, 49, 185-198.	8.8	141
41	Micromechanical quantification of elastic, twinning, and slip strain partitioning exhibited by polycrystalline, monoclinic nickel-titanium during large uniaxial deformations measured via in-situ neutron diffraction. <i>Journal of the Mechanics and Physics of Solids</i> , 2013, 61, 2302-2330.	4.8	105
42	Elastic properties of rolled uranium-10wt.% molybdenum nuclear fuel foils. <i>Scripta Materialia</i> , 2013, 69, 666-669.	5.2	16
43	The influence of phase and substructural evolution during dynamic loading on subsequent mechanical properties of zirconium. <i>Acta Materialia</i> , 2013, 61, 7712-7719.	7.9	38
44	High energy X-ray diffraction measurement of residual stresses in a monolithic aluminum clad uranium-10wt% molybdenum fuel plate assembly. <i>Journal of Nuclear Materials</i> , 2013, 441, 252-261.	2.7	10
45	Neutron and X-ray diffraction analysis of the effect of irradiation dose and temperature on microstructure of irradiated HT-9 steel. <i>Journal of Nuclear Materials</i> , 2013, 443, 522-530.	2.7	22
46	Young's modulus evolution and texture-based elastic-inelastic strain partitioning during large uniaxial deformations of monoclinic nickel-titanium. <i>Acta Materialia</i> , 2013, 61, 1944-1956.	7.9	54
47	Twinning and de-twinning in beryllium during strain path changes. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 559, 29-39.	5.6	26
48	In Situ Neutron Diffraction Measurements During Annealing of Deformed Beryllium With Differing Initial Textures. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2013, 44, 5665-5675.	2.2	15
49	Dislocation structure evolution induced by irradiation and plastic deformation in the Zr-2.5Nb nuclear structural material determined by neutron diffraction line profile analysis. <i>Acta Materialia</i> , 2012, 60, 5567-5577.	7.9	56
50	Measurement and Simulation of Residual Strain in a Laser Welded Titanium Ring. <i>Welding in the World, Le Soudage Dans Le Monde</i> , 2012, 56, 2-8.	2.5	12
51	The influence of peak shock stress on the high pressure phase transformation in zirconium. <i>EPJ Web of Conferences</i> , 2012, 26, 02013.	0.3	5
52	Role of twinning and slip during compressive deformation of beryllium as a function of strain rate. <i>International Journal of Plasticity</i> , 2012, 29, 120-135.	8.8	105
53	In situ neutron diffraction and Elastic-Plastic Self-Consistent polycrystal modeling of HT-9. <i>Journal of Nuclear Materials</i> , 2012, 425, 228-232.	2.7	5
54	Strain-induced phase transformation in a cobalt-based superalloy during different loading modes. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 6051-6058.	5.6	10

#	ARTICLE	IF	CITATIONS
55	Critical comparison of two independent measurements of residual stress in an electron-beam welded uranium cylinder: Neutron diffraction and the contour method. <i>Acta Materialia</i> , 2011, 59, 864-873.	7.9	58
56	The effects of texture and extension twinning on the low-cycle fatigue behavior of a rolled magnesium alloy, AZ31B. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 7057-7067.	5.6	170
57	Influence of strain rate on mechanical properties and deformation texture of hot-pressed and rolled beryllium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 5181-5188.	5.6	32
58	Low temperature age hardening in U ¹³ at.% Nb: An assessment of chemical redistribution mechanisms. <i>Journal of Nuclear Materials</i> , 2009, 393, 282-291.	2.7	36
59	Development of intergranular thermal residual stresses in beryllium during cooling from processing temperatures. <i>Acta Materialia</i> , 2009, 57, 972-979.	7.9	24
60	Temperature and direction dependence of internal strain and texture evolution during deformation of uranium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 512, 67-75.	5.6	39
61	Twinning ^{detwinning} behavior during the strain-controlled low-cycle fatigue testing of a wrought magnesium alloy, ZK60A. <i>Acta Materialia</i> , 2008, 56, 688-695.	7.9	453
62	Reorientation and stress relaxation due to twinning: Modeling and experimental characterization for Mg. <i>Acta Materialia</i> , 2008, 56, 2456-2468.	7.9	415
63	Internal stress relaxation and load redistribution during the twinning ^{detwinning} -dominated cyclic deformation of a wrought magnesium alloy, ZK60A. <i>Acta Materialia</i> , 2008, 56, 3699-3707.	7.9	261
64	Grain size effects on the tensile properties and deformation mechanisms of a magnesium alloy, AZ31B, sheet. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 486, 545-555.	5.6	359
65	Neutron and X-ray diffraction studies and cohesive interface model of the fatigue crack deformation behavior. <i>Philosophical Magazine Letters</i> , 2008, 88, 553-565.	1.2	20
66	High pressure deformation study of zirconium. <i>Powder Diffraction</i> , 2007, 22, 113-117.	0.2	9
67	Influence of the Tool Pin and Shoulder on Microstructure and Natural Aging Kinetics in a Friction-Stir-Processed 6061 ^{T6} Aluminum Alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2007, 38, 69-76.	2.2	80
68	Role of twinning in the hardening response of zirconium during temperature reloads. <i>Acta Materialia</i> , 2006, 54, 2887-2896.	7.9	140
69	Validating a polycrystal model for the elastoplastic response of magnesium alloy AZ31 using in situ neutron diffraction. <i>Acta Materialia</i> , 2006, 54, 4841-4852.	7.9	390
70	Neutron diffraction study of the deformation mechanisms of the uranium ⁷ wt.% niobium shape memory alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 421, 15-21.	5.6	37
71	Texture evolution during strain-induced martensitic phase transformation in 304L stainless steel at a cryogenic temperature. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2006, 37, 3469-3475.	2.2	18
72	Internal strain and texture evolution during deformation twinning in magnesium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 399, 1-12.	5.6	390

#	ARTICLE	IF	CITATIONS
73	The influence of interstitial oxygen and peak pressure on the shock loading behavior of zirconium. Acta Materialia, 2005, 53, 1751-1758.	7.9	77
74	The Role of Texture, Temperature and Strain Rate in the Activity of Deformation Twinning. Materials Science Forum, 2005, 495-497, 1037-1042.	0.3	28
75	In situ neutron diffraction studies on the elevated-temperature deformation behavior of a TiAl-W alloy. Applied Physics Letters, 2004, 85, 4654-4656.	3.3	13
76	Probing Mesoscopic Strain Evolution during Creep Deformation: An In-Situ Neutron Diffraction Study. Materials Research Society Symposia Proceedings, 2004, 840, Q7.5.1.	0.1	0
77	Enhanced ductility in strongly textured magnesium produced by equal channel angular processing. Scripta Materialia, 2004, 50, 377-381.	5.2	546
78	Study of slip mechanisms in a magnesium alloy by neutron diffraction and modeling. Scripta Materialia, 2003, 48, 1003-1008.	5.2	529
79	A Neutron Diffraction Study of Residual Stress and Plastic Strain in Welded Beryllium Rings. Materials Science Forum, 2002, 404-407, 741-746.	0.3	9
80	A study of twinning in zirconium using neutron diffraction and polycrystalline modeling. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2002, 33, 757-763.	2.2	19
81	A study of twinning in zirconium using neutron diffraction and polycrystalline modeling. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2002, 33, 757-763.	2.2	20