Joel Tarning

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9367589/publications.pdf

Version: 2024-02-01

76326 33894 11,156 160 40 99 citations h-index g-index papers 169 169 169 11857 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Artemisinin Resistance in <i>Plasmodium falciparum </i> Malaria. New England Journal of Medicine, 2009, 361, 455-467.	27.0	2,873
2	Spread of Artemisinin Resistance in <i>Plasmodium falciparum</i> Malaria. New England Journal of Medicine, 2014, 371, 411-423.	27.0	1,753
3	Effect of Hydroxychloroquine in Hospitalized Patients with Covid-19. New England Journal of Medicine, 2020, 383, 2030-2040.	27.0	1,013
4	Dihydroartemisinin–piperaquine resistance in Plasmodium falciparum malaria in Cambodia: a multisite prospective cohort study. Lancet Infectious Diseases, The, 2016, 16, 357-365.	9.1	381
5	Evidence of Plasmodium falciparum Malaria Multidrug Resistance to Artemisinin and Piperaquine in Western Cambodia: Dihydroartemisinin-Piperaquine Open-Label Multicenter Clinical Assessment. Antimicrobial Agents and Chemotherapy, 2015, 59, 4719-4726.	3.2	254
6	Determinants of dihydroartemisinin-piperaquine treatment failure in Plasmodium falciparum malaria in Cambodia, Thailand, and Vietnam: a prospective clinical, pharmacological, and genetic study. Lancet Infectious Diseases, The, 2019, 19, 952-961.	9.1	252
7	Triple artemisinin-based combination therapies versus artemisinin-based combination therapies for uncomplicated Plasmodium falciparum malaria: a multicentre, open-label, randomised clinical trial. Lancet, The, 2020, 395, 1345-1360.	13.7	182
8	Reduced Susceptibility of Plasmodium falciparum to Artesunate in Southern Myanmar. PLoS ONE, 2013, 8, e57689.	2.5	177
9	Intrahost modeling of artemisinin resistance in <i>Plasmodium falciparum</i> . Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 397-402.	7.1	154
10	Plasmodium falciparum Drug Resistance Phenotype as Assessed by Patient Antimalarial Drug Levels and Its Association With pfmdr1 Polymorphisms. Journal of Infectious Diseases, 2013, 207, 842-847.	4.0	99
11	Population Pharmacokinetics of Lumefantrine in Pregnant Women Treated with Artemether-Lumefantrine for Uncomplicated <i>Plasmodium falciparum</i> Malaria. Antimicrobial Agents and Chemotherapy, 2009, 53, 3837-3846.	3.2	96
12	Population Pharmacokinetics of Dihydroartemisinin and Piperaquine in Pregnant and Nonpregnant Women with Uncomplicated Malaria. Antimicrobial Agents and Chemotherapy, 2012, 56, 1997-2007.	3.2	88
13	COVID-19 prevention and treatment: A critical analysis of chloroquine and hydroxychloroquine clinical pharmacology. PLoS Medicine, 2020, 17, e1003252.	8.4	86
14	The oral protease inhibitor (PF-07321332) protects Syrian hamsters against infection with SARS-CoV-2 variants of concern. Nature Communications, 2022, 13, 719.	12.8	86
15	Contrasting benefits of different artemisinin combination therapies as first-line malaria treatments using model-based cost-effectiveness analysis. Nature Communications, 2014, 5, 5606.	12.8	85
16	Screening of phytochemicals and in vitro evaluation of antibacterial and antioxidant activities of leaves, pods and bark extracts of Acacia nilotica (L.) Del Industrial Crops and Products, 2015, 77, 873-882.	5. 2	81
17	Pharmacokinetic Interactions between Primaquine and Chloroquine. Antimicrobial Agents and Chemotherapy, 2014, 58, 3354-3359.	3.2	78
18	Significant pharmacokinetic interactions between artemether/lumefantrine and efavirenz or nevirapine in HIV-infected Ugandan adults. Journal of Antimicrobial Chemotherapy, 2012, 67, 2213-2221.	3.0	77

#	Article	lF	CITATIONS
19	Treatment Failure of Dihydroartemisinin/Piperaquine for <i>Plasmodium falciparum</i> Malaria, Vietnam. Emerging Infectious Diseases, 2017, 23, 715-717.	4.3	76
20	Pitfalls in Estimating Piperaquine Elimination. Antimicrobial Agents and Chemotherapy, 2005, 49, 5127-5128.	3.2	63
21	Randomized, Double-Blind, Placebo-Controlled Trial of Monthly versus Bimonthly Dihydroartemisinin-Piperaquine Chemoprevention in Adults at High Risk of Malaria. Antimicrobial Agents and Chemotherapy, 2012, 56, 1571-1577.	3.2	62
22	Combination Therapy with Amantadine, Oseltamivir and Ribavirin for Influenza a Infection: Safety and Pharmacokinetics. Antiviral Therapy, 2013, 18, 377-386.	1.0	61
23	Artesunate/dihydroartemisinin pharmacokinetics in acute falciparum malaria in pregnancy: absorption, bioavailability, disposition and disease effects. British Journal of Clinical Pharmacology, 2012, 73, 467-477.	2.4	60
24	Pharmacokinetics of Dihydroartemisinin and Piperaquine in Pregnant and Nonpregnant Women with Uncomplicated Falciparum Malaria. Antimicrobial Agents and Chemotherapy, 2011, 55, 5500-5506.	3.2	59
25	Antibacterial Activities and Possible Modes of Action of Acacia nilotica (L.) Del. against Multidrug-Resistant Escherichia coli and Salmonella. Molecules, 2017, 22, 47.	3.8	59
26	Randomized Noninferiority Trial of Dihydroartemisinin-Piperaquine Compared with Sulfadoxine-Pyrimethamine plus Amodiaquine for Seasonal Malaria Chemoprevention in Burkina Faso. Antimicrobial Agents and Chemotherapy, 2015, 59, 4387-4396.	3.2	58
27	Pharmacokinetic Properties ofAntiâ€Influenza Neuraminidase Inhibitors. Journal of Clinical Pharmacology, 2013, 53, 119-139.	2.0	54
28	Comparison of the Cumulative Efficacy and Safety of Chloroquine, Artesunate, and Chloroquine-Primaquine in Plasmodium vivax Malaria. Clinical Infectious Diseases, 2018, 67, 1543-1549.	5.8	52
29	Population Pharmacokinetic Properties of Piperaquine in Falciparum Malaria: An Individual Participant Data Meta-Analysis. PLoS Medicine, 2017, 14, e1002212.	8.4	50
30	Chloroquine Versus Dihydroartemisinin-Piperaquine With Standard High-dose Primaquine Given Either for 7 Days or 14 Days in Plasmodium vivax Malaria. Clinical Infectious Diseases, 2019, 68, 1311-1319.	5.8	49
31	Effect of High-Dose or Split-Dose Artesunate on Parasite Clearance in Artemisinin-Resistant Falciparum Malaria. Clinical Infectious Diseases, 2013, 56, e48-e58.	5.8	48
32	Artemether-lumefantrine dosing for malaria treatment in young children and pregnant women: A pharmacokinetic-pharmacodynamic meta-analysis. PLoS Medicine, 2018, 15, e1002579.	8.4	47
33	Clinical presentations, diagnosis, mortality and prognostic markers of tuberculous meningitis in Vietnamese children: a prospective descriptive study. BMC Infectious Diseases, 2016, 16, 573.	2.9	46
34	Ivermectin susceptibility and sporontocidal effect in Greater Mekong Subregion Anopheles. Malaria Journal, 2017, 16, 280.	2.3	46
35	In vitro antioxidant and antimalarial activities of leaves, pods and bark extracts of Acacia nilotica (L.) Del BMC Complementary and Alternative Medicine, 2017, 17, 372.	3.7	46
36	Pharmacokinetics of Amodiaquine and Desethylamodiaquine in Pregnant and Postpartum Women with Plasmodium vivax Malaria. Antimicrobial Agents and Chemotherapy, 2011, 55, 4338-4342.	3.2	45

#	Article	IF	CITATIONS
37	Population Pharmacokinetic and Pharmacodynamic Modeling of Amodiaquine and Desethylamodiaquine in Women with Plasmodium vivax Malaria during and after Pregnancy. Antimicrobial Agents and Chemotherapy, 2012, 56, 5764-5773.	3.2	44
38	Artemetherâ€lumefantrine coâ€administration with antiretrovirals: population pharmacokinetics and dosing implications. British Journal of Clinical Pharmacology, 2015, 79, 636-649.	2.4	44
39	Acetaminophen as a Renoprotective Adjunctive Treatment in Patients With Severe and Moderately Severe Falciparum Malaria: A Randomized, Controlled, Open-Label Trial. Clinical Infectious Diseases, 2018, 67, 991-999.	5.8	44
40	Lopinavir/ritonavir significantly influences pharmacokinetic exposure of artemether/lumefantrine in HIV-infected Ugandan adults. Journal of Antimicrobial Chemotherapy, 2012, 67, 1217-1223.	3.0	43
41	Open-Label Crossover Study of Primaquine and Dihydroartemisinin-Piperaquine Pharmacokinetics in Healthy Adult Thai Subjects. Antimicrobial Agents and Chemotherapy, 2014, 58, 7340-7346.	3.2	42
42	Pharmacokinetic Properties of Artemether, Dihydroartemisinin, Lumefantrine, and Quinine in Pregnant Women with Uncomplicated Plasmodium falciparum Malaria in Uganda. Antimicrobial Agents and Chemotherapy, 2013, 57, 5096-5103.	3.2	41
43	Pharmacokinetic Interactions between Primaquine and Pyronaridine-Artesunate in Healthy Adult Thai Subjects. Antimicrobial Agents and Chemotherapy, 2015, 59, 505-513.	3.2	41
44	Inhibition of merozoite invasion and transient de-sequestration by sevuparin in humans with Plasmodium falciparum malaria. PLoS ONE, 2017, 12, e0188754.	2.5	41
45	$Na ilde{A}^-$ ve-pooled pharmacokinetic analysis of pyrazinamide, isoniazid and rifampicin in plasma and cerebrospinal fluid of Vietnamese children with tuberculous meningitis. BMC Infectious Diseases, 2016, 16, 144.	2.9	40
46	A population pharmacokinetic model of piperaquine in pregnant and non-pregnant women with uncomplicated Plasmodium falciparum malaria in Sudan. Malaria Journal, 2012, 11, 398.	2.3	39
47	Population pharmacokinetics of Artemether and dihydroartemisinin in pregnant women with uncomplicated Plasmodium falciparum malaria in Uganda. Malaria Journal, 2012, 11, 293.	2.3	38
48	The effect of dosing strategies on the therapeutic efficacy of artesunate-amodiaquine for uncomplicated malaria: a meta-analysis of individual patient data. BMC Medicine, 2015, 13, 66.	5 . 5	37
49	Promising approach to reducing Malaria transmission by ivermectin: Sporontocidal effect against Plasmodium vivax in the South American vectors Anopheles aquasalis and Anopheles darlingi. PLoS Neglected Tropical Diseases, 2018, 12, e0006221.	3.0	37
50	Pharmacokinetics of Piperaquine in Pregnant Women in Sudan with Uncomplicated Plasmodium falciparum Malaria. American Journal of Tropical Medicine and Hygiene, 2012, 87, 35-40.	1.4	36
51	Phase 2a, open-label, dose-escalating, multi-center pharmacokinetic study of favipiravir (T-705) in combination with oseltamivir in patients with severe influenza. EBioMedicine, 2020, 62, 103125.	6.1	36
52	Modeling the dynamics of Plasmodium falciparum gametocytes in humans during malaria infection. ELife, $2019,8,.$	6.0	36
53	Randomized Comparison of the Efficacies and Tolerabilities of Three Artemisinin-Based Combination Treatments for Children with Acute Plasmodium falciparum Malaria in the Democratic Republic of the Congo. Antimicrobial Agents and Chemotherapy, 2014, 58, 5528-5536.	3.2	35
54	Identifying the Components of Acidosis in Patients With Severe Plasmodium falciparum Malaria Using Metabolomics. Journal of Infectious Diseases, 2019, 219, 1766-1776.	4.0	35

#	Article	IF	Citations
55	Liquid chromatographic–mass spectrometric method for simultaneous determination of small organic acids potentially contributing to acidosis in severe malaria. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 941, 116-122.	2.3	33
56	Pharmacokinetics of co-formulated mefloquine and artesunate in pregnant and non-pregnant women with uncomplicated Plasmodium falciparum infection in Burkina Faso. Journal of Antimicrobial Chemotherapy, 2014, 69, 2499-2507.	3.0	31
57	Treatment of uncomplicated and severe malaria during pregnancy. Lancet Infectious Diseases, The, 2018, 18, e133-e146.	9.1	31
58	Comparison of plasma, venous and capillary blood levels of piperaquine in patients with uncomplicated falciparum malaria. European Journal of Clinical Pharmacology, 2010, 66, 705-712.	1.9	30
59	Safety, Pharmacokinetics, and Mosquitoâ€Lethal Effects of Ivermectin in Combination With Dihydroartemisininâ€Piperaquine and Primaquine in Healthy Adult Thai Subjects. Clinical Pharmacology and Therapeutics, 2020, 107, 1221-1230.	4.7	30
60	Opposite malaria and pregnancy effect on oral bioavailability of artesunate $\hat{a} \in \text{``a population}$ pharmacokinetic evaluation. British Journal of Clinical Pharmacology, 2015, 80, 642-653.	2.4	29
61	Treatment of Malaria in Pregnancy. New England Journal of Medicine, 2016, 374, 981-982.	27.0	28
62	Population pharmacokinetics and electrocardiographic effects of dihydroartemisinin–piperaquine in healthy volunteers. British Journal of Clinical Pharmacology, 2017, 83, 2752-2766.	2.4	28
63	Optimal dosing of dihydroartemisinin-piperaquine for seasonal malaria chemoprevention in young children. Nature Communications, 2019, 10, 480.	12.8	28
64	Pharmacokinetics and Pharmacodynamics of Intensive Antituberculosis Treatment of Tuberculous Meningitis. Clinical Pharmacology and Therapeutics, 2020, 107, 1023-1033.	4.7	28
65	Does Artesunate Prolong the Electrocardiograph QT Interval in Patients with Severe Malaria?. American Journal of Tropical Medicine and Hygiene, 2009, 80, 126-132.	1.4	28
66	Pharmacokinetics of artemether and dihydroartemisinin in healthy Pakistani male volunteers treated with artemether-lumefantrine. Malaria Journal, 2010, 9, 275.	2.3	27
67	Lumefantrine and Desbutyl-Lumefantrine Population Pharmacokinetic-Pharmacodynamic Relationships in Pregnant Women with Uncomplicated Plasmodium falciparum Malaria on the Thailand-Myanmar Border. Antimicrobial Agents and Chemotherapy, 2015, 59, 6375-6384.	3.2	27
68	Estimation of the $\langle i \rangle$ In Vivo $\langle i \rangle$ MIC of Cipargamin in Uncomplicated Plasmodium falciparum Malaria. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	27
69	Severe Acute Malnutrition Results in Lower Lumefantrine Exposure in Children Treated With Artemetherâ€Lumefantrine for Uncomplicated Malaria. Clinical Pharmacology and Therapeutics, 2019, 106, 1299-1309.	4.7	27
70	Triple therapy with artemether–lumefantrine plus amodiaquine versus artemether–lumefantrine alone for artemisinin-resistant, uncomplicated falciparum malaria: an open-label, randomised, multicentre trial. Lancet Infectious Diseases, The, 2022, 22, 867-878.	9.1	27
71	A Small Amount of Fat Does Not Affect Piperaquine Exposure in Patients with Malaria. Antimicrobial Agents and Chemotherapy, 2011, 55, 3971-3976.	3.2	26
72	Primaquine Pharmacokinetics in Lactating Women and Breastfed Infant Exposures. Clinical Infectious Diseases, 2018, 67, 1000-1007.	5.8	26

#	Article	IF	CITATIONS
73	High sensitivity methods to quantify chloroquine and its metabolite in human blood samples using LCâ \in "MS/MS. Bioanalysis, 2019, 11, 333-347.	1.5	26
74	Structure-switching aptamer sensors for the specific detection of piperaquine and mefloquine. Science Translational Medicine, $2021,13,\ldots$	12.4	26
75	The status of pharmacometrics in pregnancy: highlights from the 3 rd American conference on pharmacometrics. British Journal of Clinical Pharmacology, 2012, 74, 932-939.	2.4	25
76	Benefits of a Pharmacology Antimalarial Reference Standard and Proficiency Testing Program Provided by the Worldwide Antimalarial Resistance Network (WWARN). Antimicrobial Agents and Chemotherapy, 2014, 58, 3889-3894.	3.2	25
77	Efficacy and tolerability of artemisinin-based and quinine-based treatments for uncomplicated falciparum malaria in pregnancy: a systematic review and individual patient data meta-analysis. Lancet Infectious Diseases, The, 2020, 20, 943-952.	9.1	25
78	Population Pharmacokinetic Assessment of the Effect of Food on Piperaquine Bioavailability in Patients with Uncomplicated Malaria. Antimicrobial Agents and Chemotherapy, 2014, 58, 2052-2058.	3.2	22
79	Population pharmacokinetics of quinine in pregnant women with uncomplicated Plasmodium falciparum malaria in Uganda. Journal of Antimicrobial Chemotherapy, 2014, 69, 3033-3040.	3.0	22
80	A Randomized Controlled Trial of Three- versus Five-Day Artemether-Lumefantrine Regimens for Treatment of Uncomplicated Plasmodium falciparum Malaria in Pregnancy in Africa. Antimicrobial Agents and Chemotherapy, 2020, 64, .	3.2	22
81	Pharmacokinetics of Orally Administered Oseltamivir in Healthy Obese and Nonobese Thai Subjects. Antimicrobial Agents and Chemotherapy, 2014, 58, 1615-1621.	3.2	21
82	Population pharmacokinetic properties of artemisinin in healthy male Vietnamese volunteers. Malaria Journal, 2016, 15, 90.	2.3	21
83	Model-Informed Drug Development for Malaria Therapeutics. Annual Review of Pharmacology and Toxicology, 2018, 58, 567-582.	9.4	21
84	Population Pharmacokinetics of the Antimalarial Amodiaquine: a Pooled Analysis To Optimize Dosing. Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	21
85	High-Dose Chloroquine for Uncomplicated Plasmodium falciparum Malaria Is Well Tolerated and Causes Similar QT Interval Prolongation as Standard-Dose Chloroquine in Children. Antimicrobial Agents and Chemotherapy, 2020, 64, .	3.2	21
86	Identification of the metabolites of ivermectin in humans. Pharmacology Research and Perspectives, 2021, 9, e00712.	2.4	21
87	Concentration-dependent mortality of chloroquine in overdose. ELife, 2020, 9, .	6.0	21
88	Enantiospecific pharmacokinetics and drug–drug interactions of primaquine and blood-stage antimalarial drugs. Journal of Antimicrobial Chemotherapy, 2018, 73, 3102-3113.	3.0	20
89	Adherence and Population Pharmacokinetic Properties of Amodiaquine When Used for Seasonal Malaria Chemoprevention in African Children. Clinical Pharmacology and Therapeutics, 2020, 107, 1179-1188.	4.7	20
90	Factors affecting the electrocardiographic QT interval in malaria: A systematic review and meta-analysis of individual patient data. PLoS Medicine, 2020, 17, e1003040.	8.4	20

#	Article	IF	Citations
91	Arterolane–piperaquine–mefloquine versus arterolane–piperaquine and artemether–lumefantrine in the treatment of uncomplicated Plasmodium falciparum malaria in Kenyan children: a single-centre, open-label, randomised, non-inferiority trial. Lancet Infectious Diseases, The, 2021, 21, 1395-1406.	9.1	20
92	Population pharmacokinetics of oseltamivir and oseltamivir carboxylate in obese and nonâ€obese volunteers. British Journal of Clinical Pharmacology, 2016, 81, 1103-1112.	2.4	19
93	Disposition of amodiaquine and desethylamodiaquine in HIV-infected Nigerian subjects on nevirapine-containing antiretroviral therapy. Journal of Antimicrobial Chemotherapy, 2014, 69, 1370-1376.	3.0	18
94	Characterization of an in vivo concentration-effect relationship for piperaquine in malaria chemoprevention. Science Translational Medicine, 2014, 6, 260ra147.	12.4	18
95	Population Pharmacokinetic Properties of Sulfadoxine and Pyrimethamine: a Pooled Analysis To Inform Optimal Dosing in African Children with Uncomplicated Malaria. Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	18
96	Does artesunate prolong the electrocardiograph QT interval in patients with severe malaria?. American Journal of Tropical Medicine and Hygiene, 2009, 80, 126-32.	1.4	18
97	Orally Formulated Artemisinin in Healthy Fasting Vietnamese Male Subjects: A Randomized, Four-Sequence, Open-Label, Pharmacokinetic Crossover Study. Clinical Therapeutics, 2011, 33, 644-654.	2.5	17
98	Pharmacokinetic-Pharmacodynamic Assessment of the Hepatic and Bone Marrow Toxicities of the New Trypanoside Fexinidazole. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	17
99	Amino acid derangements in adults with severe falciparum malaria. Scientific Reports, 2019, 9, 6602.	3.3	17
100	Population Pharmacokinetic Properties of Antituberculosis Drugs in Vietnamese Children with Tuberculous Meningitis. Antimicrobial Agents and Chemotherapy, 2020, 65, .	3.2	17
101	Ribavirin for treating Lassa fever: A systematic review of pre-clinical studies and implications for human dosing. PLoS Neglected Tropical Diseases, 2022, 16, e0010289.	3.0	17
102	Optimal designs for population pharmacokinetic studies of the partner drugs co-administered with artemisinin derivatives in patients with uncomplicated falciparum malaria. Malaria Journal, 2012, 11, 143.	2.3	16
103	Efficacy and Day 7 Plasma Piperaquine Concentrations in African Children Treated for Uncomplicated Malaria with Dihydroartemisinin-Piperaquine. PLoS ONE, 2014, 9, e103200.	2.5	16
104	Prediction of Improved Antimalarial Chemoprevention with Weekly Dosing of Dihydroartemisinin-Piperaquine. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	16
105	Drug Interactions between Dolutegravir and Artemether-Lumefantrine or Artesunate-Amodiaquine. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	16
106	Optimization of dosing regimens of isoniazid and rifampicin in children with tuberculosis in India. British Journal of Clinical Pharmacology, 2019, 85, 644-654.	2.4	16
107	The role of previously unmeasured organic acids in the pathogenesis of severe malaria. Critical Care, 2015, 19, 317.	5.8	15
108	Population Pharmacokinetics of Artemether, Dihydroartemisinin, and Lumefantrine in Rwandese Pregnant Women Treated for Uncomplicated Plasmodium falciparum Malaria. Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	15

#	Article	IF	Citations
109	Population pharmacokinetic and pharmacodynamic properties of artesunate in patients with artemisinin sensitive and resistant infections in Southern Myanmar. Malaria Journal, 2018, 17, 126.	2.3	15
110	Optimal designs for population pharmacokinetic studies of oral artesunate in patients with uncomplicated falciparum malaria. Malaria Journal, 2011, 10, 181.	2.3	14
111	An Individual Participant Data Population Pharmacokinetic Meta-analysis of Drug-Drug Interactions between Lumefantrine and Commonly Used Antiretroviral Treatment. Antimicrobial Agents and Chemotherapy, 2020, 64, .	3.2	14
112	Population Pharmacokinetic and Pharmacodynamic Modeling of Artemisinin Resistance in Southeast Asia. AAPS Journal, 2017, 19, 1842-1854.	4.4	12
113	Characterizing Blood-Stage Antimalarial Drug MIC Values <i>In Vivo</i> Using Reinfection Patterns. Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	12
114	Pharmacokinetics of Oral Tenofovir Disoproxil Fumarate in Pregnancy and Lactation: A Systematic Review. Antiviral Therapy, 2019, 24, 529-540.	1.0	12
115	Pharmacokinetic Study of Rectal Artesunate in Children with Severe Malaria in Africa. Antimicrobial Agents and Chemotherapy, 2021, 65, .	3.2	11
116	Quantification of the antimalarial piperaquine in plasma. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2008, 102, 409-411.	1.8	10
117	Population Pharmacokinetic and Pharmacodynamic Properties of Intramuscular Quinine in Tanzanian Children with Severe Falciparum Malaria. Antimicrobial Agents and Chemotherapy, 2013, 57, 775-783.	3.2	10
118	Piperaquine Pharmacokinetics during Intermittent Preventive Treatment for Malaria in Pregnancy. Antimicrobial Agents and Chemotherapy, 2021, 65, .	3.2	10
119	Determinants of Primaquine and Carboxyprimaquine Exposures in Children and Adults with Plasmodium vivax Malaria. Antimicrobial Agents and Chemotherapy, 2021, 65, e0130221.	3.2	10
120	The Effect of Regularly Dosed Acetaminophen vs No Acetaminophen on Renal Function in <i>Plasmodium knowlesi</i> Malaria (PACKNOW): A Randomized, Controlled Trial. Clinical Infectious Diseases, 2022, 75, 1379-1388.	5.8	10
121	A robust design for identification of the Parasite Clearance Estimator. Malaria Journal, 2013, 12, 410.	2.3	9
122	Population Pharmacokinetic Modeling of Tribendimidine Metabolites in Opisthorchis viverrini-Infected Adults. Antimicrobial Agents and Chemotherapy, 2016, 60, 5695-5704.	3.2	9
123	Acidosis and acute kidney injury in severe malaria. Malaria Journal, 2018, 17, 128.	2.3	9
124	A validation study of microscopy versus quantitative PCR for measuring Plasmodium falciparum parasitemia. Tropical Medicine and Health, 2019, 47, 49.	2.8	9
125	Sequential Open-Label Study of the Safety, Tolerability, and Pharmacokinetic Interactions between Dihydroartemisinin-Piperaquine and Mefloquine in Healthy Thai Adults. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	9
126	Combining antimalarial drugs and vaccine for malaria elimination campaigns: a randomized safety and immunogenicity trial of RTS,S/ASO1 administered with dihydroartemisinin, piperaquine, and primaquine in healthy Thai adult volunteers. Human Vaccines and Immunotherapeutics, 2020, 16, 33-41.	3.3	9

#	Article	lF	CITATIONS
127	Pharmacokinetic considerations in seasonal malaria chemoprevention. Trends in Parasitology, 2022, 38, 673-682.	3.3	9
128	Clinical trials of artesunate plus sulfadoxine-pyrimethamine for Plasmodium falciparum malaria in Afghanistan: maintained efficacy a decade after introduction. Malaria Journal, 2016, 15, 121.	2.3	8
129	Quantitation of paracetamol by liquid chromatography–mass spectrometry in human plasma in support of clinical trial. Future Science OA, 2018, 4, FSO331.	1.9	8
130	Study protocol: an open-label individually randomised controlled trial to assess the efficacy of artemether-lumefantrine prophylaxis for malaria among forest goers in Cambodia. BMJ Open, 2021, 11, e045900.	1.9	7
131	Statistical Power Calculations for Mixed Pharmacokinetic Study Designs Using a Population Approach. AAPS Journal, 2014, 16, 1110-1118.	4.4	6
132	Quantification of the antimalarial drug pyronaridine in whole blood using LC–MS/MS — Increased sensitivity resulting from reduced non-specific binding. Journal of Pharmaceutical and Biomedical Analysis, 2017, 146, 214-219.	2.8	6
133	Pooled Population Pharmacokinetic Analysis of Tribendimidine for the Treatment of <i>Opisthorchis viverrini</i> Infections. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	6
134	High Cure Rates for Hepatitis C Virus Genotype 6 in Advanced Liver Fibrosis With 12 Weeks Sofosbuvir and Daclatasvir: The Vietnam SEARCH Study. Open Forum Infectious Diseases, 2021, 8, ofab267.	0.9	6
135	Pooled Multicenter Analysis of Cardiovascular Safety and Population Pharmacokinetic Properties of Piperaquine in African Patients with Uncomplicated Falciparum Malaria. Antimicrobial Agents and Chemotherapy, 2020, 64, .	3. 2	5
136	A Physiologically-Based Pharmacokinetic Framework for Prediction of Drug Exposure in Malnourished Children. Pharmaceutics, 2021, 13, 204.	4.5	5
137	Metabolomics reveal alterations in arachidonic acid metabolism in Schistosoma mekongi after exposure to praziquantel. PLoS Neglected Tropical Diseases, 2021, 15, e0009706.	3.0	5
138	Determination of ceftriaxone in human plasma using liquid chromatography–tandem mass spectrometry. Wellcome Open Research, 0, 4, 47.	1.8	5
139	Pharmacokinetic properties of intramuscular versus oral syrup paracetamol in Plasmodium falciparum malaria. Malaria Journal, 2016, 15, 244.	2.3	4
140	Effect of Antiretroviral Therapy on Plasma Concentrations of Chloroquine and Desethyl-chloroquine. Clinical Infectious Diseases, 2018, 67, 1617-1620.	5.8	4
141	Piperaquine concentration and malaria treatment outcomes in Ugandan children treated for severe malaria with intravenous Artesunate or quinine plus Dihydroartemisinin-Piperaquine. BMC Infectious Diseases, 2019, 19, 1025.	2.9	4
142	Differential Impact of Nevirapine on Artemether-Lumefantrine Pharmacokinetics in Individuals Stratified by <i>CYP2B6</i> c.516G>T Genotypes. Antimicrobial Agents and Chemotherapy, 2020, 64, .	3.2	4
143	<i>CYP2B6</i> *6 Genotype Specific Differences in Artemether‣umefantrine Disposition in Healthy Volunteers. Journal of Clinical Pharmacology, 2020, 60, 351-360.	2.0	3
144	Semimechanistic Pharmacokinetic and Pharmacodynamic Modeling of Piperaquine in a Volunteer Infection Study with Plasmodium falciparum Blood-Stage Malaria. Antimicrobial Agents and Chemotherapy, 2021, 65, .	3.2	3

#	Article	IF	CITATIONS
145	High-throughput quantitation method for amodiaquine and desethylamodiaquine in plasma using supported liquid extraction technology. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1179, 122887.	2.3	3
146	Development of weight and age-based dosing of daily primaquine for radical cure of vivax malaria. Malaria Journal, 2021, 20, 366.	2.3	3
147	Pharmacometric and Electrocardiographic Evaluation of Chloroquine and Azithromycin in Healthy Volunteers. Clinical Pharmacology and Therapeutics, 2022, 112, 824-835.	4.7	3
148	Determination of ceftriaxone in human plasma using liquid chromatography–tandem mass spectrometry. Wellcome Open Research, 0, 4, 47.	1.8	3
149	Simultaneous and enantiospecific quantification of primaquine and carboxyprimaquine in human plasma using liquid chromatography-tandem mass spectrometry. Malaria Journal, 2022, 21, .	2.3	3
150	Determination of ceftriaxone in human plasma using liquid chromatography–tandem mass spectrometry. Wellcome Open Research, 0, 4, 47.	1.8	2
151	Drug development for the treatment of onchocerciasis: Population pharmacokinetic and adverse events modeling of emodepside. PLoS Neglected Tropical Diseases, 2022, 16, e0010219.	3.0	2
152	Development and Validation of an <i>In Silico</i> Decision Tool To Guide Optimization of Intravenous Artesunate Dosing Regimens for Severe Falciparum Malaria Patients. Antimicrobial Agents and Chemotherapy, 2021, 65, .	3.2	1
153	Population pharmacokinetics of artesunate and dihydroartemisinin in pregnant and non-pregnant women with uncomplicated Plasmodium falciparum malaria in Burkina Faso: an open label trial. Wellcome Open Research, 2019, 4, 45.	1.8	1
154	Assessment of the amino acid profile in Thai patients with type 2 diabetes mellitus using liquid chromatography-mass spectrometry. International Health, 2021, 13, 367-373.	2.0	1
155	Mechanistic Modeling of Primaquine Pharmacokinetics, Gametocytocidal Activity, and Mosquito Infectivity. Clinical Pharmacology and Therapeutics, 2022, 111, 676-685.	4.7	1
156	Temporal distribution of Plasmodium falciparum recrudescence following artemisinin-based combination therapy: an individual participant data meta-analysis. Malaria Journal, 2022, 21, 106.	2.3	1
157	Response to "Pharmacometric Approach to Evaluate Drug Dosing Adherence― Clinical Pharmacology and Therapeutics, 2021, 110, 24-25.	4.7	0
158	Clinically Relevant Drug Interactions for Malaria. , 2019, , 1-11.		0
159	Population pharmacokinetics of artesunate and dihydroartemisinin in pregnant and non-pregnant women with uncomplicated Plasmodium falciparum malaria in Burkina Faso: an open label trial. Wellcome Open Research, 0, 4, 45.	1.8	0
160	Population Pharmacodynamic Modeling of Eflornithine-Based Treatments Against Late-Stage Gambiense Human African Trypanosomiasis and Efficacy Predictions of L-eflornithine-Based Therapy. AAPS Journal, 2022, 24, 48.	4.4	0