

# Susan J Dutton

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9370972/publications.pdf>

Version: 2024-02-01

56  
papers

1,736  
citations

471509

17  
h-index

289244

40  
g-index

57  
all docs

57  
docs citations

57  
times ranked

3082  
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of thoracic ultrasonography in pleurodesis pathways for malignant pleural effusions (SIMPLE): an open-label, randomised controlled trial. <i>Lancet Respiratory Medicine</i> , 2022, 10, 139-148.	10.7	18
2	Intravenous iron to treat anaemia following critical care: a multicentre feasibility randomised trial. <i>British Journal of Anaesthesia</i> , 2022, 128, 272-282.	3.4	13
3	Clinical effectiveness of symptomatic therapy compared with standard step-up care for the treatment of low-impact psoriatic oligoarthritis: the two-arm parallel group randomised POISE feasibility study. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2022, 14, 1759720X2110576.	2.7	0
4	How are progression decisions made following external randomised pilot trials? A qualitative interview study and framework analysis. <i>Trials</i> , 2022, 23, 132.	1.6	3
5	Flexibility and resistance exercises versus usual care for improving pain and function after distal radius fracture in adults aged 50 years or over: protocol for the WISE randomised multicentre feasibility trial. <i>Pilot and Feasibility Studies</i> , 2022, 8, 55.	1.2	2
6	The Clinical Effectiveness of a Physiotherapy Delivered Physical and Psychological Group Intervention for Older Adults With Neurogenic Claudication: The BOOST Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 1654-1664.	3.6	9
7	Efficacy of Liposomal Bupivacaine and Bupivacaine Hydrochloride vs Bupivacaine Hydrochloride Alone as a Periarticular Anesthetic for Patients Undergoing Knee Replacement. <i>JAMA Surgery</i> , 2022, 157, 481.	4.3	12
8	Characteristics of L-PRP preparations for treating Achilles tendon rupture within the PATH-2 study. <i>Platelets</i> , 2021, 32, 273-279.	2.3	8
9	Treating to target in psoriatic arthritis: assessing real-world outcomes and optimising therapeutic strategy for adults with psoriatic arthritisâ€”study protocol for the MONITOR-PsA study, a trials within cohorts study design. <i>Trials</i> , 2021, 22, 185.	1.6	5
10	INtravenous iron to treat anaemia following CriTical care (INTACT): A protocol for a feasibility randomised controlled trial. <i>Journal of the Intensive Care Society</i> , 2021, 22, 182-182.	2.2	3
11	Hand Osteoarthritis: investigating Pain Effects of estrogen-containing therapy (HOPE-e): a protocol for a feasibility randomised placebo-controlled trial. <i>Pilot and Feasibility Studies</i> , 2021, 7, 133.	1.2	1
12	Chronic pain with neuropathic characteristics after surgery for major trauma to the lower limb: prevalence, predictors, and association with pain severity, disability, and quality of life in the UK WHIST trial. <i>Bone and Joint Journal</i> , 2021, 103-B, 1047-1054.	4.4	16
13	Progression from external pilot to definitive randomised controlled trial: a methodological review of progression criteria reporting. <i>BMJ Open</i> , 2021, 11, e048178.	1.9	22
14	Statistical analysis plan for a pragmatic phase III randomised controlled trial examining behaviour change physiotherapy intervention to increase physical activity following hip and knee replacements: the PEP-TALK trial. <i>Trials</i> , 2021, 22, 467.	1.6	1
15	Progressive exercise compared with best practice advice, with or without corticosteroid injection, for the treatment of patients with rotator cuff disorders (GRASP): a multicentre, pragmatic, 2â€‰%2 factorial, randomised controlled trial. <i>Lancet, The</i> , 2021, 398, 416-428.	13.7	53
16	Progressive exercise compared with best-practice advice, with or without corticosteroid injection, for rotator cuff disorders: the GRASP factorial RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-158.	2.8	10
17	Azithromycin versus standard care in patients with mild-to-moderate COVID-19 (ATOMIC2): an open-label, randomised trial. <i>Lancet Respiratory Medicine</i> , 2021, 9, 1130-1140.	10.7	65
18	The clinical and cost effectiveness of splints for thumb base osteoarthritis: a randomized controlled clinical trial. <i>Rheumatology</i> , 2021, 60, 2862-2877.	1.9	9

#	ARTICLE	IF	CITATIONS
19	Ten-year Mortality, Disease Progression, and Treatment-related Side Effects in Men with Localised Prostate Cancer from the ProtecT Randomised Controlled Trial According to Treatment Received. <i>European Urology</i> , 2020, 77, 320-330.	1.9	107
20	Better Outcomes for Older people with Spinal Trouble (BOOST) trial: statistical analysis plan for a randomised controlled trial of a combined physical and psychological intervention for older adults with neurogenic claudication. <i>Trials</i> , 2020, 21, 667.	1.6	2
21	A multi-centre open-label two-arm randomised superiority clinical trial of azithromycin versus usual care in ambulatory COVID-19: study protocol for the ATOMIC2 trial. <i>Trials</i> , 2020, 21, 718.	1.6	25
22	Progressive exercise compared with best practice advice, with or without corticosteroid injection, for the treatment of rotator cuff disorders: statistical analysis plan for the Getting it Right: Addressing Shoulder Pain (GRASP) 2 Å– 2 factorial multicentre randomised controlled trial. <i>Trials</i> , 2020, 21, 767.	1.6	2
23	Woodcast versus standard casting material for the immobilization of nonoperatively treated distal radial fractures. <i>Bone and Joint Journal</i> , 2020, 102-B, 48-54.	4.4	6
24	Plaster cast versus functional brace for non-surgical treatment of Achilles tendon rupture (UKSTAR): a multicentre randomised controlled trial and economic evaluation. <i>Lancet, The</i> , 2020, 395, 441-448.	13.7	41
25	Interleukin-2 Therapy of Autoimmunity in Diabetes (ITAD): a phase 2, multicentre, double-blind, randomized, placebo-controlled trial. <i>Wellcome Open Research</i> , 2020, 5, 49.	1.8	16
26	A multicentre prospective randomized equivalence trial of a soft bandage and immediate discharge versus current treatment with rigid immobilization for torus fractures of the distal radius in children. <i>Bone &amp; Joint Open</i> , 2020, 1, 214-221.	2.6	12
27	The Forearm Fracture Recovery in Children Evaluation (FORCE) trial: statistical and health economic analysis plan for an equivalence randomized controlled trial of treatment for torus fractures of the distal radius in children. <i>Bone &amp; Joint Open</i> , 2020, 1, 205-213.	2.6	2
28	Plaster cast versus functional bracing for Achilles tendon rupture: the UKSTAR RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-86.	2.8	10
29	Negative-pressure wound therapy compared with standard dressings following surgical treatment of major trauma to the lower limb: the WHIST RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-86.	2.8	10
30	A multicentre prospective randomized equivalence trial of a soft bandage and immediate discharge versus current treatment with rigid immobilization for torus fractures of the distal radius in children. <i>Bone &amp; Joint Open</i> , 2020, 1, 214-221.	2.6	2
31	Outpatient physiotherapy versus home-based rehabilitation for patients at risk of poor outcomes after knee arthroplasty: CORKA RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-116.	2.8	62
32	Cast versus functional brace in the rehabilitation of patients with a rupture of the Achilles tendon: statistical analysis plan for the UK study of tendo Achilles rehabilitation (UK STAR) multi-centre randomised controlled trial. <i>Trials</i> , 2019, 20, 311.	1.6	1
33	Duration of Treatment Effect Should Be Considered in the Design and Interpretation of Clinical Trials: Results of a Discrete Choice Experiment. <i>Medical Decision Making</i> , 2019, 39, 461-473.	2.4	9
34	Wound Healing In Surgery for Trauma (WHIST): statistical analysis plan for a randomised controlled trial comparing standard wound management with negative pressure wound therapy. <i>Trials</i> , 2019, 20, 186.	1.6	11
35	Arthroscopic hip surgery compared with physiotherapy and activity modification for the treatment of symptomatic femoroacetabular impingement: multicentre randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2019, 364, l185.	2.3	186
36	SOURCE: A Registry-Based Prediction Model for Overall Survival in Patients with Metastatic Oesophageal or Gastric Cancer. <i>Cancers</i> , 2019, 11, 187.	3.7	20

#	ARTICLE	IF	CITATIONS
37	Platelet rich plasma injection for acute Achilles tendon rupture: PATH-2 randomised, placebo controlled, superiority trial. <i>BMJ: British Medical Journal</i> , 2019, 367, l6132.	2.3	51
38	Progressive functional exercise versus best practice advice for adults aged 50 years or over after ankle fracture: protocol for a pilot randomised controlled trial in the UK - the Ankle Fracture Treatment: Enhancing Rehabilitation (AFTER) study. <i>BMJ Open</i> , 2019, 9, e030877.	1.9	8
39	Study of Peri-Articular Anaesthetic for Replacement of the Knee (SPAARK): study protocol for a patient-blinded, randomised controlled superiority trial of liposomal bupivacaine. <i>Trials</i> , 2019, 20, 732.	1.6	2
40	Platelet-rich plasma injection for adults with acute Achilles tendon rupture: the PATH-2 RCT. Efficacy and Mechanism Evaluation, 2019, 6, 1-98.	0.7	8
41	Nocturnal temperature-controlled laminar airflow device for adults with severe allergic asthma: the LASER RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-140.	2.8	7
42	COMMunity-based Rehabilitation after Knee Arthroplasty (CORKA): statistical analysis plan for a randomised controlled trial. <i>Trials</i> , 2018, 19, 638.	1.6	4
43	Sample size calculations are poorly conducted and reported in many randomized trials of hip and knee osteoarthritis: results of a systematic review. <i>Journal of Clinical Epidemiology</i> , 2018, 104, 52-61.	5.0	22
44	Better Outcomes for Older people with Spinal Trouble (BOOST) Trial: a randomised controlled trial of a combined physical and psychological intervention for older adults with neurogenic claudication, a protocol. <i>BMJ Open</i> , 2018, 8, e022205.	1.9	16
45	Platelet-rich plasma in Achilles tendon healing 2 (PATH-2) trial: statistical analysis plan for a multicentre, double-blinded, parallel-group, placebo-controlled randomised clinical trial. <i>Trials</i> , 2018, 19, 464.	1.6	4
46	Platelet rich Plasma in Achilles Tendon Healing 2 (PATH-2) trial: protocol for a multicentre, participant and assessor-blinded, parallel-group randomised clinical trial comparing platelet-rich plasma (PRP) injection versus placebo injection for Achilles tendon rupture. <i>BMJ Open</i> , 2017, 7, e018135.	1.9	16
47	Gefitinib and EGFR Gene Copy Number Aberrations in Esophageal Cancer. <i>Journal of Clinical Oncology</i> , 2017, 35, 2279-2287.	1.6	100
48	Trial outcomes and information for clinical decision-making: a comparative study of opinions of health professionals. <i>Trials</i> , 2016, 17, 344.	1.6	2
49	Core Outcomes for Colorectal Cancer Surgery: A Consensus Study. <i>PLoS Medicine</i> , 2016, 13, e1002071.	8.4	82
50	ARCII: A phase II trial of the HIV protease inhibitor Nelfinavir in combination with chemoradiation for locally advanced inoperable pancreatic cancer. <i>Radiotherapy and Oncology</i> , 2016, 119, 306-311.	0.6	43
51	A Multi-institutional Analysis of Perioperative Outcomes in 106 Men Who Underwent Radical Prostatectomy for Distant Metastatic Prostate Cancer at Presentation. <i>European Urology</i> , 2016, 69, 788-794.	1.9	140
52	Epidermal Growth Factor (EGFR) copy number aberrations in esophageal and gastro-esophageal junctional carcinoma. <i>Molecular Cytogenetics</i> , 2015, 8, 78.	0.9	8
53	Out-of-hours discharge from intensive care, in-hospital mortality and intensive care readmission rates: a systematic review protocol. <i>Systematic Reviews</i> , 2015, 4, 93.	5.3	7
54	Reply to C. Zhuang et al. <i>Journal of Clinical Oncology</i> , 2014, 32, 4022-4022.	1.6	2

#	ARTICLE	IF	CITATIONS
55	Multicenter Randomized Controlled Trial of Conventional Versus Laparoscopic Surgery for Colorectal Cancer Within an Enhanced Recovery Programme: EnROL. <i>Journal of Clinical Oncology</i> , 2014, 32, 1804-1811.	1.6	170
56	Gefitinib for oesophageal cancer progressing after chemotherapy (COG): a phase 3, multicentre, double-blind, placebo-controlled randomised trial. <i>Lancet Oncology</i> , The, 2014, 15, 894-904.	10.7	270