

Ulises De la Cruz-Mosso

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9373742/publications.pdf>

Version: 2024-02-01

27
papers

391
citations

759233

12
h-index

839539

18
g-index

28
all docs

28
docs citations

28
times ranked

575
citing authors

#	ARTICLE	IF	CITATIONS
1	Functional effects of vitamin D: From nutrient to immunomodulator. <i>Critical Reviews in Food Science and Nutrition</i> , 2022, 62, 3042-3062.	10.3	22
2	CRP Serum Levels Are Associated with High Cardiometabolic Risk and Clinical Disease Activity in Systemic Lupus Erythematosus Patients. <i>Journal of Clinical Medicine</i> , 2022, 11, 1849.	2.4	11
3	Association of cardiometabolic risk status with clinical activity and damage in systemic lupus erythematosus patients: A cross-sectional study. <i>Clinical Immunology</i> , 2021, 222, 108637.	3.2	15
4	Presence of Adenovirus-36 DNA in Adipose Tissue of Women: Relationship with Adipocyte Morphology and the Expression of C/EBP β and HIF-1 α . <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2021, Volume 14, 477-486.	2.4	4
5	Macrophage migration inhibitory factor: A promising oncogenic serological biomarker for oral squamous cell carcinoma. <i>International Journal of Immunopathology and Pharmacology</i> , 2021, 35, 205873842110384.	2.1	2
6	Influence of Diet and Levels of Zonulin, Lipopolysaccharide and C-Reactive Protein on Cardiometabolic Risk Factors in Young Subjects. <i>Nutrients</i> , 2021, 13, 4472.	4.1	4
7	Association of High Calcitriol Serum Levels and Its Hydroxylation Efficiency Ratio with Disease Risk in SLE Patients with Vitamin D Deficiency. <i>Journal of Immunology Research</i> , 2021, 2021, 1-16.	2.2	4
8	The \sim 675 4G/5G PAI-1 polymorphism confers genetic susceptibility to systemic lupus erythematosus, its clinical manifestations, and comorbidities in Mexican-Mestizo population. <i>Autoimmunity</i> , 2020, 53, 71-77.	2.6	5
9	Association of Vitamin D Metabolism Gene Polymorphisms with Autoimmunity: Evidence in Population Genetic Studies. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9626.	4.1	49
10	A potential inflammatory role of IL-31 in psoriatic arthritis: A correlation with Th17 cytokine profile. <i>International Journal of Immunopathology and Pharmacology</i> , 2020, 34, 205873842090718.	2.1	10
11	Relationship of Excess Weight with Clinical Activity and Dietary Intake Deficiencies in Systemic Lupus Erythematosus Patients. <i>Nutrients</i> , 2019, 11, 2683.	4.1	25
12	Functional MIF promoter haplotypes modulate Th17-related cytokine expression in peripheral blood mononuclear cells from control subjects and rheumatoid arthritis patients. <i>Cytokine</i> , 2019, 115, 89-96.	3.2	11
13	Th1/Th17 Cytokine Profile is Induced by Macrophage Migration Inhibitory Factor in Peripheral Blood Mononuclear Cells from Rheumatoid Arthritis Patients. <i>Current Molecular Medicine</i> , 2019, 18, 679-688.	1.3	7
14	MIF functional polymorphisms (-794 CATT5-8 and -173 G>C) are associated with MIF serum levels, severity and progression in male multiple sclerosis from western Mexican population. <i>Journal of Neuroimmunology</i> , 2018, 320, 117-124.	2.3	26
15	MIF promotes a differential Th1/Th2/Th17 inflammatory response in human primary cell cultures: Predominance of Th17 cytokine profile in PBMC from healthy subjects and increase of IL-6 and TNF- α in PBMC from active SLE patients. <i>Cellular Immunology</i> , 2018, 324, 42-49.	3.0	37
16	Expression of MIF and TNFA in psoriatic arthritis: relationship with Th1/Th2/Th17 cytokine profiles and clinical variables. <i>Clinical and Experimental Medicine</i> , 2018, 18, 229-235.	3.6	13
17	Association of extrapituitary prolactin promoter polymorphism with disease susceptibility and anti-RNP antibodies in Mexican patients with systemic lupus erythematosus. <i>Archives of Medical Science</i> , 2018, 14, 1025-1032.	0.9	5
18	Association of 86bp variable number of tandem repeat (VNTR) polymorphism of interleukin-1 receptor antagonist (IL1RN) with susceptibility and clinical activity in rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2017, 36, 1247-1252.	2.2	2

#	ARTICLE	IF	CITATIONS
19	High expression of interleukine-1 receptor antagonist in rheumatoid arthritis: Association with IL1RN*2/2 genotype. <i>Autoimmunity</i> , 2017, 50, 468-475.	2.6	11
20	MIF and TNF- α serum levels in rheumatoid arthritis patients treated with disease-modifying antirheumatic drugs: a cross-sectional study. <i>Immunopharmacology and Immunotoxicology</i> , 2015, 37, 207-213.	2.4	9
21	Association between the γ 794 (CATT) ₅ and MIF Gene Polymorphism and Susceptibility to Acute Coronary Syndrome in a Western Mexican Population. <i>Journal of Immunology Research</i> , 2014, 1-5.	2.2	14
22	Circulating CD36 and oxLDL levels are associated with cardiovascular risk factors in young subjects. <i>BMC Cardiovascular Disorders</i> , 2014, 14, 54.	1.7	34
23	Macrophage migration inhibitory factor: Association of γ 794 CATT ₅ and γ 173 G>C polymorphisms with TNF- α in systemic lupus erythematosus. <i>Human Immunology</i> , 2014, 75, 433-439.	2.4	39
24	Body adiposity but not insulin resistance is associated with -675 4G/5G polymorphism in the PAI-1 gene in a sample of Mexican children. <i>Jornal De Pediatria</i> , 2013, 89, 492-498.	2.0	7
25	Body adiposity but not insulin resistance is associated with -675 4G/5G polymorphism in the PAI-1 gene in a sample of Mexican children. <i>Jornal De Pediatria (Versão Em Português)</i> , 2013, 89, 492-498.	0.2	0
26	Relationship of metabolic syndrome and its components with -844 G/A and HindIII C/G PAI-1 gene polymorphisms in Mexican children. <i>BMC Pediatrics</i> , 2012, 12, 41.	1.7	12
27	PAI-1 mRNA expression and plasma level in rheumatoid arthritis: relationship with 4G/5G PAI-1 polymorphism. <i>Rheumatology International</i> , 2012, 32, 3951-3956.	3.0	13