

Paule Latino-Martel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9374995/publications.pdf>

Version: 2024-02-01

112
papers

5,418
citations

76326

40
h-index

95266

68
g-index

123
all docs

123
docs citations

123
times ranked

8442
citing authors

#	ARTICLE	IF	CITATIONS
1	Consumption of ultra-processed foods and cancer risk: results from NutriNet-Sant� prospective cohort. <i>BMJ: British Medical Journal</i> , 2018, 360, k322.	2.3	605
2	Diet and physical activity during the coronavirus disease 2019 (COVID-19) lockdown (March�May 2020): results from the French NutriNet-Sant� cohort study. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 924-938.	4.7	284
3	Beta�carotene supplementation and cancer risk: a systematic review and metaanalysis of randomized controlled trials. <i>International Journal of Cancer</i> , 2010, 127, 172-184.	5.1	235
4	Diallyl disulfide (DADS) increases histone acetylation and p21waf1/cip1 expression in human colon tumor cell lines. <i>Carcinogenesis</i> , 2004, 25, 1227-1236.	2.8	225
5	Alcohol and genetic polymorphisms: effect on risk of alcohol-related cancer. <i>Lancet Oncology</i> , The, 2009, 10, 173-180.	10.7	216
6	Sugary drink consumption and risk of cancer: results from NutriNet-Sant� prospective cohort. <i>BMJ: British Medical Journal</i> , 2019, 366, l2408.	2.3	129
7	Determinants of Vitamin D Status in Caucasian Adults: Influence of Sun Exposure, Dietary Intake, Sociodemographic, Lifestyle, Anthropometric, and Genetic Factors. <i>Journal of Investigative Dermatology</i> , 2015, 135, 378-388.	0.7	119
8	Association of Frequency of Organic Food Consumption With Cancer Risk. <i>JAMA Internal Medicine</i> , 2018, 178, 1597.	5.1	119
9	Cholesterol and breast cancer risk: a systematic review and meta-analysis of prospective studies. <i>British Journal of Nutrition</i> , 2015, 114, 347-357.	2.3	118
10	Prospective associations between serum biomarkers of lipid metabolism and overall, breast and prostate cancer risk. <i>European Journal of Epidemiology</i> , 2014, 29, 119-132.	5.7	108
11	Excess body weight and second primary cancer risk after breast cancer: a systematic review and meta-analysis of prospective studies. <i>Breast Cancer Research and Treatment</i> , 2012, 135, 647-654.	2.5	102
12	Association Between Prediagnostic Biomarkers of Inflammation and Endothelial Function and Cancer Risk: A Nested Case-Control Study. <i>American Journal of Epidemiology</i> , 2013, 177, 3-13.	3.4	100
13	Red and processed meat intake and cancer risk: Results from the prospective NutriNet-Sant� cohort study. <i>International Journal of Cancer</i> , 2018, 142, 230-237.	5.1	96
14	Food additives: distribution and co-occurrence in 126,000 food products of the French market. <i>Scientific Reports</i> , 2020, 10, 3980.	3.3	89
15	Alcoholic beverages, obesity, physical activity and other nutritional factors, and cancer risk: A review of the evidence. <i>Critical Reviews in Oncology/Hematology</i> , 2016, 99, 308-323.	4.4	88
16	Maternal Alcohol Consumption during Pregnancy and Risk of Childhood Leukemia: Systematic Review and Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1238-1260.	2.5	85
17	Incidence of cancers, ischemic cardiovascular diseases and mortality during 5�year follow�up after stopping antioxidant vitamins and minerals supplements: A postintervention follow�up in the SU.VI.MAX Study. <i>International Journal of Cancer</i> , 2010, 127, 1875-1881.	5.1	84
18	Apigenin and tangeretin enhance gap junctional intercellular communication in rat liver epithelial cells. <i>Carcinogenesis</i> , 1994, 15, 2325-2330.	2.8	73

#	ARTICLE	IF	CITATIONS
19	Variations of physical activity and sedentary behavior between before and after cancer diagnosis. <i>Medicine (United States)</i> , 2016, 95, e4629.	1.0	69
20	Associations between usual diet and gut microbiota composition: results from the Milieu Intérieur cross-sectional study. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 1472-1483.	4.7	66
21	Flavonoids (apigenin, tangeretin) counteract tumor promoter-induced inhibition of intercellular communication of rat liver epithelial cells. <i>Cancer Letters</i> , 1997, 114, 207-210.	7.2	65
22	Socioeconomic Differences in Fruit and Vegetable Consumption among Middle-Aged French Adults: Adherence to the 5 A Day Recommendation. <i>Journal of the American Dietetic Association</i> , 2008, 108, 2021-2030.	1.1	65
23	Alcohol Drinking and Second Primary Cancer Risk in Patients with Upper Aerodigestive Tract Cancers: A Systematic Review and Meta-analysis of Observational Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 324-331.	2.5	65
24	Circadian nutritional behaviours and cancer risk: New insights from the NutriNet-Santé prospective cohort study: Disclaimers. <i>International Journal of Cancer</i> , 2018, 143, 2369-2379.	5.1	64
25	Interpretation of Plasma PTH Concentrations According to 25OHD Status, Gender, Age, Weight Status, and Calcium Intake: Importance of the Reference Values. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 1196-1203.	3.6	63
26	Nutritional quality of food as represented by the FSA-m-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. <i>PLoS Medicine</i> , 2018, 15, e1002651.	8.4	63
27	Associations between consumption of dietary fibers and the risk of cardiovascular diseases, cancers, type 2 diabetes, and mortality in the prospective NutriNet-Santé cohort. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 195-207.	4.7	60
28	Total and added sugar intakes, sugar types, and cancer risk: results from the prospective NutriNet-Santé cohort. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 1267-1279.	4.7	59
29	In vivo treatment by diallyl disulfide increases histone acetylation in rat colonocytes. <i>Biochemical and Biophysical Research Communications</i> , 2007, 354, 140-147.	2.1	56
30	Clinical nutrition guidelines of the French Speaking Society of Clinical Nutrition and Metabolism (SFNEP): Summary of recommendations for adults undergoing non-surgical anticancer treatment. <i>Digestive and Liver Disease</i> , 2014, 46, 667-674.	0.9	54
31	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. <i>BMJ, The</i> , 2020, 370, m3173.	6.0	54
32	Dietary Total and Insoluble Fiber Intakes Are Inversely Associated with Prostate Cancer Risk. <i>Journal of Nutrition</i> , 2014, 144, 504-510.	2.9	52
33	Prospective association between cancer risk and an individual dietary index based on the British Food Standards Agency Nutrient Profiling System. <i>British Journal of Nutrition</i> , 2015, 114, 1702-1710.	2.3	52
34	Cancer-Specific and General Nutritional Scores and Cancer Risk: Results from the Prospective NutriNet-Santé Cohort. <i>Cancer Research</i> , 2018, 78, 4427-4435.	0.9	52
35	Repetitive Treatments of Colon HT-29 Cells with Diallyl Disulfide Induce a Prolonged Hyperacetylation of Histone H3 K14. <i>Annals of the New York Academy of Sciences</i> , 2004, 1030, 612-621.	3.8	51
36	NMR metabolomic signatures reveal predictive plasma metabolites associated with long-term risk of developing breast cancer. <i>International Journal of Epidemiology</i> , 2018, 47, 484-494.	1.9	47

#	ARTICLE	IF	CITATIONS
37	PASSCLAIM1â€”Diet-related cancer. <i>European Journal of Nutrition</i> , 2004, 43, ii47-ii84.	3.9	46
38	The Dietary Inflammatory Index Is Associated with Prostate Cancer Risk in French Middle-Aged Adults in a Prospective Study. <i>Journal of Nutrition</i> , 2016, 146, 785-791.	2.9	44
39	Diallyl Disulfide Increases CDKN1A Promoter-Associated Histone Acetylation in Human Colon Tumor Cell Lines. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 7503-7507.	5.2	43
40	Dual association between polyphenol intake and breast cancer risk according to alcohol consumption level: a prospective cohort study. <i>Breast Cancer Research and Treatment</i> , 2013, 137, 225-236.	2.5	43
41	Retinoic acid enhances connexin43 expression at the post-transcriptional level in rat liver epithelial cells. <i>Cell Biochemistry and Function</i> , 1995, 13, 69-77.	2.9	41
42	Prospective association between the Dietary Inflammatory Index and mortality: modulation by antioxidant supplementation in the SU.VI.MAX randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 878-885.	4.7	40
43	Relationship between iron status and dietary fruit and vegetables based on their vitamin C and fiber content. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1298-1305.	4.7	38
44	Plasma Carotenoids and Retinol and Overall and Breast Cancer Risk: A Nested Case-Control Study. <i>Nutrition and Cancer</i> , 2014, 66, 980-988.	2.0	38
45	Alcohol consumption and cancer risk: revisiting guidelines for sensible drinking. <i>Cmaj</i> , 2011, 183, 1861-1865.	2.0	35
46	Prospective Associations between Plasma Saturated, Monounsaturated and Polyunsaturated Fatty Acids and Overall and Breast Cancer Risk â€” Modulation by Antioxidants: A Nested Case-Control Study. <i>PLoS ONE</i> , 2014, 9, e90442.	2.5	34
47	Associations between fruit, vegetable and legume intakes and prostate cancer risk: results from the prospective SupplÃ©mentation en Vitamines et MinÃ©raux Antioxydants (SU.VI.MAX) cohort. <i>British Journal of Nutrition</i> , 2016, 115, 1579-1585.	2.3	34
48	Isolation of pig colonic crypts for cytotoxic assay of luminal compounds: effects of hydrogen sulfide, ammonia, and deoxycholic acid. <i>Cell Biology and Toxicology</i> , 2002, 18, 193-203.	5.3	31
49	Are self-reported unhealthy food choices associated with an increased risk of breast cancer? Prospective cohort study using the British Food Standards Agency nutrient profiling system. <i>BMJ Open</i> , 2017, 7, e013718.	1.9	31
50	Saturated, mono- and polyunsaturated fatty acid intake and cancer risk: results from the French prospective cohort NutriNet-SantÃ©. <i>European Journal of Nutrition</i> , 2019, 58, 1515-1527.	3.9	31
51	What Do People Know and Believe about Vitamin D?. <i>Nutrients</i> , 2016, 8, 718.	4.1	30
52	A prospective study of plasma 25-hydroxyvitamin D concentration and prostate cancer risk. <i>British Journal of Nutrition</i> , 2016, 115, 305-314.	2.3	30
53	Plasma Metabolomic Signatures Associated with Long-term Breast Cancer Risk in the SU.VI.MAX Prospective Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1300-1307.	2.5	30
54	Modulation of Histone Acetylation by Garlic Sulfur Compounds. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2011, 11, 254-259.	1.7	29

#	ARTICLE	IF	CITATIONS
55	Dietary iron intake and breast cancer risk: modulation by an antioxidant supplementation. <i>Oncotarget</i> , 2016, 7, 79008-79016.	1.8	29
56	Seeking health- and nutrition-related information on the Internet in a large population of French adults: results of the NutriNet-Sant� cohort study. <i>British Journal of Nutrition</i> , 2016, 115, 2039-2046.	2.3	29
57	Quick and Easy Screening for Vitamin D Insufficiency in Adults. <i>Medicine (United States)</i> , 2016, 95, e2783.	1.0	29
58	Association between a pro plant-based dietary score and cancer risk in the prospective NutriNet-Sant� cohort. <i>International Journal of Cancer</i> , 2018, 143, 2168-2176.	5.1	29
59	Prospective Association between Dietary Fiber Intake and Breast Cancer Risk. <i>PLoS ONE</i> , 2013, 8, e79718.	2.5	28
60	Demographic, socioeconomic, disease history, dietary and lifestyle cancer risk factors associated with alcohol consumption. <i>International Journal of Cancer</i> , 2014, 134, 445-459.	5.1	28
61	Do alcoholic beverages, obesity and other nutritional factors modify the risk of familial colorectal cancer? A systematic review. <i>Critical Reviews in Oncology/Hematology</i> , 2017, 119, 94-112.	4.4	28
62	Prospective association between red and processed meat intakes and breast cancer risk: modulation by an antioxidant supplementation in the SU.VI.MAX randomized controlled trial. <i>International Journal of Epidemiology</i> , 2014, 43, 1583-1592.	1.9	27
63	Dietary supplement use among cancer survivors of the NutriNet-Sant� cohort study. <i>British Journal of Nutrition</i> , 2015, 113, 1319-1329.	2.3	27
64	Modifications in dietary and alcohol intakes between before and after cancer diagnosis: Results from the prospective population-based NutriNet-Sant� cohort. <i>International Journal of Cancer</i> , 2017, 141, 457-470.	5.1	27
65	Prospective association between alcohol intake and hormone-dependent cancer risk: modulation by dietary fiber intake. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 182-189.	4.7	25
66	Calcitriol and lexicalcitol (kh1060) inhibit the growth of human breast adenocarcinoma cells by enhancing transforming growth factor- β production. <i>Biochemical Pharmacology</i> , 1996, 52, 505-510.	4.4	23
67	Altered function, localization and phosphorylation of gap junctions in rat liver epithelial, IAR 20, cells after treatment with PCBs or TCDD. <i>Environmental Toxicology and Pharmacology</i> , 1997, 3, 257-266.	4.0	21
68	Pre-diagnostic levels of adiponectin and soluble vascular cell adhesion molecule-1 are associated with colorectal cancer risk. <i>World Journal of Gastroenterology</i> , 2012, 18, 2805.	3.3	21
69	The polarized hepatic human/rat hybrid WIF 12-1 and WIF-B cells communicate efficiently in vitro via connexin 32-constituted gap junctions. <i>Hepatology</i> , 1998, 28, 164-172.	7.3	19
70	Diallyl disulfide (DADS) enhances gap-junctional intercellular communication by both direct and indirect mechanisms in rat liver cells. <i>Carcinogenesis</i> , 2003, 25, 91-98.	2.8	19
71	Weight Status and Alcohol Intake Modify the Association between Vitamin D and Breast Cancer Risk. <i>Journal of Nutrition</i> , 2016, 146, 576-585.	2.9	19
72	B-Vitamin Intake from Diet and Supplements and Breast Cancer Risk in Middle-Aged Women: Results from the Prospective NutriNet-Sant� Cohort. <i>Nutrients</i> , 2017, 9, 488.	4.1	19

#	ARTICLE	IF	CITATIONS
73	Antioxidant intake from diet and supplements and risk of digestive cancers in middle-aged adults: results from the prospective NutriNet-Sant� cohort. <i>British Journal of Nutrition</i> , 2017, 118, 541-549.	2.3	18
74	Diet-Related Metabolomic Signature of Long-Term Breast Cancer Risk Using Penalized Regression: An Exploratory Study in the SU.VI.MAX Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 396-405.	2.5	18
75	Prospective association between dietary pesticide exposure profiles and postmenopausal breast-cancer risk in the NutriNet-Sant� cohort. <i>International Journal of Epidemiology</i> , 2021, 50, 1184-1198.	1.9	18
76	Studies on the Modulating Effects of Retinoic Acid and Retinol Acetate Using Dye Transfer and Metabolic Cooperation Assays. <i>Fundamental and Applied Toxicology</i> , 1993, 21, 270-276.	1.8	17
77	Diallyl disulfide increases histone acetylation in colon cells in vitro and in vivo. <i>Nutrition Reviews</i> , 2008, 66, S39-S41.	5.8	16
78	Prospective association between dietary folate intake and skin cancer risk: results from the Suppl�mentation en Vitamines et Min�raux Antioxydants cohort. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 471-478.	4.7	16
79	The vitamin E analog tocopherol succinate strongly inhibits gap junctional intercellular communication in rat liver epithelial cells (IAR203). <i>Journal of Nutritional Biochemistry</i> , 2008, 19, 263-268.	4.2	15
80	Relation between Mood and the Host-Microbiome Co-Metabolite 3-Indoxylsulfate: Results from the Observational Prospective NutriNet-Sant� Study. <i>Microorganisms</i> , 2021, 9, 716.	3.6	15
81	Fruits and vegetables at home (FLAM): a randomized controlled trial of the impact of fruits and vegetables vouchers in children from low-income families in an urban district of France. <i>BMC Public Health</i> , 2018, 18, 1065.	2.9	14
82	Effect of sodium butyrate on the stimulation of casein gene expression by prolactin. <i>FEBS Letters</i> , 1983, 154, 55-59.	2.8	12
83	Cadmium accumulation and cytotoxicity in rat hepatocytes co-cultured with a liver epithelial cell line. <i>Toxicology in Vitro</i> , 1992, 6, 201-206.	2.4	12
84	Prospective associations between vitamin D status, vitamin D-related gene polymorphisms, and risk of tobacco-related cancers. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1207-1215.	4.7	12
85	Fasting and weight-loss restrictive diet practices among 2,700 cancer survivors: results from the NutriNet-Sant� cohort. <i>International Journal of Cancer</i> , 2018, 143, 2687-2697.	5.1	11
86	Sociodemographic and economic factors are associated with weight gain between before and after cancer diagnosis: results from the prospective population-based NutriNet-Sant� cohort. <i>Oncotarget</i> , 2017, 8, 54640-54653.	1.8	11
87	Quantitative assessment of dietary supplement intake in 77,000 French adults: impact on nutritional intake inadequacy and excessive intake. <i>European Journal of Nutrition</i> , 2019, 58, 2679-2692.	3.9	10
88	Untargeted plasma metabolomic profiles associated with overall diet in women from the SU.VI.MAX cohort. <i>European Journal of Nutrition</i> , 2020, 59, 3425-3439.	3.9	10
89	Constitutive overexpression of c-fos protein in rat liver epithelial cells decreases TGF-� synthesis and increases TGF-� receptors. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1995, 1266, 64-72.	4.1	9
90	Impact of fruits and vegetables vouchers on food insecurity in disadvantaged families from a Paris suburb. <i>BMC Nutrition</i> , 2019, 5, 26.	1.6	8

#	ARTICLE	IF	CITATIONS
91	NMR metabolomic profiles associated with long-term risk of prostate cancer. <i>Metabolomics</i> , 2021, 17, 32.	3.0	8
92	Prospective association between adherence to the 2017 French dietary guidelines and risk of death, CVD and cancer in the NutriNet-Sant� cohort. <i>British Journal of Nutrition</i> , 2021, , 1-11.	2.3	8
93	Modulation of the association between plasma intercellular adhesion molecule-1 and cancer risk by n-3 PUFA intake: a nested case-control study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 944-950.	4.7	7
94	Mode de vie et cancer du sein: quels conseils pour la prise en charge de lâ€™apr�s cancer ?. <i>Oncologie</i> , 2010, 12, 289-297.	0.7	6
95	Apple Proanthocyanidins Do Not Reduce the Induction of Preneoplastic Lesions in the Colon of Rats Associated with Human Microbiota. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 4120-4125.	5.2	6
96	Diet, Physical Activity, Obesity, and Breastfeeding: How French People Perceive Factors Associated with Cancer Risk. <i>Nutrients</i> , 2019, 11, 2491.	4.1	6
97	Depressive symptoms, fruit and vegetables consumption and urinary 3-indoxylsulfate concentration: a nested case�control study in the French Nutrinet-Sante cohort. <i>European Journal of Nutrition</i> , 2021, 60, 1059-1069.	3.9	6
98	The Oxidation Catalytic Converter Reduces the Inhibitory Activity of Soluble Organic Fractions of Diesel Particles on Intercellular Communication. <i>Environmental Science & Technology</i> , 2000, 34, 1352-1358.	10.0	5
99	Glycaemic index, glycaemic load and cancer risk: results from the prospective NutriNet-Sant� cohort. <i>International Journal of Epidemiology</i> , 2022, 51, 250-264.	1.9	5
100	Altered response to growth factors in rat epithelial liver cells overexpressing human c-Fos protein. <i>FEBS Letters</i> , 1992, 314, 399-403.	2.8	4
101	Associations between untargeted plasma metabolomic signatures and gut microbiota composition in the Milieu Int�rieur population of healthy adults. <i>British Journal of Nutrition</i> , 2020, 126, 1-11.	2.3	4
102	Anxiety is a potential effect modifier of the association between red and processed meat consumption and cancer risk: findings from the NutriNet-Sant� cohort. <i>European Journal of Nutrition</i> , 2021, 60, 1887-1896.	3.9	4
103	Effects of amiloride on the induction of DNA synthesis and casein gene expression in rabbit mammary explants. <i>Reproduction, Nutrition, Development</i> , 1990, 30, 85-90.	1.9	2
104	The Transformation of C-Jun-Overexpressing Cells Is Correlated with IGFS-Induced C-Jun Phosphorylation. <i>Biochemical and Biophysical Research Communications</i> , 1995, 217, 501-508.	2.1	2
105	Recruitment of precarious families in an interventional study: Lessons from the French �Fruits and vegetables at home� (FLAM) trial. <i>Contemporary Clinical Trials Communications</i> , 2018, 12, 161-168.	1.1	2
106	Modelling the number of avoidable new cancer cases in France attributable to alcohol consumption by following official recommendations: a simulation study. <i>Addiction</i> , 2021, 116, 2316-2325.	3.3	2
107	The Presence and Role of Transmembrane Transforming Growth Factor-� in Cultures of Rat Liver Epithelial Cells. <i>Experimental Cell Research</i> , 1995, 218, 573-576.	2.6	1
108	Comment passer du niveau de preuve aux recommandations de sant� publique?. <i>Oleagineux Corps Gras Lipides</i> , 2011, 18, 359-362.	0.2	1

#	ARTICLE	IF	CITATIONS
109	Prospective associations between the nutritional quality of foods consumed (graded by the FSA-m-NPS) Tj ETQq1 1 0,784314,rgBT /Oyer	1.0	1
110	Abstract P4-13-01: Prospective association between breast cancer risk and an individual dietary index based on the British Food Standards Agency nutrient profiling system. Cancer Research, 2017, 77, P4-13-01-P4-13-01.	0.9	1
111	Abstract GS2-07: Glycemic index, glycemic load and breast cancer risk: Results from the prospective NutriNet-Sant� cohort. , 2021, , .		0
112	Abstract P5-13-01: Sociodemographic and economic factors are essential determinants of weight gain between before and after cancer diagnosis: Results from the prospective population-based NutriNet-Sant� cohort. , 2017, , .		0