Cristina Cudalbu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9375182/publications.pdf

Version: 2024-02-01

		236925	197818
58	2,759	25	49
papers	citations	h-index	g-index
	4.0		
63	63	63	3509
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Clinical Proton MR Spectroscopy in Central Nervous System Disorders. Radiology, 2014, 270, 658-679.	7.3	524
2	Methodological consensus on clinical proton MRS of the brain: Review and recommendations. Magnetic Resonance in Medicine, 2019, 82, 527-550.	3.0	280
3	Ammonia toxicity to the brain. Journal of Inherited Metabolic Disease, 2013, 36, 595-612.	3.6	224
4	Minimum Reporting Standards for in vivo Magnetic Resonance Spectroscopy (MRSinMRS): Experts' consensus recommendations. NMR in Biomedicine, 2021, 34, e4484.	2.8	144
5	1H NMR spectroscopy of rat brain in vivo at 14.1Tesla: Improvements in quantification of the neurochemical profile. Journal of Magnetic Resonance, 2008, 194, 163-168.	2.1	105
6	Feasibility of in vivo15N MRS detection of hyperpolarized 15N labeled choline in rats. Physical Chemistry Chemical Physics, 2010, 12, 5818.	2.8	96
7	Contribution of macromolecules to brain ¹ H MR spectra: Experts' consensus recommendations. NMR in Biomedicine, 2021, 34, e4393.	2.8	92
8	Creatine in the central nervous system: From magnetic resonance spectroscopy to creatine deficiencies. Analytical Biochemistry, 2017, 529, 144-157.	2.4	88
9	Handling Macromolecule Signals in the Quantification of the Neurochemical Profile. Journal of Alzheimer's Disease, 2012, 31, S101-S115.	2.6	78
10	Terminology and concepts for the characterization of in vivo MR spectroscopy methods and MR spectra: Background and experts' consensus recommendations. NMR in Biomedicine, 2021, 34, e4347.	2.8	69
11	B ₀ shimming for in vivo magnetic resonance spectroscopy: Experts' consensus recommendations. NMR in Biomedicine, 2021, 34, e4350.	2.8	60
12	Longitudinal neurometabolic changes in the hippocampus of a rat model of chronic hepatic encephalopathy. Journal of Hepatology, 2019, 71, 505-515.	3.7	55
13	Hyperpolarized lithiumâ€6 as a sensor of nanomolar contrast agents. Magnetic Resonance in Medicine, 2009, 61, 1489-1493.	3.0	53
14	The C57BL/6J Mouse Exhibits Sporadic Congenital Portosystemic Shunts. PLoS ONE, 2013, 8, e69782.	2.5	51
15	Comparison of $\langle i \rangle T \langle j \rangle \langle sub \rangle 1 \langle sub \rangle$ relaxation times of the neurochemical profile in rat brain at 9.4 tesla and 14.1 tesla. Magnetic Resonance in Medicine, 2009, 62, 862-867.	3.0	42
16	1H and 31P magnetic resonance spectroscopy in a rat model of chronic hepatic encephalopathy: in vivo longitudinal measurements of brain energy metabolism. Metabolic Brain Disease, 2016, 31, 1303-1314.	2.9	42
17	Quantification of the neurochemical profile using simulated macromolecule resonances at 3 T. NMR in Biomedicine, 2013, 26, 593-599.	2.8	41
18	Cerebral Glutamine Metabolism under Hyperammonemia Determined <i>in vivo</i> by Localized ¹ H and ¹⁵ N NMR Spectroscopy. Journal of Cerebral Blood Flow and Metabolism, 2012, 32, 696-708.	4.3	40

#	Article	IF	CITATIONS
19	Proton and Phosphorus Magnetic Resonance Spectroscopy of a Mouse Model of Alzheimer's Disease. Journal of Alzheimer's Disease, 2012, 31, S87-S99.	2.6	40
20	Brain Edema in Chronic Hepatic Encephalopathy. Journal of Clinical and Experimental Hepatology, 2019, 9, 362-382.	0.9	38
21	Influence of measured and simulated basis sets on metabolite concentration estimates. NMR in Biomedicine, 2008, 21, 627-636.	2.8	36
22	Diffusionâ€weighted spectroscopy: A novel approach to determine macromolecule resonances in shortâ€echo time ¹ Hâ€MRS. Magnetic Resonance in Medicine, 2010, 64, 939-946.	3.0	36
23	Quantification ofin vivoshort echo-time proton magnetic resonance spectra at 14.1 T using two different approaches of modelling the macromolecule spectrum. Measurement Science and Technology, 2009, 20, 104034.	2.6	35
24	2021 ISHEN guidelines on animal models of hepatic encephalopathy. Liver International, 2021, 41, 1474-1488.	3.9	34
25	Brain edema: a valid endpoint for measuring hepatic encephalopathy?. Metabolic Brain Disease, 2016, 31, 1249-1258.	2.9	25
26	In vivo studies of brain metabolism in animal models of Hepatic Encephalopathy using 1H Magnetic Resonance Spectroscopy. Metabolic Brain Disease, 2013, 28, 167-174.	2.9	22
27	The first knock-in rat model for glutaric aciduria type I allows further insights into pathophysiology in brain and periphery. Molecular Genetics and Metabolism, 2021, 133, 157-181.	1.1	22
28	Effect of Manganese Chloride on the Neurochemical Profile of the Rat Hypothalamus. Journal of Cerebral Blood Flow and Metabolism, 2011, 31, 2324-2333.	4.3	21
29	MRS studies of neuroenergetics and glutamate/glutamine exchange in rats: Extensions to hyperammonemic models. Analytical Biochemistry, 2017, 529, 245-269.	2.4	20
30	Probiotics improve the neurometabolic profile of rats with chronic cholestatic liver disease. Scientific Reports, 2021, 11, 2269.	3.3	19
31	A new rat model of creatine transporter deficiency reveals behavioral disorder and altered brain metabolism. Scientific Reports, 2021, 11, 1636.	3.3	18
32	<i>In vivo</i> metabolic profiling of gliomaâ€initiating cells using proton magnetic resonance spectroscopy at 14.1 Tesla. NMR in Biomedicine, 2012, 25, 506-513.	2.8	17
33	<i>In vivo</i> brain macromolecule signals in healthy and glioblastoma mouse models: ¹ H magnetic resonance spectroscopy, postâ€processing and metabolite quantification at 14.1 T. Journal of Neurochemistry, 2014, 129, 806-815.	3.9	17
34	In vivo macromolecule signals in rat brain ¹ Hâ€MR spectra at 9.4T: Parametrization, spline baseline estimation, and T ₂ relaxation times. Magnetic Resonance in Medicine, 2021, 86, 2384-2401.	3.0	17
35	<i>In vivo</i> characterization of brain metabolism by ¹ H MRS, ¹³ C MRS and ¹⁸ FDG PET reveals significant glucose oxidation of invasively growing glioma cells. International Journal of Cancer, 2018, 143, 127-138.	5.1	16
36	InÂvivo ¹³ C MRS in the mouse brain at 14.1 Tesla and metabolic flux quantification under infusion of [1,6- ¹³ C ₂]glucose. Journal of Cerebral Blood Flow and Metabolism, 2018, 38, 1701-1714.	4.3	16

#	Article	IF	CITATIONS
37	Hyperpolarized 13C-glucose magnetic resonance highlights reduced aerobic glycolysis in vivo in infiltrative glioblastoma. Scientific Reports, 2021, 11, 5771.	3.3	13
38	Longitudinal osmotic and neurometabolic changes in young rats with chronic cholestatic liver disease. Scientific Reports, 2020, 10, 7536.	3.3	13
39	Abnormal brain oxygen homeostasis in an animal model of liver disease. JHEP Reports, 2022, , 100509.	4.9	13
40	Which prior knowledge? Quantification of in vivo brain ¹³ C MR spectra following ¹³ C glucose infusion using AMARES. Magnetic Resonance in Medicine, 2013, 69, 1512-1522.	3.0	12
41	Estimation of metabolite concentrations of healthy mouse brain by magnetic resonance spectroscopy at 7ÂT. Comptes Rendus Chimie, 2006, 9, 534-538.	0.5	11
42	Single spin-echo T 2 relaxation times of cerebral metabolites at 14.1 T in the in vivo rat brain. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2013, 26, 549-554.	2.0	11
43	Probiotics combined with rifaximin influence the neurometabolic changes in a rat model of type C HE. Scientific Reports, 2021, 11, 17988.	3.3	10
44	Magnetic resonance spectroscopy in the rodent brain: Experts' consensus recommendations. NMR in Biomedicine, 2021, 34, e4325.	2.8	9
45	PET CMRglc mapping and 1H-MRS show altered glucose uptake and neurometabolic profiles in BDL rats. Analytical Biochemistry, 2022, 647, 114606.	2.4	9
46	Metabolic and transcriptomic profiles of glioblastoma invasion revealed by comparisons between patients and corresponding orthotopic xenografts in mice. Acta Neuropathologica Communications, 2021, 9, 133.	5.2	7
47	Creatine transporter–deficient rat model shows motor dysfunction, cerebellar alterations, and muscle creatine deficiency without muscle atrophy. Journal of Inherited Metabolic Disease, 2022, 45, 278-291.	3.6	7
48	In Vivo Longitudinal 1H MRS Study of Transgenic Mouse Models of Prion Disease in the Hippocampus and Cerebellum at 14.1ÂT. Neurochemical Research, 2015, 40, 2639-2646.	3.3	6
49	Rat brain metabolite relaxation time estimates using magnetic resonance spectroscopy at two different field strengths. Comptes Rendus Chimie, 2008, 11 , 442-447.	0.5	5
50	P: 33â€fIn Vivo Longitudinal 1H MRS Study of Hippocampal, Cereberal and Striatal Metabolic Changes in the Adult Brain Using an Animal Model of Chronic Hepatic Encephalopathy. American Journal of Gastroenterology, 2019, 114, S17-S17.	0.4	5
51	Late postâ€natal neurometabolic development in healthy male rats using 1 H and 31 P magnetic resonance spectroscopy. Journal of Neurochemistry, 2021, 157, 508-519.	3.9	4
52	Comparison of two approaches to model the macromolecule spectrum for the quantification of short TE $<\!sup>\!1<\!/sup>\!H$ MRS spectra. , 2008, , .		3
53	Optimized MEGA‧PECIAL for <i>in vivo</i> glutamine detection in the rat brain at 14.1 T. NMR in Biomedicine, 2014, 27, 1151-1158.	2.8	2
54	Editorial for the special issue on introduction to in vivo Magnetic Resonance Spectroscopy (MRS): A method to non-invasively study metabolism. Analytical Biochemistry, 2017, 529, 1-3.	2.4	2

#	Article	IF	CITATIONS
55	Reply to: "Magnetic resonance spectroscopy: A surrogate marker of hepatic encephalopathy?― Journal of Hepatology, 2019, 71, 1057.	3.7	2
56	Brain metabolite concentration estimates using Magnetic Resonance Spectroscopy in a chronic model of temporal lobe epilepsy. Comptes Rendus Chimie, 2008, 11, 434-441.	0.5	1
57	P: 37â€fProbiotics Combined With Rifaximin for the Treatment of Chronic Hepatic Encephalopathy: A Longitudinal In Vivo 1H-MRS Study of Brain Metabolism Using BDL Rats. American Journal of Gastroenterology, 2019, 114, S19-S19.	0.4	1
58	Methods \mid Magnetic Resonance Spectroscopy for the Measurement of In Vivo Brain Metabolism. , 2021, , 701-711.		0