## Maria Cantonetti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9376927/publications.pdf

Version: 2024-02-01

75 papers 1,758 citations

257450 24 h-index 289244 40 g-index

75 all docs

75 docs citations

75 times ranked

2595 citing authors

#	Article	IF	CITATIONS
1	Clinical significance of ZAP-70 protein expression in B-cell chronic lymphocytic leukemia. Blood, 2006, 108, 853-861.	1.4	171
2	Early Chemotherapy Intensification With Escalated BEACOPP in Patients With Advanced-Stage Hodgkin Lymphoma With a Positive Interim Positron Emission Tomography/Computed Tomography Scan After Two ABVD Cycles: Long-Term Results of the GITIL/FIL HD 0607 Trial. Journal of Clinical Oncology, 2018, 36, 454-462.	1.6	169
3	Early chemotherapy intensification with BEACOPP in advancedâ€stage Hodgkin lymphoma patients with a interimâ€PET positive after two ABVD courses. British Journal of Haematology, 2011, 152, 551-560.	2.5	127
4	Early Autologous Stem-Cell Transplantation Versus Conventional Chemotherapy as Front-Line Therapy in High-Risk, Aggressive Non-Hodgkin's Lymphoma: An Italian Multicenter Randomized Trial. Journal of Clinical Oncology, 2003, 21, 1255-1262.	1.6	117
5	Final results of a multicenter trial addressing role of CSF flow cytometric analysis in NHL patients at high risk for CNS dissemination. Blood, 2012, 120, 3222-3228.	1.4	85
6	Multiple Myeloma Treatment in Real-world Clinical Practice: Results of a Prospective, Multinational, Noninterventional Study. Clinical Lymphoma, Myeloma and Leukemia, 2018, 18, e401-e419.	0.4	61
7	Comprehensive analysis of PTEN status in Sézary syndrome. Blood, 2013, 122, 3511-3520.	1.4	47
8	The addition of rituximab to fludarabine improves clinical outcome in untreated patients with ZAP-70-negative chronic lymphocytic leukemia. Cancer, 2005, 104, 2743-2752.	4.1	45
9	Recombinant interferon alfa-2b (INTRON A) as post-induction therapy for responding multiple myeloma patients. M84 protocol. Cancer Treatment Reviews, 1988, 15, 43-48.	7.7	43
10	Clinical implications of cytokine and soluble receptor measurements in patients with newlyâ€diagnosed aggressive nonâ€Hodgkin's lymphoma. European Journal of Haematology, 1995, 54, 9-17.	2.2	41
11	A Comparative Analysis of FISH, RT-PCR, and Cytogenetics for the Diagnosis of <i>bcr-abl </i> Positive Leukemias. American Journal of Clinical Pathology, 1998, 109, 24-31.	0.7	39
12	Consolidation Radiotherapy Could Be Safely Omitted in Advanced Hodgkin Lymphoma With Large Nodal Mass in Complete Metabolic Response After ABVD: Final Analysis of the Randomized GITIL/FIL HD0607 Trial. Journal of Clinical Oncology, 2020, 38, 3905-3913.	1.6	36
13	Systemic Therapy of Primary Cutaneous B-cell Lymphoma, Marginal Zone Type, with Rituximab, a Chimeric Anti-CD20 Monoclonal Antibody. Acta Dermato-Venereologica, 2001, 81, 207-208.	1.3	35
14	O6-(4-Bromothenyl)guanine (PaTrin-2), a novel inhibitor of O6-alkylguanine DNA alkyl-transferase, increases the inhibitory activity of temozolomide against human acute leukaemia cells in vitro. Pharmacological Research, 2006, 53, 317-323.	7.1	34
15	FISH analysis for CML monitoring ?. Annals of Hematology, 1996, 73, 113-119.	1.8	32
16	Factors affecting intrapatient liver and mediastinal blood pool 18F-FDG standardized uptake value changes during ABVD chemotherapy in Hodgkin's lymphoma. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 1123-32.	6.4	29
17	Bendamustine in combination with rituximab for elderly patients with previously untreated B-cell chronic lymphocytic leukemia: A retrospective analysis of real-life practice in Italian hematology departments. Leukemia Research, 2015, 39, 1066-1070.	0.8	29
18	Phase III Comparative Trial Uisng CHOP vs CIOP in the Treatment of Advanced Intermediate-Grade Non-Hodgkin's Lymphoma. Leukemia and Lymphoma, 1995, 19, 329-335.	1.3	28

#	Article	IF	CITATIONS
19	CLIPI: a new prognostic index for indolent cutaneous B cell lymphoma proposed by the International Extranodal Lymphoma Study Group (IELSG 11). Annals of Hematology, 2011, 90, 401-408.	1.8	28
20	Blood and skin-derived Sezary cells: differences in proliferation-index, activation of PI3K/AKT/mTORC1 pathway and its prognostic relevance. Leukemia, 2019, 33, 1231-1242.	7.2	28
21	Prognostic Value of Bone Marrow Tracer Uptake Pattern in Baseline PET Scans in Hodgkin Lymphoma: Results from an International Collaborative Study. Journal of Nuclear Medicine, 2017, 58, 1249-1254.	5.0	27
22	Cryotherapy reduces oral mucositis and febrile episodes in myeloma patients treated with high-dose melphalan and autologous stem cell transplant: a prospective, randomized study. Bone Marrow Transplantation, 2017, 52, 154-156.	2.4	27
23	Pre-treatment staging of multiple myeloma patients: comparison of whole-body diffusion weighted imaging with whole-body T1-weighted contrast-enhanced imaging. Acta Radiologica, 2015, 56, 733-738.	1.1	26
24	Persistent risk of HBV reactivation despite extensive lamivudine prophylaxis in haematopoietic stem cell transplant recipients who are anti-HBc-positive or HBV-negative recipients with an anti-HBc-positive donor. Clinical Microbiology and Infection, 2016, 22, 946.e1-946.e8.	6.0	25
25	Is cerebral glucose metabolism affected by chemotherapy in patients with Hodgkin's lymphoma?. Nuclear Medicine Communications, 2013, 34, 57-63.	1.1	23
26	Brentuximab Vedotin in Transplant-NaÃ-ve Relapsed/Refractory Hodgkin Lymphoma: Experience in 30 Patients. Oncologist, 2015, 20, 1413-1416.	3.7	22
27	Treatment of multiple myeloma: A randomized study of three different regimens. Leukemia Research, 1985, 9, 1043-1049.	0.8	20
28	Cytogenetic analysis is non-informative for assessing the remission rate in chronic myeloid leukemia (CML) patients on interferon-α (IFN-α) therapy. Cancer Genetics and Cytogenetics, 1995, 84, 15-18.	1.0	20
29	Preclinical Evidence for Targeting PI3K/mTOR Signaling with Dual-Inhibitors as a Therapeutic Strategy against Cutaneous T-CellÂLymphoma. Journal of Investigative Dermatology, 2020, 140, 1045-1053.e6.	0.7	19
30	Venetoclax: Bcl-2 inhibition for the treatment of chronic lymphocytic leukemia. Drugs of Today, 2016, 52, 249.	1.1	18
31	CNS and Cutaneous Involvement in Patients With Chronic Myeloid Leukemia Treated With Imatinib in Hematologic Complete Remission: Two Case Reports. Journal of Clinical Oncology, 2003, 21, 4256-4258.	1.6	17
32	MACOP-B vs F-MACHOP Regimen in the Treatment of High-Grade Non-Hodgkin's Lymphomas. Leukemia and Lymphoma, 1995, 16, 457-463.	1.3	16
33	Intermediateâ€dose (25 mg/m <sup>2</sup> ) intravenous melphalan for patients with multiple myeloma in relapse or refractory to standard treatment. European Journal of Haematology, 1989, 42, 233-237.	2.2	16
34	Brain metabolic changes in Hodgkin disease patients following diagnosis and during the disease course: An 18F-FDG PET/CT study. Oncology Letters, 2015, 9, 685-690.	1.8	16
35	Association between CMV and Invasive Fungal Infections After Autologous Stem Cell Transplant in Lymphoproliferative Malignancies: Opportunistic Partnership or Cause-Effect Relationship?. International Journal of Molecular Sciences, 2019, 20, 1373.	4.1	15
36	Multiple skin tumors in longâ€ŧerm treatment with hydroxyurea. European Journal of Haematology, 1992, 48, 121-122.	2.2	14

#	Article	IF	Citations
37	Immunophenotype and intermediateâ€high international prognostic index score are prognostic factors for therapy in diffuse large Bâ€cell lymphoma patients. Cancer, 2010, 116, 5667-5675.	4.1	14
38	Allogeneic hematopoietic stem cell transplantation in Primary Cutaneous T Cell Lymphoma. Annals of Hematology, 2018, 97, 1041-1048.	1.8	14
39	New reciprocal translocation t(6;10) (q27;q11) associated with idiopathic myelofibrosis and eosinophilia. Leukemia Research, 2001, 25, 349-351.	0.8	13
40	Initial Staging of Hodgkin's Disease. Medicine (United States), 2014, 93, e50.	1.0	13
41	Short term treatment withEscheria coli recombinant human granulocyte-macrophage-colony stimulating factor prior to chemotherapy for Hodgkin disease. , 2000, 88, 454-460.		12
42	Percutaneus osteoplasty in the treatment of extraspinal painful multiple myeloma lesions. Supportive Care in Cancer, 2011, 19, 957-962.	2.2	11
43	The neutrophil/lymphocyte ratio ≥3.5 is a prognostic marker in diffuse large B-cell lymphoma: a retrospective analysis from the database of the Italian regional network †Rete Ematologica del Lazio per i Linfomi' (RELLI). Leukemia and Lymphoma, 2019, 60, 3386-3394.	1.3	11
44	The neutrophil to lymphocyte ratio (NLR) and the presence of large nodal mass are independent predictors of early response: A subanalysis of the prospective phase II PETâ€2â€adapted HD0607 trial. Cancer Medicine, 2020, 9, 8735-8746.	2.8	10
45	Sezary syndrome in relapse after reduced intensity allogeneic transplant successfully treated with donor lymphocyte infusion. Bone Marrow Transplantation, 2009, 43, 347-348.	2.4	9
46	Surgical Management of Rhinosinusitis in Onco-Hematological Patients. Clinical and Experimental Otorhinolaryngology, 2014, 7, 302.	2.1	9
47	Soluble factors levels in the initial staging of high-grade non-Hodgkin's lymphomas. Haematologica, 1992, 77, 518-21.	3 <b>.</b> 5	9
48	Remission of an HHV8-related extracavitary primary effusion lymphoma in an HIV-positive patient during antiretroviral treatment containing dolutegravir. AIDS Research and Therapy, 2019, 16, 15.	1.7	8
49	Disseminated Pagetoid Reticulosis Presenting as Cytotoxic CD4/CD8 Double Negative Cutaneous T-cell Lymphoma. Acta Dermato-Venereologica, 2002, 82, 314-316.	1.3	7
50	Positive selection of CD34+ cells by immunoadsorption: factors affecting the final yield and hematopoietic recovery in patients with hematological malignancies and solid tumors. Transfusion and Apheresis Science, 2002, 26, 103-110.	1.0	7
51	DIAGNOSTIC PERFORMANCE AND SAFETY OF BRONCHOALVEOLAR LAVAGE IN THROMBOCYTOPENIC HAEMATOLOGICAL PATIENTS FOR ASPERGILLOSIS DIAGNOSIS: A MONOCENTRIC, RETROSPECTIVE EXPERIENCE Mediterranean Journal of Hematology and Infectious Diseases, 2019, 11, e2019065.	1.3	7
52	Impact of IFN lambda 3/4 single nucleotide polymorphisms on the cytomegalovirus reactivation in autologous stem cell transplant patients. PLoS ONE, 2018, 13, e0200221.	2.5	6
53	Minimal tumour burden in haematological diseases: a step forward with quantitative assessment of Benceâ€Jones in nephelometry?. British Journal of Haematology, 2016, 175, 733-735.	2.5	5
54	A case of oral mycosis fungoides successfully treated by combination of alemtuzumab and chemotherapy. Annals of Hematology, 2016, 95, 153-154.	1.8	5

#	Article	IF	CITATIONS
55	Molecular Expression of bone marrow angiogenic factors, cell-cell adhesion molecules and matrix-metallo-proteinase plasma cellular disorders: a molecular panel to investigate disease progression. Mediterranean Journal of Hematology and Infectious Diseases, 2018, 10, e2018059.	1.3	5
56	Simultaneous occurrence of BCR/ABL1 and RUNX1/RUNX1T1 in a case of therapy-related acute myeloid leukemia. Cancer Genetics and Cytogenetics, 2009, 195, 189-191.	1.0	4
57	BEAM vs FEAM high-dose chemotherapy: retrospective study in lymphoma patients undergoing autologous stem cell transplant. Bone Marrow Transplantation, 2018, 53, 1051-1054.	2.4	4
58	Reduction of T Lymphoma Cells and Immunological Invigoration in a Patient Concurrently Affected by Melanoma and Sezary Syndrome Treated With Nivolumab. Frontiers in Immunology, 2020, 11, 579894.	4.8	4
59	Highly Sensitive HBsAg, Anti-HBc and Anti HBsAg Titres in Early Diagnosis of HBV Reactivation in Anti-HBc-Positive Onco-Haematological Patients. Biomedicines, 2022, 10, 443.	3.2	4
60	Genetically Driven CD39 Expression Affects Sezary Cell Viability and IL-2 Production and Detects Two Patient Subsets with Distinct Prognosis. Journal of Investigative Dermatology, 2022, 142, 3009-3019.e9.	0.7	4
61	Lenalidomide in Pretreated Mantle Cell Lymphoma Patients: An Italian Observational Multicenter Retrospective Study in Daily Clinical Practice (the Lenamant Study). Oncologist, 2018, 23, 1033-1038.	3.7	3
62	Preliminary results of a counselling programme for fertility preservation in female cancer patients: The experience of the GEMME DORMIENTI network. European Journal of Cancer Care, 2020, 29, e13174.	1.5	3
63	The Amount of Apoptosis Predicts Outcome in Ibrutinib-Treated Chronic Lymphocytic Leukemia (CLL). Blood, 2018, 132, 4397-4397.	1.4	3
64	Nephelometric assay of urine free light chains: an alternative and early clinical test for Bence-Jones protein quantification. Clinical Chemistry and Laboratory Medicine, 2018, 56, e313-e315.	2.3	2
65	Genetic analysis of erythrocytosis reveals possible causative and modifier gene mutations. British Journal of Haematology, 2019, 186, e100-e103.	2.5	2
66	A case of metachronous peripheral Tâ€Cell nonâ€Hodgkin lymphoma following chemotherapy for Hodgkin disease successfully treated with brentuximab vedotin. Clinical Case Reports (discontinued), 2020, 8, 1353-1356.	0.5	2
67	Recurrent Sweet's syndrome in a patient with multiple myeloma. Clinical Case Reports (discontinued), 2018, 6, 1958-1960.	0.5	1
68	Pegylated Liposomal Doxorubicin, Bleomycin, Vinblastine and Dacarbazine (CBVD) in the Treatment of Advanced Primary Cutaneous Lymphomas Blood, 2009, 114, 3717-3717.	1.4	1
69	Vitamin D and non-Hodgkin lymphomas, trends from an Italian monocentric study. Panminerva Medica, 2021, 63, 547-549.	0.8	1
70	Non-Hodgkin lymphomas of the Central Nervous System. Italian Journal of Neurological Sciences, 1991, 12, 453-459.	0.1	0
71	Psoriasiform sarcoidosis: an unusual variety. Giornale Italiano Di Dermatologia E Venereologia, 2019, 154, 492-493.	0.8	0
72	The Impact of Therapeutic Management and Prognostic Factors on the Outcome of Primary Cutaneous B-Cell Lymphomas (PCBCL) (IELSG 11 Study). Blood, 2008, 112, 3608-3608.	1.4	0

#	Article	IF	CITATIONS
73	Cerebrospinal Fluid Flow Cytometry Analysis in Newly Diagnosed Aggressive Non-Hodgkin Lymphomas at High Risk for Leptomeningeal Disease: Result of a Multicentric Prospective Italian Study Blood, 2009, 114, 2919-2919.	1.4	0
74	Quality of Life in Elderly Patients with Essential Thrombocythemia Blood, 2009, 114, 4973-4973.	1.4	0
75	lgM-Secreting Diffuse Large B-Cell Lymphoma (DLBCL) Is a Poor Prognostic Subset within the Non-Germinal-Centre-Type (GC-type): An Italian Multicentre Study. Blood, 2020, 136, 30-31.	1.4	0