## Julie Demaret

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/938088/publications.pdf

Version: 2024-02-01

414414 394421 1,136 32 19 32 citations h-index g-index papers 35 35 35 2186 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Impact of Ventilator-associated Pneumonia on Cerebrospinal Fluid Inflammation During Immunosuppression After Subarachnoid Hemorrhage: A Pilot Study. Journal of Neurosurgical Anesthesiology, 2022, 34, e57-e62.	1.2	3
2	Immunogenicity of BNT162b2 vaccine booster against SARS-CoV-2 Delta and Omicron variants in nursing home residents: A prospective observational study in older adults aged from 68 to 98 years. Lancet Regional Health - Europe, The, 2022, 17, 100385.	5 <b>.</b> 6	18
3	Myeloid cells in sepsisâ€acquired immunodeficiency. Annals of the New York Academy of Sciences, 2021, 1499, 3-17.	3 <b>.</b> 8	74
4	Monitoring <scp>CAR</scp> Tâ€eells using flow cytometry. Cytometry Part B - Clinical Cytometry, 2021, 100, 218-224.	1.5	45
5	Impaired Functional T-Cell Response to SARS-CoV-2 After Two Doses of BNT162b2 mRNA Vaccine in Older People. Frontiers in Immunology, 2021, 12, 778679.	4.8	54
6	Severe SARSâ€CoVâ€⊋ patients develop a higher specific Tâ€cell response. Clinical and Translational Immunology, 2020, 9, e1217.	3.8	31
7	Immunomagnetic selective donor-derived CD4+CCR7+ T cell depletion procedure for peripheral blood stem cells graft. Current Research in Translational Medicine, 2019, 67, 1-7.	1.8	4
8	Septic Shock Shapes B Cell Response toward an Exhausted-like/Immunoregulatory Profile in Patients. Journal of Immunology, 2018, 200, 2418-2425.	0.8	49
9	Occurrence of marked sepsis-induced immunosuppression in pediatric septic shock: a pilot study. Annals of Intensive Care, 2018, 8, 36.	4.6	30
10	Decreased intra-lymphocyte cytokines measurement in septic shock patients: A proof of concept study in whole blood. Cytokine, 2018, 104, 78-84.	<b>3.</b> 2	10
11	Differential Effect of Viable Versus Necrotic Neutrophils on Mycobacterium tuberculosis Growth and Cytokine Induction in Whole Blood. Frontiers in Immunology, 2018, 9, 903.	4.8	40
12	Evaluation of a novel automated volumetric flow cytometer for absolute CD4+ T lymphocyte quantitation. Cytometry Part B - Clinical Cytometry, 2017, 92, 456-464.	1.5	25
13	Novel Approach in Monocyte Intracellular TNF Measurement. Shock, 2017, 47, 318-322.	2.1	17
14	Modulation of LILRB2 protein and mRNA expressions in septic shock patients and after ex vivo lipopolysaccharide stimulation. Human Immunology, 2017, 78, 441-450.	2.4	41
15	IL-7 Restores T Lymphocyte Immunometabolic Failure in Septic Shock Patients through mTOR Activation. Journal of Immunology, 2017, 199, 1606-1615.	0.8	45
16	Intracellular Flow Cytometry Improvements in Clinical Studies. Methods in Molecular Biology, 2017, 1524, 315-327.	0.9	3
17	Decreased Monocyte HLA-DR Expression in Patients After Non-Shockable out-of-Hospital Cardiac Arrest. Shock, 2016, 46, 33-36.	2.1	19
18	Identification of CD177 as the most dysregulated parameter in a microarray study of purified neutrophils from septic shock patients. Immunology Letters, 2016, 178, 122-130.	2.5	59

#	Article	IF	CITATIONS
19	Effect of pneumatic tube transport on T lymphocyte subsets analysis. , 2015, 88, 371-374.		4
20	Increased Regulatory T-Cell Percentage Contributes to Poor CD4+ Lymphocytes Recovery: A 2-Year Prospective Study After Introduction of Antiretroviral Therapy. Open Forum Infectious Diseases, 2015, 2, ofv063.	0.9	11
21	Marked alterations of neutrophil functions during sepsis-induced immunosuppression. Journal of Leukocyte Biology, 2015, 98, 1081-1090.	3.3	158
22	STAT5 phosphorylation in T cell subsets from septic patients in response to recombinant human interleukin-7: a pilot study. Journal of Leukocyte Biology, 2015, 97, 791-796.	3.3	19
23	Relationship between discordant response to HAART, Tregs, immune activation and low-level viraemia. Journal of the International AIDS Society, 2014, 17, 19672.	3.0	5
24	Mutations in CECR1 associated with a neutrophil signature in peripheral blood. Pediatric Rheumatology, 2014, 12, 44.	2.1	88
25	Association between discordant immunological response to highly active anti-retroviral therapy, regulatory T cell percentage, immune cell activation and very low-level viraemia in HIV-infected patients. Clinical and Experimental Immunology, 2014, 176, 401-409.	2.6	27
26	Elevated plasmatic level of soluble IL-7 receptor is associated with increased mortality in septic shock patients. Intensive Care Medicine, 2014, 40, 1089-1096.	8.2	16
27	Comparative dose-responses of recombinant human IL-2 and IL-7 on STAT5 phosphorylation in CD4+FOXP3â° cells versus regulatory T cells: A whole blood perspective. Cytokine, 2014, 69, 146-149.	3.2	20
28	Increased MerTK expression in circulating innate immune cells of patients with septic shock. Intensive Care Medicine, 2013, 39, 1556-1564.	8.2	28
29	Assessment of a novel flow cytometry technique of oneâ€step intracellular staining: Example of FOXP3 in clinical samples. Cytometry Part B - Clinical Cytometry, 2013, 84B, 187-193.	1.5	11
30	Interâ€laboratory assessment of flow cytometric monocyte HLAâ€DR expression in clinical samples. Cytometry Part B - Clinical Cytometry, 2013, 84B, 59-62.	1.5	78
31	CD4+CD25+CD127â^ assessment as a surrogate phenotype for FOXP3+ regulatory T cells in HIVâ€1 infected viremic and aviremic subjects. Cytometry Part B - Clinical Cytometry, 2013, 84B, 50-54.	1.5	36
32	Decreased HLA-DR antigen-associated invariant chain (CD74) mRNA expression predicts mortality after septic shock. Critical Care, 2013, 17, R287.	5.8	66