

Thomas P Vaid

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9382263/publications.pdf>

Version: 2024-02-01

58
papers

3,237
citations

236925

25
h-index

149698

56
g-index

61
all docs

61
docs citations

61
times ranked

3583
citing authors

#	ARTICLE	IF	CITATIONS
1	A Nonaqueous Redox-Matched Flow Battery with Charge Storage in Insoluble Polymer Beads**. Chemistry - A European Journal, 2022, 28, e202200149.	3.3	7
2	Simultaneously Enhancing the Redox Potential and Stability of Multi-Redox Organic Catholytes by Incorporating Cyclopropenium Substituents. Journal of the American Chemical Society, 2021, 143, 13450-13459.	13.7	29
3	Confusing Ions on Purpose: How Many Parent Acid Molecules Can Be Incorporated in a Herbicidal Ionic Liquid?. ACS Sustainable Chemistry and Engineering, 2021, 9, 1941-1948.	6.7	11
4	Development of High Energy Density Diaminocyclopropenium-Phenothiazine Hybrid Catholytes for Non-Aqueous Redox Flow Batteries. Angewandte Chemie - International Edition, 2021, 60, 27039-27045.	13.8	23
5	Experimental Protocols for Studying Organic Non-aqueous Redox Flow Batteries. ACS Energy Letters, 2021, 6, 3932-3943.	17.4	25
6	Development of High Energy Density Diaminocyclopropenium-Phenothiazine Hybrid Catholytes for Non-Aqueous Redox Flow Batteries. Angewandte Chemie, 2021, 133, 27245-27251.	2.0	4
7	Hybrid Non-Aqueous Redox Flow Batteries with Higher Capacity By Adopting a Redox-Targeting Reaction. ECS Meeting Abstracts, 2021, MA2021-02, 1690-1690.	0.0	0
8	Bis(diisopropylamino)cyclopropenium-arene Cations as High Oxidation Potential and High Stability Catholytes for Non-aqueous Redox Flow Batteries. Journal of the American Chemical Society, 2020, 142, 17564-17571.	13.7	37
9	Salt nanoconfinement in zirconium-based metal-organic frameworks leads to pore-size and loading-dependent ionic conductivity enhancement. Chemical Communications, 2020, 56, 7245-7248.	4.1	8
10	An organic super-electron-donor as a high energy density negative electrolyte for nonaqueous flow batteries. Chemical Communications, 2019, 55, 11037-11040.	4.1	31
11	Salt loading in MOFs: solvent-free and solvent-assisted loading of NH_4^+ and LiNO_3 in UiO-66. Dalton Transactions, 2019, 48, 13483-13490.	3.3	11
12	Adsorption of tetranitromethane in zeolitic imidazolate frameworks yields energetic materials. Dalton Transactions, 2019, 48, 7509-7513.	3.3	11
13	Crystallographic Insights into the Behavior of Highly Acidic Metal Cations in Ionic Liquids from Reactions of Titanium Tetrachloride with [1-Butyl-3-Methylimidazolium][X] Ionic Liquids (X = Chloride, Tj ETQq1 1 0.784314rgBT /Ov		
14	Metal carbonate complexes formed through the capture of ambient O_2 and CO_2 by elemental metals in 1-methylimidazole: molecular $\text{Cu}(\text{CO}_3)(\text{Melm})_3$ and polymeric $\text{M}(\text{CO}_3)(\text{Melm})_2 \cdot 2\text{H}_2\text{O}$ (M = Co, Zn). Dalton Transactions, 2017, 46, 8920-8923.	3.3	6
15	Polythianthrene ladder oligomers function as an organic battery electrode with a high oxidation potential. Synthetic Metals, 2017, 231, 44-50.	3.9	9
16	Structure-directing effects of ionic liquids in the ionothermal synthesis of metal-organic frameworks. IUCr, 2017, 4, 380-392.	2.2	48
17	Synthesis of 9,10-Dimethyl-2,3,6,7-Anthracenetetra(thioacetate) and Benzenepentathiol; Improved Syntheses of 1,2,4,5-Benzenetetra(thioacetate) and Benzenehexathiol. ChemistrySelect, 2016, 1, 2163-2166.	1.5	6
18	Electrical conductivity in two mixed-valence liquids. Physical Chemistry Chemical Physics, 2015, 17, 14107-14114.	2.8	7

#	ARTICLE	IF	CITATIONS
19	3D Printed Molecules and Extended Solid Models for Teaching Symmetry and Point Groups. <i>Journal of Chemical Education</i> , 2014, 91, 1174-1180.	2.3	130
20	Computational screening of structural and compositional factors for electrically conductive coordination polymers. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 14463-14472.	2.8	23
21	Electronic structure and photophysics of (C=C)tetra-p-tolylporphyrin ²⁺ . <i>Photochemical and Photobiological Sciences</i> , 2013, 12, 1774-1779.	2.9	4
22	Thermodynamic and electronic properties of tunable II ^{VI} and IV ^{VI} semiconductor based metal-organic frameworks from computational chemistry. <i>Journal of Materials Chemistry C</i> , 2013, 1, 95-100.	5.5	23
23	Synthesis of Protected Benzenepolyselenols. <i>Journal of Organic Chemistry</i> , 2012, 77, 9397-9400.	3.2	7
24	Tuning Band Gap Energies in Pb ₃ (C ₆ X ₆) Extended Solid-State Structures. <i>Journal of Physical Chemistry C</i> , 2012, 116, 8370-8378.	3.1	9
25	Synthesis, Characterization, and Calculated Electronic Structure of the Crystalline Metal-Organic Polymers [Hg(SC ₆ H ₄ S)(en)] _n and [Pb(SC ₆ H ₄ S)(dien)] _n . <i>Inorganic Chemistry</i> , 2012, 51, 370-376.	4.0	23
26	A Porphyrin with a C ₆₀ Unit at Its Center. <i>Journal of the American Chemical Society</i> , 2011, 133, 15838-15841.	13.7	66
27	Hidden superlattice in Tl ₂ (SC ₆ H ₄ S) ₄ and Tl ₂ (SeC ₆ H ₄ S) ₄ solved from powder X-ray diffraction. <i>Acta Crystallographica Section B: Structural Science</i> , 2011, 67, 409-415.	1.8	5
28	Cadmium and zinc thiolate and selenolate metal-organic frameworks. <i>Dalton Transactions</i> , 2010, 39, 5070.	3.3	23
29	Hexakis(4-(<i>N</i> -butylpyridylum))benzene: A Six-Electron Organic Redox System. <i>Journal of Organic Chemistry</i> , 2008, 73, 445-450.	3.2	37
30	Semiconducting Lead ²⁺ Sulfur ²⁻ Organic Network Solids. <i>Journal of the American Chemical Society</i> , 2008, 130, 14-15.	13.7	108
31	Has Monopotassium Phthalocyanine, KPc, Been Synthesized?. <i>Inorganic Chemistry</i> , 2007, 46, 4360-4361.	4.0	2
32	Reversible Oxidation State Change in Germanium(tetraphenylporphyrin) Induced by a Dative Ligand: Aromatic Gell(TPP) and Antiaromatic GeIV(TPP)(pyridine) ₂ . <i>Journal of the American Chemical Society</i> , 2007, 129, 7841-7847.	13.7	100
33	Doping of an organic molecular semiconductor by substitutional cocrystallization with a molecular n-dopant. <i>Journal of Materials Chemistry</i> , 2007, 17, 469-475.	6.7	15
34	Germanium Phthalocyanine, GePc, and the Reduced Complexes SiPc(pyridine) ₂ and GePc(pyridine) ₂ Containing Antiaromatic I ⁻ Electron Circuits. <i>Inorganic Chemistry</i> , 2007, 46, 7713-7715.	4.0	66
35	Synthesis, Structure, and Magnetic Properties of [(CH ₃ CN) ₅ V ^{III} O ²⁺ (CH ₃ CN) ₅][BF ₄] ₄ . <i>Inorganic Chemistry</i> , 2007, 46, 9672-9677.		8
36	Photophysics of Reduced Silicon Tetraphenylporphyrin. <i>Journal of Physical Chemistry B</i> , 2007, 111, 2138-2142.	2.6	33

#	ARTICLE	IF	CITATIONS
37	Aluminum Tetraphenylporphyrin and Aluminum Phthalocyanine Neutral Radicals. <i>Inorganic Chemistry</i> , 2006, 45, 2367-2369.	4.0	62
38	The Doubly Oxidized, Antiaromatic Tetraphenylporphyrin Complex [Li(TPP)][BF ₄]. <i>Organic Letters</i> , 2006, 8, 2401-2404.	4.6	61
39	Aluminum and lithium octa(pentoxy)phthalocyanine radicals. <i>Polyhedron</i> , 2005, 24, 3004-3011.	2.2	19
40	Synthesis and Characterization of a Highly Reducing Neutral π -Extended Viologen and the Isostructural Hydrocarbon 4,4'-Di-n-octyl-p-aterphenyl. <i>Journal of the American Chemical Society</i> , 2005, 127, 16559-16566.	13.7	145
41	Isolation and Characterization of Phenyl Viologen as a Radical Cation and Neutral Molecule. <i>Journal of Organic Chemistry</i> , 2005, 70, 5028-5035.	3.2	118
42	An Antiaromatic Porphyrin Complex: π -Tetraphenylporphyrinato(silicon)(L) ₂ (L = THF or Pyridine). <i>Journal of the American Chemical Society</i> , 2005, 127, 12212-12213.	13.7	141
43	Syntheses and electrochemistry of (p-XC ₆ H ₄ O) ₆ W (1-X, X=H, CH ₃ , OCH ₃ , Cl, Br, OH, OCH ₂ Ph) and (p-XC ₆ H ₄ O) ₅ W(OC ₆ H ₄ OH) (X=H, CH ₃ , OCH ₃ , Cl, Br): an approach to electrocatalytic CH bond activation. <i>Polyhedron</i> , 2004, 23, 2841-2856.	2.2	13
44	Investigations of the 9,10-Diphenylacridyl Radical as an Isostructural Dopant for the Molecular Semiconductor 9,10-Diphenylanthracene. <i>Chemistry of Materials</i> , 2003, 15, 4292-4299.	6.7	18
45	<title>Classification performance of carbon black-polymer composite vapor detector arrays as a function of array size and detector composition</title>. , 2002, 4742, 520.		5
46	Classification performance of carbon black-polymer composite vapor detector arrays as a function of array size and detector composition. <i>Sensors and Actuators B: Chemical</i> , 2002, 87, 130-149.	7.8	47
47	Hydrogen bonds between polyphenol (p-HOC ₆ H ₄ O) ₆ W and bipyridines: (4,4'-bipy-HOC ₆ H ₄ O) ₆ W and 3-D networks [$\{4,4'-(NC_5H_4)_2(CH_2CH_2)\}_n\{(HOC_6H_4O)_6W\}$] ⁿ (n = 2, 3). <i>Chemical Communications</i> , 2001, , 1300-1301.	4.1	12
48	Comparison of the Performance of Different Discriminant Algorithms in Analyte Discrimination Tasks Using an Array of Carbon Black-Polymer Composite Vapor Detectors. <i>Analytical Chemistry</i> , 2001, 73, 321-331.	6.5	43
49	The use of π -electronic nose™ sensor responses to predict the inhibition activity of alcohols on the cytochrome P-450 catalyzed p-hydroxylation of aniline. <i>Bioorganic and Medicinal Chemistry</i> , 2000, 8, 795-805.	3.0	10
50	Cross-Reactive Chemical Sensor Arrays. <i>Chemical Reviews</i> , 2000, 100, 2595-2626.	47.7	1,194
51	Electrochemical and Electrical Behavior of (111)-Oriented Si Surfaces Alkoxylated through Oxidative Activation of Si-H Bonds. <i>Journal of Physical Chemistry B</i> , 2000, 104, 9947-9950.	2.6	50
52	Covalent Metal-Organic Networks: π -Pyridines Induce 2-Dimensional Oligomerization of (1/4-OC ₆ H ₄ O) ₂ Mpy ₂ (M = Ti, V, Zr). <i>Inorganic Chemistry</i> , 2000, 39, 4756-4765.	4.0	28
53	Covalent Three-Dimensional Titanium(IV)-Aryloxy Networks. <i>Inorganic Chemistry</i> , 1999, 38, 3394-3405.	4.0	47
54	Sensing and Discrimination of Vapors by an Array of Conducting Carbon Black-Polymer Composites. <i>Digest of Technical Papers SID International Symposium</i> , 1999, 30, 800.	0.3	0

#	ARTICLE	IF	CITATIONS
55	Extracting absolute titanium-alkyl and-hydride bond enthalpies from relative $D(\text{TiR}(\text{H}))$ in $(\text{silox})_2(\text{tBu}_3\text{SiNH})\text{TiR}$: electronegativity and ECT models. <i>Inorganica Chimica Acta</i> , 1998, 270, 414-423.	2.4	22
56	Quantitative Study of the Resolving Power of Arrays of Carbon Black $\hat{\sim}$ Polymer Composites in Various Vapor-Sensing Tasks. <i>Analytical Chemistry</i> , 1998, 70, 4177-4190.	6.5	159
57	Structural Dichotomy in Six-Coordinate d^0 Complexes: A Trigonal Prismatic $(\text{tBu}_3\text{SiC}\hat{\leftarrow}\text{C})_6\text{Ta}$ -and Octahedral $(\text{tBu}_3\text{SiC}\hat{\leftarrow}\text{C})_6\text{M}2$ -($\text{M} = \text{Zr}, \text{Hf}$). <i>Journal of the American Chemical Society</i> , 1998, 120, 10067-10079.	13.7	49
58	Covalent 3- and 2-Dimensional Titanium $\hat{\sim}$ Quinone Networks. <i>Journal of the American Chemical Society</i> , 1997, 119, 8742-8743.	13.7	33