

Azhar Supariwala

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9382483/publications.pdf>

Version: 2024-02-01

26
papers

664
citations

759233

12
h-index

642732

23
g-index

31
all docs

31
docs citations

31
times ranked

985
citing authors

#	ARTICLE	IF	CITATIONS
1	Discordance Between Echocardiography and MRI in the Assessment of Mitral Regurgitation Severity. Journal of the American College of Cardiology, 2015, 65, 1078-1088.	2.8	281
2	Quantification of left ventricular remodeling in response to isolated aortic or mitral regurgitation. Journal of Cardiovascular Magnetic Resonance, 2010, 12, 32.	3.3	75
3	Comparative effectiveness of coronary CT angiography vs stress cardiac imaging in patients following hospital admission for chest pain work-up: The Prospective First Evaluation in Chest Pain (PERFECT) Trial. Journal of Nuclear Cardiology, 2017, 24, 1267-1278.	2.1	32
4	Synergistic effect of coronary artery disease risk factors on long-term survival in patients with normal exercise SPECT studies. Journal of Nuclear Cardiology, 2011, 18, 207-214.	2.1	31
5	The interaction of exercise ability and body mass index upon long-term outcomes among patients undergoing stress-rest perfusion single-photon emission computed tomography imaging. American Heart Journal, 2013, 166, 127-133.	2.7	30
6	Antihypertensive efficacy of angiotensin receptor blockers as monotherapy as evaluated by ambulatory blood pressure monitoring: a meta-analysis. European Heart Journal, 2014, 35, 1732-1742.	2.2	28
7	The presence, characterization and prognosis of coronary plaques among patients with zero coronary calcium scores. International Journal of Cardiovascular Imaging, 2011, 27, 805-812.	1.5	26
8	Feasibility and Prognostic Value of Stress Echocardiography in Obese, Morbidly Obese, and Super Obese Patients Referred for Bariatric Surgery. Echocardiography, 2014, 31, 879-885.	0.9	23
9	A Comparative Assessment of Echocardiographic Parameters for Determining Primary Mitral Regurgitation Severity Using Magnetic Resonance Imaging as a Reference Standard. Journal of the American Society of Echocardiography, 2018, 31, 992-999.	2.8	23
10	Combining stress-only myocardial perfusion imaging with coronary calcium scanning as a new paradigm for initial patient work-up: An exploratory analysis. Journal of Nuclear Cardiology, 2015, 22, 89-97.	2.1	20
11	Influence of Mode of Stress and Coronary Risk Factor Burden Upon Long-Term Mortality Following Normal Stress Myocardial Perfusion Single-Photon Emission Computed Tomographic Imaging. American Journal of Cardiology, 2013, 111, 846-850.	1.6	18
12	Impact of weight on long-term survival among patients without known coronary artery disease and a normal stress SPECT MPI. Journal of Nuclear Cardiology, 2010, 17, 390-397.	2.1	17
13	Aortic Arch Thrombus and Pulmonary Embolism in a COVID-19 Patient. Journal of Emergency Medicine, 2021, 60, 223-225.	0.7	12
14	A novel technique to quantify the instantaneous mitral regurgitant rate. Journal of Cardiovascular Magnetic Resonance, 2013, 15, 74.	3.3	11
15	Vascular Stent Fracture and Migration to Pulmonary Artery during Arteriovenous Shunt Thrombectomy. Journal of Vascular Access, 2013, 14, 175-179.	0.9	9
16	Impact of ethnic variation and residential segregation on long-term survival following myocardial perfusion SPECT. Journal of Nuclear Cardiology, 2012, 19, 987-996.	2.1	8
17	Neuroleptic malignant syndrome with metoclopramide overdose coexisting with Clostridium difficile diarrhea. Intensive Care Medicine, 2011, 37, 1706-1708.	8.2	7
18	Effect of Body Mass Index on Outcome in Patients With Suspected Coronary Artery Disease Referred for Stress Echocardiography. American Journal of Cardiology, 2013, 112, 1355-1360.	1.6	6

#	ARTICLE	IF	CITATIONS
19	Prognostic Value of Stress Echocardiography in Patients With Low-Intermediate or High Short-Term (10 Years) Versus Low (<3%) or High (≥3%) Lifetime Predicted Risk of Cardiovascular Disease According to the American College of Cardiology/American Heart Association 2013 Cardiovascular Risk Calculator. <i>American Journal of Cardiology</i> , 2015, 116, 725-729.	1.6	2
20	Clinical Implications of the ISCHEMIA Trial: Invasive vs Conservative Approach in Stable Coronary Disease. <i>Current Cardiology Reports</i> , 2021, 23, 43.	2.9	2
21	Physiological correlates of densely calcified coronary lesions on coronary computed tomography angiography among patients with low-to-intermediate coronary artery disease likelihood. <i>Coronary Artery Disease</i> , 2011, 22, 463-467.	0.7	1
22	Latent myopathy is more pronounced in patients with low flow versus normal flow aortic stenosis with normal left ventricular ejection fraction who are undergoing surgical aortic valve replacement: Multicenter study with a brief review of the literature. <i>Echocardiography</i> , 2018, 35, 611-620.	0.9	1
23	Quantification of the response of the right ventricle to the volume overload from asd and papvr. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, .	3.3	0
24	A new semi-automated algorithm for determining LV volumes is especially valuable for inexperienced users. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, .	3.3	0
25	The effect of regurgitant volume on left ventricular volumes and dimensions in patients with isolated aortic or mitral regurgitation. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, .	3.3	0
26	Abstract 9440: Prognostic Value of Stress Echocardiography in Patients With Low (<10%)-Intermediate (10-20%) Framingham Risk Score (Short-Term) versus Low (<3%) or High (≥3%) Lifetime Predicted Risk of Cardiovascular Disease. <i>Circulation</i> , 2014, 130, .	1.6	0