

Azhar Supariwala

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9382483/publications.pdf>

Version: 2024-02-01

26
papers

664
citations

759233

12
h-index

642732

23
g-index

31
all docs

31
docs citations

31
times ranked

985
citing authors

#	ARTICLE	IF	CITATIONS
1	Aortic Arch Thrombus and Pulmonary Embolism in a COVID-19 Patient. <i>Journal of Emergency Medicine</i> , 2021, 60, 223-225.	0.7	12
2	Clinical Implications of the ISCHEMIA Trial: Invasive vs Conservative Approach in Stable Coronary Disease. <i>Current Cardiology Reports</i> , 2021, 23, 43.	2.9	2
3	Latent myopathy is more pronounced in patients with low flow versus normal flow aortic stenosis with normal left ventricular ejection fraction who are undergoing surgical aortic valve replacement: Multicenter study with a brief review of the literature. <i>Echocardiography</i> , 2018, 35, 611-620.	0.9	1
4	A Comparative Assessment of Echocardiographic Parameters for Determining Primary Mitral Regurgitation Severity Using Magnetic Resonance Imaging as a Reference Standard. <i>Journal of the American Society of Echocardiography</i> , 2018, 31, 992-999.	2.8	23
5	Comparative effectiveness of coronary CT angiography vs stress cardiac imaging in patients following hospital admission for chest pain work-up: The Prospective First Evaluation in Chest Pain (PERFECT) Trial. <i>Journal of Nuclear Cardiology</i> , 2017, 24, 1267-1278.	2.1	32
6	Combining stress-only myocardial perfusion imaging with coronary calcium scanning as a new paradigm for initial patient work-up: An exploratory analysis. <i>Journal of Nuclear Cardiology</i> , 2015, 22, 89-97.	2.1	20
7	Discordance Between Echocardiography and MRI in the Assessment of Mitral Regurgitation Severity. <i>Journal of the American College of Cardiology</i> , 2015, 65, 1078-1088.	2.8	281
8	Prognostic Value of Stress Echocardiography in Patients With Low-Intermediate or High Short-Term (10 Years) Versus Low (<39%) or High (≥39%) Lifetime Predicted Risk of Cardiovascular Disease According to the American College of Cardiology/American Heart Association 2013 Cardiovascular Risk Calculator. <i>American Journal of Cardiology</i> , 2015, 116, 725-729.	1.6	2
9	Feasibility and Prognostic Value of Stress Echocardiography in Obese, Morbidly Obese, and Super Obese Patients Referred for Bariatric Surgery. <i>Echocardiography</i> , 2014, 31, 879-885.	0.9	23
10	Antihypertensive efficacy of angiotensin receptor blockers as monotherapy as evaluated by ambulatory blood pressure monitoring: a meta-analysis. <i>European Heart Journal</i> , 2014, 35, 1732-1742.	2.2	28
11	Abstract 9440: Prognostic Value of Stress Echocardiography in Patients With Low (<10%)-Intermediate (10-20%) Framingham Risk Score (Short-Term) versus Low (<39%) or High (≥39%) Lifetime Predicted Risk of Cardiovascular Disease. <i>Circulation</i> , 2014, 130, .	1.6	0
12	A novel technique to quantify the instantaneous mitral regurgitant rate. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 74.	3.3	11
13	Influence of Mode of Stress and Coronary Risk Factor Burden Upon Long-Term Mortality Following Normal Stress Myocardial Perfusion Single-Photon Emission Computed Tomographic Imaging. <i>American Journal of Cardiology</i> , 2013, 111, 846-850.	1.6	18
14	The interaction of exercise ability and body mass index upon long-term outcomes among patients undergoing stress-rest perfusion single-photon emission computed tomography imaging. <i>American Heart Journal</i> , 2013, 166, 127-133.	2.7	30
15	Effect of Body Mass Index on Outcome in Patients With Suspected Coronary Artery Disease Referred for Stress Echocardiography. <i>American Journal of Cardiology</i> , 2013, 112, 1355-1360.	1.6	6
16	Vascular Stent Fracture and Migration to Pulmonary Artery during Arteriovenous Shunt Thrombectomy. <i>Journal of Vascular Access</i> , 2013, 14, 175-179.	0.9	9
17	Impact of ethnic variation and residential segregation on long-term survival following myocardial perfusion SPECT. <i>Journal of Nuclear Cardiology</i> , 2012, 19, 987-996.	2.1	8
18	Physiological correlates of densely calcified coronary lesions on coronary computed tomography angiography among patients with low-to-intermediate coronary artery disease likelihood. <i>Coronary Artery Disease</i> , 2011, 22, 463-467.	0.7	1

#	ARTICLE	IF	CITATIONS
19	The presence, characterization and prognosis of coronary plaques among patients with zero coronary calcium scores. <i>International Journal of Cardiovascular Imaging</i> , 2011, 27, 805-812.	1.5	26
20	Neuroleptic malignant syndrome with metoclopramide overdose coexisting with <i>Clostridium difficile</i> diarrhea. <i>Intensive Care Medicine</i> , 2011, 37, 1706-1708.	8.2	7
21	Synergistic effect of coronary artery disease risk factors on long-term survival in patients with normal exercise SPECT studies. <i>Journal of Nuclear Cardiology</i> , 2011, 18, 207-214.	2.1	31
22	Impact of weight on long-term survival among patients without known coronary artery disease and a normal stress SPECT MPI. <i>Journal of Nuclear Cardiology</i> , 2010, 17, 390-397.	2.1	17
23	Quantification of left ventricular remodeling in response to isolated aortic or mitral regurgitation. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, 32.	3.3	75
24	Quantification of the response of the right ventricle to the volume overload from ASD and PAPVR. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, .	3.3	0
25	A new semi-automated algorithm for determining LV volumes is especially valuable for inexperienced users. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, .	3.3	0
26	The effect of regurgitant volume on left ventricular volumes and dimensions in patients with isolated aortic or mitral regurgitation. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, .	3.3	0