Samir K Saha,, Facc, Fesc

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9383472/publications.pdf

Version: 2024-02-01

687363 552781 28 675 13 26 g-index citations h-index papers 33 33 33 1220 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Global Longitudinal Strain and Global Circumferential Strain by Speckle-Tracking Echocardiography and Feature-Tracking Cardiac Magnetic Resonance Imaging: Comparison with Left Ventricular EjectionÂFraction. Journal of the American Society of Echocardiography, 2015, 28, 587-596.	2.8	130
2	Global Left Atrial Strain Correlates with CHADS2 Risk Score in Patients with Atrial Fibrillation. Journal of the American Society of Echocardiography, 2011, 24, 506-512.	2.8	103
3	Left atrial reservoir function predicts atrial fibrillation recurrence after catheter ablation: a two-dimensional speckle strain study. Journal of Interventional Cardiac Electrophysiology, 2011, 31, 197-206.	1.3	88
4	Feature tracking measurement of dyssynchrony from cardiovascular magnetic resonance cine acquisitions: comparison with echocardiographic speckle tracking. Journal of Cardiovascular Magnetic Resonance, 2013, 15, 95.	3.3	62
5	Impaired Myocardial Functional Reserve in Hypertension and Diabetes Mellitus Without Coronary Artery Disease: Searching for the Possible Link With Congestive Heart Failure in the Myocardial Doppler in Diabetes (MYDID) Study II. American Journal of Hypertension, 2006, 19, 851-857.	2.0	32
6	Biventricular and atrial diastolic function assessment using conventional echocardiography and tissue-Doppler imaging in adults with Marfan syndrome. European Journal of Echocardiography, 2009, 10, 947-955.	2.3	30
7	Validation of Echocardiographic Left Atrial Parameters in Atrial Fibrillation Using the Index Beat of Preceding Cardiac Cycles of Equal Duration. Journal of the American Society of Echocardiography, 2011, 24, 1141-1147.	2.8	29
8	Impaired Biventricular Deformation in Marfan Syndrome: A Strain and Strain Rate Study in Adult Unoperated Patients. Echocardiography, 2011, 28, 416-430.	0.9	25
9	Value of Twoâ€Dimensional Speckle Tracking and Real Time Threeâ€Dimensional Echocardiography for the Identification of Subclinical Left Ventricular Dysfunction in Patients Referred for Routine Echocardiography. Echocardiography, 2012, 29, 588-597.	0.9	25
10	Assessment of Aortic Stiffness in Marfan Syndrome Using Two-Dimensional and Doppler Echocardiography. Echocardiography, 2011, 28, 29-37.	0.9	21
11	Association of Right Atrial Mechanics with Hemodynamics and Physical Capacity in Patients with Idiopathic Pulmonary Arterial Hypertension: Insight from a Singleâ€Center Cohort in Northern Sweden. Echocardiography, 2016, 33, 46-56.	0.9	20
12	Right atrial myocardial deformation by two-dimensional speckle tracking echocardiography predicts recurrence in paroxysmal atrial fibrillation. Journal of Echocardiography, 2017, 15, 166-175.	0.8	18
13	Prognostic value of left atrial expansion index and exercise-induced change in atrial natriuretic peptide as long-term predictors of atrial fibrillation recurrence. Europace, 2012, 14, 1302-1310.	1.7	15
14	Isolated Type 2 Diabetes mellitus Causes Myocardial Dysfunction That Becomes Worse in the Presence of Cardiovascular Diseases: Results of the Myocardial Doppler in Diabetes (MYDID) Study 1. Cardiology, 2005, 103, 189-195.	1.4	13
15	Study of Left Ventricular Rotation and Torsion in the Acute Phase of STâ€Elevation Myocardial Infarction by Speckle Tracking Echocardiography. Echocardiography, 2010, 27, 45-49.	0.9	13
16	Incremental prognostic value of multichamber deformation imaging and renal function status to predict adverse outcome in heart failure with reduced ejection fraction. Echocardiography, 2018, 35, 450-458.	0.9	10
17	Cardiac incoordination induced by left bundle branch block: its relation with left ventricular systolic function in patients with and without cardiomyopathy. Cardiovascular Ultrasound, 2008, 6, 39.	1.6	7
18	Acute administration of a single dose of valsartan improves left ventricular functions: a pilot study to assess the role of tissue velocity echocardiography in patients with systemic arterial hypertension in the TVE-valsartan study I. Clinical Physiology and Functional Imaging, 2006, 26, 351-356.	1.2	6

#	Article	IF	CITATIONS
19	Clopidogrel inhibits platelet aggregation in patients on aspirin with stable chronic angina pectoris. International Journal of Cardiology, 2008, 123, 195-196.	1.7	5
20	Biatrial and right ventricular deformation imaging: Implications of the recent EACVI consensus document in the clinics and beyond. Echocardiography, 2019, 36, 1910-1918.	0.9	5
21	Quantification of low-dose dobutamine stress using speckle tracking echocardiography in coronary artery disease. European Journal of Echocardiography, 2009, 10, 607-612.	2.3	4
22	Echocardiographic diagnosis of cardiac amyloidosis: Does the masquerader require only a "cherry on top"?. Echocardiography, 2020, 37, 1713-1715.	0.9	4
23	Microalbuminuria and left ventricular function in type 2 diabetes: A quantitative assessment by stress echocardiography in the Myocardial Doppler in Diabetes (MYDID) Study III. Scandinavian Cardiovascular Journal, 2007, 41, 363-369.	1.2	3
24	Echocardiography 2020: Toward deciphering the "Rosetta stone―of left ventricular diastolic function. Echocardiography, 2020, 37, 1886-1889.	0.9	3
25	Value of speckle tracking echocardiography for prediction of stroke risk in atrial fibrillation: Time to spare a stare outside the box?. Echocardiography, 2018, 35, 589-591.	0.9	2
26	Deformation imaging of the atria using 2D strain: A noninvasive modality to characterize operating compliance?. Echocardiography, 2018, 35, 1385-1387.	0.9	1
27	The Story of Diabetes and Hypertension: Bad Companions with Internecine Mission on the Left Atrium. Echocardiography, 2014, 31, 687-688.	0.9	O
28	Recognition of Resting Heart Calcification as a Means to an End: An Eyeâ€Opener in the Application of Dobutamine Stress Echocardiography in Subjects with Chest Pain. Echocardiography, 2015, 32, 887-889.	0.9	0