## James M Reecy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9384655/publications.pdf Version: 2024-02-01



IAMES M REECV

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Whole-genome SNP markers reveal runs of homozygosity in indigenous cattle breeds of Pakistan.<br>Animal Biotechnology, 2023, 34, 1384-1396.  | 1.5  | 3         |
| 2  | Bringing the Animal QTLdb and CorrDB into the future: meeting new challenges and providing updated services. Nucleic Acids Research, 2022, 50, D956-D961.  | 14.5 | 125       |
| 3  | Systems Biology–Derived Genetic Signatures of Mastitis in Dairy Cattle: A New Avenue for Drug<br>Repurposing. Animals, 2022, 12, 29.   | 2.3  | 3         |
| 4  | Ten simple rules to ruin a collaborative environment. PLoS Computational Biology, 2022, 18, e1009957.  | 3.2  | 1         |
| 5  | Differential Gene Expression Associated with Soybean Oil Level in the Diet of Pigs. Animals, 2022, 12, 1632.   | 2.3  | 5         |
| 6  | Effect of dietary soybean oil inclusion on liver-related transcription factors in a pig model for metabolic diseases. Scientific Reports, 2022, 12, .  | 3.3  | 8         |
| 7  | Gene expression in tonsils in swine following infection with porcine reproductive and respiratory syndrome virus. BMC Veterinary Research, 2021, 17, 88.   | 1.9  | 12        |
| 8  | Effects of increasing dietary oil inclusion from different sources on growth performance, carcass<br>and meat quality traits, and fatty acid profile in genetically lean immunocastrated male pigs. Livestock<br>Science, 2021, 248, 104515. | 1.6  | 18        |
| 9  | Whole Genome Sequence Data Provides Novel Insights Into the Genetic Architecture of Meat Quality<br>Traits in Beef. Frontiers in Genetics, 2020, 11, 538640.   | 2.3  | 12        |
| 10 | Haplotype-based genome-wide association studies for carcass and growth traits in chicken. Poultry Science, 2020, 99, 2349-2361.  | 3.4  | 32        |
| 11 | Genome to Phenome: Improving Animal Health, Production, and Well-Being – A New USDA Blueprint<br>for Animal Genome Research 2018–2027. Frontiers in Genetics, 2019, 10, 327.   | 2.3  | 118       |
| 12 | Co-Expression Networks Reveal Potential Regulatory Roles of miRNAs in Fatty Acid Composition of Nelore Cattle. Frontiers in Genetics, 2019, 10, 651.   | 2.3  | 22        |
| 13 | Unraveling genomic associations with feed efficiency and body weight traits in chickens through an integrative approach. BMC Genetics, 2019, 20, 83.   | 2.7  | 10        |
| 14 | Genome-wide association scan for QTL and their positional candidate genes associated with internal organ traits in chickens. BMC Genomics, 2019, 20, 669.  | 2.8  | 17        |
| 15 | Prediction of key regulators and downstream targets of E. coli induced mastitis. Journal of Applied Genetics, 2019, 60, 367-373.   | 1.9  | 28        |
| 16 | A Vision for Development and Utilization of High-Throughput Phenotyping and Big Data Analytics in<br>Livestock. Frontiers in Genetics, 2019, 10, 1197.   | 2.3  | 64        |
| 17 | Building a livestock genetic and genomic information knowledgebase through integrative developments of Animal QTLdb and CorrDB. Nucleic Acids Research, 2019, 47, D701-D710.   | 14.5 | 268       |
| 18 | Meta-analysis of genome-wide association studies for cattle stature identifies common genes that regulate body size in mammals. Nature Genetics, 2018, 50, 362-367.  | 21.4 | 286       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Integration of genome wide association studies and whole genome sequencing provides novel insights into fat deposition in chicken. Scientific Reports, 2018, 8, 16222.          | 3.3  | 29        |
| 20 | AgBioData consortium recommendations for sustainable genomics and genetics databases for agriculture. Database: the Journal of Biological Databases and Curation, 2018, 2018, . | 3.0  | 52        |
| 21 | Gene Co-expression Analysis Indicates Potential Pathways and Regulators of Beef Tenderness in<br>Nellore Cattle. Frontiers in Genetics, 2018, 9, 441.                           | 2.3  | 54        |
| 22 | Integrative analysis of microRNAs and mRNAs revealed regulation of composition and metabolism in Nelore cattle. BMC Genomics, 2018, 19, 126.                                    | 2.8  | 53        |
| 23 | Identification of putative regulatory regions and transcription factors associated with intramuscular fat content traits. BMC Genomics, 2018, 19, 499.                          | 2.8  | 51        |
| 24 | Genomic Analysis Suggests KITLG is Responsible for a Roan Pattern in two Pakistani Goat Breeds.<br>Journal of Heredity, 2018, 109, 315-319.                                     | 2.4  | 17        |
| 25 | Integration of machine learning and meta-analysis identifies the transcriptomic bio-signature of mastitis disease in cattle. PLoS ONE, 2018, 13, e0191227.                      | 2.5  | 115       |
| 26 | Network Analysis Reveals Putative Genes Affecting Meat Quality in Angus Cattle. Frontiers in Genetics,<br>2017, 8, 171.   | 2.3  | 63        |
| 27 | Design and validation of a 90K SNP genotyping assay for the water buffalo (Bubalus bubalis). PLoS<br>ONE, 2017, 12, e0185220.   | 2.5  | 76        |
| 28 | Differences in the skeletal muscle transcriptome profile associated with extreme values of fatty acids content. BMC Genomics, 2016, 17, 961.                                    | 2.8  | 54        |
| 29 | Deriving Gene Networks from SNP Associated with Triacylglycerol and Phospholipid Fatty Acid<br>Fractions from Ribeyes of Angus Cattle. Frontiers in Genetics, 2016, 7, 116.     | 2.3  | 10        |
| 30 | <scp>GO</scp> â€ <scp>FAANG</scp> meeting: a Gathering On Functional Annotation of<br><scp>An</scp> imal Genomes. Animal Genetics, 2016, 47, 528-533.                           | 1.7  | 65        |
| 31 | Developmental progress and current status of the Animal QTLdb. Nucleic Acids Research, 2016, 44, D827-D833.   | 14.5 | 272       |
| 32 | Genetic Improvement of Production and Adaptive Traits in Livestock. Indian Journal of Plant Genetic<br>Resources, 2016, 29, 382.  | 0.1  | 0         |
| 33 | Putative Regulatory Factors Associated with Intramuscular Fat Content. PLoS ONE, 2015, 10, e0128350.  | 2.5  | 116       |
| 34 | Transcriptional profiling of PRKG2-null growth plate identifies putative down-stream targets of PRKG2. BMC Research Notes, 2015, 8, 177.  | 1.4  | 9         |
| 35 | The BioMart community portal: an innovative alternative to large, centralized data repositories.<br>Nucleic Acids Research, 2015, 43, W589-W598.                                | 14.5 | 682       |
| 36 | Sire breed effect on beef longissimus mineral concentrations and their relationships with carcass and palatability traits. Meat Science, 2015, 106, 25-30.                      | 5.5  | 14        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Coordinated international action to accelerate genome-to-phenome with FAANG, the Functional Annotation of Animal Genomes project. Genome Biology, 2015, 16, 57.   | 8.8  | 331       |
| 38 | Gene Co-Expression Network Analysis Provides Novel Insights into Myostatin Regulation at Three<br>Different Mouse Developmental Timepoints. PLoS ONE, 2015, 10, e0117607.   | 2.5  | 12        |
| 39 | Worldwide Patterns of Ancestry, Divergence, and Admixture in Domesticated Cattle. PLoS Genetics, 2014, 10, e1004254.  | 3.5  | 391       |
| 40 | Polymorphisms in lipogenic genes and milk fatty acid composition in Holstein dairy cattle. Genomics, 2014, 104, 572-581.  | 2.9  | 16        |
| 41 | Discovery of biological networks using an optimized partial correlation coefficient with information theory algorithm on Stampede's Xeon and Xeon Phi processors. Concurrency Computation Practice and Experience, 2014, 26, 2178-2190.                       | 2.2  | 8         |
| 42 | Genome-wide association study for intramuscular fat deposition and composition in Nellore cattle.<br>BMC Genetics, 2014, 15, 39.  | 2.7  | 121       |
| 43 | Associations between infectious bovine keratoconjunctivitis at weaning and ultrasongraphically<br>measured body composition traits in yearling cattle. Journal of the American Veterinary Medical<br>Association, 2014, 244, 100-106.                         | 0.5  | 15        |
| 44 | Association of polymorphisms in solute carrier family 27, isoform A6 (SLC27A6) and fatty acid-binding protein-3 and fatty acid-binding protein-4 (FABP3 and FABP4) with fatty acid composition of bovine milk. Journal of Dairy Science, 2013, 96, 6007-6021. | 3.4  | 48        |
| 45 | Pig immune response to general stimulus and to porcine reproductive and respiratory syndrome virus infection: a meta-analysis approach. BMC Genomics, 2013, 14, 220.  | 2.8  | 31        |
| 46 | The Vertebrate Trait Ontology: a controlled vocabulary for the annotation of trait data across species. Journal of Biomedical Semantics, 2013, 4, 13.   | 1.6  | 42        |
| 47 | In vitro neutralization of HoBi-like viruses by antibodies in serum of cattle immunized with inactivated or modified live vaccines of bovine viral diarrhea viruses 1 and 2. Veterinary Microbiology, 2013, 166, 242-245.                                     | 1.9  | 33        |
| 48 | Sterol regulatory element binding transcription factor 1 (SREBF1) polymorphism and milk fatty acid composition. Journal of Dairy Science, 2013, 96, 2605-2616.  | 3.4  | 23        |
| 49 | Body composition and gene expression QTL mapping in mice reveals imprinting and interaction effects.<br>BMC Genetics, 2013, 14, 103.  | 2.7  | 6         |
| 50 | Genome-wide association and prediction of direct genomic breeding values for composition of fatty acids in Angus beef cattlea. BMC Genomics, 2013, 14, 730.   | 2.8  | 67        |
| 51 | Animal QTLdb: an improved database tool for livestock animal QTL/association data dissemination in the post-genome era. Nucleic Acids Research, 2013, 41, D871-D879.  | 14.5 | 331       |
| 52 | Analyses of pig genomes provide insight into porcine demography and evolution. Nature, 2012, 491, 393-398.  | 27.8 | 1,190     |
| 53 | Design Database for Quantitative Trait Loci (QTL) Data Warehouse, Data Mining, and Meta-Analysis.<br>Methods in Molecular Biology, 2012, 871, 121-144.  | 0.9  | 4         |
| 54 | Prediction of Altered 3â€2- UTR miRNA-Binding Sites from RNA-Seq Data: The Swine Leukocyte Antigen<br>Complex (SLA) as a Model Region. PLoS ONE, 2012, 7, e48607.   | 2.5  | 15        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Extension of Animal QTLdb. , 2011, , .   |      | Ο         |
| 56 | Use of Genome Sequence Information for Meat Quality Trait QTL Mining for Casual Genes and Mutations on Pig Chromosome 17. Frontiers in Genetics, 2011, 2, 43.  | 2.3  | 4         |
| 57 | Association of toll-like receptor four single nucleotide polymorphisms with incidence of infectious bovine keratoconjunctivitis (IBK) in cattle. Immunogenetics, 2011, 63, 115-119.  | 2.4  | 21        |
| 58 | Whole genome analysis of infectious bovine keratoconjunctivitis in Angus cattle using Bayesian threshold models. BMC Proceedings, 2011, 5, S22.  | 1.6  | 22        |
| 59 | Myostatin genotype regulates muscle-specific miRNA expression in mouse pectoralis muscle. BMC<br>Research Notes, 2010, 3, 297.   | 1.4  | 30        |
| 60 | Allied Industry Approaches to Alter Intramuscular Fat Content and Composition in Beef Animals.<br>Journal of Food Science, 2010, 75, R1-8.   | 3.1  | 59        |
| 61 | Use of SNP genotyping to determine pedigree and breed composition of dairy cattle in Kenya. Journal of Animal Breeding and Genetics, 2010, 127, 348-351.   | 2.0  | 28        |
| 62 | Skeletal Muscle Stem Cells from Animals I. Basic Cell Biology. International Journal of Biological<br>Sciences, 2010, 6, 465-474.  | 6.4  | 53        |
| 63 | Lipid metabolism, adipocyte depot physiology and utilization of meat animals as experimental models<br>for metabolic research. International Journal of Biological Sciences, 2010, 6, 691-699.   | 6.4  | 89        |
| 64 | Interleukin-8, Interleukin-1β, and Interferon-γ Levels Are Linked to PRRS Virus Clearance. Viral<br>Immunology, 2010, 23, 127-134.   | 1.3  | 72        |
| 65 | Perspectives on the formation of an interdisciplinary research team. Biochemical and Biophysical Research Communications, 2010, 391, 1155-1157.  | 2.1  | 13        |
| 66 | Differential effects of two different betaâ€adrenergic agonists, clenbuterol and ractopamine, on<br>muscle growth in rats. FASEB Journal, 2010, 24, lb680.   | 0.5  | 0         |
| 67 | BEAP: The BLAST Extension and Alignment Program- a tool for contig construction and analysis of preliminary genome sequence. BMC Research Notes, 2009, 2, 11.  | 1.4  | 5         |
| 68 | ANEXdb: an integrated animal ANnotation and microarray EXpression database. Mammalian Genome, 2009, 20, 768-777.   | 2.2  | 28        |
| 69 | The Genome Sequence of Taurine Cattle: A Window to Ruminant Biology and Evolution. Science, 2009, 324, 522-528.  | 12.6 | 1,038     |
| 70 | A nonsense mutation in cGMP-dependent type II protein kinase ( <i>PRKG2</i> ) causes dwarfism in<br>American Angus cattle. Proceedings of the National Academy of Sciences of the United States of<br>America, 2009, 106, 19250-19255. | 7.1  | 48        |
| 71 | Phenotypic variation of mineral contents in beef. FASEB Journal, 2009, 23, LB412.  | 0.5  | 1         |
| 72 | Promoting coherent minimum reporting guidelines for biological and biomedical investigations: the<br>MIBBI project. Nature Biotechnology, 2008, 26, 889-896.   | 17.5 | 506       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Identification of differentially expressed gene categories in microarray studies using nonparametric multivariate analysis. Bioinformatics, 2008, 24, 192-201.                                | 4.1  | 60        |
| 74 | Genetic regulation of milk fatty acid compositionâ€developing tools for use in selection FASEB<br>Journal, 2008, 22, 695-695.   | 0.5  | 0         |
| 75 | TACE release of TNF-Î $\pm$ mediates mechanotransduction-induced activation of p38 MAPK and myogenesis. Journal of Cell Science, 2007, 120, 692-701.  | 2.0  | 85        |
| 76 | AnimalQTLdb: a livestock QTL database tool set for positional QTL information mining and beyond.<br>Nucleic Acids Research, 2007, 35, D604-D609.  | 14.5 | 181       |
| 77 | Animal QTLdb: beyond a repository. Mammalian Genome, 2007, 18, 1-4.   | 2.2  | 75        |
| 78 | Comparative analysis of GDF 8 (myostatin) inBos indicusandBos taurus. DNA Sequence, 2006, 17, 311-313.  | 0.7  | 7         |
| 79 | Transcriptional profiling of myostatinâ€knockout mice implicates Wnt signaling in postnatal skeletal<br>muscle growth and hypertrophy. FASEB Journal, 2006, 20, 580-582.                      | 0.5  | 115       |
| 80 | A QTL resource and comparison tool for pigs: PigQTLDB. Mammalian Genome, 2005, 16, 792-800.   | 2.2  | 125       |
| 81 | Lactate dehydrogenase expression at the onset of altered loading in rat soleus muscle. Journal of<br>Applied Physiology, 2004, 97, 1424-1430.   | 2.5  | 21        |
| 82 | Functional and phylogenetic analyses of a melanocortin-4 receptor mutation in domestic pigs.<br>Domestic Animal Endocrinology, 2004, 26, 75-86.   | 1.6  | 66        |
| 83 | Differential gene expression in the rat soleus muscle during early work overloadâ€induced hypertrophy. FASEB Journal, 2002, 16, 1-21.   | 0.5  | 91        |
| 84 | Murine Tbx2 contains domains that activate and repress gene transcription. Gene, 2002, 283, 117-124.  | 2.2  | 66        |
| 85 | Transient cardiac expression of the tinman-family homeobox gene, XNkx2-10. Mechanisms of Development, 2000, 91, 369-373.  | 1.7  | 18        |
| 86 | Serum Response Factor-NK Homeodomain Factor Interactions, Role in Cardiac Development. , 1999, ,<br>273-290.  |      | 19        |
| 87 | ldentification of upstream regulatory regions in the heart-expressed homeobox gene <i>Nkx2-5</i> .<br>Development (Cambridge), 1999, 126, 839-849.  | 2.5  | 100       |
| 88 | Multiple regions of the porcine αâ€skeletal actin gene modulate muscleâ€specific expression in cell culture<br>and directly injected skeletal muscle. Animal Biotechnology, 1998, 9, 101-120. | 1.5  | 5         |
| 89 | Chicken Nkx-2.8: A Novel Homeobox Gene Expressed in Early Heart Progenitor Cells and Pharyngeal<br>Pouch-2 and -3 Endoderm. Developmental Biology, 1997, 188, 295-311.                        | 2.0  | 59        |
| 90 | Structure and regulation of the porcine skeletal α-actin-encoding gene. Gene, 1996, 180, 23-28.   | 2.2  | 11        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 91 | The effect of postruminal amino acid flow on muscle cell proliferation and protein turnover<br>Journal of Animal Science, 1996, 74, 2158.    | 0.5 | 12        |
| 92 | Cloning and expression of the porcine myogenin gene. Animal Biotechnology, 1995, 6, 79-92.   | 1.5 | 5         |
| 93 | Abomasal Casein Infusion Enhances the Mitogenic Activity of Serum from Protein-Restricted Steers.<br>Journal of Nutrition, 1994, 124, 67-77. | 2.9 | 9         |