

Janice Connell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9388121/publications.pdf>

Version: 2024-02-01

44
papers

4,923
citations

159585

30
h-index

243625

44
g-index

45
all docs

45
docs citations

45
times ranked

3774
citing authors

#	ARTICLE	IF	CITATIONS
1	Qualitative Review on Domains of Quality of Life Important for Patients, Social Care Users, and Informal Carers to Inform the Development of the EQ-HWB. <i>Value in Health</i> , 2022, 25, 492-511.	0.3	12
2	Generation, Selection, and Face Validation of Items for a New Generic Measure of Quality of Life: The EQ-HWB. <i>Value in Health</i> , 2022, 25, 512-524.	0.3	12
3	Criteria for item selection for a preference-based measure for use in economic evaluation. <i>Quality of Life Research</i> , 2021, 30, 1425-1432.	3.1	16
4	“So just to go through the options” – patient choice in the telephone delivery of the NHS Improving Access to Psychological Therapies services. <i>Sociology of Health and Illness</i> , 2021, 43, 3-19.	2.1	5
5	What is the best approach to adopt for identifying the domains for a new measure of health, social care and carer-related quality of life to measure quality-adjusted life years? Application to the development of the EQ-HWB?. <i>European Journal of Health Economics</i> , 2021, 22, 1067-1081.	2.8	15
6	Person-centred experiential therapy versus cognitive behavioural therapy delivered in the English Improving Access to Psychological Therapies service for the treatment of moderate or severe depression (PRaCTICED): a pragmatic, randomised, non-inferiority trial. <i>Lancet Psychiatry</i> , 2021, 8, 487-499.	7.4	12
7	“Clinically unnecessary” use of emergency and urgent care: A realist review of patients' decision making. <i>Health Expectations</i> , 2020, 23, 19-40.	2.6	49
8	What influences practitioners' readiness to deliver psychological interventions by telephone? A qualitative study of behaviour change using the Theoretical Domains Framework. <i>BMC Psychiatry</i> , 2020, 20, 371.	2.6	16
9	Drivers of “clinically unnecessary” use of emergency and urgent care: the DEUCE mixed-methods study. <i>Health Services and Delivery Research</i> , 2020, 8, 1-256.	1.4	9
10	Person-centred experiential therapy (PCET) training within a UK NHS IAPT service: experiences of selected counsellors in the PRaCTICED trial. <i>British Journal of Guidance and Counselling</i> , 2019, 47, 619-634.	1.2	3
11	Public involvement in health outcomes research: lessons learnt from the development of the recovering quality of life (ReQoL) measures. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 60.	2.4	22
12	Recovering Quality of Life (ReQoL): a new generic self-reported outcome measure for use with people experiencing mental health difficulties. <i>British Journal of Psychiatry</i> , 2018, 212, 42-49.	2.8	141
13	The importance of content and face validity in instrument development: lessons learnt from service users when developing the Recovering Quality of Life measure (ReQoL). <i>Quality of Life Research</i> , 2018, 27, 1893-1902.	3.1	128
14	Integrating Qualitative and Quantitative Data in the Development of Outcome Measures: The Case of the Recovering Quality of Life (ReQoL) Measures in Mental Health Populations. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1342.	2.6	18
15	A pragmatic randomised controlled trial assessing the non-inferiority of counselling for depression versus cognitive-behaviour therapy for patients in primary care meeting a diagnosis of moderate or severe depression (PRaCTICED): Study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 93.	1.6	12
16	Low-intensity cognitive-behaviour therapy interventions for obsessive-compulsive disorder compared to waiting list for therapist-led cognitive-behaviour therapy: 3-arm randomised controlled trial of clinical effectiveness. <i>PLoS Medicine</i> , 2017, 14, e1002337.	8.4	25
17	Clinical effectiveness, cost-effectiveness and acceptability of low-intensity interventions in the management of obsessive-compulsive disorder: the Obsessive-Compulsive Treatment Efficacy randomised controlled Trial (OCTET). <i>Health Technology Assessment</i> , 2017, 21, 1-132.	2.8	41
18	Measuring quality of life in mental health: Are we asking the right questions?. <i>Social Science and Medicine</i> , 2014, 120, 12-20.	3.8	122

#	ARTICLE	IF	CITATIONS
19	Obsessive Compulsive Treatment Efficacy Trial (OCTET) comparing the clinical and cost effectiveness of self-managed therapies: study protocol for a randomised controlled trial. <i>Trials</i> , 2014, 15, 278.	1.6	10
20	A systematic review, psychometric analysis and qualitative assessment of generic preference-based measures of health in mental health populations and the estimation of mapping functions from widely used specific measures. <i>Health Technology Assessment</i> , 2014, 18, vii-viii, xiii-xxv, 1-188.	2.8	179
21	Cost-effectiveness of an Improving Access to Psychological Therapies service. <i>British Journal of Psychiatry</i> , 2013, 202, 220-227.	2.8	55
22	The CORE-10: A short measure of psychological distress for routine use in the psychological therapies. <i>Counselling and Psychotherapy Research</i> , 2013, 13, 3-13.	3.2	229
23	Quality of life of people with mental health problems: a synthesis of qualitative research. <i>Health and Quality of Life Outcomes</i> , 2012, 10, 138.	2.4	198
24	Psychological treatment outcomes in routine NHS services: What do we mean by treatment effectiveness?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2012, 85, 1-16.	2.5	47
25	The Young Person's CORE: Development of a brief outcome measure for young people. <i>Counselling and Psychotherapy Research</i> , 2009, 9, 160-168.	3.2	95
26	Effects of psychological therapies in randomized trials and practice-based studies. <i>British Journal of Clinical Psychology</i> , 2008, 47, 397-415.	3.5	52
27	Effectiveness of cognitive-behavioural, person-centred, and psychodynamic therapies in UK primary-care routine practice: replication in a larger sample. <i>Psychological Medicine</i> , 2008, 38, 677-688.	4.5	218
28	The effectiveness of UK student counselling services: an analysis using the CORE System. <i>British Journal of Guidance and Counselling</i> , 2008, 36, 1-18.	1.2	50
29	Responsive regulation of treatment duration in routine practice in United Kingdom primary care settings: Replication in a larger sample.. <i>Journal of Consulting and Clinical Psychology</i> , 2008, 76, 298-305.	2.0	99
30	CORE-OM mental health norms of students attending university counselling services benchmarked against an age-matched primary care sample. <i>British Journal of Guidance and Counselling</i> , 2007, 35, 41-57.	1.2	61
31	Distribution of CORE-OM scores in a general population, clinical cut-off points and comparison with the CIS-R. <i>British Journal of Psychiatry</i> , 2007, 190, 69-74.	2.8	157
32	A core approach to practice-based evidence: A brief history of the origins and applications of the CORE-OM and CORE System. <i>Counselling and Psychotherapy Research</i> , 2006, 6, 3-15.	3.2	149
33	Client initiated termination of therapy at NHS primary care counselling services. <i>Counselling and Psychotherapy Research</i> , 2006, 6, 60-67.	3.2	40
34	Dose-effect relations and responsive regulation of treatment duration: The good enough level.. <i>Journal of Consulting and Clinical Psychology</i> , 2006, 74, 160-167.	2.0	235
35	Rationale and development of a general population well-being measure: Psychometric status of the GP-CORE in a student sample. <i>British Journal of Guidance and Counselling</i> , 2005, 33, 153-173.	1.2	61
36	Suitability and utility of the CORE-OM and CORE-A for assessing severity of presenting problems in psychological therapy services based in primary and secondary care settings. <i>British Journal of Psychiatry</i> , 2005, 186, 239-246.	2.8	169

#	ARTICLE	IF	CITATIONS
37	Practice-based evidence: benchmarking NHS primary care counselling services at national and local levels. <i>Clinical Psychology and Psychotherapy</i> , 2003, 10, 374-388.	2.7	78
38	Towards a standardised brief outcome measure: Psychometric properties and utility of the CORE-OM. <i>British Journal of Psychiatry</i> , 2002, 180, 51-60.	2.8	679
39	Counselling outcomes in primary health care: a CORE system data profile. <i>European Journal of Psychotherapy and Counselling</i> , 2001, 4, 65-86.	0.4	36
40	Service profiling and outcomes benchmarking using the CORE-OM: Toward practice-based evidence in the psychological therapies.. <i>Journal of Consulting and Clinical Psychology</i> , 2001, 69, 184-196.	2.0	407
41	Measurement and psychotherapy. <i>British Journal of Psychiatry</i> , 2000, 177, 123-130.	2.8	285
42	CORE: Clinical Outcomes in Routine Evaluation. <i>Journal of Mental Health</i> , 2000, 9, 247-255.	1.9	402
43	Practice-based evidence and standardized evaluation: Informing the design of the CORE system. <i>European Journal of Psychotherapy and Counselling</i> , 1999, 2, 357-374.	0.4	64
44	The rationale for developing and outcome batteries for routine use in service settings and psychotherapy outcome research implementing core. <i>Journal of Mental Health</i> , 1998, 7, 35-47.	1.9	180