

Bungo Furusato

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9390781/publications.pdf>

Version: 2024-02-01

55
papers

3,605
citations

186265

28
h-index

155660

55
g-index

56
all docs

56
docs citations

56
times ranked

4505
citing authors

#	ARTICLE	IF	CITATIONS
1	Benign mimics of prostate cancer. <i>Pathology</i> , 2021, 53, 26-35.	0.6	7
2	Intraductal carcinoma of the prostate is not a diagnostic entity. <i>Histopathology</i> , 2021, 78, 342-344.	2.9	6
3	Pathological significance and prognostic role of LATS2 in prostate cancer. <i>Prostate</i> , 2021, 81, 1252-1260.	2.3	2
4	Intraductal carcinoma of the prostate is an aggressive form of invasive carcinoma and should be graded. <i>Pathology</i> , 2020, 52, 192-196.	0.6	29
5	Multi-institutional re-evaluation of prognostic factors in chromophobe renal cell carcinoma: proposal of a novel two-tiered grading scheme. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 476, 409-418.	2.8	42
6	Granular necrosis: a distinctive form of cell death in malignant tumours. <i>Pathology</i> , 2020, 52, 507-514.	0.6	20
7	Comparison of ERG and SPINK1 expression among incidental and metastatic prostate cancer in Japanese men. <i>Prostate</i> , 2019, 79, 3-8.	2.3	12
8	Controversial issues in Gleason and International Society of Urological Pathology (ISUP) prostate cancer grading: proposed recommendations for international implementation. <i>Pathology</i> , 2019, 51, 463-473.	0.6	47
9	Classic Chromophobe Renal Cell Carcinoma Incur a Larger Number of Chromosomal Losses than Seen in the Eosinophilic Subtype. <i>Cancers</i> , 2019, 11, 1492.	3.7	28
10	Expression of phosphatase and tensin homolog and programmed cell death ligand 1 in adenosquamous carcinoma of the lung. <i>Biochemical and Biophysical Research Communications</i> , 2018, 503, 2764-2769.	2.1	15
11	Clinicopathological importance of anterior prostate cancer in Japanese Men. <i>Pathology International</i> , 2017, 67, 156-162.	1.3	10
12	Time Trends in Histological Features of Latent Prostate Cancer in Japan. <i>Journal of Urology</i> , 2016, 195, 1415-1420.	0.4	25
13	Increased aPKC Expression Correlates with Prostatic Adenocarcinoma Gleason Score and Tumor Stage in the Japanese Population. <i>Prostate Cancer</i> , 2014, 2014, 1-5.	0.6	3
14	Evaluation of ERG responsive proteome in prostate cancer. <i>Prostate</i> , 2014, 74, 70-89.	2.3	21
15	Differences in prostate cancer grade, stage, and location in radical prostatectomy specimens from United States and Japan. <i>Prostate</i> , 2014, 74, 321-325.	2.3	27
16	Loss of PTEN Is Associated with Aggressive Behavior in ERG-Positive Prostate Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 2333-2344.	2.5	121
17	Elevated osteonectin/SPARC expression in primary prostate cancer predicts metastatic progression. <i>Prostate Cancer and Prostatic Diseases</i> , 2012, 15, 150-156.	3.9	63
18	Expression of ERG oncoprotein is associated with a less aggressive tumor phenotype in Japanese prostate cancer patients. <i>Pathology International</i> , 2012, 62, 742-748.	1.3	22

#	ARTICLE	IF	CITATIONS
19	Novel Human Prostate Epithelial Cell Culture Models for the Study of Carcinogenesis and of Normal Stem Cells and Cancer Stem Cells. <i>Advances in Experimental Medicine and Biology</i> , 2011, 720, 71-80.	1.6	14
20	Orbital solitary fibrous tumor: encompassing terminology for hemangiopericytoma, giant cell angiofibroma, and fibrous histiocytoma of the orbit: reappraisal of 41 cases. <i>Human Pathology</i> , 2011, 42, 120-128.	2.0	143
21	Immunohistochemical <i>ETS</i> -related gene detection in a Japanese prostate cancer cohort: Diagnostic use in Japanese prostate cancer patients. <i>Pathology International</i> , 2011, 61, 409-414.	1.3	28
22	Antibody EPR3864 is specific for ERG genomic fusions in prostate cancer: implications for pathological practice. <i>Modern Pathology</i> , 2011, 24, 1128-1138.	5.5	106
23	CXCR4 and cancer. <i>Pathology International</i> , 2010, 60, 497-505.	1.3	255
24	Assessment of circulating tumor cells (CTCs) in prostate cancer patients with low-volume tumors. <i>Pathology International</i> , 2010, 60, 667-672.	1.3	3
25	Prostate Cancer Risk Allele Specific for African Descent Associates with Pathologic Stage at Prostatectomy. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1-8.	2.5	38
26	ERG oncoprotein expression in prostate cancer: clonal progression of ERG-positive tumor cells and potential for ERG-based stratification. <i>Prostate Cancer and Prostatic Diseases</i> , 2010, 13, 228-237.	3.9	227
27	Overexpression of C-MYC oncogene in prostate cancer predicts biochemical recurrence. <i>Prostate Cancer and Prostatic Diseases</i> , 2010, 13, 311-315.	3.9	139
28	Evaluation of the <i>ETS</i> -Related Gene mRNA in Urine for the Detection of Prostate Cancer. <i>Clinical Cancer Research</i> , 2010, 16, 1572-1576.	7.0	58
29	Ocular perivascular epithelioid cell tumor: report of 2 cases with distinct clinical presentations. <i>Human Pathology</i> , 2010, 41, 768-772.	2.0	24
30	Osteoblast-specific Factor 2 Expression in Prostate Cancer-associated Stroma: Identification Through Microarray Technology. <i>Urology</i> , 2010, 75, 768-772.	1.0	4
31	Quantitative expression of TMPRSS2 transcript in prostate tumor cells reflects TMPRSS2-ERG fusion status. <i>Prostate Cancer and Prostatic Diseases</i> , 2010, 13, 47-51.	3.9	23
32	Targeted Disruption of Ing2 Results in Defective Spermatogenesis and Development of Soft-Tissue Sarcomas. <i>PLoS ONE</i> , 2010, 5, e15541.	2.5	43
33	The increased expression of periostin during early stages of prostate cancer and advanced stages of cancer stroma. <i>Prostate</i> , 2009, 69, 1398-1403.	2.3	50
34	Clinicopathological Behavior of Single Focus Prostate Adenocarcinoma. <i>Journal of Urology</i> , 2009, 182, 2689-2694.	0.4	29
35	WT1 and Bcl2 Expression in Melanocytic Lesions of the Conjunctiva. <i>JAMA Ophthalmology</i> , 2009, 127, 964.	2.4	25
36	CXCR4 and Cancer. , 2009, , 31-45.		8

#	ARTICLE	IF	CITATIONS
37	Mapping of TMPRSS2-ERG fusions in the context of multi-focal prostate cancer. <i>Modern Pathology</i> , 2008, 21, 67-75.	5.5	123
38	TMPRSS2-ERG fusion, a common genomic alteration in prostate cancer activates C-MYC and abrogates prostate epithelial differentiation. <i>Oncogene</i> , 2008, 27, 5348-5353.	5.9	218
39	Telomerase-immortalized non-malignant human prostate epithelial cells retain the properties of multipotent stem cells. <i>Experimental Cell Research</i> , 2008, 314, 92-102.	2.6	36
40	PCA3 Score Before Radical Prostatectomy Predicts Extracapsular Extension and Tumor Volume. <i>Journal of Urology</i> , 2008, 180, 1975-1979.	0.4	160
41	Higher Expression of the Androgen-Regulated Gene PSA/HK3 mRNA in Prostate Cancer Tissues Predicts Biochemical Recurrence-Free Survival. <i>Clinical Cancer Research</i> , 2008, 14, 758-763.	7.0	21
42	Delineation of TMPRSS2-ERG Splice Variants in Prostate Cancer. <i>Clinical Cancer Research</i> , 2008, 14, 4719-4725.	7.0	90
43	Transcriptome analyses of benign and malignant prostate epithelial cells in formalin-fixed paraffin-embedded whole-mounted radical prostatectomy specimens. <i>Prostate Cancer and Prostatic Diseases</i> , 2008, 11, 194-197.	3.9	27
44	Use of Step-Section Histopathology to Evaluate ¹⁸ F-Fluorocholine PET Sextant Localization of Prostate Cancer. <i>Molecular Imaging</i> , 2008, 7, 7290.2008.00002.	1.4	30
45	Identification of Putative Stem Cell Markers, CD133 and CXCR4, in hTERT-Immortalized Primary Nonmalignant and Malignant Tumor-Derived Human Prostate Epithelial Cell Lines and in Prostate Cancer Specimens. <i>Cancer Research</i> , 2007, 67, 3153-3161.	0.9	344
46	Higher Tumor to Benign Ratio of the Androgen Receptor mRNA Expression Associates with Prostate Cancer Progression after Radical Prostatectomy. <i>Urology</i> , 2007, 70, 1225-1229.	1.0	32
47	Quantitative analysis of a panel of gene expression in prostate cancer with emphasis on NPY expression analysis. <i>Journal of Zhejiang University: Science B</i> , 2007, 8, 853-859.	2.8	18
48	280: Quantitative Features of a Common TMPRSS2-ERG Fusion Transcript in Prostate Cancer. <i>Journal of Urology</i> , 2007, 177, 94-94.	0.4	1
49	Phenotypic characterization of telomerase-immortalized primary non-malignant and malignant tumor-derived human prostate epithelial cell lines. <i>Experimental Cell Research</i> , 2006, 312, 831-843.	2.6	75
50	Allelotyping analysis at chromosome arm 8p of high-grade prostatic intraepithelial neoplasia and incidental, latent, and clinical prostate cancers. <i>Genes Chromosomes and Cancer</i> , 2006, 45, 509-515.	2.8	19
51	Quantitative expression profile of PSGR in prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2006, 9, 56-61.	3.9	51
52	Sarcoidosis of the prostate. <i>Journal of Clinical Pathology</i> , 2006, 60, 325-326.	2.0	14
53	Frequent overexpression of ETS-related gene-1 (ERG1) in prostate cancer transcriptome. <i>Oncogene</i> , 2005, 24, 3847-3852.	5.9	326
54	Ultrasound-accelerated formalin fixation of tissue improves morphology, antigen and mRNA preservation. <i>Modern Pathology</i> , 2005, 18, 850-863.	5.5	51

#	ARTICLE	IF	CITATIONS
55	Proteomic Analysis of Formalin-fixed Prostate Cancer Tissue. <i>Molecular and Cellular Proteomics</i> , 2005, 4, 1741-1753.	3.8	251