

Uwe Ueberham

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9391515/publications.pdf>

Version: 2024-02-01

47
papers

1,658
citations

430874

18
h-index

289244

40
g-index

50
all docs

50
docs citations

50
times ranked

2551
citing authors

#	ARTICLE	IF	CITATIONS
1	Alzheimer-related genes show accelerated evolution. <i>Molecular Psychiatry</i> , 2021, 26, 5790-5796.	7.9	10
2	SIRT6-CBP-dependent nuclear Tau accumulation and its role in protein synthesis. <i>Cell Reports</i> , 2021, 35, 109035.	6.4	26
3	Disturbance of phylogenetic layer-specific adaptation of human brain gene expression in Alzheimer's disease. <i>Scientific Reports</i> , 2021, 11, 20200.	3.3	1
4	Neural circular transcriptomes across mammalian species. <i>Genomics</i> , 2020, 112, 1162-1166.	2.9	15
5	Cell type-specific circular RNA expression in human glial cells. <i>Genomics</i> , 2020, 112, 5265-5274.	2.9	15
6	Analysis of the Circular Transcriptome in the Synaptosomes of Aged Mice. <i>Neuroscience</i> , 2020, 449, 202-213.	2.3	6
7	Genomic Indexing by Somatic Gene Recombination of mRNA/ncRNA – Does It Play a Role in Genomic Mosaicism, Memory Formation, and Alzheimer's Disease?. <i>Frontiers in Genetics</i> , 2020, 11, 370.	2.3	4
8	TGF β 2 pathway deregulation and abnormal phospho-SMAD2/3 staining in hereditary cerebral hemorrhage with amyloidosis – Dutch type. <i>Brain Pathology</i> , 2018, 28, 495-506.	4.1	15
9	Multiple System Atrophy: Many Lessons from the Transcriptome. <i>Neuroscientist</i> , 2018, 24, 294-307.	3.5	7
10	Is sporadic Alzheimer's disease a developmental disorder?. <i>Journal of Neurochemistry</i> , 2017, 143, 396-408.	3.9	61
11	RNA sequencing reveals pronounced changes in the noncoding transcriptome of aging synaptosomes. <i>Neurobiology of Aging</i> , 2017, 56, 67-77.	3.1	17
12	Neuroprotective Functions for the Histone Deacetylase SIRT6. <i>Cell Reports</i> , 2017, 18, 3052-3062.	6.4	123
13	Transgenerational transmission of an anticholinergic endophenotype with memory dysfunction. <i>Neurobiology of Aging</i> , 2017, 51, 19-30.	3.1	7
14	A Cytomic Approach Towards Genomic Individuality of Neurons. <i>Neuromethods</i> , 2017, , 81-106.	0.3	1
15	The emerging role of circular RNAs in transcriptome regulation. <i>Genomics</i> , 2017, 109, 401-407.	2.9	155
16	Non-coding transcriptome in brain aging. <i>Aging</i> , 2017, 9, 1943-1944.	3.1	5
17	The Antisense Transcriptome and the Human Brain. <i>Journal of Molecular Neuroscience</i> , 2016, 58, 1-15.	2.3	12
18	Global Increase of p16INK4a in APC-Deficient Mouse Liver Drives Clonal Growth of p16INK4a-Negative Tumors. <i>Molecular Cancer Research</i> , 2015, 13, 239-249.	3.4	6

#	ARTICLE	IF	CITATIONS
19	TGF β signalling in the adult neurogenic niche promotes stem cell quiescence as well as generation of new neurons. <i>Journal of Cellular and Molecular Medicine</i> , 2014, 18, 1444-1459.	3.6	118
20	p19 ^{INK4} promotes degradation of Smad proteins and their interaction with phosphorylated tau in Alzheimer's disease. <i>Neuropathology and Applied Neurobiology</i> , 2014, 40, 815-832.	3.2	11
21	Transcriptional control of cell cycle-dependent kinase 4 by Smad proteins—implications for Alzheimer's disease. <i>Neurobiology of Aging</i> , 2012, 33, 2827-2840.	3.1	22
22	RVG peptide as transfection reagent for specific cdk4 gene silencing <i>in vitro</i> and <i>in vivo</i> . <i>Journal of Drug Targeting</i> , 2012, 20, 381-388.	4.4	8
23	Activity-induced dendrite and dendritic spine development in human amyloid precursor protein transgenic mice. <i>International Journal of Developmental Neuroscience</i> , 2011, 29, 107-114.	1.6	2
24	Association Study of Genetic Variants in CDKN2A/CDKN2B Genes/Loci with Late-Onset Alzheimer's Disease. <i>International Journal of Alzheimer's Disease</i> , 2011, 2011, 1-4.	2.0	5
25	Transgenic expression of human wild-type amyloid precursor protein decreases neurogenesis in the adult hippocampus. <i>Hippocampus</i> , 2010, 20, 971-979.	1.9	27
26	Response of sinusoidal mouse liver cells to choline-deficient ethionine-supplemented diet. <i>Comparative Hepatology</i> , 2010, 9, 8.	0.9	15
27	FAD-mutation of APP is associated with a loss of its synaptotrophic activity. <i>Neurobiology of Disease</i> , 2009, 35, 258-263.	4.4	10
28	Deprivation-induced dendritic shrinkage might be oppositely affected by the expression of wild-type and mutated human amyloid precursor protein. <i>Journal of Neuroscience Research</i> , 2009, 87, 1813-1822.	2.9	8
29	Smad2 isoforms are differentially expressed during mouse brain development and aging. <i>International Journal of Developmental Neuroscience</i> , 2009, 27, 501-510.	1.6	21
30	Oval cell proliferation in p16 ^{INK4} -expressing mouse liver is triggered by chronic growth stimuli. <i>Journal of Cellular and Molecular Medicine</i> , 2008, 12, 622-638.	3.6	8
31	Effects of wild-type and mutant human amyloid precursor protein on cortical afferent network. <i>NeuroReport</i> , 2007, 18, 1247-1250.	1.2	3
32	Profibrogenic transforming growth factor- β /activin receptor-like kinase 5 signaling via connective tissue growth factor expression in hepatocytes. <i>Hepatology</i> , 2007, 46, 1257-1270.	7.3	109
33	E-cadherin as a reliable cell surface marker for the identification of liver specific stem cells. <i>Journal of Molecular Histology</i> , 2007, 38, 359-368.	2.2	26
34	Differentially expressed cortical genes contribute to perivascular deposition in transgenic mice with inducible neuron-specific expression of TGF β 1. <i>International Journal of Developmental Neuroscience</i> , 2006, 24, 177-186.	1.6	11
35	The expression of wild-type human amyloid precursor protein affects the dendritic phenotype of neocortical pyramidal neurons in transgenic mice. <i>International Journal of Developmental Neuroscience</i> , 2006, 24, 133-140.	1.6	20
36	Altered subcellular location of phosphorylated Smads in Alzheimer's disease. <i>European Journal of Neuroscience</i> , 2006, 24, 2327-2334.	2.6	81

#	ARTICLE	IF	CITATIONS
37	Different dendrite and dendritic spine alterations in basal and apical arbors in mutant human amyloid precursor protein transgenic mice. <i>Brain Research</i> , 2006, 1099, 189-198.	2.2	55
38	Inducible neuronal expression of transgenic TGF- β 1 in vivo: dissection of short-term and long-term effects. <i>European Journal of Neuroscience</i> , 2005, 22, 50-64.	2.6	41
39	The Expression of Cell Cycle Proteins in Neurons and its Relevance for Alzheimers Disease. <i>CNS and Neurological Disorders</i> , 2005, 4, 293-306.	4.3	37
40	Conditional tetracycline-regulated expression of TGF- β 1 in liver of transgenic mice leads to reversible intermediary fibrosis. <i>Hepatology</i> , 2003, 37, 1067-1078.	7.3	134
41	Cyclin C expression is involved in the pathogenesis of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2003, 24, 427-435.	3.1	40
42	Activated Mitogenic Signaling Induces a Process of Dedifferentiation in Alzheimer's Disease That Eventually Results in Cell Death. <i>Annals of the New York Academy of Sciences</i> , 2000, 920, 249-255.	3.8	68
43	Regulated secretion of amyloid precursor protein by TrkA receptor stimulation in rat pheochromocytoma-12 cells is mitogen activated protein kinase sensitive. <i>Neuroscience Letters</i> , 1999, 271, 97-100.	2.1	16
44	The regulation of amyloid precursor protein metabolism by cholinergic mechanisms and neurotrophin receptor signaling. <i>Progress in Neurobiology</i> , 1998, 56, 541-569.	5.7	197
45	Transforming growth factor- β 2 reverses deficient expression of type (I) collagen in cultured fibroblasts of a patient with metageria. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1997, 1360, 64-70.	3.8	10
46	In Vivo Regulation of Amyloid Precursor Protein Secretion in Rat Neocortex by Cholinergic Activity. <i>European Journal of Neuroscience</i> , 1997, 9, 2125-2134.	2.6	60
47	The Role of Smad Proteins for Development, Differentiation and Dedifferentiation of Neurons. , 0, , .		7