

Chang H Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9392659/publications.pdf>

Version: 2024-02-01

134
papers

14,420
citations

19657

61
h-index

19749

117
g-index

136
all docs

136
docs citations

136
times ranked

17222
citing authors

#	ARTICLE	IF	CITATIONS
1	Dietary fiber metabolites regulate innate lymphoid cell responses. <i>Mucosal Immunology</i> , 2021, 14, 317-330.	6.0	76
2	A ligand-independent fast function of RAR β promotes exit from metabolic quiescence upon T cell activation and controls T cell differentiation. <i>Mucosal Immunology</i> , 2021, 14, 100-112.	6.0	7
3	IL-4 α -BATF signaling directly modulates IL-9 producing mucosal mast cell (MMC9) function in experimental food allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 280-295.	2.9	23
4	The Butyrate-Producing Bacterium <i>Clostridium butyricum</i> Suppresses <i>Clostridioides difficile</i> Infection via Neutrophil- and Antimicrobial Cytokine-Dependent but GPR43/109a-Independent Mechanisms. <i>Journal of Immunology</i> , 2021, 206, 1576-1585.	0.8	47
5	Control of lymphocyte functions by gut microbiota-derived short-chain fatty acids. <i>Cellular and Molecular Immunology</i> , 2021, 18, 1161-1171.	10.5	160
6	Regulation of common neurological disorders by gut microbial metabolites. <i>Experimental and Molecular Medicine</i> , 2021, 53, 1821-1833.	7.7	35
7	Single-Cell Transcriptome Analysis of Colon Cancer Cell Response to 5-Fluorouracil-Induced DNA Damage. <i>Cell Reports</i> , 2020, 32, 108077.	6.4	40
8	BATF regulates innate lymphoid cell hematopoiesis and homeostasis. <i>Science Immunology</i> , 2020, 5, .	11.9	18
9	Weak Microbial Metabolites: a Treasure Trove for Using Biomimicry to Discover and Optimize Drugs. <i>Molecular Pharmacology</i> , 2020, 98, 343-349.	2.3	6
10	Periarteriolar stroma cells guide T cells from the red to the white pulp in the spleen. <i>Cellular and Molecular Immunology</i> , 2020, 17, 1019-1021.	10.5	7
11	Regulatory T-Cells and Th17 Cells in Tumor Microenvironment. , 2020, , 91-106.		1
12	Control of Tissue-Resident Invariant NKT Cells by Vitamin A Metabolites and P2X7-Mediated Cell Death. <i>Journal of Immunology</i> , 2019, 203, 1189-1197.	0.8	15
13	Bidirectional regulatory potentials of short-chain fatty acids and their G-protein-coupled receptors in autoimmune neuroinflammation. <i>Scientific Reports</i> , 2019, 9, 8837.	3.3	104
14	Differential food protein-induced inflammatory responses in swine lines selected for reactivity to soy antigens. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 1566-1569.	5.7	4
15	Immune regulation by microbiome metabolites. <i>Immunology</i> , 2018, 154, 220-229.	4.4	223
16	Microbial metabolites, short-chain fatty acids, restrain tissue bacterial load, chronic inflammation, and associated cancer in the colon of mice. <i>European Journal of Immunology</i> , 2018, 48, 1235-1247.	2.9	68
17	Microbiota or short-chain fatty acids: which regulates diabetes?. <i>Cellular and Molecular Immunology</i> , 2018, 15, 88-91.	10.5	114
18	Application of Sequential Palladium Catalysis for the Discovery of Janus Kinase Inhibitors in the Benzo[<i>c</i>]pyrrolo[2,3- <i>h</i>][1,6]naphthyridin-5-one (BPN) Series. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 10440-10462.	6.4	14

#	ARTICLE	IF	CITATIONS
19	RAR β supports the development of Langerhans cells and langerin-expressing conventional dendritic cells. <i>Nature Communications</i> , 2018, 9, 3896.	12.8	14
20	Control of Innate and Adaptive Lymphocytes by the RAR-Retinoic Acid Axis. <i>Immune Network</i> , 2018, 18, e1.	3.6	20
21	Regulation of humoral immunity by gut microbial products. <i>Gut Microbes</i> , 2017, 8, 392-399.	9.8	60
22	Contraction of intestinal effector T cells by retinoic acid-induced purinergic receptor P2X7. <i>Mucosal Immunology</i> , 2017, 10, 912-923.	6.0	40
23	Parkinson disease-associated <i>LRRK2 G2019S</i> transgene disrupts marrow myelopoiesis and peripheral Th17 response. <i>Journal of Leukocyte Biology</i> , 2017, 102, 1093-1102.	3.3	28
24	Succinylated Chitosan Derivative Has Local Protective Effects on Intestinal Inflammation. <i>ACS Biomaterials Science and Engineering</i> , 2017, 3, 1853-1860.	5.2	21
25	Gut Microbial Metabolites Fuel Host Antibody Responses. <i>Cell Host and Microbe</i> , 2016, 20, 202-214.	11.0	601
26	Colonization and effector functions of innate lymphoid cells in mucosal tissues. <i>Microbes and Infection</i> , 2016, 18, 604-614.	1.9	14
27	Outcomes of standard and tailored anti-tuberculosis regimens in patients with tuberculous pleural effusion. <i>International Journal of Tuberculosis and Lung Disease</i> , 2016, 20, 1516-1521.	1.2	3
28	Chronically Elevated Levels of Short-Chain Fatty Acids Induce T Cell-Mediated Ureteritis and Hydronephrosis. <i>Journal of Immunology</i> , 2016, 196, 2388-2400.	0.8	135
29	Migration and Tissue Tropism of Innate Lymphoid Cells. <i>Trends in Immunology</i> , 2016, 37, 68-79.	6.8	159
30	B cell-helping functions of gut microbial metabolites. <i>Microbial Cell</i> , 2016, 3, 529-531.	3.2	21
31	Trends and Disparities in Cardiovascular Mortality Among Survivors of Hodgkin Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, 748-752.	0.4	22
32	Cutting Edge: Progesterone Directly Upregulates Vitamin D Receptor Gene Expression for Efficient Regulation of T Cells by Calcitriol. <i>Journal of Immunology</i> , 2015, 194, 883-886.	0.8	24
33	Retinoic Acid Differentially Regulates the Migration of Innate Lymphoid Cell Subsets to the Gut. <i>Immunity</i> , 2015, 43, 107-119.	14.3	201
34	A Functional Relay from Progesterone to Vitamin D in the Immune System. <i>DNA and Cell Biology</i> , 2015, 34, 379-382.	1.9	9
35	A genetic variation in microRNA target site of KRT81 gene is associated with survival in early-stage non-small-cell lung cancer. <i>Annals of Oncology</i> , 2015, 26, 1142-1148.	1.2	22
36	Short-chain fatty acids induce both effector and regulatory T cells by suppression of histone deacetylases and regulation of the mTOR-S6K pathway. <i>Mucosal Immunology</i> , 2015, 8, 80-93.	6.0	824

#	ARTICLE	IF	CITATIONS
37	Human Tfh and Tfr Cells: Identification and Assessment of Their Migration Potential. <i>Methods in Molecular Biology</i> , 2015, 1291, 175-186.	0.9	5
38	Regulatory T Cells and Th17 Cells in Cancer Microenvironment. , 2015, , 77-91.		1
39	Gut Microbiota-Derived Short-Chain Fatty Acids, T Cells, and Inflammation. <i>Immune Network</i> , 2014, 14, 277.	3.6	473
40	Crawling of effector T cells on extracellular matrix: role of integrins in interstitial migration in inflamed tissues. <i>Cellular and Molecular Immunology</i> , 2014, 11, 1-4.	10.5	9
41	Comparison of the incidence between tuberculosis and nontuberculous mycobacterial disease after gastrectomy. <i>Infection</i> , 2014, 42, 697-704.	4.7	8
42	Predictive factors for tuberculosis in patients with a TB-PCR-negative bronchial aspirate. <i>Infection</i> , 2013, 41, 187-194.	4.7	6
43	Retinoic acid promotes the development of Arg1-expressing dendritic cells for the regulation of T cell differentiation. <i>European Journal of Immunology</i> , 2013, 43, 967-978.	2.9	41
44	Short-Chain Fatty Acids Activate GPR41 and GPR43 on Intestinal Epithelial Cells to Promote Inflammatory Responses in Mice. <i>Gastroenterology</i> , 2013, 145, 396-406.e10.	1.3	740
45	Host and Microbial Factors in Regulation of T Cells in the Intestine. <i>Frontiers in Immunology</i> , 2013, 4, 141.	4.8	11
46	BATF is required for normal expression of gut-homing receptors by T helper cells in response to retinoic acid. <i>Journal of Experimental Medicine</i> , 2013, 210, 475-489.	8.5	53
47	Th9 cell development requires a BATF-regulated transcriptional network. <i>Journal of Clinical Investigation</i> , 2013, 123, 4641-4653.	8.2	180
48	Progesterone suppresses the mTOR pathway and promotes generation of induced regulatory T cells with increased stability. <i>European Journal of Immunology</i> , 2012, 42, 2683-2696.	2.9	96
49	Optimal Population of FoxP3+ T Cells in Tumors Requires an Antigen Priming-Dependent Trafficking Receptor Switch. <i>PLoS ONE</i> , 2012, 7, e30793.	2.5	29
50	Expression of secreted and membrane-bound mucins in the airways of piglets experimentally infected with <i>Mycoplasma hyopneumoniae</i> . <i>Veterinary Journal</i> , 2012, 192, 120-122.	1.7	7
51	Trafficking Receptors and Migration of TH17 Cell Subsets. , 2011, , 203-216.		0
52	Differential Effects of Peptidoglycan Recognition Proteins on Experimental Atopic and Contact Dermatitis Mediated by Treg and Th17 Cells. <i>PLoS ONE</i> , 2011, 6, e24961.	2.5	47
53	Phenotype, effector function, and tissue localization of PD-1-expressing human follicular helper T cell subsets. <i>BMC Immunology</i> , 2011, 12, 53.	2.2	42
54	Retinoic Acid, Immunity, and Inflammation. <i>Vitamins and Hormones</i> , 2011, 86, 83-101.	1.7	53

#	ARTICLE	IF	CITATIONS
55	Progesterone Promotes Differentiation of Human Cord Blood Fetal T Cells into T Regulatory Cells but Suppresses Their Differentiation into Th17 Cells. <i>Journal of Immunology</i> , 2011, 187, 1778-1787.	0.8	164
56	Peptidoglycan Recognition Protein Pglyrp2 Protects Mice from Psoriasis-like Skin Inflammation by Promoting Regulatory T Cells and Limiting Th17 Responses. <i>Journal of Immunology</i> , 2011, 187, 5813-5823.	0.8	34
57	Complementary roles of retinoic acid and TGF- β 1 in coordinated expression of mucosal integrins by T cells. <i>Mucosal Immunology</i> , 2011, 4, 66-82.	6.0	63
58	Homeostatic and pathogenic extramedullary hematopoiesis. <i>Journal of Blood Medicine</i> , 2010, 1, 13.	1.7	193
59	Retinoic Acid Determines the Precise Tissue Tropism of Inflammatory Th17 Cells in the Intestine. <i>Journal of Immunology</i> , 2010, 184, 5519-5526.	0.8	91
60	Batf coordinates multiple aspects of B and T cell function required for normal antibody responses. <i>Journal of Experimental Medicine</i> , 2010, 207, 933-942.	8.5	202
61	FOXP3 and Its Role in the Immune System. <i>Advances in Experimental Medicine and Biology</i> , 2009, 665, 17-29.	1.6	68
62	Migration and Function of Th17 Cells. <i>Inflammation and Allergy: Drug Targets</i> , 2009, 8, 221-228.	1.8	53
63	FoxP3+ Regulatory T Cells Restrain Splenic Extramedullary Myelopoiesis via Suppression of Hemopoietic Cytokine-Producing T Cells. <i>Journal of Immunology</i> , 2009, 183, 6377-6386.	0.8	27
64	The roles of CCR6 in migration of Th17 cells and regulation of effector T-cell balance in the gut. <i>Mucosal Immunology</i> , 2009, 2, 173-183.	6.0	219
65	Expression of Mucins and Trefoil Factor Family Protein-1 in the Colon of Pigs Naturally Infected with <i>Salmonella typhimurium</i> . <i>Journal of Comparative Pathology</i> , 2009, 140, 38-42.	0.4	20
66	Reining in FoxP3 ⁺ regulatory T cells by the sphingosine 1-phosphate-S1P1 axis. <i>Immunology and Cell Biology</i> , 2009, 87, 502-504.	2.3	4
67	High and Low Vitamin A Therapies Induce Distinct FoxP3+ T-Cell Subsets and Effectively Control Intestinal Inflammation. <i>Gastroenterology</i> , 2009, 137, 1391-1402.e6.	1.3	78
68	Migration of Functionally Specialized T-Helper Cells: T _{FH} Cells, Th17 Cells and FoxP3 ⁺ T Cells. <i>Translational Research in Biomedicine</i> , 2009, , 67-82.	0.4	0
69	Roles of Retinoic Acid in Induction of Immunity and Immune Tolerance. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2008, 8, 289-294.	1.2	22
70	Human Th17 Cells Share Major Trafficking Receptors with Both Polarized Effector T Cells and FOXP3+ Regulatory T Cells. <i>Journal of Immunology</i> , 2008, 180, 122-129.	0.8	207
71	Regulation of FoxP ⁺ T Cells and Th17 Cells by Retinoids. <i>Clinical and Developmental Immunology</i> , 2008, 2008, 1-12.		
72	FoxP3+ T Cells Undergo Conventional First Switch to Lymphoid Tissue Homing Receptors in Thymus but Accelerated Second Switch to Nonlymphoid Tissue Homing Receptors in Secondary Lymphoid Tissues. <i>Journal of Immunology</i> , 2007, 178, 301-311.	0.8	120

#	ARTICLE	IF	CITATIONS
73	Molecular Targets of FoxP3+ Regulatory T Cells. Mini-Reviews in Medicinal Chemistry, 2007, 7, 1136-1143.	2.4	11
74	Loss of IL-7 Receptor α on CD4+ T Cells Defines Terminally Differentiated B Cell-Helping Effector T Cells in a B Cell-Rich Lymphoid Tissue. Journal of Immunology, 2007, 179, 7448-7456.	0.8	52
75	Vitamin A Metabolites Induce Gut-Homing FoxP3+ Regulatory T Cells. Journal of Immunology, 2007, 179, 3724-3733.	0.8	275
76	Identification of a Chemokine Network That Recruits FoxP3+ Regulatory T Cells Into Chronically Inflamed Intestine. Gastroenterology, 2007, 132, 966-981.	1.3	59
77	Trafficking of FoxP3+ regulatory T cells: myths and facts. Archivum Immunologiae Et Therapiae Experimentalis, 2007, 55, 151-159.	2.3	8
78	Chemokines in Trafficking of Hematopoietic Stem and Progenitor Cells and Hematopoiesis. , 2007, , 119-138.		1
79	Migration and function of FoxP3+ regulatory T cells in the hematology system. Experimental Hematology, 2006, 34, 1033-1040.	0.4	50
80	Synergistic inhibition in vivo of bone marrow myeloid progenitors by myelosuppressive chemokines and chemokine-accelerated recovery of progenitors after treatment of mice with Ara-C. Experimental Hematology, 2006, 34, 1069-1077.	0.4	20
81	Regulation of Trafficking Receptor Expression in Human Forkhead Box P3+ Regulatory T Cells. Journal of Immunology, 2006, 177, 840-851.	0.8	143
82	Regulation of humoral immunity by FoxP3+regulatory T cells. Expert Review of Clinical Immunology, 2006, 2, 859-868.	3.0	3
83	The greater chemotactic network for lymphocyte trafficking: chemokines and beyond. Current Opinion in Hematology, 2005, 12, 298-304.	2.5	67
84	Chemokines and Their Receptors in Hematopoietic Cell Development and Functioning. Current Topics in Membranes, 2005, , 115-142.	0.9	1
85	Human CD57+ germinal center-T cells are the major helpers for GC-B cells and induce class switch recombination. BMC Immunology, 2005, 6, 3.	2.2	73
86	Stromal Cell-Derived Factor-1/CXCL12 Selectively Counteracts Inhibitory Effects of Myelosuppressive Chemokines on Hematopoietic Progenitor Cell Proliferation In Vitro. Stem Cells and Development, 2005, 14, 199-203.	2.1	25
87	Cutting Edge: Direct Suppression of B Cells by CD4+CD25+ Regulatory T Cells. Journal of Immunology, 2005, 175, 4180-4183.	0.8	532
88	Chemokine-Chemokine Receptor Network in Immune Cell Trafficking. Current Drug Targets Immune, Endocrine and Metabolic Disorders, 2004, 4, 343-361.	1.8	67
89	Unique gene expression program of human germinal center T helper cells. Blood, 2004, 104, 1952-1960.	1.4	236
90	Regulatory T cells can migrate to follicles upon T cell activation and suppress GC-Th cells and GC-Th cell-driven B cell responses. Journal of Clinical Investigation, 2004, 114, 1640-1649.	8.2	230

#	ARTICLE	IF	CITATIONS
91	Regulatory T cells can migrate to follicles upon T cell activation and suppress GC-Th cells and GC-Th cell-driven B cell responses. <i>Journal of Clinical Investigation</i> , 2004, 114, 1640-1649.	8.2	158
92	Trafficking Potentials of Unconventional T Cell Subsets. <i>Current Medicinal Chemistry Anti-inflammatory & Anti-allergy Agents</i> , 2004, 3, 321-330.	0.4	2
93	Chemokines in the systemic organization of immunity. <i>Immunological Reviews</i> , 2003, 195, 58-71.	6.0	326
94	Dendritic Cells Support Sequential Reprogramming of Chemoattractant Receptor Profiles During Naive to Effector T Cell Differentiation. <i>Journal of Immunology</i> , 2003, 171, 152-158.	0.8	70
95	Differential Chemokine Responses and Homing Patterns of Murine TCR β^+ NKT Cell Subsets. <i>Journal of Immunology</i> , 2003, 171, 2960-2969.	0.8	160
96	Transgenic Expression of Stromal Cell-Derived Factor-1/CXC Chemokine Ligand 12 Enhances Myeloid Progenitor Cell Survival/Antiapoptosis In Vitro in Response to Growth Factor Withdrawal and Enhances Myelopoiesis In Vivo. <i>Journal of Immunology</i> , 2003, 170, 421-429.	0.8	167
97	Stromal cell-derived factor-1/CXCL12 directly enhances survival/antiapoptosis of myeloid progenitor cells through CXCR4 and G α_i proteins and enhances engraftment of competitive, repopulating stem cells. <i>Journal of Leukocyte Biology</i> , 2003, 73, 630-638.	3.3	165
98	CCR10 expression is a common feature of circulating and mucosal epithelial tissue IgA Ab-secreting cells. <i>Journal of Clinical Investigation</i> , 2003, 111, 1001-1010.	8.2	292
99	Cytokine Control of Memory B Cell Homing Machinery. <i>Journal of Immunology</i> , 2002, 169, 1676-1682.	0.8	54
100	Trafficking machinery of NKT cells: shared and differential chemokine receptor expression among V β 24+V β 11+ NKT cell subsets with distinct cytokine-producing capacity. <i>Blood</i> , 2002, 100, 11-16.	1.4	313
101	Distinct subsets of human V β 24-invariant NKT cells: cytokine responses and chemokine receptor expression. <i>Trends in Immunology</i> , 2002, 23, 516-519.	6.8	100
102	Nonpolarized memory T cells. <i>Trends in Immunology</i> , 2001, 22, 527-530.	6.8	31
103	Therapeutic Effect of Hyaluronic Acid on Experimental Osteoarthritis of Ovine Temporomandibular Joint. <i>Journal of Veterinary Medical Science</i> , 2001, 63, 1083-1089.	0.9	24
104	Separable effector T cell populations specialized for B cell help or tissue inflammation. <i>Nature Immunology</i> , 2001, 2, 876-881.	14.5	120
105	C-C Chemokine Receptor 4 Expression Defines a Major Subset of Circulating Nonintestinal Memory T Cells of Both Th1 and Th2 Potential. <i>Journal of Immunology</i> , 2001, 166, 103-111.	0.8	194
106	Subspecialization of Cxcr5+ T Cells. <i>Journal of Experimental Medicine</i> , 2001, 193, 1373-1382.	8.5	564
107	Chemokine Regulation of Hematopoiesis and the Involvement of Pertussis Toxin-sensitive G α_i Proteins. <i>Annals of the New York Academy of Sciences</i> , 2001, 938, 117-128.	3.8	20
108	Bonzo/CXCR6 expression defines type 1-polarized T-cell subsets with extralymphoid tissue homing potential. <i>Journal of Clinical Investigation</i> , 2001, 107, 595-601.	8.2	311

#	ARTICLE	IF	CITATIONS
109	Rules of chemokine receptor association with T cell polarization in vivo. Journal of Clinical Investigation, 2001, 108, 1331-1339.	8.2	423
110	The CC Chemokine CK12-11/MIP-32/ELC/Exodus 3 Mediates Tumor Rejection of Murine Breast Cancer Cells Through NK Cells. Journal of Immunology, 2000, 164, 4025-4031.	0.8	119
111	TECK, an Efficacious Chemoattractant for Human Thymocytes, Uses GPR-9-6/CCR9 as a Specific Receptor. Blood, 1999, 94, 2533-2536.	1.4	75
112	Abnormal Chemokine-Induced Responses of Immature and Mature Hematopoietic Cells from Motheaten Mice Implicate the Protein Tyrosine Phosphatase Shp-1 in Chemokine Responses. Journal of Experimental Medicine, 1999, 190, 681-690.	8.5	90
113	Effects of CC, CXC, C, and CX3C Chemokines on Proliferation of Myeloid Progenitor Cells, and Insights into SDF-1-Induced Chemotaxis of Progenitors. Annals of the New York Academy of Sciences, 1999, 872, 142-163.	3.8	101
114	Thrombopoietin and Interleukin-3 Are Chemotactic and Chemokinetic Chemoattractants for a Factor-Dependent Hematopoietic Progenitor Cell Line. Annals of the New York Academy of Sciences, 1999, 872, 395-398.	3.8	2
115	CCR7 Ligands, SLC/6Ckine/Exodus2/TCA4 and CK12-11/MIP-32/ELC, Are Chemoattractants for CD56+CD16a~NK Cells and Late Stage Lymphoid Progenitors. Cellular Immunology, 1999, 193, 226-235.	3.0	96
116	Regulation of hematopoiesis in a sea of chemokine family members with a plethora of redundant activities. Experimental Hematology, 1999, 27, 1113-1123.	0.4	132
117	Cloning of BRAK, a Novel Divergent CXC Chemokine Preferentially Expressed in Normal versus Malignant Cells. Biochemical and Biophysical Research Communications, 1999, 255, 703-706.	2.1	177
118	Isolation of ALP, a Novel Divergent Murine CC Chemokine with a Unique Carboxy Terminal Extension. Biochemical and Biophysical Research Communications, 1999, 258, 737-740.	2.1	25
119	Chemokines: signal lamps for trafficking of T and B cells for development and effector function. Journal of Leukocyte Biology, 1999, 65, 6-15.	3.3	331
120	SLC/Exodus2/6Ckine/TCA4 induces chemotaxis of hematopoietic progenitor cells: differential activity of ligands of CCR7, CXCR3, or CXCR4 in chemotaxis vs. suppression of progenitor proliferation. Journal of Leukocyte Biology, 1999, 66, 455-461.	3.3	65
121	Chemokines and Hematopoiesis. , 1999, , 263-291.		10
122	Altered responsiveness to chemokines due to targeted disruption of SHIP. Journal of Clinical Investigation, 1999, 104, 1751-1759.	8.2	94
123	TECK, an efficacious chemoattractant for human thymocytes, uses GPR-9-6/CCR9 as a specific receptor. Blood, 1999, 94, 2533-6.	1.4	20
124	Differential Chemotactic Behavior of Developing T Cells in Response to Thymic Chemokines. Blood, 1998, 91, 4434-4443.	1.4	154
125	In Vitro Behavior of Hematopoietic Progenitor Cells Under the Influence of Chemoattractants: Stromal Cell-Derived Factor-1, Steel Factor, and the Bone Marrow Environment. Blood, 1998, 91, 100-110.	1.4	390
126	In Vitro Behavior of Hematopoietic Progenitor Cells Under the Influence of Chemoattractants: Stromal Cell-Derived Factor-1, Steel Factor, and the Bone Marrow Environment. Blood, 1998, 91, 100-110.	1.4	27

#	ARTICLE	IF	CITATIONS
127	Differential Chemotactic Behavior of Developing T Cells in Response to Thymic Chemokines. Blood, 1998, 91, 4434-4443.	1.4	24
128	In vitro behavior of hematopoietic progenitor cells under the influence of chemoattractants: stromal cell-derived factor-1, steel factor, and the bone marrow environment. Blood, 1998, 91, 100-10.	1.4	109
129	CK beta-11/macrophage inflammatory protein-3 beta/EBI1-ligand chemokine is an efficacious chemoattractant for T and B cells. Journal of Immunology, 1998, 160, 2418-24.	0.8	83
130	Differential chemotactic behavior of developing T cells in response to thymic chemokines. Blood, 1998, 91, 4434-43.	1.4	42
131	Macrophage-inflammatory protein-3 beta/EBI1-ligand chemokine/CK beta-11, a CC chemokine, is a chemoattractant with a specificity for macrophage progenitors among myeloid progenitor cells. Journal of Immunology, 1998, 161, 2580-5.	0.8	60
132	Codon optimization for high-level expression of human erythropoietin (EPO) in mammalian cells. Gene, 1997, 199, 293-301.	2.2	135
133	Isolation and characterization of Exodus-2, a novel C-C chemokine with a unique 37-amino acid carboxyl-terminal extension. Journal of Immunology, 1997, 159, 2554-8.	0.8	98
134	Genomic variation and segregation of equine infectious anemia virus during acute infection. Journal of Virology, 1992, 66, 3879-3882.	3.4	22