## Young-Won Chin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/939866/publications.pdf

Version: 2024-02-01

222 papers 6,082 citations

94433 37 h-index 110387 64 g-index

245 all docs

245 docs citations

times ranked

245

8419 citing authors

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Anti-rheumatic, and analgesic effects by the parent tuberous roots of Aconitum jaluense in adjuvant induced arthritis rats. Journal of Ethnopharmacology, 2022, 289, 114518.   | 4.1 | 3         |
| 2  | Suppressing effect of a saikosaponin-enriched extract of <i>Bupleurum falcatum</i> on alcohol and chocolate self-administration in rats. Natural Product Research, 2022, 36, 4496-4499.  | 1.8 | 3         |
| 3  | Acylated saponins and flavonoid glycosides from the fruits of Stewartia koreana. Phytochemistry, 2022, 193, 112980.  | 2.9 | 1         |
| 4  | Flavonostilbenes Isolated from the Stems of <i>Rhamnoneuron balansae</i> as Potential SIRT1 Activators. Journal of Natural Products, 2022, 85, 70-82.  | 3.0 | 2         |
| 5  | Antithrombotic Effect of <i>Sorbus commixta</i> in an Arterial Thrombosis Mouse Model. Natural Product Communications, 2022, 17, 1934578X2210809.  | 0.5 | 0         |
| 6  | Characterization of KRC-108 as a TrkA Kinase Inhibitor with Anti-Tumor Effects. Biomolecules and Therapeutics, 2022, 30, 360-367.  | 2.4 | 1         |
| 7  | Sesquiterpene lactone and its unique proaporphine hybrids from Magnolia grandiflora L. and their anti-inflammatory activity. Phytochemistry, 2022, 200, 113211.  | 2.9 | 2         |
| 8  | Chemical Constituents from the Roots and Rhizomes of <i>Sophora tonkinensis</i> and Their Effects on Proprotein Convertase Substilisin/Kexin Type 9 Expression. ACS Omega, 2022, 7, 20952-20958.   | 3.5 | 1         |
| 9  | Administration of Kyung-Ok-Ko reduces stress-induced depressive behaviors in mice through inhibition of inflammation pathway. Journal of Ethnopharmacology, 2021, 265, 113441.   | 4.1 | 3         |
| 10 | Pharmacokinetic Properties of Moracin C in Mice. Planta Medica, 2021, 87, 642-651.   | 1.3 | 6         |
| 11 | Sesquiterpenoids from the Aerial Parts of <i>Salvia plebeia</i> with Inhibitory Activities on Proprotein Convertase Subtilisin/Kexin Type 9 Expression. Journal of Natural Products, 2021, 84, 220-229.  | 3.0 | 14        |
| 12 | Inhibitory effects of $\langle i \rangle \hat{l} \pm \langle i \rangle$ -Mangostin on T cell cytokine secretion $\langle i \rangle via \langle i \rangle$ ORAI1 calcium channel and K $\langle sup \rangle + \langle sup \rangle$ channels inhibition. PeerJ, 2021, 9, e10973. | 2.0 | 9         |
| 13 | Selaginellin Derivatives from <i>Selaginella tamariscina</i> and Their Upregulating Effects on Low-Density Lipoprotein Receptor Expression. Journal of Natural Products, 2021, 84, 857-864.  | 3.0 | 6         |
| 14 | Dilignans with a Chromanol Motif Discovered by Molecular Networking from the Stem Barks of Magnolia obovata and Their Proprotein Convertase Subtilisin/Kexin Type 9 Expression Inhibitory Activity. Biomolecules, 2021, 11, 463.   | 4.0 | 3         |
| 15 | Prenylated Flavonoid Glycosides with PCSK9 mRNA Expression Inhibitory Activity from the Aerial Parts of Epimedium koreanum. Molecules, 2021, 26, 3590.   | 3.8 | 2         |
| 16 | Schisandrol A Exhibits Estrogenic Activity via Estrogen Receptor $\hat{l}_{\pm}$ -Dependent Signaling Pathway in Estrogen Receptor-Positive Breast Cancer Cells. Pharmaceutics, 2021, 13, 1082.  | 4.5 | 9         |
| 17 | Anti-Obesity Effect of Fermented Panax notoginseng Is Mediated Via Modulation of Appetite and Gut Microbial Population. Frontiers in Pharmacology, 2021, 12, 665881.   | 3.5 | 9         |
| 18 | Effect of Water Extract of Mangosteen Pericarp on Donepezil Pharmacokinetics in Mice. Molecules, 2021, 26, 5246.   | 3.8 | 5         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Salicinoyl Quinic Acids and Their Prostaglandin E <sub>2</sub> Production Inhibitory Activities from the Fruits of <i>Casearia grewiifolia</i> . Journal of Natural Products, 2021, 84, 2437-2446.   | 3.0 | 4         |
| 20 | Identification of neolignans with PCSK9 downregulatory and LDLR upregulatory activities from Penthorum chinense and the potential in cholesterol uptake by transcriptional regulation of LDLR via SREBP2. Journal of Ethnopharmacology, 2021, 278, 114265. | 4.1 | 11        |
| 21 | Protective Effect of $\hat{I}^3$ -mangostin Isolated from the Peel of Garcinia mangostana against Glutamate-Induced Cytotoxicity in HT22 Hippocampal Neuronal Cells. Biomolecules, 2021, 11, 170.  | 4.0 | 9         |
| 22 | Memory-Enhancing Effects of Mangosteen Pericarp Water Extract through Antioxidative Neuroprotection and Anti-Apoptotic Action. Antioxidants, 2021, 10, 34.   | 5.1 | 10        |
| 23 | Multifaceted Factors Causing Conflicting Outcomes in Herb-Drug Interactions. Pharmaceutics, 2021, 13, 43.  | 4.5 | 22        |
| 24 | Effect of treatment period with LC478, a disubstituted adamantayl derivative, on P-glycoprotein inhibition: its application to increase docetaxel absorption in rats. Xenobiotica, 2020, 50, 863-874.  | 1.1 | 1         |
| 25 | Standardized Extract of Atractylodis Rhizoma Alba and Fructus Schisandrae Ameliorates Coughing and Increases Expectoration of Phlegm. Molecules, 2020, 25, 3064.   | 3.8 | 2         |
| 26 | Transcriptome Analysis Illuminates a Hub Role of <i>SREBP2</i> in Cholesterol Metabolism by α-Mangostin. ACS Omega, 2020, 5, 31126-31136.  | 3.5 | 10        |
| 27 | Glucose Uptake-Stimulating Galloyl Ester Triterpenoids from Castanopsis sieboldii. Journal of Natural Products, 2020, 83, 3093-3101.   | 3.0 | 12        |
| 28 | Combined MS/MS-NMR Annotation Guided Discovery of Iris lactea var. chinensis Seed as a Source of Viral Neuraminidase Inhibitory Polyphenols. Molecules, 2020, 25, 3383.  | 3.8 | 7         |
| 29 | A stilbene dimer and flavonoids from the aerial parts of Chromolaena odorata with proprotein convertase subtilisin/kexin type 9 expression inhibitory activity. Bioorganic Chemistry, 2020, 99, 103869.  | 4.1 | 16        |
| 30 | Differential Effects of Saikosaponins A, B2, B4, C and D on Alcohol and Chocolate Self-Administration in Rats. Alcohol and Alcoholism, 2020, 55, 367-373.  | 1.6 | 4         |
| 31 | Isolation of polyacetylenes with proprotein convertase/kexin type 9 downregulating activity and two new sesquiterpenes from the aerial parts of Aster koraiensis. Tetrahedron Letters, 2020, 61, 151957.   | 1.4 | 6         |
| 32 | Anti-Proliferative Activity of Nodosin, a Diterpenoid from <i>Isodon serra</i> , via Regulation of Wntsi²-Catenin Signaling Pathways in Human Colon Cancer Cells. Biomolecules and Therapeutics, 2020, 28, 465-472.  | 2.4 | 9         |
| 33 | Anti-skin ageing effects of phenolic compounds from <i>Carpinus tschonoskii</i> . Natural Product Research, 2019, 33, 3317-3320.   | 1.8 | 6         |
| 34 | Rapid and Efficient Separation of Decursin and Decursinol Angelate from Angelica gigas Nakai using lonic Liquid, (BMlm)BF4, Combined with Crystallization. Molecules, 2019, 24, 2390.  | 3.8 | 4         |
| 35 | YDJC Induces Epithelial-Mesenchymal Transition via Escaping from Interaction with CDC16 through Ubiquitination of PP2A. Journal of Oncology, 2019, 2019, 1-15.   | 1.3 | 8         |
| 36 | Ginseng berry extract enhances metformin efficacy against obesity and hepatic steatosis in mice fed high-fat diet through increase of metformin uptake in liver. Journal of Functional Foods, 2019, 62, 103551.  | 3.4 | 5         |

3

| #  | Article  | IF           | CITATIONS |
|----|--|--------------|-----------|
| 37 | Prenylated Flavonoids from the Roots and Rhizomes of <i>Sophora tonkinensis</i> and Their Effects on the Expression of Inflammatory Mediators and Proprotein Convertase Subtilisin/Kexin Type 9. Journal of Natural Products, 2019, 82, 309-317.   | 3.0          | 34        |
| 38 | Drug repurposing in alternative medicine: herbal digestive Sochehwan exerts multifaceted effects against metabolic syndrome. Scientific Reports, 2019, 9, 9055.  | 3 <b>.</b> 3 | 9         |
| 39 | Inhibition of Oxidative Neurotoxicity and Scopolamine-Induced Memory Impairment by $\langle i \rangle \hat{l}^3 \langle i \rangle$ -Mangostin: $\langle i \rangle$ In Vitro $\langle i \rangle$ and $\langle i \rangle$ In Vivo $\langle i \rangle$ Evidence. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-14. | 4.0          | 19        |
| 40 | Molecular Targets of Genistein and Its Related Flavonoids to Exert Anticancer Effects. International Journal of Molecular Sciences, 2019, 20, 2420.  | 4.1          | 60        |
| 41 | Lonicera japonica extract increases metformin distribution in the liver without change of systemic exposed metformin in rats. Journal of Ethnopharmacology, 2019, 238, 111892.   | 4.1          | 14        |
| 42 | Pharmaceutical Studies on "Dang-Gui―in Korean Journals. Natural Product Sciences, 2019, 25, 285.   | 0.9          | 4         |
| 43 | 7-O-Methylwogonin from Scutellaria baicalensis Disturbs Mitotic Progression by Inhibiting Plk1<br>Activity in Hep3B Cells. Planta Medica, 2019, 85, 217-224.   | 1.3          | 7         |
| 44 | Furylhydroquinones and miscellaneous compounds from the roots of <i>Lithospermum erythrorhizon</i> and their anti-inflammatory effect in HaCaT cells. Natural Product Research, 2019, 33, 1691-1698.   | 1.8          | 6         |
| 45 | <scp><i>Houttuynia cordata</i></scp> extract increased systemic exposure and liver concentrations of metformin through OCTs and MATEs in rats. Phytotherapy Research, 2018, 32, 1004-1013.   | 5.8          | 17        |
| 46 | Two new lathyrane-type diterpenoid glycosides with IL-6 production inhibitory activity from the roots of Euphorbia kansui. Bioorganic and Medicinal Chemistry Letters, 2018, 28, 1207-1210.  | 2.2          | 11        |
| 47 | <i>Nardostachys jatamansi</i> Ethanol Extract Ameliorates AÎ <sup>2</sup> 42 Cytotoxicity. Biological and Pharmaceutical Bulletin, 2018, 41, 470-477.  | 1.4          | 29        |
| 48 | Sauchinone controls hepatic cholesterol homeostasis by the negative regulation of PCSK9 transcriptional network. Scientific Reports, 2018, 8, 6737.  | 3.3          | 26        |
| 49 | HO-1 dependent antioxidant effects of ethyl acetate fraction from Physalis alkekengi fruit ameliorates scopolamine-induced cognitive impairments. Cell Stress and Chaperones, 2018, 23, 763-772.   | 2.9          | 12        |
| 50 | Pharmaceutical Impact of Houttuynia Cordata and Metformin Combination on High-Fat-Diet-Induced Metabolic Disorders: Link to Intestinal Microbiota and Metabolic Endotoxemia. Frontiers in Endocrinology, 2018, 9, 620.   | 3.5          | 39        |
| 51 | Lignans with NADPH Oxidase 2 (NOX2)-inhibitory Activity from the Fruits of <i>Schisandra chinensis </i> . Natural Product Sciences, 2018, 24, 59.  | 0.9          | 1         |
| 52 | Reducing Effect of Saikosaponin A, an Active Ingredient of Bupleurum falcatum, on Intake of Highly Palatable Food in a Rat Model of Overeating. Frontiers in Psychiatry, 2018, 9, 369.   | 2.6          | 5         |
| 53 | A Controlled Fermented Samjunghwan Herbal Formula Ameliorates Non-alcoholic Hepatosteatosis in HepG2 Cells and OLETF Rats. Frontiers in Pharmacology, 2018, 9, 596.  | 3.5          | 14        |
| 54 | Spiroketones and a Biphenyl Analog from Stems and Leaves of Larrea nitida and Their Inhibitory Activity against IL-6 Production. Molecules, 2018, 23, 302.   | 3.8          | 2         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Discovery of Flavonoids from Scutellaria baicalensis with Inhibitory Activity Against PCSK 9 Expression: Isolation, Synthesis and Their Biological Evaluation. Molecules, 2018, 23, 504.  | 3.8 | 20        |
| 56 | Enzyme Kinetics and Molecular Docking Studies on Cytochrome 2B6, 2C19, 2E1, and 3A4 Activities by Sauchinone. Molecules, 2018, 23, 555.   | 3.8 | 13        |
| 57 | Alpha-Mangostin Improves Insulin Secretion and Protects INS-1 Cells from Streptozotocin-Induced Damage. International Journal of Molecular Sciences, 2018, 19, 1484.  | 4.1 | 28        |
| 58 | Discovery of a FLT3 inhibitor LDD1937 as an anti-leukemic agent for acute myeloid leukemia. Oncotarget, 2018, 9, 924-936.   | 1.8 | 11        |
| 59 | Korean red ginseng extract enhances paclitaxel distribution to mammary tumors and its oral bioavailability by P-glycoprotein inhibition. Xenobiotica, 2017, 47, 450-459.  | 1.1 | 13        |
| 60 | High-performance liquid chromatography method development for the quality control of Ginkgonis Semen. Arabian Journal of Chemistry, 2017, 10, 792-800.  | 4.9 | 12        |
| 61 | Lignans from the fruits of Schisandra chinensis (Turcz.) Baill inhibit proprotein convertase subtilisin/kexin type 9 expression. Phytochemistry, 2017, 136, 119-124.  | 2.9 | 27        |
| 62 | Alkaloids from aerial parts of Houttuynia cordata and their anti-inflammatory activity. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 2807-2811.  | 2.2 | 26        |
| 63 | α-Mangostin ameliorates dextran sulfate sodium-induced colitis through inhibition of NF-κB and MAPK pathways. International Immunopharmacology, 2017, 49, 212-221.  | 3.8 | 43        |
| 64 | SKI3301, a purified herbal extract from Sophora tonkinensis, inhibited airway inflammation and bronchospasm in allergic asthma animal models in vivo. Journal of Ethnopharmacology, 2017, 206, 298-305.   | 4.1 | 23        |
| 65 | Agrimonia pilosa leaf extract accelerates skin barrier restoration by activation of transient receptor potential vanilloid 3. Journal of Dermatological Science, 2017, 86, 255-258.   | 1.9 | 10        |
| 66 | <i>Spirodela polyrhiza</i> extract modulates the activation of atopic dermatitis-related ion channels, Orail and TRPV3, and inhibits mast cell degranulation. Pharmaceutical Biology, 2017, 55, 1324-1329.  | 2.9 | 19        |
| 67 | Modified SJH alleviates FFAs-induced hepatic steatosis through leptin signaling pathways. Scientific Reports, 2017, 7, 45425.   | 3.3 | 15        |
| 68 | Multidrug and toxin extrusion protein 1-mediated interaction of metformin and Scutellariae radix in rats. Xenobiotica, 2017, 47, 998-1007.  | 1.1 | 11        |
| 69 | New Aromatic Compounds from the Fruiting Body of <i>Sparassis crispa</i> (Wulf.) and Their Inhibitory Activities on Proprotein Convertase Subtilisin/Kexin Type 9 mRNA Expression. Journal of Agricultural and Food Chemistry, 2017, 65, 6152-6157. | 5.2 | 26        |
| 70 | Chemical Constituents with Proprotein Convertase Subtilisin/Kexin Type 9 mRNA Expression Inhibitory Activity from Dried Immature <i>Morus alba</i> Fruits. Journal of Agricultural and Food Chemistry, 2017, 65, 5316-5321.                         | 5.2 | 40        |
| 71 | Mangosteen Extract Prevents Dextran Sulfate Sodium-Induced Colitis in Mice by Suppressing NF- $\langle i \rangle$ <sup>0</sup> $  ^0 \rangle$ Activation and Inflammation. Journal of Medicinal Food, 2017, 20, 727-733.                            | 1.5 | 16        |
| 72 | Sensitivity of <i>TP53</i> â€Mutated Cancer Cells to the Phytoestrogen Genistein Is Associated With Direct Inhibition of Plk1 Activity. Journal of Cellular Physiology, 2017, 232, 2818-2828.   | 4.1 | 21        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Protection of Cultured Cortical Neurons by Luteolin against Oxidative Damage through Inhibition of Apoptosis and Induction of Heme Oxygenase-1. Biological and Pharmaceutical Bulletin, 2017, 40, 256-265.  | 1.4 | 35        |
| 74 | Sinensetin Inhibits Interleukin-6 in Human Mast Cell - 1 Via Signal Transducers and Activators of the Transcription 3 (STAT3) and Nuclear Factor Kappa B (NF-κB) Pathways. Natural Product Sciences, 2017, 23, 1.   | 0.9 | 8         |
| 75 | Dereplication-Guided Isolation of New Phenylpropanoid-Substituted Diglycosides from Cistanche salsa and Their Inhibitory Activity on NO Production in Macrophage. Molecules, 2017, 22, 1138.  | 3.8 | 7         |
| 76 | Houttuynia cordata Facilitates Metformin on Ameliorating Insulin Resistance Associated with Gut Microbiota Alteration in OLETF Rats. Genes, 2017, 8, 239.   | 2.4 | 39        |
| 77 | Flos Lonicera Combined with Metformin Ameliorates Hepatosteatosis and Glucose Intolerance in Association with Gut Microbiota Modulation. Frontiers in Microbiology, 2017, 8, 2271.  | 3.5 | 40        |
| 78 | Protective effects of compounds from Garcinia mangostana L. (mangosteen) against UVB damage in HaCaT cells and hairless mice. International Journal of Molecular Medicine, 2017, 40, 1941-1949.   | 4.0 | 23        |
| 79 | <i>Trans</i> -scirpusin A showed antitumor effects via autophagy activation and apoptosis induction of colorectal cancer cells. Oncotarget, 2017, 8, 41401-41411.   | 1.8 | 19        |
| 80 | Activation of transient receptor potential vanilloid 3 by the methanolic extract of $\langle i \rangle$ Schisandra chinensis $\langle i \rangle$ fruit and its chemical constituent $\hat{I}^3$ -schisandrin. Korean Journal of Physiology and Pharmacology, 2017, 21, 309. | 1.2 | 2         |
| 81 | In vivo therapeutic effect of combination treatment with metformin and Scutellaria baicalensis on maintaining bile acid homeostasis. PLoS ONE, 2017, 12, e0182467.  | 2.5 | 46        |
| 82 | $\hat{l}_{\pm}, \hat{l}^{3}$ -Mangostins Induce Autophagy and Show Synergistic Effect with Gemcitabine in Pancreatic Cancer Cell Lines. Biomolecules and Therapeutics, 2017, 25, 609-617.   | 2.4 | 18        |
| 83 | The Effect of Scutellariae Radix Combined with Metformin on Obesity-Relating Biomarker in High Fat Fed C57BL/6 Mice. Journal of Korean Medicine for Obesity Research, 2017, 17, 20-28.  | 0.3 | 2         |
| 84 | Atractylodin Inhibits Interleukin-6 by Blocking NPM-ALK Activation and MAPKs in HMC-1. Molecules, 2016, 21, 1169.   | 3.8 | 19        |
| 85 | Anti-Inflammatory Effects of 6,8-Diprenyl-7,4 $\hat{a}$ e²-dihydroxyflavanone from Sophora tonkinensis on Lipopolysaccharide-Stimulated RAW 264.7 Cells. Molecules, 2016, 21, 1049.   | 3.8 | 15        |
| 86 | Modulatory effects of the fruits of Tribulus terrestris L. on the function of atopic dermatitis-related calcium channels, Orail and TRPV3. Asian Pacific Journal of Tropical Biomedicine, 2016, 6, 580-585.   | 1.2 | 9         |
| 87 | Xanthones with pancreatic lipase inhibitory activity from the pericarps of <i>Garcinia mangostana</i> L. (Guttiferae). European Journal of Lipid Science and Technology, 2016, 118, 1416-1421.  | 1.5 | 25        |
| 88 | In vitro stereoselective inhibition of ginsenosides toward UDP-glucuronosyltransferase (UGT) isoforms. Toxicology Letters, 2016, 259, 1-10.   | 0.8 | 24        |
| 89 | Maackiapterocarpan B from <i>Sophora tonkinensis</i> Suppresses Inflammatory Mediators<br><i>via</i> Nuclear Factor-iºB and Mitogen-Activated Protein Kinase Pathways. Biological and<br>Pharmaceutical Bulletin, 2016, 39, 259-266.  | 1.4 | 12        |
| 90 | <i>Coriandrum sativum </i> Suppresses $\hat{A}^2$ 42-Induced ROS Increases, Glial Cell Proliferation, and ERK Activation. The American Journal of Chinese Medicine, 2016, 44, 1325-1347.  | 3.8 | 26        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Efficient methods for isolating five phytochemicals from <i>Gentiana macrophylla</i> using highâ€performance countercurrent chromatography. Journal of Separation Science, 2016, 39, 4723-4731.   | 2.5 | 13        |
| 92  | Protective effect of $\hat{l}_{\pm}$ -mangostin against iodixanol-induced apoptotic damage in LLC-PK1 cells. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 3806-3809.   | 2.2 | 11        |
| 93  | Isolation of a lignan-enriched fraction from Schisandra chinensis and its effective solubilization via poloxamer 407-based solid dispersion formulation. Journal of Pharmaceutical Investigation, 2016, 46, 133-138.  | 5.3 | 9         |
| 94  | Isoliquiritigenin ameliorates dextran sulfate sodium-induced colitis through the inhibition of MAPK pathway. International Immunopharmacology, 2016, 31, 223-232.   | 3.8 | 41        |
| 95  | The ethyl acetate fraction from Physalis alkekengi inhibits LPS-induced pro-inflammatory mediators in BV2 cells and inflammatory pain in mice. Journal of Ethnopharmacology, 2016, 181, 26-36.  | 4.1 | 32        |
| 96  | Mangosteen Extract Attenuates the Metabolic Disorders of High-Fat-Fed Mice by Activating AMPK. Journal of Medicinal Food, 2016, 19, 148-154.  | 1.5 | 30        |
| 97  | Misassigned natural products and their revised structures. Archives of Pharmacal Research, 2016, 39, 143-153.   | 6.3 | 30        |
| 98  | Pharmacokinetics, Tissue Distribution, and Tentative Metabolite Identification of Sauchinone in Mice by Microsampling and HPLC-MS/MS Methods. Biological and Pharmaceutical Bulletin, 2015, 38, 218-227.  | 1.4 | 10        |
| 99  | <i>In Vivo</i> Screening of Traditional Medicinal Plants for Neuroprotective Activity against Aβ42<br>Cytotoxicity by Using <i>Drosophila</i> Models of Alzheimer's Disease. Biological and Pharmaceutical<br>Bulletin, 2015, 38, 1891-1901.                | 1.4 | 41        |
| 100 | Euphorbia supina inhibits inflammatory mediators in mouse bone marrow-derived mast cells and macrophages. International Immunopharmacology, 2015, 29, 966-973.  | 3.8 | 5         |
| 101 | <scp>câ€Met</scp> and <scp>ALK</scp> Inhibitory Constituents from <i>Scutellaria baicalensis</i> Bulletin of the Korean Chemical Society, 2015, 36, 402-405.  | 1.9 | 4         |
| 102 | Chemical Constituents with Antiâ€allergic Activity from the Barks of <i>Cinnamomum cambodianum</i> Collected in Cambodia. Bulletin of the Korean Chemical Society, 2015, 36, 384-387.   | 1.9 | 5         |
| 103 | Isoguaiacins, Arylnaphthalene Types Identified as Novel Potent Estrogenic Signaling Molecules from <i>Larrea nitida</i> . Bulletin of the Korean Chemical Society, 2015, 36, 2254-2259.   | 1.9 | 1         |
| 104 | Rapid separation of cyanidin-3-glucoside and cyanidin-3-rutinoside from crude mulberry extract using high-performance countercurrent chromatography and establishment of a volumetric scale-up process. Journal of Separation Science, 2015, 38, 1828-1836. | 2.5 | 13        |
| 105 | Flavonoids from Symplocos racemosa. Molecules, 2015, 20, 358-365.   | 3.8 | 14        |
| 106 | Two New Phenolic Glucosides from Lagerstroemia speciosa. Molecules, 2015, 20, 4483-4491.  | 3.8 | 12        |
| 107 | Gartanin induces autophagy through JNK activation which extenuates caspase-dependent apoptosis. Oncology Reports, 2015, 34, 139-146.  | 2.6 | 25        |
| 108 | Biphasic Effects of Ingenol 3,20-Dibenzoate on the Erythropoietin Receptor: Synergism at Low Doses and Antagonism at High Doses. Molecular Pharmacology, 2015, 88, 392-400.   | 2.3 | 3         |

| #   | Article  | IF          | CITATIONS |
|-----|--|-------------|-----------|
| 109 | Flavonoid glycosides from the aerial parts of Acacia pennata in Myanmar. Phytochemistry, 2015, 118, 17-22.   | 2.9         | 18        |
| 110 | Methods for treating IL-6-related diseases (US2015010554A1): a patent evaluation. Expert Opinion on Therapeutic Patents, 2015, 25, 1065-1068.  | 5.0         | 2         |
| 111 | Rehmannia glutinosa reduced waist circumferences of Korean obese women possibly through modulation of gut microbiota. Food and Function, 2015, 6, 2684-2692.   | 4.6         | 33        |
| 112 | In Vivo Gastroprotective Effect along with Pharmacokinetics, Tissue Distribution and Metabolism of Isoliquiritigenin in Mice. Planta Medica, 2015, 81, 586-593.  | 1.3         | 24        |
| 113 | Essential Oils from the Medicinal Herbs Upregulate Dopamine Transporter in Rat Pheochromocytoma Cells. Journal of Medicinal Food, 2015, 18, 1112-1120.   | 1.5         | 9         |
| 114 | $\hat{l}_{\pm}$ - and $\hat{l}^3$ -mangostin cause shape changes, inhibit aggregation and induce cytolysis of rat platelets. Chemico-Biological Interactions, 2015, 240, 240-248.  | 4.0         | 10        |
| 115 | α-Mangostin induces G1 cell cycle arrest in HCT116 cells through p38MAPK-p16INK4a pathway. RSC Advances, 2015, 5, 34752-34760.   | <b>3.</b> 6 | 8         |
| 116 | α-Mangostin Regulates Hepatic Steatosis and Obesity through SirT1-AMPK and PPARγ Pathways in High-Fat Diet-Induced Obese Mice. Journal of Agricultural and Food Chemistry, 2015, 63, 8399-8406.  | 5.2         | 68        |
| 117 | In vitro selective inhibition of human UDP-glucuronosyltransferase (UGT) 1A4 by finasteride, and prediction of in vivo drug–drug interactions. Toxicology Letters, 2015, 232, 458-465.   | 0.8         | 15        |
| 118 | KDM4 histone demethylase inhibitors for anti-cancer agents: a patent review. Expert Opinion on Therapeutic Patents, 2015, 25, 135-144.   | 5.0         | 28        |
| 119 | Dose-Independent ADME Properties and Tentative Identification of Metabolites of α-Mangostin from Garcinia mangostana in Mice by Automated Microsampling and UPLC-MS/MS Methods. PLoS ONE, 2015, 10, e0131587.  | 2.5         | 20        |
| 120 | Effect of Atractylodes Rhizoma Alba, Houttuyniae Herba, Lonicerae Flos, Agrobacterium Rhizogenes and Coptidis Rhizoma Extracts Combined with Metformin on the Antioxidant and Adipocyte Differentiate Inhibition. Journal of Korean Medicine for Obesity Research, 2015, 15, 24-32.  | 0.3         | 6         |
| 121 | Selective Estrogen Receptor Modulation by Larrea nitida on MCF-7 Cell Proliferation and Immature Rat Uterus. Biomolecules and Therapeutics, 2014, 22, 347-354.   | 2.4         | 16        |
| 122 | Flavonoids and arylbenzofurans from the rhizomes and roots of Sophora tonkinensis with IL-6 production inhibitory activity. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 5644-5647.   | 2.2         | 32        |
| 123 | Mangosteen xanthones suppress hepatitis C virus genome replication. Virus Genes, 2014, 49, 208-222.  | 1.6         | 29        |
| 124 | Homoegonol attenuates the asthmatic responses induced by ovalbumin challenge. Archives of Pharmacal Research, 2014, 37, 1201-1210.   | 6.3         | 19        |
| 125 | Simultaneous determination of nine lignans from <i>Schisandra chinensis</i> extract using ultraâ€performance liquid chromatography with tandem mass spectrometry in rat plasma, urine, and gastrointestinal tract samples: Application to the pharmacokinetic study of <i>Schisandra chinensis</i> lournal of Separation Science, 2014, 37, 2851-2863. | 2.5         | 12        |
| 126 | Identification of 4′- O -β- d -glucosyl-5- O -methylvisamminol as a novel epigenetic suppressor of histone H3 phosphorylation at Ser10 and its interaction with 14-3-3ε. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 4763-4767.  | 2.2         | 6         |

| #   | Article  | IF             | CITATIONS    |
|-----|--|----------------|--------------|
| 127 | Phenolic compounds with pancreatic lipase inhibitory activity from Korean yam ( <i>Dioscorea) Tj ETQq1 1 0.7843</i>  | 14 rgBT<br>5.2 | /Oyerlock 10 |
| 128 | Absorption, tissue distribution, tissue metabolism and safety of $\hat{l}_{\pm}$ -mangostin in mangosteen extract using mouse models. Food and Chemical Toxicology, 2014, 66, 140-146.   | 3.6            | 44           |
| 129 | Nobiletin Suppresses MMP-9 Expression through Modulation of p38 MAPK Activity in Human Dermal Fibrobalsts. Biological and Pharmaceutical Bulletin, 2014, 37, 158-163.  | 1.4            | 16           |
| 130 | A Citrus Flavonoid, 6-Demethoxytangeretin, Suppresses Production and Gene Expression of Interleukin-6 in Human Mast Cell-1 <i>via</i> Anaplastic Lymphoma Kinase and Mitogen-Activated Protein Kinase Pathways. Biological and Pharmaceutical Bulletin, 2014, 37, 871-876. | 1.4            | 8            |
| 131 | Anti-adipogenic Constituents from <i>Dioscorea opposita</i> in 3T3-L1 Cells. Biological and Pharmaceutical Bulletin, 2014, 37, 1683-1688.  | 1.4            | 10           |
| 132 | Anti-Oxidative and Anti-Obesity Effect of Combined Extract and Individual Extract of Samjunghwan. Journal of Korean Medicine for Obesity Research, 2014, 14, 47-54.  | 0.3            | 10           |
| 133 | Plant-derived juvenile hormone III analogues and other sesquiterpenes from the stem bark of Cananga latifolia. Phytochemistry, 2013, 94, 277-283.  | 2.9            | 12           |
| 134 | Anti-inflammatory properties of a triterpenoidal glycoside fromMomordica cochinchinensisin LPS-stimulated macrophages. Immunopharmacology and Immunotoxicology, 2013, 35, 8-14.  | 2.4            | 26           |
| 135 | Extract of <i><scp>A</scp>neilema keisak</i> inhibits transforming growth factorâ€Î²â€dependent signalling by inducing <scp>S</scp> mad2 downregulation in keloid fibroblasts. Experimental Dermatology, 2013, 22, 69-71.  | 2.9            | 11           |
| 136 | Flavonoids as receptor tyrosine kinase FLT3 inhibitors. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 1768-1770.   | 2.2            | 24           |
| 137 | A new approach for pharmacokinetic studies of natural products: measurement of isoliquiritigenin levels in mice plasma, urine and feces using modified automated dosing/blood sampling system. Biomedical Chromatography, 2013, 27, 741-749.                               | 1.7            | 15           |
| 138 | Anti-gastritis and wound healing effects of Momordicae Semen extract and its active component. Immunopharmacology and Immunotoxicology, 2013, 35, 126-132.   | 2.4            | 18           |
| 139 | Simultaneous Determination of α- and γ-Mangostins in Mouse Plasma by HPLC–MS/MS Method: Application to a Pharmacokinetic Study of Mangosteen Extract in Mouse. Chromatographia, 2013, 76, 643-650.   | 1.3            | 7            |
| 140 | Anti-adipogenic diarylheptanoids from Alnus hirsuta f. sibirica on 3T3-L1 cells. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 2069-2073.  | 2.2            | 29           |
| 141 | Effects of Korean red ginseng extract on acute renal failure induced by gentamicin and pharmacokinetic changes by metformin in rats. Food and Chemical Toxicology, 2013, 59, 153-159.  | 3.6            | 24           |
| 142 | Pharmacokinetics of Isoliquiritigenin and Its Metabolites in Rats: Low Bioavailability Is Primarily Due to the Hepatic and Intestinal Metabolism. Planta Medica, 2013, 79, 1656-1665.  | 1.3            | 43           |
| 143 | Triterpenes with Cytotoxicity from the Leaves of <i>Vernicia fordii</i> . Chemical and Pharmaceutical Bulletin, 2013, 61, 674-677.   | 1.3            | 8            |
| 144 | Anti-allergic Flavones from <i>Arthraxon hispidus</i> . Chemical and Pharmaceutical Bulletin, 2013, 61, 920-926.   | 1.3            | 9            |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Inhibition of SARS Coronavirus Helicase by Baicalein. Bulletin of the Korean Chemical Society, 2013, 34, 3187-3188.   | 1.9 | 16        |
| 146 | Erythropoietic agents from natural sources. Alternative Therapies in Health and Medicine, 2013, 19, 54-60.  | 0.0 | 5         |
| 147 | Anti-allergic effect of a chloroform-soluble extract of <i>Cinnamomum cambodianum </i> in bone marrow-derived mast cells. Immunopharmacology and Immunotoxicology, 2012, 34, 639-644.                                     | 2.4 | 6         |
| 148 | Anti-Inflammatory and Anti-Allergic Effect of Agaricus blazei Extract in Bone Marrow-Derived Mast Cells. The American Journal of Chinese Medicine, 2012, 40, 1073-1084.   | 3.8 | 27        |
| 149 | Pharmacokinetic interaction between metoprolol and SP-8203 in rats: competitive inhibition for the metabolism of metoprolol by SP-8203 via hepatic CYP2D subfamily. Xenobiotica, 2012, 42, 1017-1027.                     | 1.1 | 6         |
| 150 | Cytotoxic Terpenes from the Stems of <i>Dipterocarpus obtusifolius</i> Collected in Cambodia. Chemical and Pharmaceutical Bulletin, 2012, 60, 955-961.  | 1.3 | 15        |
| 151 | Mangosteen xanthones mitigate ovalbumin-induced airway inflammation in a mouse model of asthma. Food and Chemical Toxicology, 2012, 50, 4042-4050.  | 3.6 | 51        |
| 152 | Identification of anti-melanogenic natural compounds from Galega officinalis and further drug repositioning. Journal of Dermatological Science, 2012, 67, 61-63.  | 1.9 | 6         |
| 153 | Ingenane-type diterpenes with a modulatory effect on IFN- $\hat{l}^3$ production from the roots of Euphorbia kansui. Archives of Pharmacal Research, 2012, 35, 1553-1558.   | 6.3 | 18        |
| 154 | $\hat{l}_{\pm}$ -Mangostin Reduced ER Stress-mediated Tumor Growth through Autophagy Activation. Immune Network, 2012, 12, 253.   | 3.6 | 17        |
| 155 | Anti-allergic effect of lambertianic acid from <i>Thuja orientalis</i> in mouse bone marrow-derived mast cells. Immunopharmacology and Immunotoxicology, 2012, 34, 250-255.   | 2.4 | 23        |
| 156 | Application of Highâ€speed Countercurrent Chromatography–Evaporative Light Scattering Detection for the Separation of Seven Steroidal Saponins from <i>Dioscorea villosa</i> . Phytochemical Analysis, 2012, 23, 462-468. | 2.4 | 21        |
| 157 | Effects of cysteine on the pharmacokinetics of paclitaxel in rats. Archives of Pharmacal Research, 2012, 35, 509-516.   | 6.3 | 3         |
| 158 | Mangosteen xanthones, $\hat{l}_{\pm}$ -and $\hat{l}_{\pm}$ -mangostins, inhibit allergic mediators in bone marrow-derived mast cell. Food Chemistry, 2012, 134, 397-400.  | 8.2 | 36        |
| 159 | Tigliane diterpene esters with IFN $\hat{I}^3$ -inducing activity from the leaves of Aleurites fordii. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 2318-2320.   | 2.2 | 20        |
| 160 | Identification of myricetin and scutellarein as novel chemical inhibitors of the SARS coronavirus helicase, nsP13. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 4049-4054.                                       | 2.2 | 342       |
| 161 | Antifibrotic Constituents from Garcinia mangostana. Natural Product Communications, 2011, 6, 1934578X1100600.   | 0.5 | 10        |
| 162 | Anti-inflammatory Diterpene from Thyrsanthera suborbicularis. Chemical and Pharmaceutical Bulletin, 2011, 59, 382-384.  | 1,3 | 10        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Phytochemical and bioactivity studies on constituents of the leaves of Vitex quinata. Phytochemistry Letters, 2011, 4, 213-217.  | 1.2 | 21        |
| 164 | Herb-drug interactions: Focus on metabolic enzymes and transporters. Archives of Pharmacal Research, 2011, 34, 1843-1863.  | 6.3 | 70        |
| 165 | Separation of anti-ulcer flavonoids from Artemisia extracts by high-speed countercurrent chromatography. Food Chemistry, 2011, 129, 679-683.   | 8.2 | 51        |
| 166 | $\hat{l}_{\pm}$ - and $\hat{l}^3$ -Mangostin inhibit the proliferation of colon cancer cells via $\hat{l}^2$ -catenin gene regulation in Wnt/cGMP signalling. Food Chemistry, 2011, 129, 1559-1566.  | 8.2 | 36        |
| 167 | A FLT3-inhibitory constituent from the rhizomes of Anemarrhena asphodeloides. Journal of Enzyme Inhibition and Medicinal Chemistry, 2011, 26, 445-448.   | 5.2 | 4         |
| 168 | Anti-inflammatory Constituents from the Roots of Saposhnikovia divaricata. Bulletin of the Korean Chemical Society, 2011, 32, 2132-2134.   | 1.9 | 13        |
| 169 | Antifibrotic constituents from Garcinia mangostana. Natural Product Communications, 2011, 6, 1267-8.   | 0.5 | 10        |
| 170 | Xanthone constituents of the fruits of <i>garcinia mangostana</i> with anticomplement activity. Phytotherapy Research, 2010, 24, 1575-1577.  | 5.8 | 18        |
| 171 | Natural Products as Sweeteners and Sweetness Modifiers. , 2010, , 269-315.   |     | 24        |
| 172 | Identification and Characterization of a Novel <i>Terrabacter ginsenosidimutans</i> sp. nov. β-Glucosidase That Transforms Ginsenoside Rb1 into the Rare Gypenosides XVII and LXXV. Applied and Environmental Microbiology, 2010, 76, 5827-5836. | 3.1 | 79        |
| 173 | Anti-inflammatory effects of methanol extracts of the root of Lilium lancifolium on LPS-stimulated Raw264.7 cells. Journal of Ethnopharmacology, 2010, 130, 28-34.   | 4.1 | 79        |
| 174 | CENTRIFUGAL PARTITION CHROMATOGRAPHY: APPLICATION TO NATURAL PRODUCTS IN 1994–2009. Journal of Liquid Chromatography and Related Technologies, 2010, 33, 1208-1254.  | 1.0 | 36        |
| 175 | Anti-inflammatory Constituents from Solanum nigrum. Bulletin of the Korean Chemical Society, 2010, 31, 199-201.  | 1.9 | 25        |
| 176 | A New Neolignan from Cephalotaxus koreana. Bulletin of the Korean Chemical Society, 2010, 31, 495-496.   | 1.9 | 8         |
| 177 | Two New Phenylpropanoid Glycosides from the Aerial Parts of Paederia scandens. Bulletin of the Korean Chemical Society, 2010, 31, 1070-1072.   | 1.9 | 8         |
| 178 | Cytotoxic Sesquilignans from the Roots of Saururus chinensis. Bulletin of the Korean Chemical Society, 2010, 31, 2088-2090.  | 1.9 | 6         |
| 179 | Bisamides from the Twigs of Aglaia perviridis Collected in Vietnam. Bulletin of the Korean Chemical Society, 2010, 31, 2665-2667.  | 1.9 | 12        |
| 180 | Bioactivity-guided isolation of cytotoxic constituents of Brucea javanica collected in Vietnam.<br>Bioorganic and Medicinal Chemistry, 2009, 17, 2219-2224.  | 3.0 | 50        |

| #   | Article   | IF           | Citations |
|-----|---|--------------|-----------|
| 181 | Phenolic compounds with radical scavenging and cyclooxygenase-2 (COX-2) inhibitory activities from Dioscorea opposita. Bioorganic and Medicinal Chemistry, 2009, 17, 2689-2694.   | 3.0          | 58        |
| 182 | Preparative Isolation of Alisol B and Alisol B 23-Acetate from Alismatis Rhizoma by Centrifugal Partition Chromatography Coupled with ELSD. Chromatographia, 2009, 69, 791-793.   | 1.3          | 6         |
| 183 | Neuroprotective effects of Dioscorea opposita on scopolamine-induced memory impairment in in vivo behavioral tests and in vitro assays. Journal of Ethnopharmacology, 2009, 121, 130-134.                               | 4.1          | 39        |
| 184 | Selective Induction of Apoptosis of Human Oral Cancer Cell Lines by Avocado Extracts Via a ROS-Mediated Mechanism. Nutrition and Cancer, 2009, 61, 348-356.   | 2.0          | 85        |
| 185 | Bioactive 5,6-Dihydro-α-pyrone Derivatives from Hyptis brevipes. Journal of Natural Products, 2009, 72, 1165-1169.  | 3.0          | 49        |
| 186 | Cytotoxic Anticancer Candidates from Terrestrial Plants. Anti-Cancer Agents in Medicinal Chemistry, 2009, 9, 913-942.   | 1.7          | 22        |
| 187 | Antioxidant and cytoprotective compounds from <i>Berberis vulgaris</i> (barberry). Phytotherapy Research, 2008, 22, 979-981.  | 5.8          | 78        |
| 188 | Xanthones with quinone reductase-inducing activity from the fruits of Garcinia mangostana (Mangosteen). Phytochemistry, 2008, 69, 754-758.  | 2.9          | 93        |
| 189 | Lignans and Other Constituents of the Fruits of <i>Euterpe oleracea</i> (Açai) with Antioxidant and Cytoprotective Activities. Journal of Agricultural and Food Chemistry, 2008, 56, 7759-7764.                         | <b>5.</b> 2  | 166       |
| 190 | Drug Discovery from Plants. , 2008, , 1-24.   |              | 47        |
| 191 | Potential Anticancer Activity of Naturally Occurring and Semisynthetic Derivatives of Aculeatins A and B from <i>Amomum aculeatum</i> Journal of Natural Products, 2008, 71, 390-395.                                   | 3.0          | 71        |
| 192 | Structural Characterization, Biological Effects, and Synthetic Studies on Xanthones from Mangosteen (Garcinia mangostana), a Popular Botanical Dietary Supplement. Mini-Reviews in Organic Chemistry, 2008, 5, 355-364. | 1.3          | 104       |
| 193 | Drug Discovery From Natural Sources. , 2008, , 17-39.   |              | 2         |
| 194 | Anthraquinones with Quinone Reductase-Inducing Activity and Benzophenones from <i>Morinda citrifolia</i> (Noni) Roots. Journal of Natural Products, 2007, 70, 2049-2052.  | 3.0          | 117       |
| 195 | Concise Synthesis of Rodgersinol and Determination of the C-10 Absolute Configuration. Journal of Organic Chemistry, 2007, 72, 666-668.   | 3.2          | 18        |
| 196 | Anti-oxidant Constituents of the Roots and Stolons of Licorice (Glycyrrhiza glabra). Journal of Agricultural and Food Chemistry, 2007, 55, 4691-4697.   | 5 <b>.</b> 2 | 183       |
| 197 | Evaluation of the cholinergic and adrenergic effects of two tropane alkaloids fromErythroxylum pervillei. Phytotherapy Research, 2007, 21, 1002-1005.   | 5 <b>.</b> 8 | 8         |
| 198 | Chemopreventive characteristics of avocado fruit. Seminars in Cancer Biology, 2007, 17, 386-394.  | 9.6          | 166       |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Steroidal Saponins from the Rhizomes ofPolygonatumsibiricumâ€. Journal of Natural Products, 2006, 69, 360-364.   | 3.0 | 51        |
| 200 | Cytotoxic Flavaglines and Bisamides from Aglaiaedulis. Journal of Natural Products, 2006, 69, 1769-1775.   | 3.0 | 37        |
| 201 | Tropane Aromatic Ester Alkaloids from a Large-Scale Re-collection of Erythroxylumperville i Stem Bark Obtained in Madagascar#. Journal of Natural Products, 2006, 69, 414-417.   | 3.0 | 29        |
| 202 | Prenylated Flavonoids from the Root Bark of Berchemia discolor, a Tanzanian Medicinal Plant. Journal of Natural Products, 2006, 69, 1649-1652.   | 3.0 | 39        |
| 203 | Three New Flavonol Glycosides from the Aerial Parts of Rodgersia podophylla. Chemical and Pharmaceutical Bulletin, 2006, 54, 234-236.  | 1.3 | 12        |
| 204 | Cytotoxic lignans from the stems ofHelicteres hirsuta collected in indonesia. Phytotherapy Research, 2006, 20, 62-65.  | 5.8 | 36        |
| 205 | Cytotoxic clerodane diterpenoids from the leaves of Premna tomentosa. Phytochemistry, 2006, 67, 1243-1248.   | 2.9 | 28        |
| 206 | A novel iNOS and COX-2 inhibitor from the aerial parts of Rodgersia podophylla. Bioorganic and Medicinal Chemistry Letters, 2006, 16, 4600-4602.   | 2.2 | 9         |
| 207 | Drug discovery from natural sources. AAPS Journal, 2006, 8, E239-E253.   | 4.4 | 492       |
| 208 | Relationships between Inhibitory Activity against a Cancer Cell Line Panel, Profiles of Plants Collected, and Compound Classes Isolated in an Anticancer Drug Discovery Project. Chemistry and Biodiversity, 2006, 3, 897-915. | 2.1 | 33        |
| 209 | The Role of Pharmacognosy in Modern Medicine and Pharmacy. Current Drug Targets, 2006, 7, 247-264.   | 2.1 | 122       |
| 210 | Drug Discovery From Natural Sources. AAPS Journal, 2006, 08, E239.   | 4.4 | 20        |
| 211 | Two New Neolignans from the Aerial Parts of Rodgersia podophylla. Chemical and Pharmaceutical Bulletin, 2005, 53, 103-104.   | 1.3 | 8         |
| 212 | Potentially hepatoprotective glycolipid constituents of Lycium chinense fruits. Archives of Pharmacal Research, 2005, 28, 1381-1385.   | 6.3 | 25        |
| 213 | Labdane Diterpenes from Aster spathulifolius and Their Cytotoxic Effects on Human Cancer Cell Lines.<br>Journal of Natural Products, 2005, 68, 1471-1474.  | 3.0 | 28        |
| 214 | Hepatoprotective Flavonol Glycosides from the Aerial Parts ofRodgersia podophylla. Planta Medica, 2004, 70, 576-577.   | 1.3 | 19        |
| 215 | Lignans ofRosa multiflora roots. Archives of Pharmacal Research, 2004, 27, 287-290.  | 6.3 | 47        |
| 216 | Norisoprenoids and hepatoprotective flavone glycosides from the aerial parts ofBeta vulgaris var.cicla. Archives of Pharmacal Research, 2004, 27, 600-603.   | 6.3 | 39        |

## Young-Won Chin

| #   | Article   | lF  | CITATION |
|-----|---|-----|----------|
| 217 | Four novel lignans from Rodgersia podophylla. Tetrahedron Letters, 2004, 45, 339-341.   | 1.4 | 16       |
| 218 | Corrigendum to â€~Four novel lignans from Rodgersia podophylla'. Tetrahedron Letters, 2004, 45, 2867.   | 1.4 | 0        |
| 219 | Two New Acylated Iridoid Glucosides from the Aerial Parts of Paederia scandens. Chemical and Pharmaceutical Bulletin, 2004, 52, 1356-1357.                          | 1.3 | 25       |
| 220 | Hepatoprotective pyrrole derivatives of Lycium chinense fruits. Bioorganic and Medicinal Chemistry Letters, 2003, 13, 79-81.  | 2.2 | 114      |
| 221 | Strategies for supercritical fluid extraction of hyoscyamine and scopolamine salts using basified modifiers. Journal of Chromatography A, 1999, 863, 47-55.         | 3.7 | 38       |
| 222 | Supercritical fluid extraction and bioassay identification of prodrug substances from natural resources. Korean Journal of Chemical Engineering, 1997, 14, 109-116. | 2.7 | 7        |