

Agnete Egilsdatter Kristoffersen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9403612/publications.pdf>

Version: 2024-02-01

42
papers

1,049
citations

471509

17
h-index

434195

31
g-index

45
all docs

45
docs citations

45
times ranked

1211
citing authors

#	ARTICLE	IF	CITATIONS
1	Development of an International Questionnaire to Measure Use of Complementary and Alternative Medicine (I-CAM-Q). <i>Journal of Alternative and Complementary Medicine</i> , 2009, 15, 331-339.	2.1	163
2	Any difference? Use of a CAM provider among cancer patients, coronary heart disease (CHD) patients and individuals with no cancer/CHD. <i>BMC Complementary and Alternative Medicine</i> , 2012, 12, 1.	3.7	126
3	Gender differences in prevalence and associations for use of CAM in a large population study. <i>BMC Complementary and Alternative Medicine</i> , 2014, 14, 463.	3.7	73
4	Self-Reported Effects of Energy Healing: A Prospective Observational Study With Pre-Post Design. <i>Explore: the Journal of Science and Healing</i> , 2019, 15, 115-125.	1.0	59
5	Perception of risk and communication among conventional and complementary health care providers involving cancer patients' use of complementary therapies: a literature review. <i>BMC Complementary and Alternative Medicine</i> , 2016, 16, 353.	3.7	56
6	Use of Complementary and Alternative Medicine Among Patients: Classification Criteria Determine Level of Use. <i>Journal of Alternative and Complementary Medicine</i> , 2008, 14, 911-919.	2.1	47
7	Do Cancer Patients with a Poor Prognosis Use Complementary and Alternative Medicine More Often than Others?. <i>Journal of Alternative and Complementary Medicine</i> , 2009, 15, 35-40.	2.1	35
8	Complementary and Alternative Medicine Use among Norwegian Cancer Survivors: Gender-Specific Prevalence and Associations for Use. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 1-10.	1.2	29
9	The use of CAM providers and psychiatric outpatient services in people with anxiety/depression: a cross-sectional survey. <i>BMC Complementary and Alternative Medicine</i> , 2016, 16, 461.	3.7	28
10	Use of traditional and complementary medicine among Norwegian cancer patients in the seventh survey of the TromsÅ, study. <i>BMC Complementary and Alternative Medicine</i> , 2019, 19, 341.	3.7	24
11	Complementary and conventional providers in cancer care: experience of communication with patients and steps to improve communication with other providers. <i>BMC Complementary and Alternative Medicine</i> , 2017, 17, 301.	3.7	23
12	Attitudes and knowledge about direct and indirect risks among conventional and complementary health care providers in cancer care. <i>BMC Complementary and Alternative Medicine</i> , 2018, 18, 44.	3.7	23
13	Risk in homeopathy: Classification of adverse events and homeopathic aggravations – A cross sectional study among Norwegian homeopath patients. <i>Complementary Therapies in Medicine</i> , 2015, 23, 535-543.	2.7	22
14	Prevalence and reasons for intentional use of complementary and alternative medicine as an adjunct to future visits to a medical doctor for chronic disease. <i>BMC Complementary and Alternative Medicine</i> , 2018, 18, 109.	3.7	22
15	"My cancer is not my deepest concern": life course disruption influencing patient pathways and health care needs among persons living with colorectal cancer. <i>Patient Preference and Adherence</i> , 2016, Volume 10, 1591-1600.	1.8	20
16	Complementary and alternative medicine for treatment of atopic eczema in children under 14 years old: a systematic review and meta-analysis of randomized controlled trials. <i>BMC Complementary and Alternative Medicine</i> , 2018, 18, 260.	3.7	20
17	Reasons for continuing use of Complementary and Alternative Medicine (CAM) in students: a consumer commitment model. <i>BMC Complementary and Alternative Medicine</i> , 2016, 16, 75.	3.7	19
18	The prevalence of severe grief reactions after bereavement and their associations with mental health, physical health, and health service utilization: a population-based study. <i>HÅrre Utbildning</i> , 2020, 11, 1844440.	3.0	19

#	ARTICLE	IF	CITATIONS
19	Use of complementary and alternative medicine in Norway: a cross-sectional survey with a modified Norwegian version of the international questionnaire to measure use of complementary and alternative medicine (I-CAM-QN). <i>BMC Complementary Medicine and Therapies</i> , 2021, 21, 93.	2.7	19
20	Adverse effects in homeopathy. A systematic review and meta-analysis of observational studies. <i>Explore: the Journal of Science and Healing</i> , 2022, 18, 114-128.	1.0	18
21	Consultations with health care providers and use of self-management strategies for prevention and treatment of COVID-19 related symptoms. A population based cross-sectional study in Norway, Sweden and the Netherlands. <i>Complementary Therapies in Medicine</i> , 2022, 64, 102792.	2.7	18
22	Prevalence and predictors of complementary and alternative medicine use among people with coronary heart disease or at risk for this in the sixth TromsÅ, study: a comparative analysis using protection motivation theory. <i>BMC Complementary and Alternative Medicine</i> , 2017, 17, 324.	3.7	17
23	Continuity of GP care is associated with lower use of complementary and alternative medical providers: a population-based cross-sectional survey. <i>BMC Health Services Research</i> , 2014, 14, 629.	2.2	16
24	“We own the illness” a qualitative study of networks in two communities with mixed ethnicity in Northern Norway. <i>International Journal of Circumpolar Health</i> , 2018, 77, 1438572.	1.2	16
25	The impact of COVID-19 on complementary and alternative medicine providers: A cross-sectional survey in Norway. <i>Advances in Integrative Medicine</i> , 2021, 8, 247-255.	0.9	15
26	Prevalence and associations for use of a traditional medicine provider in the SAMINOR 1 Survey: a population-based study on Health and Living Conditions in Regions with Sami and Norwegian Populations. <i>BMC Complementary and Alternative Medicine</i> , 2017, 17, 530.	3.7	10
27	Prevalence, and health- and sociodemographic associations for visits to traditional and complementary medical providers in the seventh survey of the TromsÅ, study. <i>BMC Complementary and Alternative Medicine</i> , 2019, 19, 305.	3.7	10
28	Complementary and alternative medicine modalities used to treat adverse effects of anti-cancer treatment among children and young adults: a systematic review and meta-analysis of randomized controlled trials. <i>BMC Complementary Medicine and Therapies</i> , 2022, 22, 97.	2.7	10
29	“There are more things in heaven and earth” How knowledge about traditional healing affects clinical practice: interviews with conventional health personnel. <i>International Journal of Circumpolar Health</i> , 2017, 76, 1398010.	1.2	9
30	An integrative review on the information and communication needs of parents of children with cancer regarding the use of complementary and alternative medicine. <i>BMC Complementary Medicine and Therapies</i> , 2020, 20, 90.	2.7	9
31	Prevalence and predictive factors of complementary medicine use during the first wave of the COVID-19 pandemic of 2020 in the Netherlands. <i>BMC Complementary Medicine and Therapies</i> , 2022, 22, 43.	2.7	9
32	Safety of Complementary and Alternative Medicine (CAM) treatment among children and young adults who suffer from adverse effects of conventional cancer treatment: A systematic review. <i>Integrative Cancer Therapies</i> , 2022, 21, 153473542211055.	2.0	9
33	Use of complementary and alternative medicine in patients with health complaints attributed to former dental amalgam fillings. <i>BMC Complementary and Alternative Medicine</i> , 2015, 16, 22.	3.7	8
34	Communication and information needs about complementary and alternative medicine: a qualitative study of parents of children with cancer. <i>BMC Complementary Medicine and Therapies</i> , 2021, 21, 85.	2.7	8
35	“The prayer circles in the air” a qualitative study about traditional healer profiles and practice in Northern Norway. <i>International Journal of Circumpolar Health</i> , 2018, 77, 1476638.	1.2	7
36	Combining psychotherapy with craniosacral therapy for severe traumatized patients: A qualitative study from an outpatient clinic in Norway. <i>Complementary Therapies in Medicine</i> , 2020, 49, 102320.	2.7	7

#	ARTICLE	IF	CITATIONS
37	Conventional and complementary cancer treatments: where do conventional and complementary providers seek information about these modalities?. BMC Health Services Research, 2018, 18, 854.	2.2	5
38	Protocol of a mixed-method randomised controlled pilot study evaluating a wilderness programme for adolescent and young adult cancer survivors: the WAYA study. BMJ Open, 2022, 12, e061502.	1.9	5
39	Health Complaints Attributed to Dental Amalgam: A Retrospective Survey Exploring Perceived Health Changes Related to Amalgam Removal. Open Dentistry Journal, 2016, 10, 739-751.	0.5	4
40	Gender specific association between the use of complementary and alternative medicine (CAM) and alcohol consumption and injuries caused by drinking in the sixth TromsÅ, study. BMC Complementary and Alternative Medicine, 2018, 18, 239.	3.7	4
41	Conventional health care service utilization among cancer survivors that visit traditional and complementary providers in the TromsÅ, study: a cross-sectional study. BMC Health Services Research, 2022, 22, 53.	2.2	4
42	Characteristics of persons with hand osteoarthritis visiting complementary and alternative medicine providers. Osteoarthritis and Cartilage Open, 2021, 3, 100220.	2.0	1